

THE
REGISTRAR-GENERAL'S
STATISTICAL REVIEW
OF
ENGLAND AND WALES
FOR THE YEAR
1939

(New Annual Series, No. 19)
TABLES. PART I. MEDICAL

Crown Copyright Reserved



LONDON

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
York House, Kingsway, London, W.C.2; 13a Castle Street, Edinburgh 2;
39-41 King Street, Manchester 2; 1 St. Andrew's Crescent, Cardiff;
80 Chichester Street, Belfast;
or through any bookseller

1944

Price 5s. 0d. net

TABLE OF CONTENTS

Part I. Medical.

	Page
Explanatory Note on changes occasioned by war conditions	vi
Table 1. Estimated Population by Sex and Age, 1939. England and Wales	1
Table 2. Estimated Resident Populations by Sex and Age, 1939. Geographical Regions and Certain Aggregates	2
Table 3. Deaths, Death-rates, Ratio of Male to Female Mortality and Infant Mortality, 1838-1939. England and Wales ..	3
Table 4. Deaths Registered and Death-rates in each Quarter, 1838-1939. England and Wales	5
Table 5. Death-rates at All Ages (Standardized) and at Age Groups, Infant Mortality, 1838-1939. England and Wales	6
Table 6. Deaths from Various Causes, Males and Females, 1929-1939. England and Wales	9
Table 7. Crude Death-rates from Certain Causes, Males, Females and Persons, 1929-1939. England and Wales	25
Table 8. Standardized Death-rates from Certain Causes, 1929-1939. England and Wales	39
Table 9. Death-rates (Standardized or at age 0-15) from principal Epidemic or General Diseases, 1851-1939. England and Wales	43
Table 10. Crude Death-rates from the principal Epidemic Diseases and from certain other causes; Infant Mortality; 1938 and 1939. England and Wales, Metropolitan Boroughs, Administrative Counties and County Boroughs	44
Table 11. Deaths of Infants from Certain Causes, 1929-1939. England and Wales	50
Table 12. Infant Mortality from Certain Causes, 1929-1939. England and Wales	51
Table 13. Deaths at Various Periods in the First Year of Life, 1939 and the Four Quarters thereof. England and Wales and Geographical Regions	52
Table 15. Infant Mortality from Certain Causes, 1939. England and Wales and Geographical Regions	53

	Page
Table 17. Population, Births, Deaths, Infant Mortality, 1939. Geographical Regions and All Administrative Areas	55
Table 18. Stillbirths by Sex and Legitimacy, 1939. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County	90
Table 19. Deaths by Sex and Marital Condition at each year of Age, 1939. England and Wales	93
Table 19a. Deaths by Sex and Marital condition at Quinquennial Age groups, 1939. England and Wales	95
Table 20. Deaths at Different Ages, 1939. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County	96
Table 21. Deaths by Cause at different Age periods, 1939. England and Wales	113
Table 21a. Deaths by Cause and Age of Non-Civilian Males, 3rd. September-31st December, 1939. England and Wales ..	139
Table 22. Deaths by Cause at Ages under five, 1939. England and Wales	141
Table 23. Deaths by Month of Occurrence and by Cause, Oct.-Dec., 1938 and Jan.-Sept., 1939. England and Wales	145
Table 24. Deaths by Abridged List of Causes, Sex and Age, 1939. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County	161
Table 25. Violent Deaths by Sex and Age and form of Violence, 1939. England and Wales	253
Table 26. Case-rates (Notifications) of Certain Infectious Diseases, 1929-1939. England and Wales and certain Aggregates ..	259
Table 27. Seasonal Incidence of Certain Infectious Diseases, 1939. England and Wales	261
Table 28. Cases of Certain Infectious Diseases Notified, 1929-1939. England and Wales	262
Table 29. Cases of Infectious Diseases Notified and certain Attack-rates, 1939. Geographical Regions and all Administrative Areas	263
Table 30. Air Temperature, Rainfall and Sunshine, 1939. England and Wales	296
Table 31. Quarterly Meteorological Elements, Greenwich, 1939. ..	297
Table 32. Meteorological Elements, Greenwich, 1890-1939	298
Appendix A. Estimated Mid Year Populations of Areas in which changes of boundary occurred during the Year 1939	300
Appendix B.I. Deaths by Cause and Age, 1939, classified according to detailed International List (Fifth revision, 1938) England and Wales	301
Appendix B.II. Deaths of Non-Civilians, 3rd Sept.-31st Dec. 1939 classified as in Appendix B.I. England and Wales	333
Appendix C. Civilian Deaths by Month of Occurrence and Cause in October, November and December, 1939. England and Wales ..	335

CORRIGENDA.

Statistical Review. Part I, Medical. Part II, Civil.

Years 1934-1938 (inclusive).

Part I Table 17 (Page 72) Southern Section

" II " E " 10 " "

Figures in columns 13 and 14 should read as follows :—

Year	Column 13	Column 14
1934	0.95	0.94
1935	0.95	0.91
1936	0.95	0.93
1937	0.95	0.92
1938	0.95	0.93

Year 1938.

Table 6 (Page 12) International List No. 48, Last column should read 4519.

Table 21 (Page 142) " " " 8, Females at ages 55— should read 2.

Table 21 (Page 146) " " " 44(2), should have footnote as follows :—

" Includes deaths following inoculation against diseases other than smallpox of 1 male aged 27 years and 1 female aged 29 years."

Table 24 (Page 191) All causes, ages 0-, Males should read 5654.

" " " 190 Footnote. Smallpox, 1 male aged 20 years, 1 male aged 73 years, 1 female aged 23 years.

" " " 191 " " 1 male aged 20 years, 1 female aged 23 years.

" " " 193 " " 1 male aged 20 years, 1 female aged 23 years.

" " " 195 " " 1 male aged 20 years, 1 female aged 23 years.

" " " 196 " " 1 male aged 73 years.

" " " 199 " " 1 male aged 73 years.

" " " 210 " " 1 male aged 20 years, 1 female aged 23 years.

" " " 211 " " 1 male aged 73 years.

" " " 287 " " 1 male aged 20 years, 1 female aged 23 years. Kent (Aggregate of Urban districts).

" " " 317 " " 1 male aged 73 years. Yorks (W.R.) (Aggregate of Rural districts).

Table 29 (Page 373) Norfolk Administrative County.

16 cases of smallpox should read 16 cases of Enteric (Typhoid and paratyphoid) fever.

Explanatory Note of Changes in 1939 Review, Part I, Medical.

Most of the following changes have been occasioned by the War and affect comparability with previous years.

(1) *Changes in form of tables.*

Tables 14 and 16 (Infant Mortality with detail of age, legitimacy and locality) are suspended.

Table 19: Deaths of males by marital condition and age are included as well as those of females.

Table 24: The number of age groups is reduced from 11 to 6.

Table 29: The second column gives the composite 1939 population of each area for use in calculating death-rates (see 4 below). Smallpox cases are recorded in footnotes.

(2) *Populations.*

Tables, 1, 2, 29 give the composite populations for 1939, estimated (as explained in the note to Table 17) by excluding non-civilian males during the war period and allowing for evacuation movements so as to make them comparable with the deaths. These are used for calculating death-rates.

Table 17 gives the estimated resident populations at mid-1939 including non-civilians (see also footnote to Table 1). These are used for calculating birth and marriage rates.

(3) *Deaths.*

In all tables except 3, 4, 21A and Appendix BII deaths of non-civilian males registered on and after September 3rd, 1939 are excluded.

In Tables 3, 4 the total deaths registered include those of non-civilians registered throughout the year in England and Wales.

Table 21A gives the deaths of non-civilian males registered in England and Wales on and after September 3rd, classified by age and according to the detailed and abridged International List of Causes (1929 Revision).

Appendix B.I. gives for each sex and age group as in Table 21, an alternative classification according to the Fifth Revision of the International List of Causes (1938) and according to the new method of selection when more than one cause is certified (see note above the table). This dual change in classification will be in force from 1940 onwards and comparison between Tables 21 and B.I. will furnish an indication of the effects of the change. The Review for 1940 will include a series of conversion ratios to allow for these effects and the rates for 1931-1939 will then be revised to conform with 1940.

Appendix B.II. gives the revised classification of deaths of non-civilian males registered on and after September 3rd, corresponding with Table 21A.

Areal assignment of deaths during the last quarter of 1939 was carried out as follows.:-

Institution deaths to address of residence, selecting the temporary home address when two were given.

Non-institution deaths likewise, except that where death occurred in a non-evacuation area and only one address was given which was in an evacuation area the assignment was to the area where the death occurred.

(4) *Death-rates.*

Infant mortality rates of separate areas are based upon births estimated as in 5(b) below.

Other death rates for 1939 in all tables are exclusive of non-civilian males on and after September 3rd and are based on the appropriate populations given in Tables 1, 2 or 29.

(5) *Births.*

(a) For purposes of birth-rates (given in Table 17). Births registered throughout 1939 were assigned to the home address or to the area of permanent residence if two addresses were given, as in previous years.

(b) For purposes of infant and maternal mortality.

Births registered during the last quarter of 1939 were assigned in the same manner as deaths (see (3) above).

(6) *Birth-rates.*

These are based, as in previous years, on the estimated mid-year populations as given in Table 17 and in the footnote to Table 1.

TABLE 1. ESTIMATED POPULATION BY SEX AND AGE, 1939, FOR CALCULATION OF DEATH RATES. } { England and Wales.

Age.	Persons.	Males.	Females.
All Ages ..	41,246,000	19,687,500	21,558,500
0—	595,900	304,200	291,700
1—	584,700	298,500	286,200
2—	570,400	290,800	279,600
3—	560,700	285,200	275,500
4—	552,200	281,400	270,800
0—5	2,863,900	1,460,100	1,403,800
5—	2,828,000	1,430,600	1,397,400
10—	3,034,000	1,525,400	1,508,600
15—	3,551,200	1,755,300	1,795,900
20—	2,904,900	1,399,500	1,505,400
25—	3,422,100	1,658,600	1,763,500
30—	3,435,700	1,670,800	1,764,900
35—	3,225,100	1,566,300	1,658,800
40—	2,834,300	1,292,800	1,541,500
45—	2,663,600	1,220,100	1,443,500
50—	2,491,700	1,147,200	1,344,500
55—	2,282,900	1,049,600	1,233,300
60—	1,976,700	913,000	1,063,700
65—	1,569,400	715,400	854,000
70—	1,102,100	479,000	623,100
75—	636,200	255,100	381,100
80—	301,200	109,300	191,900
85 and up. ..	123,000	39,400	83,600

Note—The normal mid 1939 estimate of population (i.e. appropriate for the calculation of birth or marriage rates) is Persons 41,460,000, Males 19,920,000, Females 21,540,000. For use with deaths the figures have been adjusted to allow for the exclusion of non-civilians as from 3rd September 1939 (see note on page vi.)

TABLE 2. ESTIMATED RESIDENT POPULATION BY SEX AND AGE, 1939, ENGLAND AND WALES, GEOGRAPHICAL REGIONS; AGGREGATES OF COUNTY BOROUGHs, OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

Adjusted to allow for the inclusion of non-civilians up to 3rd September 1939, and their exclusion thereafter; also for changes in boundary during the year (see note at head of Table 17). Figures given to nearest thousand.

		All ages	0-	5-	15-	25-	35-	45-	55-	65 and upwards
England and Wales	{ M F	19,687 21,559	1,460 1,404	2,956 2,906	3,155 3,301	3,329 3,529	2,859 3,200	2,367 2,788	1,963 2,297	1,598 2,134
<i>Regional Summary—</i>										
South East	{ M F	6,753 7,605	478 456	954 928	1,092 1,160	1,194 1,289	991 1,143	816 1,001	673 828	555 800
Greater London	{ M F	3,938 4,437	270 258	540 527	663 724	714 776	592 682	485 589	388 469	286 412
Remainder of South East	{ M F	2,815 3,168	208 198	414 401	429 436	480 513	399 461	331 412	285 359	269 388
North	{ M F	6,223 6,850	479 462	975 972	985 1,062	1,008 1,098	904 1,017	763 892	634 735	475 612
North I	{ M F	1,049 1,135	87 85	190 188	171 188	153 174	143 162	124 139	104 111	77 88
North II	{ M F	628 675	52 50	104 103	101 104	99 106	85 94	72 82	62 71	53 65
North III	{ M F	1,660 1,793	123 119	246 243	265 279	275 291	250 274	205 235	171 191	125 161
North IV	{ M F	2,886 3,247	217 208	435 438	448 491	481 527	426 487	362 436	297 362	220 298
Midland	{ M F	3,561 3,748	271 262	535 530	593 592	626 622	522 556	409 465	333 375	272 346
Midland I	{ M F	2,356 2,471	181 175	352 350	398 394	421 411	342 362	268 304	217 245	177 230
Midland II	{ M F	1,205 1,277	90 87	183 180	195 198	205 211	180 194	141 161	116 130	95 116
East	{ M F	916 962	67 65	142 137	146 142	147 151	125 134	105 120	93 101	91 112
South West	{ M F	1,006 1,135	72 70	147 146	146 151	164 173	143 165	124 150	106 130	104 150
Wales	{ M F	1,228 1,259	93 89	203 193	193 194	190 196	174 185	150 160	124 128	101 114
Wales I	{ M F	893 896	68 65	143 142	145 144	139 142	129 132	112 114	89 86	68 71
Wales II	{ M F	335 363	25 24	60 51	48 50	51 54	45 53	38 46	35 42	33 43
<i>Density Summary of All Areas outside Greater London</i>										
County Boroughs	{ M F	5,999 6,712	465 450	938 937	975 1,069	981 1,069	858 983	730 870	597 712	455 622
Other Urban Districts	{ M F	6,072 6,695	450 432	915 901	946 1,007	1,020 1,093	891 996	731 861	610 719	509 686
Rural Districts	{ M F	3,678 3,715	275 264	563 541	571 501	614 591	518 539	421 468	368 397	348 414

TABLE 3. DEATHS, DEATH-RATES, RATIO OF MALE TO FEMALE } England and Wales.
MORTALITY AND INFANT MORTALITY, 1838-1939.

Period.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1838-1939†	49,384,886	25,327,222	24,057,664	17·0	18·1	16·0	16·3	17·6	15·1	1,172	129	—	—
1841-1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	21·6	22·5	20·7	1,085	153	—	—
1851-1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	21·2	22·1	20·3	1,092	154	—	—
1861-1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	21·3	22·6	20·2	1,119	154	—	—
1871-1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	20·3	21·8	19·0	1,150	149	—	—
1881-1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	18·6	20·0	17·3	1,154	142	—	—
1891-1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	18·1	19·5	16·7	1,167	153	—	—
1901-1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	15·2	16·6	13·9	1,190	128	—	—
1911-1920†	5,188,052	2,684,511	2,503,541	14·4	15·9	13·0	13·5	15·0	12·2	1,230	100	96	194
1921-1930	4,722,991	2,407,475	2,315,516	12·1	12·9	11·4	10·6	11·8	9·5	1,236	72	70	130
1841-1845	1,746,110	885,168	860,942	21·4	22·1	20·6	20·6	21·6	19·8	1,089	148	—	—
1846-1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	22·4	23·4	21·6	1,084	157	—	—
1851-1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	21·7	22·7	20·7	1,097	156	—	—
1856-1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	20·7	21·6	19·9	1,090	152	—	—
1861-1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	21·4	22·6	20·3	1,113	151	—	—
1866-1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	21·2	22·6	20·0	1,130	157	—	—
1871-1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	20·9	22·4	19·5	1,149	153	—	—
1876-1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	19·8	21·3	18·4	1,158	145	—	—
1881-1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	18·7	20·1	17·5	1,151	139	—	—
1886-1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	18·5	20·0	17·2	1,163	145	—	—
1891-1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	18·5	20·0	17·2	1,161	151	—	—
1896-1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	17·6	19·1	16·2	1,178	156	—	—
1901-1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	16·0	17·4	14·6	1,192	138	—	—
1906-1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	14·4	15·8	13·2	1,196	117	113	224
1911-1915†	2,598,719	1,344,171	1,254,548	14·3	15·4	13·3	13·7	15·1	12·4	1,218	110	105	210
1916-1920†	2,589,333	1,340,340	1,248,993	14·6	15·5	12·8	13·4	15·1	11·9	1,269	90	85	179
1921-1925	2,336,270	1,189,865	1,146,405	12·1	12·9	11·4	10·9	12·0	9·8	1,225	76	73	140
1926-1930	2,386,721	1,217,610	1,169,111	12·1	12·9	11·4	10·3	11·5	9·2	1,247	68	65	119
1931-1935	2,426,602	1,232,537	1,194,065	12·0	12·7	11·4	9·6	10·7	8·6	1,251	62	60	103
1889	518,353	266,102	252,251	18·2	19·3	17·2	17·9	19·2	16·6	1,159	144	—	—
1890	562,248	290,448	271,800	19·5	20·8	18·3	19·3	21·0	17·8	1,181	151	—	—
1891	587,925	302,494	285,431	20·2	21·5	19·0	20·0	21·7	18·5	1,174	149	—	—
1892	559,684	286,062	273,622	19·0	20·0	18·0	18·8	20·2	17·5	1,158	148	—	—
1893	569,958	291,889	278,069	19·2	20·3	18·1	18·9	20·4	17·6	1,157	157	—	—
1894	498,827	256,015	242,812	16·6	17·6	15·6	16·4	17·7	15·2	1,165	139	—	—
1895	568,997	290,704	278,293	18·7	19·7	17·7	18·5	19·9	17·3	1,155	161	—	—
1896	526,727	270,575	256,152	17·1	18·1	16·1	16·9	18·3	15·7	1,163	148	—	—
1897	541,487	280,211	261,276	17·4	18·6	16·2	17·3	18·8	15·9	1,187	156	—	—
1898	552,141	283,981	268,160	17·5	18·6	16·5	17·4	18·9	16·1	1,172	160	—	—

* The standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for males and females are standardized for differences of age constitution in each sex, and also between the two sexes. See the Registrar-General's Decennial Supplement, 1921, Part III (pages xxxiii-xlii).

† For the years 1915-20 and from 3rd September, 1939, the mortality-rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 3—(continued).

Year	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1899	581,799	299,472	282,327	18·2	19·4	17·2	18·2	19·8	16·8	1,176	163	—	—
1900	587,830	303,823	284,007	18·2	19·5	17·1	18·2	19·9	16·7	1,189	154	—	—
1901	551,585	285,618	265,967	16·9	18·1	15·8	16·9	18·5	15·5	1,192	151	—	—
1902	535,538	277,216	258,322	16·3	17·4	15·2	16·2	17·7	14·8	1,195	133	—	—
1903	514,628	266,290	248,338	15·5	16·5	14·4	15·4	16·8	14·1	1,196	132	—	—
1904	549,784	283,206	266,578	16·3	17·4	15·3	16·2	17·6	14·9	1,185	145	—	—
1905	520,031	267,601	252,430	15·3	16·3	14·4	15·2	16·5	13·9	1,188	128	—	—
1906	531,281	274,233	257,048	15·5	16·5	14·5	15·3	16·8	14·0	1,195	132	127	261
1907	524,221	269,259	254,962	15·1	16·0	14·2	14·9	16·2	13·6	1,190	118	113	220
1908	520,456	268,714	251,742	14·8	15·8	13·9	14·5	16·0	13·3	1,204	120	116	233
1909	518,003	265,203	252,800	14·6	15·5	13·8	14·3	15·6	13·1	1,192	109	104	211
1910	483,247	249,016	234,231	13·5	14·4	12·7	13·2	14·5	12·0	1,205	105	102	195
1911	527,810	272,512	255,298	14·6	15·6	13·7	14·2	15·6	13·0	1,202	130	125	245
1912	486,939	250,232	236,707	13·4	14·2	12·6	12·9	14·2	11·8	1,203	95	91	181
1913	504,975	261,687	243,288	13·8	14·8	12·9	13·3	14·7	12·1	1,221	108	104	213
1914	516,742	267,359	249,383	14·0	14·9	13·1	13·5	14·9	12·2	1,216	105	100	207
1915†	562,253	292,381	269,872	15·7	17·7	14·0	14·6	16·3	13·0	1,254	110	105	203
1916†	508,217	265,030	243,187	14·3	16·7	12·5	13·1	14·9	11·5	1,296	91	87	183
1917†	498,922	262,215	236,707	14·2	17·1	12·6	13·0	15·1	11·2	1,348	96	90	201
1918†	611,861	314,704	297,157	17·3	20·1	15·2	16·6	19·0	14·5	1,310	97	91	186
1919†	504,203	258,089	246,114	14·0	15·7	12·6	13·0	14·6	11·6	1,259	89	84	173
1920†	466,130	240,302	225,828	12·4	13·5	11·5	11·9	13·2	10·7	1,234	80	76	156
1921	458,629	234,291	224,338	12·1	12·9	11·3	11·3	12·5	10·2	1,223	83	79	158
1922	486,780	247,221	239,559	12·7	13·5	12·0	11·6	12·8	10·5	1,216	77	74	139
1923	444,785	226,858	217,927	11·6	12·4	10·9	10·2	11·4	9·2	1,231	69	67	132
1924	473,235	240,620	232,615	12·2	13·0	11·5	10·7	11·1	8·9	1,225	75	73	133
1925	472,841	240,875	231,966	12·1	12·9	11·4	10·6	11·1	8·6	1,231	75	72	136
1926	453,804	231,549	222,255	11·6	12·4	10·9	10·0	11·2	9·0	1,240	70	68	130
1927	484,609	246,606	238,003	12·3	13·1	11·6	10·5	11·8	9·5	1,243	70	67	120
1928	460,389	235,542	224,847	11·7	12·5	10·9	9·9	11·0	8·8	1,254	65	63	115
1929	532,492	269,903	262,589	13·4	14·2	12·7	11·4	12·6	10·2	1,234	74	72	126
1930	455,427	234,010	221,417	11·4	12·3	10·7	9·5	10·7	8·4	1,269	60	58	105
1931	491,630	249,717	241,913	12·3	13·0	11·6	10·1	11·3	9·0	1,251	66	64	111
1932	484,129	245,715	238,414	12·0	12·7	11·4	9·7	10·9	8·7	1,248	65	63	112
1933	496,465	250,625	245,840	12·3	12·9	11·7	9·8	10·9	8·8	1,240	64	62	107
1934	476,810	242,855	233,955	11·8	12·5	11·1	9·3	10·4	8·3	1,252	59	57	95
1935	477,401	243,458	233,943	11·7	12·5	11·1	9·0	10·2	8·0	1,265	57	56	90
1936	495,764	253,319	242,445	12·1	12·9	11·4	9·2	10·4	8·2	1,280	59	57	88
1937	509,574	260,057	249,517	12·4	13·2	11·7	9·3	10·5	8·2	1,279	58	56	88
1938	†478,829	†246,731	232,098	11·6	12·5	10·8	8·5	9·8	7·5	1,307	53	51	81
1939†	†499,804	†255,781	244,023	12·1	12·9	11·3	8·5	9·7	7·4	1,309	50	49	90

* † See footnotes on first page of this Table.

† In addition to these numbers, 265 deaths were registered which occurred in the Gresford Colliery disaster in 1934.

TABLE 4. DEATHS REGISTERED AND DEATH-RATES IN EACH } England and Wales.
 QUARTER, 1838-1939.

Period.	Quarter ended.							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths : Males.				Deaths : Females.			
1838-1939*	7,182,674	6,170,624	5,693,298	6,280,626	6,945,895	5,752,720	5,313,293	6,045,756
1841-50	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-60	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-70	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-80	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-90	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-10	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-20*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-30	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1929	99,944	61,439	50,201	58,319	104,365	57,289	46,548	54,387
1930	67,653	57,414	49,766	59,177	64,314	53,922	46,623	56,558
1931	81,036	58,755	49,896	60,030	81,172	55,939	46,839	57,963
1932	76,393	59,749	50,360	59,213	77,058	56,479	47,624	57,253
1933	84,280	55,459	48,977	61,909	85,703	53,132	46,833	60,172
1934	74,292	60,796	49,808	57,959	71,711	58,211	47,661	56,372
1935	67,538	61,679	51,357	62,884	65,119	60,256	48,709	59,859
1936	77,731	61,463	51,347	62,778	75,860	58,077	48,588	59,920
1937	82,071	60,887	51,741	65,358	81,645	57,638	48,560	61,674
1938	71,021	61,737	52,875	61,098	66,876	57,451	49,670	58,101
1939*	77,765	61,920	53,077	63,019	76,467	58,609	50,223	58,724
	Deaths : Persons.				Annual Death-rates per 1,000 persons living.			
1838-1939*	14,128,569	11,923,344	11,006,591	12,326,382	19.8	16.5	15.1	16.9
1841-50	1,029,485	926,091	892,964	920,856	24.7	22.0	21.0	21.7
1851-60	1,157,916	1,040,596	965,924	1,046,279	24.7	22.1	20.3	21.9
1861-70	1,323,406	1,156,834	1,126,288	1,187,970	25.2	21.8	21.0	22.1
1871-80	1,422,776	1,259,064	1,195,003	1,301,468	23.7	20.9	19.6	21.3
1881-90	1,459,550	1,271,775	1,194,102	1,319,343	21.6	18.7	17.3	19.1
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	20.7	17.6	17.0	17.7
1901-10	1,490,235	1,246,735	1,185,415	1,326,389	17.7	14.6	13.8	15.4
1911-20*	1,532,334	1,220,642	1,074,835	1,360,241	17.2	13.6	11.8	14.9
1921-30	1,489,996	1,136,431	936,261	1,160,303	15.5	11.7	9.5	11.8
1929	204,309	118,728	96,749	112,706	20.9	12.0	9.7	11.3
1930	131,967	111,336	96,389	115,735	13.4	11.2	9.6	11.5
1931	162,208	114,694	96,735	117,993	16.5	11.5	9.6	11.7
1932	153,451	116,228	97,984	116,466	15.4	11.6	9.7	11.5
1933	169,983	108,591	95,810	122,081	17.1	10.8	9.4	12.0
1934	146,003	119,007	97,469	114,331	14.6	11.8	9.6	11.2
1935	132,657	121,935	100,066	122,743	13.2	12.0	9.8	12.0
1936	153,591	119,540	99,935	122,698	15.1	11.8	9.7	12.0
1937	163,716	118,525	100,301	127,032	16.2	11.6	9.7	12.3
1938	137,897	119,188	102,545	119,199	13.6	11.6	9.9	11.5
1939*	154,232	120,529	103,300	121,743	15.1	11.7	9.9	11.8

* See Note † to Table 3.

TABLE 5. DEATH-RATES PER 1,000 LIVING AT
ALL AGES (STANDARDIZED) AND AGE GROUPS, } England and Wales.
INFANT MORTALITY, 1838-1939.*

PERSONS

Period.	All Ages (Stand- ard- ized)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards	Deaths under 1 year per 1,000 Live Births.
1838-1939†	16.3	49.7	5.1	2.9	4.2	5.3	6.4	8.9	13.8	26.2	57.4	129.7	273.2	129
1841-50	21.6	66.0	9.0	5.3	7.5	9.3	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-60	21.2	67.6	8.5	5.0	7.0	8.7	9.8	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-70	21.3	68.6	8.0	4.5	6.4	8.2	9.8	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-80	20.3	63.4	6.5	3.7	5.4	7.1	9.0	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-90	18.6	56.8	5.3	3.0	4.4	5.6	7.6	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900	18.1	57.7	4.3	2.5	3.7	4.7	6.4	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-10	15.2	46.0	3.6	2.1	3.0	3.8	5.1	8.3	14.3	28.1	58.8	127.2	260.8	128
1911-20‡	13.5	34.6	3.6	2.3	3.3	4.3	5.5	7.4	12.6	25.0	55.8	125.5	254.2	100
1921-30	10.6	22.7	2.4	1.6	2.6	3.2	3.5	5.5	10.0	21.3	50.8	120.9	260.2	72
1841-45	20.6	63.6	8.7	5.0	7.2	8.8	9.7	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-50	22.4	68.7	9.4	5.6	7.7	9.8	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157
1851-55	21.7	68.9	8.6	5.2	7.4	9.1	10.2	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-60	20.7	66.9	8.3	4.7	6.7	8.3	9.4	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-65	21.4	69.1	8.4	4.7	6.6	8.4	9.8	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-70	21.2	68.1	7.6	4.3	6.2	8.0	9.9	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-75	20.9	64.9	6.9	4.0	5.8	7.7	9.6	13.1	18.0	31.6	65.3	141.7	305.2	153
1876-80	19.8	61.9	6.1	3.5	4.9	6.5	8.3	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-85	18.7	56.8	5.8	3.2	4.6	6.0	8.0	11.8	17.2	31.0	63.5	136.2	277.9	139
1886-90	18.5	56.9	4.9	2.8	4.1	5.3	7.2	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-95	18.5	57.8	4.6	2.7	4.0	5.0	6.8	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900	17.6	57.6	4.1	2.4	3.5	4.5	6.0	10.1	16.2	30.5	62.9	133.8	267.7	156
1901-05	16.0	50.2	3.7	2.2	3.1	4.0	5.4	8.9	14.9	28.7	59.4	127.3	258.6	138
1906-10	14.4	41.7	3.4	2.0	2.9	3.6	4.8	7.8	13.7	27.5	58.1	127.0	262.4	117
1911-15†	13.7	37.5	3.4	2.1	2.9	3.6	4.6	7.3	13.1	26.2	57.3	126.2	257.9	110
1916-20†	13.4	31.4	3.8	2.5	3.8	5.2	6.5	7.5	12.1	24.0	54.5	124.8	250.7	90
1921-25	10.9	24.4	2.5	1.7	2.6	3.3	3.8	5.7	10.1	21.6	51.1	121.8	251.4	76
1926-30	10.3	20.8	2.4	1.6	2.5	3.1	3.5	5.4	9.9	21.0	50.6	120.2	268.2	68
1931-35	9.6	18.1	2.2	1.4	2.3	3.0	3.2	4.8	9.4	20.0	49.2	119.8	257.6	62
1898	17.4	58.5	3.8	2.2	3.4	4.4	5.9	9.8	15.7	29.7	61.5	132.1	268.1	160
1899	18.2	58.5	4.1	2.4	3.5	4.5	6.1	10.5	17.0	31.9	66.6	142.2	283.9	163
1900	18.2	56.7	4.2	2.4	3.5	4.6	6.2	10.5	17.5	33.1	68.1	143.9	285.2	154
1901	16.9	54.2	4.1	2.3	3.3	4.2	5.8	9.6	15.9	29.8	61.5	129.8	258.0	151
1902	16.2	49.6	4.1	2.3	3.2	4.2	5.7	9.3	15.5	29.4	60.6	129.0	258.8	133
1903	15.4	48.1	3.5	2.1	3.0	3.8	5.4	8.6	14.6	27.7	57.5	122.2	243.6	132
1904	16.2	53.0	3.6	2.1	3.1	3.9	5.3	8.5	14.6	28.7	59.7	130.1	267.6	145
1905	15.2	46.2	3.5	2.1	3.0	3.9	5.2	8.3	14.2	28.0	58.0	125.5	264.5	128
1906	14.9	42.9	3.6	2.1	3.0	3.8	5.1	8.2	14.2	28.2	57.7	126.9	273.1	132
1907	14.9	42.9	3.5	2.1	2.9	3.7	5.0	8.2	14.2	28.6	59.6	129.3	271.0	118
1908	14.3	39.2	3.4	2.0	2.8	3.7	4.9	7.8	13.7	27.6	57.8	127.2	259.0	120
1909	14.3	39.2	3.4	2.1	2.9	3.6	4.8	7.7	13.8	27.8	60.4	131.7	268.3	109
1910	13.2	36.4	3.0	1.9	2.7	3.4	4.4	7.2	12.7	25.7	55.2	120.1	242.4	105
1911	14.2	43.1	3.4	2.1	2.9	3.5	4.6	7.3	13.1	26.0	55.8	123.7	243.0	130
1912	12.9	32.9	3.1	1.9	2.8	3.4	4.4	7.1	12.9	25.8	56.4	123.6	248.9	95
1913	13.3	36.8	3.2	2.0	2.7	3.4	4.3	7.1	12.9	25.9	55.8	121.7	247.7	108
1914	13.5	36.2	3.4	2.1	2.9	3.5	4.6	7.3	13.2	26.0	56.5	121.8	256.8	105
1915†	14.6	38.2	3.8	2.3	3.2	4.3	5.1	7.6	13.5	27.5	61.7	139.5	291.8	110
1916†	13.1	29.5	3.3	2.2	3.2	4.3	5.1	7.2	12.5	25.4	58.5	133.3	282.2	91
1917†	13.0	29.1	3.3	2.2	3.2	4.3	5.1	7.2	12.0	24.7	56.5	130.5	263.9	96
1918†	16.6	36.5	5.7	3.7	6.1	9.3	12.4	10.1	14.2	25.1	55.1	117.5	225.8	97
1919†	13.0	29.6	3.5	2.3	3.5	4.7	6.4	7.2	11.6	23.7	54.6	130.6	264.0	89
1920†	11.9	32.6	3.3	2.0	2.8	3.6	4.4	6.1	10.4	21.2	48.2	113.1	220.8	80
1921	11.3	28.7	2.8	1.8	2.8	3.4	3.9	5.8	10.0	21.1	49.0	116.7	242.3	83
1922	11.6	27.0	2.6	1.8	2.6	3.5	4.1	6.1	10.6	22.7	53.9	129.4	255.7	77
1923	10.2	21.7	2.3	1.6	2.5	3.2	3.7	5.5	9.8	21.1	49.0	116.0	238.3	69
1924	10.7	22.4	2.3	1.7	2.5	3.3	3.7	5.7	10.1	21.9	52.4	123.3	251.8	75
1925	10.6	22.7	2.5	1.7	2.6	3.2	3.6	5.5	10.1	21.3	51.2	123.4	268.1	75
1926	10.0	21.1	2.4	1.5	2.4	3.0	3.5	5.3	9.6	20.5	48.6	115.4	254.3	70
1927	10.5	21.3	2.3	1.5	2.5	3.1	3.6	5.7	10.2	21.5	52.2	124.8	281.2	70
1928	9.9	19.6	2.3	1.6	2.5	3.1	3.4	5.2	9.6	20.3	48.9	119.6	258.0	65
1929	11.4	23.9	2.5	1.7	2.6	3.3	3.6	5.7	10.9	22.8	56.2	136.5	312.3	74
1930	9.5	18.2	2.3	1.5	2.5	3.0	3.4	5.0	9.4	20.0	47.2	111.8	238.1	60
1931	10.1	19.9	2.1	1.5	2.5	3.1	3.4	5.1	9.8	20.6	50.8	123.9	267.9	66
1932	9.7	19.0	2.1	1.4	2.4	3.0	3.2	4.8	9.3	20.0	49.9	122.2	265.6	65
1933	9.8	17.9	2.2	1.4	2.4	3.1	3.4	5.1	9.9	20.3	49.7	124.4	268.1	64
1934	9.3	17.5	2.4	1.4	2.3	2.9	3.1	4.6	9.2	19.7	48.1	114.0	238.9	59
1935	9.0	16.1	2.0	1.3	2.1	2.7	3.0	4.5	9.0	19.5	47.8	115.6	249.0	57
1936	9.2	17.0	2.0	1.2	2.0	2.7	2.8	4.3	9.1	20.0	48.9	119.6	260.9	59
1937	9.3	16.6	1.9	1.2	2.0	2.7	2.9	4.4	9.2	20.5	49.5	121.5	277.2	58
1938	8.5	15.2	1.9	1.2	1.9	2.5	2.7	4.0	8.4	18.9	46.0	112.1	245.5	53
1939†	8.5	13.7	1.5	1.0	1.8	2.4	2.6	3.9	8.6	19.7	47.2	119.0	260.6	50

* The age rates for intercensal years are based upon estimated populations.

† See Note * to Table 3.

‡ Including civilian mortality only in 1915-20 and from 3rd September, 1939.

TABLE 5—(continued).

MALES

Period.	All ages (Stand- ard- ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards	Deaths under 1 year per 1,000 Live Births.
1838-1939†	17.6	53.8	5.1	2.9	4.2	5.6	6.6	9.7	15.6	29.6	63.7	141.6	293.5	142
1841-50	22.5	71.2	9.2	5.1	7.1	9.5	9.9	12.9	18.2	31.8	67.5	148.3	312.3	167
1851-60	22.1	72.4	8.5	4.9	6.7	8.8	9.6	12.5	18.0	30.9	65.3	146.7	308.2	168
1861-70	22.6	73.5	8.2	4.5	6.2	8.5	9.9	13.5	19.3	33.1	67.1	147.2	315.0	168
1871-80	21.8	68.4	6.7	3.7	5.3	7.4	9.3	13.8	20.1	34.9	69.7	150.8	327.4	163
1881-90	20.0	61.6	5.3	3.0	4.3	5.7	7.8	12.4	19.4	34.7	70.5	146.6	305.8	155
1891-1900	19.5	62.7	4.3	2.4	3.8	5.1	6.8	11.5	18.9	34.9	70.4	146.1	286.8	168
1901-10	16.6	50.0	3.5	2.1	3.1	4.2	5.6	9.2	16.2	31.8	64.8	137.7	279.2	140
1911-20†	15.0	37.8	3.6	2.2	3.4	4.9	6.5	8.6	14.5	29.0	63.5	139.3	274.5	112
1921-30	11.8	25.1	2.5	1.7	2.6	3.4	3.9	6.3	11.6	24.6	58.2	135.4	285.8	81
1841-45	21.6	68.7	8.8	4.8	6.8	9.0	9.4	12.2	17.2	30.3	65.5	143.7	305.1	162
1846-50	23.4	73.7	9.5	5.4	7.4	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851-55	22.7	73.9	8.8	5.2	7.0	9.2	10.0	12.9	18.6	31.6	66.7	150.9	310.9	172
1856-60	21.6	71.5	8.3	4.6	6.4	8.4	9.2	12.2	17.5	30.4	64.3	142.7	305.3	166
1861-65	22.6	74.1	8.5	4.7	6.4	8.6	9.8	13.2	18.9	32.8	66.4	145.9	316.6	166
1866-70	22.6	72.9	7.9	4.3	6.0	8.3	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871-75	22.4	69.9	7.1	4.0	5.7	8.1	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876-80	21.3	67.1	6.3	3.4	4.8	6.7	8.7	13.4	19.8	34.9	69.4	152.2	331.5	159
1881-85	20.1	61.3	5.8	3.2	4.5	6.0	8.2	12.8	19.3	34.2	68.8	145.4	297.9	152
1886-90	20.0	61.9	4.9	2.8	4.1	5.5	7.4	12.1	19.4	35.2	72.1	147.9	313.7	159
1891-95	20.0	62.9	4.5	2.6	4.0	5.2	7.1	11.9	19.5	35.8	72.5	149.2	290.8	165
1896-1900	19.1	62.4	4.1	2.3	3.6	4.9	6.5	11.1	18.4	34.1	68.3	143.1	282.8	170
1901-05	17.4	54.7	3.7	2.1	3.2	4.4	5.9	9.7	17.0	32.4	65.3	137.6	274.6	151
1906-10	15.8	45.4	3.3	2.0	3.0	4.0	5.3	8.6	15.5	31.2	64.4	137.7	283.0	129
1911-15†	15.1	40.9	3.4	2.0	3.0	4.0	5.1	8.2	14.9	30.6	64.1	139.2	281.6	121
1916-20†	15.1	34.4	3.8	2.4	3.9	6.6	8.6	9.1	14.0	27.9	63.0	139.4	267.8	101
1921-25	12.0	27.0	2.6	1.7	2.7	3.5	4.0	6.5	11.6	24.9	58.2	135.5	272.7	86
1926-30	11.5	23.1	2.5	1.6	2.6	3.3	3.7	6.2	11.6	24.4	58.3	135.4	298.1	77
1931-35	10.7	20.1	2.3	1.4	2.4	3.2	3.3	5.4	11.2	23.5	56.8	135.2	278.8	70
1898	18.9	63.4	3.8	2.2	3.5	4.8	6.3	10.7	17.6	33.2	66.4	140.3	282.6	175
1899	19.8	63.4	4.1	2.3	3.6	5.0	6.7	11.6	19.2	35.5	72.0	150.3	302.1	177
1900	19.9	61.6	4.2	2.3	3.7	5.1	6.7	11.7	19.9	37.1	74.2	157.3	304.3	169
1901	18.5	59.0	4.0	2.3	3.5	4.7	6.2	10.6	18.0	33.5	67.8	139.8	276.5	166
1902	17.7	54.1	3.9	2.2	3.3	4.6	6.2	10.4	17.8	33.3	66.7	138.5	270.0	147
1903	16.8	52.5	3.5	2.0	3.0	4.2	5.8	9.4	16.6	31.6	63.3	132.8	260.3	145
1904	17.6	57.4	3.6	2.1	3.1	4.3	5.7	9.4	16.5	32.3	65.5	139.7	287.6	159
1905	16.5	50.3	3.4	2.1	3.1	4.2	5.6	9.0	16.1	31.5	63.3	137.2	278.2	141
1906	16.8	51.2	3.5	2.0	3.2	4.1	5.5	9.1	16.1	32.4	64.3	137.3	298.5	145
1907	16.2	46.8	3.4	2.0	3.0	4.0	5.5	9.0	16.1	32.3	65.2	138.8	291.7	130
1908	16.0	46.9	3.3	2.0	2.9	4.0	5.3	8.6	15.4	31.4	64.3	138.4	277.2	133
1909	15.6	42.8	3.4	2.0	3.0	3.9	5.2	8.5	15.6	31.1	66.4	142.5	289.9	120
1910	14.5	39.7	3.0	1.9	2.7	3.7	4.7	7.9	14.5	29.4	61.8	131.6	259.7	116
1911	15.6	46.7	3.5	2.1	3.1	3.8	5.0	8.1	14.9	29.6	62.4	136.7	268.0	142
1912	14.2	35.9	3.1	1.8	2.9	3.6	4.8	7.9	14.7	29.6	62.7	135.6	266.7	106
1913	14.7	40.3	3.2	1.9	2.8	3.6	4.8	7.9	14.7	29.9	62.9	136.6	269.3	120
1914	14.9	39.4	3.4	2.1	3.1	3.9	5.1	8.3	14.9	30.0	63.4	133.2	281.2	116
1915†	16.3	42.0	3.9	2.3	3.3	5.8	6.5	8.9	15.4	31.9	69.0	153.6	322.7	123
1916†	14.9	32.5	3.3	2.2	3.4	6.9	7.2	8.6	14.4	29.6	66.8	148.1	309.2	102
1917†	15.1	31.8	3.3	2.2	3.6	7.9	8.5	9.1	14.1	29.2	66.2	147.2	286.5	108
1918†	19.0	38.9	5.5	3.5	6.2	13.8	19.6	12.6	16.4	29.3	64.4	132.1	234.4	108
1919†	14.6	32.8	3.5	2.3	3.6	5.5	8.1	8.6	13.3	27.2	62.6	145.5	277.6	100
1920†	13.2	36.2	3.3	1.9	2.9	3.9	4.7	7.0	12.1	24.5	55.6	125.1	235.2	90
1921	12.5	31.9	2.8	1.8	2.8	3.6	4.2	6.5	11.4	24.4	55.8	128.7	262.8	93
1922	12.8	29.8	2.6	1.7	2.7	3.8	4.3	6.9	12.0	26.0	61.0	143.5	271.7	87
1923	11.4	24.0	2.3	1.6	2.6	3.5	4.0	6.3	11.2	24.2	55.6	129.5	262.9	78
1924	11.8	24.8	2.4	1.7	2.6	3.5	3.9	6.5	11.6	25.1	59.6	136.9	273.4	85
1925	11.8	24.9	2.5	1.7	2.6	3.3	3.8	6.3	11.6	24.7	59.7	138.8	292.0	84
1926	11.2	23.3	2.5	1.5	2.5	3.2	3.6	6.0	11.0	23.6	55.9	131.1	284.3	79
1927	11.8	23.7	2.4	1.6	2.5	3.4	3.8	6.5	11.9	24.9	59.9	139.8	312.2	79
1928	11.0	21.9	2.4	1.7	2.6	3.2	3.6	6.0	11.2	23.6	56.5	128.0	290.9	74
1929	12.6	26.2	2.6	1.7	2.7	3.5	3.9	6.7	12.9	26.3	64.1	151.5	343.6	83
1930	10.7	20.4	2.4	1.6	2.6	3.2	3.5	5.7	11.2	23.4	55.2	126.6	263.5	68
1931	11.3	22.4	2.3	1.5	2.6	3.3	3.5	5.8	11.6	23.9	58.7	138.4	295.4	75
1932	10.9	21.0	2.2	1.4	2.5	3.2	3.3	5.3	10.8	23.4	57.9	138.0	289.2	73
1933	10.9	19.9	2.3	1.5	2.6	3.3	3.5	5.7	11.7	23.7	56.7	139.4	286.5	72
1934	10.4	19.3	2.5	1.4	2.4	3.1	3.2	5.1	10.9	23.3	55.6	129.3	256.4	65
1935	10.2	17.9	2.1	1.3	2.1	2.9	3.1	5.0	10.8	23.2	55.5	131.8	269.2	64
1936	10.4	19.1	2.1	1.3	2.0	2.9	3.0	4.9	10.8	24.1	56.6	137.3	291.4	66
1937	10.5	18.6	2.0	1.2	2.1	2.8	3.1	5.0	11.1	24.9	57.4	138.5	292.3	65
1938	9.8	17.1	1.9	1.3	2.0	2.8	2.9	4.5	10.2	23.0	54.1	130.1	263.8	60
1939†	9.7	15.2	1.7	1.1	1.9	2.6	2.7	4.4	10.3	24.3	55.4	139.1	280.8	56

† See Note * to Table 3.

† Including civilian mortality only in 1915-20 and from 3rd September, 1939.

TABLE 5—(continued).

FEMALES

Period.	All ages (Stand- ard- ized.)†	0	5	10	15	20	25	35	45	55	65	75	85 and up- wards	Deaths under 1 year per 1,000 Live Births.
1838-1939	15.1	45.7	5.0	3.0	4.2	5.1	6.1	8.1	12.1	23.2	52.2	121.2	261.9	116
1841-50	20.7	61.1	8.9	5.4	7.9	9.1	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851-60	20.3	62.7	8.4	5.1	7.4	8.5	9.9	12.1	15.2	27.0	58.7	134.5	288.9	139
1861-70	20.2	63.7	7.8	4.5	6.6	8.0	9.7	12.1	15.6	27.9	59.1	134.9	285.1	139
1871-80	19.0	58.3	6.2	3.7	5.5	6.8	8.6	11.6	15.6	28.7	61.0	135.4	296.4	134
1881-90	17.3	51.9	5.3	3.1	4.4	5.5	7.4	10.6	15.1	28.5	60.4	130.6	270.8	128
1891-1900	16.7	52.8	4.4	2.6	3.7	4.5	6.1	9.6	14.7	28.4	60.7	130.6	261.4	138
1901-10	13.9	41.9	3.6	2.2	2.9	3.5	4.7	7.5	12.5	24.8	53.9	119.8	250.3	114
1911-20	12.2	31.4	3.6	2.3	3.2	3.9	4.8	6.4	10.9	21.5	49.6	116.3	243.6	89
1921-30	9.5	20.2	2.3	1.6	2.5	3.0	3.5	4.9	8.6	18.3	44.9	111.6	248.2	63
1841-45	19.8	58.6	8.6	5.2	7.7	8.6	9.9	12.1	15.1	27.2	59.1	131.8	288.6	133
1846-50	21.6	63.6	9.2	5.7	8.1	9.6	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142
1851-55	20.7	63.8	8.5	5.3	7.8	8.9	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141
1856-60	19.9	62.3	8.4	4.8	7.1	8.2	9.6	11.8	14.8	26.5	58.1	131.9	285.8	137
1861-65	20.3	64.2	8.3	4.8	6.9	8.2	9.8	12.1	15.5	27.9	59.1	133.8	287.9	136
1866-70	20.0	63.3	7.4	4.3	6.4	7.8	9.6	12.1	15.8	27.9	59.1	136.1	282.3	142
1871-75	19.5	60.0	6.6	4.0	5.9	7.4	9.2	12.0	15.9	28.7	61.3	135.3	293.9	138
1876-80	18.4	56.8	5.9	3.5	5.0	6.2	8.0	11.3	15.3	28.6	60.8	135.5	299.0	130
1881-85	17.5	51.9	5.7	3.3	4.7	5.9	7.9	10.9	15.2	28.1	59.1	130.2	265.5	125
1886-90	17.2	52.0	4.9	2.9	4.2	5.2	6.9	10.3	15.0	28.8	61.7	132.3	276.1	131
1891-95	17.2	52.8	4.6	2.7	4.0	4.8	6.6	10.1	15.2	29.5	63.0	134.3	264.0	135
1896-1900	16.2	52.7	4.2	2.4	3.4	4.1	5.6	9.1	14.3	27.4	58.5	127.0	258.7	141
1901-05	14.6	45.8	3.8	2.2	3.0	3.7	5.0	8.0	13.1	25.4	54.8	119.9	249.4	124
1906-10	13.2	38.0	3.4	2.1	2.8	3.3	4.5	7.1	12.0	24.3	53.1	119.6	250.9	105
1911-15	12.4	34.0	3.4	2.1	2.8	3.2	4.1	6.5	11.4	22.7	51.7	117.5	245.4	97
1916-20	11.9	28.4	3.8	2.6	3.7	4.5	5.5	6.4	10.4	20.4	47.7	115.1	241.9	79
1921-25	9.8	21.2	2.4	1.7	2.6	3.1	3.6	5.0	8.8	18.7	45.5	112.9	241.2	66
1926-30	9.2	18.5	2.3	1.5	2.4	2.9	3.3	4.7	8.4	18.0	44.4	110.4	254.4	59
1931-35	8.6	16.0	2.1	1.4	2.2	2.8	3.1	4.3	7.9	16.9	43.0	109.7	247.6	54
1898	16.1	53.5	3.9	2.3	3.3	4.1	5.5	8.9	13.9	26.7	57.5	126.0	259.6	145
1899	16.8	53.6	4.2	2.4	3.3	4.1	5.7	9.4	15.0	28.7	62.3	136.3	273.2	148
1900	16.7	51.8	4.2	2.5	3.3	4.2	5.7	9.3	15.3	29.6	63.2	136.8	273.9	139
1901	15.5	49.5	4.1	2.4	3.2	3.8	5.3	8.7	13.8	26.5	56.5	122.6	247.1	136
1902	14.8	45.0	4.2	2.3	3.1	3.9	5.3	8.4	13.4	25.9	55.7	122.1	252.3	118
1903	14.1	43.7	3.6	2.1	2.9	3.5	4.9	7.9	12.8	24.4	52.9	114.7	233.9	118
1904	14.9	48.5	3.6	2.2	3.0	3.5	4.9	7.7	12.8	25.6	55.1	123.2	256.1	131
1905	13.9	42.1	3.5	2.2	2.9	3.6	4.8	7.5	12.5	24.8	53.8	117.2	256.7	115
1906	14.0	43.1	3.7	2.3	2.9	3.5	4.7	7.5	12.4	24.8	52.5	119.6	258.7	120
1907	13.6	39.1	3.5	2.1	2.9	3.4	4.6	7.4	12.4	25.3	55.1	122.6	259.4	104
1908	13.3	39.0	3.4	2.0	2.7	3.4	4.4	6.9	12.1	24.2	52.7	119.4	248.8	107
1909	13.1	35.7	3.5	2.1	2.8	3.3	4.4	6.9	12.1	24.8	55.5	124.2	256.2	97
1910	12.0	33.1	3.1	2.0	2.6	3.1	4.1	6.5	11.1	22.4	49.8	112.3	232.8	94
1911	13.0	39.5	3.4	2.1	2.7	3.3	4.2	6.6	11.4	22.8	50.5	115.1	229.4	117
1912	11.8	29.9	3.1	2.0	2.7	3.2	4.0	6.4	11.2	22.4	51.2	115.5	239.3	84
1913	12.1	33.3	3.2	2.0	2.6	3.2	4.0	6.4	11.3	22.3	50.2	111.8	236.2	96
1914	12.2	32.9	3.4	2.2	2.7	3.2	4.1	6.5	11.5	22.4	51.0	114.2	244.2	93
1915	13.0	34.4	3.8	2.3	3.0	3.4	4.2	6.5	11.7	23.6	55.7	130.2	275.9	96
1916	11.5	26.5	3.2	2.2	3.0	3.4	4.1	6.1	10.7	21.6	51.8	123.4	268.4	80
1917	11.2	26.3	3.2	2.2	3.2	3.4	3.9	5.8	10.1	20.7	48.8	119.3	252.2	85
1918	14.5	34.1	5.9	4.0	6.0	7.9	9.8	8.5	12.3	21.4	47.8	107.8	221.3	86
1919	11.6	26.4	3.6	2.3	3.4	4.3	5.4	6.1	10.1	20.5	48.3	120.8	257.0	78
1920	10.7	28.9	3.2	2.0	2.7	3.3	4.2	5.4	9.0	18.2	42.3	105.2	213.6	69
1921	10.2	25.5	2.7	1.8	2.7	3.2	3.7	5.2	8.8	18.2	43.6	108.9	232.3	72
1922	10.5	24.1	2.5	1.8	2.6	3.2	3.8	5.3	9.4	19.7	48.3	120.2	248.0	66
1923	9.2	19.4	2.2	1.6	2.5	2.9	3.4	4.8	8.5	18.2	43.6	107.3	226.5	60
1924	9.6	19.9	2.2	1.7	2.5	3.1	3.5	5.0	8.7	19.1	46.7	114.5	241.6	65
1925	9.6	20.4	2.4	1.6	2.5	3.1	3.4	4.8	8.7	18.3	45.2	113.5	256.8	66
1926	9.0	18.8	2.3	1.5	2.4	2.9	3.3	4.7	8.2	17.6	42.7	105.4	240.2	61
1927	9.5	18.9	2.2	1.5	2.4	2.9	3.4	4.9	8.8	18.5	45.9	115.2	262.3	60
1928	8.8	17.3	2.2	1.5	2.4	3.0	3.3	4.6	8.2	17.3	42.7	102.6	242.9	56
1929	10.2	21.6	2.3	1.7	2.5	3.1	3.5	4.9	9.1	19.6	49.9	126.7	298.2	65
1930	8.4	16.0	2.2	1.5	2.3	2.8	3.2	4.3	7.9	16.9	40.7	102.2	226.5	51
1931	9.0	17.4	2.0	1.5	2.4	2.9	3.3	4.5	8.3	17.6	44.4	114.4	255.1	57
1932	8.7	16.8	1.9	1.3	2.2	2.8	3.1	4.3	8.0	17.0	43.3	111.8	254.7	56
1933	8.8	15.8	2.1	1.4	2.3	2.9	3.2	4.6	8.3	17.3	44.0	114.4	259.4	55
1934	8.3	15.6	2.4	1.4	2.2	2.7	3.0	4.1	7.7	16.4	42.0	103.9	230.6	51
1935	8.0	14.2	1.9	1.3	2.0	2.6	2.9	4.0	7.4	16.2	41.5	104.9	239.3	50
1936	8.2	14.9	1.8	1.1	1.9	2.6	2.7	3.9	7.6	16.4	42.7	108.1	259.5	50
1937	8.2	14.7	1.7	1.1	1.8	2.6	2.8	3.9	7.6	16.7	43.0	110.4	269.9	50
1938	7.5	13.3	1.8	1.1	1.7	2.3	2.5	3.5	6.9	15.3	39.4	100.4	236.5	46
1939	7.4	12.1	1.3	1.0	1.6	2.3	2.5	3.5	7.0	15.7	40.5	106.2	251.1	44

† See Note * to Table 3.

TABLE 6.—DEATHS OF MALES AND FEMALES FROM VARIOUS CAUSES AT ALL AGES, 1929—1939. } England and Wales.

As from the year 1931 the causes of death for England and Wales are tabulated according to the International List (Fourth Revision, 1929).† In the first column the numbers in Roman type relate to the Detailed List and those in italics to the Intermediate List. In the second column the lettered divisions of the main titles are international, while the numbered divisions have been adopted for use in England and Wales by the Registrar-General. The deaths for the earlier years have been reconstructed as far as possible in the terms of the revised List, and where such reconstruction is incomplete an * is marked against the heading. Details of the changes made at the Fourth Revision will be found in Appendix C to Part I of the Statistical Review for 1931.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939‡
	ALL CAUSES	^M 269903 ^F 262589	^M 234010 ^F 221417	^M 249717 ^F 241913	^M 245715 ^F 238414	^M 250625 ^F 245840	^M 242855 ^F 233955	^M 243458 ^F 233943	^M 253319 ^F 242445	^M 260057 ^F 249517	^M 246731 ^F 232098	^M 254945 ^F 244023
1-44	I.—Infectious and Parasitic Diseases*	^M 45270 ^F 41861	^M 31296 ^F 25953	^M 35226 ^F 30624	^M 32889 ^F 29241	^M 36826 ^F 32909	^M 29168 ^F 24155	^M 26809 ^F 22025	^M 26488 ^F 21281	^M 30990 ^F 27006	^M 23469 ^F 18115	^M 24017 ^F 19297
1 & 2 (I)	Typhoid and paratyphoid fevers	^M 187 ^F 195	^M 163 ^F 150	^M 134 ^F 117	^M 136 ^F 122	^M 124 ^F 98	^M 75 ^F 84	^M 85 ^F 89	^M 122 ^F 135	^M 96 ^F 110	^M 93 ^F 70	^M 56 ^F 57
1 (I)	Typhoid fever	^M 163 ^F 164	^M 140 ^F 117	^M 102 ^F 83	^M 117 ^F 102	^M 105 ^F 78	^M 65 ^F 69	^M 73 ^F 76	^M 102 ^F 114	^M 76 ^F 77	^M 87 ^F 60	^M 47 ^F 44
2 (I)	Paratyphoid fevers	^M 24 ^F 31	^M 23 ^F 33	^M 32 ^F 34	^M 19 ^F 20	^M 19 ^F 20	^M 10 ^F 15	^M 12 ^F 13	^M 20 ^F 21	^M 20 ^F 33	^M 6 ^F 10	^M 9 ^F 13
3 (2)	Typhus fever	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —
4 (17)	Relapsing fever ("Spirillum obermeieri")	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —
5 (17)	Undulant fever	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —
6 (3)	Small-pox	^M 19 ^F 20	^M 15 ^F 13	^M 5 ^F 4	^M 1 ^F 2	^M 2 ^F —	^M 3 ^F 3	^M — ^F —	^M — ^F —	^M — ^F —	^M 2 ^F 1	^M — ^F —
7 (4)	Measles	^M 1736 ^F 1652	^M 2264 ^F 1924	^M 1768 ^F 1520	^M 1793 ^F 1618	^M 1018 ^F 919	^M 1984 ^F 1784	^M 697 ^F 649	^M 1464 ^F 1287	^M 559 ^F 492	^M 872 ^F 761	^M 159 ^F 150
8 (5)	Scarlet fever	^M 358 ^F 359	^M 352 ^F 388	^M 239 ^F 301	^M 235 ^F 295	^M 340 ^F 389	^M 466 ^F 497	^M 263 ^F 310	^M 250 ^F 245	^M 183 ^F 166	^M 176 ^F 183	^M 105 ^F 111
9 (6)	Whooping cough	^M 2787 ^F 3545	^M 897 ^F 1140	^M 1112 ^F 1400	^M 1302 ^F 1654	^M 991 ^F 1186	^M 863 ^F 895	^M 689 ^F 895	^M 956 ^F 1134	^M 799 ^F 951	^M 496 ^F 626	^M 566 ^F 707
10 (7)	Diphtheria	^M 1632 ^F 1814	^M 1725 ^F 1772	^M 1338 ^F 1335	^M 1122 ^F 1217	^M 1291 ^F 1355	^M 1971 ^F 2114	^M 1715 ^F 1773	^M 1534 ^F 1547	^M 1382 ^F 1581	^M 1432 ^F 1499	^M 1122 ^F 1049
11 (8)	Influenza	^M 13867 ^F 15217	^M 2742 ^F 2277	^M 6899 ^F 7510	^M 6162 ^F 6994	^M 10926 ^F 11964	^M 2925 ^F 2694	^M 3758 ^F 3624	^M 3176 ^F 2881	^M 8991 ^F 9644	^M 2630 ^F 2217	^M 4313 ^F 4750
	(a) With respiratory com- plications*	^M 10690 ^F 11147	^M 1843 ^F 1301	^M 4915 ^F 5082	^M 4250 ^F 4685	^M 8350 ^F 8637	^M 2006 ^F 1658	^M 2612 ^F 2305	^M 2204 ^F 1847	^M 6767 ^F 6952	^M 1798 ^F 1353	^M 2951 ^F 3048
	(1) With pneumonic complications	^M 7394 ^F 6835	^M 1335 ^F 848	^M 3367 ^F 3012	^M 2929 ^F 2947	^M 5694 ^F 5419	^M 1480 ^F 1097	^M 1929 ^F 1496	^M 1641 ^F 1244	^M 4707 ^F 4450	^M 1347 ^F 898	^M 1918 ^F 1838
	(2) With other respira- tory complications*	^M 3296 ^F 4312	^M 508 ^F 453	^M 1548 ^F 2070	^M 1321 ^F 1738	^M 2656 ^F 3218	^M 526 ^F 561	^M 683 ^F 809	^M 563 ^F 603	^M 2060 ^F 2502	^M 451 ^F 455	^M 1033 ^F 1210
	(b) Without respiratory complications*	^M 3177 ^F 4070	^M 899 ^F 976	^M 1984 ^F 2428	^M 1912 ^F 2309	^M 2576 ^F 3327	^M 919 ^F 1036	^M 1146 ^F 1319	^M 972 ^F 1034	^M 2224 ^F 2692	^M 832 ^F 864	^M 1362 ^F 1672
	(1) With non-respira- tory complications*	^M 1981 ^F 2443	^M 663 ^F 740	^M 1392 ^F 1636	^M 1372 ^F 1606	^M 1696 ^F 2137	^M 698 ^F 759	^M 869 ^F 991	^M 783 ^F 822	^M 1675 ^F 1968	^M 645 ^F 674	^M 1007 ^F 1240
	(2) Without stated complications	^M 1196 ^F 1627	^M 236 ^F 236	^M 592 ^F 792	^M 540 ^F 703	^M 880 ^F 1190	^M 221 ^F 277	^M 277 ^F 328	^M 189 ^F 212	^M 549 ^F 724	^M 187 ^F 190	^M 355 ^F 432
12 (17)	Cholera	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —	^M — ^F —
13 (9)	Dysentery	^M 68 ^F 30	^M 57 ^F 40	^M 69 ^F 47	^M 80 ^F 53	^M 56 ^F 36	^M 64 ^F 39	^M 65 ^F 51	^M 49 ^F 38	^M 68 ^F 71	^M 77 ^F 61	^M 70 ^F 41
	(a) Amœbic	^M 10 ^F 4	^M 6 ^F —	^M 10 ^F —	^M 3 ^F —	^M 5 ^F 1	^M 9 ^F —	^M 10 ^F —	^M 6 ^F —	^M 9 ^F 1	^M 9 ^F 2	^M 10 ^F 3
	(b) Bacillary	^M 13 ^F 7	^M 20 ^F 22	^M 26 ^F 21	^M 30 ^F 23	^M 29 ^F 15	^M 23 ^F 21	^M 36 ^F 31	^M 25 ^F 27	^M 35 ^F 36	^M 41 ^F 39	^M 37 ^F 32
	(c) Other or unspecified	^M 45 ^F 19	^M 31 ^F 18	^M 33 ^F 26	^M 47 ^F 30	^M 22 ^F 20	^M 32 ^F 18	^M 19 ^F 20	^M 18 ^F 11	^M 24 ^F 34	^M 27 ^F 20	^M 23 ^F 6

† See Manual of the International List of Causes of Death (Fourth revision, 1929) obtainable from H.M. Stationery Office, York House, Kingsway, London, W.C.2.; 120, George St., Edinburgh 2; 26, York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any bookseller. Price 3s.

‡ Deaths of non-civilians registered on and after 3rd September, 1939 are excluded.

§ In addition to these numbers, 265 deaths were registered which occurred in the Gresford Colliery disaster in 1934.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
14 (10)	Plague { F	—	—	—	—	—	—	—	—	—	—	—
	(a) Bubonic { F	—	—	—	—	—	—	—	—	—	—	—
	(b) Pneumonic { F	—	—	—	—	—	—	—	—	—	—	—
	(c) Septicæmic { F	—	—	—	—	—	—	—	—	—	—	—
	(d) Not otherwise defined { F	—	—	—	—	—	—	—	—	—	—	—
15 (17)	Erysipelas { F	540 491	548 486	521 483	503 487	624 567	789 669	579 481	515 472	324 257	232 197	160 158
16 (17)	Acute poliomyelitis . . . { F	83 57	86 78	56 42	99 79	119 83	74 61	73 72	52 50	95 57	134 120	82 60
	(1) Acute poliomyelitis . . { F	48 37	61 47	37 26	55 48	84 51	44 38	51 46	32 34	57 37	91 81	52 42
	(2) Acute polioencephalitis { F	35 20	25 31	19 16	44 31	35 32	30 23	22 26	20 16	38 20	43 39	30 18
17 (17)	Encephalitis lethargica . . { F	517 520	437 479	496 466	402 423	428 387	356 432	350 372	332 354	386 364	332 318	391 340
18 (17)	Cerebro-spinal fever . . . { F	352 236	363 269	863 577	718 495	530 412	433 296	349 268	375 260	394 304	388 264	287 214
19 (17)	Glanders { F	—	—	1	—	—	—	—	—	—	—	—
20 (17)	Anthrax { F	7 2	7 1	4 1	5 —	3 1	8 1	8 —	2 —	4 1	8 2	6 2
21 (17)	Rabies { F	—	—	—	—	—	—	—	—	—	—	—
22 (17)	Tetanus { F	113 46	105 28	94 25	95 21	76 28	87 26	100 28	87 29	85 22	72 17	68 23
23-32	Tuberculosis (all forms) { F	21,292 16,709	19,790 15,960	19,941 15,877	18,743 14,915	18,734 14,525	17,448 13,434	16,543 12,658	16,166 12,102	16,246 12,283	15,124 11,052	15,300 10,950
23 (11)	Respiratory system . . . { F	17,786 13,639	16,468 12,946	16,704 12,954	15,543 12,084	15,862 11,992	14,734 10,948	14,081 10,522	13,770 10,031	13,832 10,138	12,862 9,068	13,124 9,055
24 (12)	Central nervous system { F	1,344 1,220	1,273 1,199	1,346 1,252	1,281 1,141	1,106 1,037	1,099 1,056	988 859	944 848	930 866	895 849	824 798
25 (12)	Intestines and peritoneum { F	608 619	557 592	516 578	524 497	440 518	391 432	357 393	314 368	347 329	293 302	279 278
26 (12)	Vertebral column . . . { F	262 217	270 216	274 220	257 218	278 185	262 194	254 180	217 171	227 157	198 121	208 143
27 (12)	Other bones and joints { F	156 115	173 112	160 91	159 125	142 95	146 96	123 81	139 82	105 80	102 73	107 81
28 (12)	Skin and subcutaneous tissues { F	12 43	19 31	12 31	21 32	13 33	19 27	16 26	14 30	19 43	14 27	15 20
29 (12)	Lymphatic system (ab- dominal and bronchial glands excepted) . . . { F	36 23	40 37	39 26	27 46	41 24	26 39	33 26	30 31	26 27	23 22	15 26
30 (12)	Genito-urinary system { F	169 110	156 103	163 123	177 107	172 88	158 110	154 100	188 104	169 103	152 112	158 90
31 (12)	Other organs { F	13 10	9 6	20 11	17 15	22 10	15 14	19 12	16 12	21 24	16 25	11 17
	(1) Adrenals { F	6 5	4 1	11 7	11 11	12 6	10 13	12 7	11 10	20 17	12 17	8 8
	(2) Other sites included under 31 { F	7 5	5 5	9 4	6 4	10 4	5 1	7 5	5 2	1 7	4 8	3 9

† See note on page 9.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
32 (12)	Disseminated tuberculosis {M F	906 713	825 718	707 591	737 650	658 543	598 518	518 459	534 425	570 516	569 453	559 442
	(a) Acute {M F	330 294	316 309	354 299	332 323	315 288	323 314	263 251	292 246	333 318	287 236	294 235
	(b) Chronic {M F			6 3	1 5	3 1	— 3	3 3	1 —	2 —	— 3	2 2
	(c) Not distinguished as acute or chronic {M F	576 419	509 409	347 289	404 322	340 254	275 201	252 205	241 179	235 198	282 214	263 205
33 (17)	Leprosy {M F	2 1	— 2	3 —	1 —	2 1	— 1	1 —	1 —	1 —	3 —	1 —
34 (13)	Syphilis {M F	892 497	918 496	956 490	834 469	870 451	838 396	879 363	828 375	851 392	883 380	862 388
	(a) Congenital syphilis {M F	? ?	? ?	229 183	203 162	162 134	133 128	133 106	131 89	115 81	98 76	82 84
	(b & c) Acquired or un- specified {M F	? ?	? ?	727 307	631 307	708 317	705 268	746 257	697 286	736 311	785 304	780 304
35 (17)	Other venereal diseases . . {M F	56 13	47 18	47 18	43 23	44 14	45 19	29 16	40 10	35 18	39 14	26 12
	(1) Gonorrhoeal or puru- lent ophthalmia {M F	16 9	15 13	13 9	12 13	9 6	11 10	4 2	8 5	9 9	9 6	4 8
	(2) Other diseases in- cluded under 35 {M F	40 4	32 5	34 9	31 10	35 8	34 9	25 14	32 5	26 9	30 8	22 4
36 (14)	Purulent infection, septi- cæmia* {M F	543 323	558 303	487 279	410 263	462 287	525 292	442 251	361 227	298 156	282 212	275 183
	(a) Septicæmia {M F	? ?	? ?	448 263	356 229	413 255	484 263	416 231	313 197	259 132	208 171	224 158
	(b) Pyæmia {M F	? ?	? ?	36 15	50 33	46 31	36 29	26 20	43 28	37 22	68 35	49 24
	(c) Gas gangrene {M F	? ?	? ?	3 1	4 1	3 1	5 —	— —	5 2	2 2	6 6	2 1
37 (17)	Yellow fever {M F	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
38 (15)	Malaria {M F	46 3	38 2	28 3	26 3	18 4	22 —	10 1	16 —	18 3	29 1	21 —
39 (16)	Other diseases due to pro- tozoa {M F	6 —	2 1	4 —	9 1	1 —	11 —	14 3	10 —	17 4	11 1	17 2
40 (16)	Ankylostomiasis {M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
41 (16)	Hydatid cysts {M F	10 13	16 19	11 16	23 11	15 8	10 17	18 9	12 13	10 8	10 17	9 19
	(a) Liver {M F	7 10	13 15	6 12	14 8	11 7	5 13	13 7	5 9	10 6	5 13	6 12
	(b) Other organs {M F	3 3	3 4	5 4	9 3	4 1	5 4	5 2	7 4	— 2	5 4	3 7
42 (16)	Other diseases due to helminths {M F	13 6	6 8	5 6	6 7	5 4	5 8	2 3	5 6	12 5	4 3	— 4
43 (17)	Mycoses {M F	53 42	51 36	70 38	71 43	63 40	73 34	66 37	48 27	60 39	51 30	60 40
	(1) Actinomycosis {M F	27 18	29 17	42 18	40 22	39 22	45 20	42 23	40 18	40 22	37 15	44 27
	(2) Other mycoses {M F	26 22	24 19	28 20	31 21	24 18	28 14	24 14	8 9	20 17	14 15	16 13
44 (17)	Other infectious or para- sitic diseases {M F	90 72	104 62	74 68	68 42	80 55	88 66	69 70	83 89	68 76	83 63	59 63
	(1) Vaccinia {M F	7 6	2 1	3 —	— 1	3 1	3 2	1 —	— 3	3 2	4 1	1 —
	(2) Other sequelæ of vaccination† {M F	3 1	1 1	2 3	— —	— 1	2 —	2 4	1 —	5 —	2 3	4 —

† Includes deaths following inoculation against diseases other than Small-pox as follows, in 1934—2 males, in 1935—2 females, in 1937—2 males, in 1938—1 male, 1 female.

‡ See note on page 9.

TABLE 6—continued.

International List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
	(3) German measles .. {M F	19 12	14 13	10 6	3 4	5 6	4 4	4 7	10 3	5 4	3 5	2 3
	(4) Varicella .. {M F	26 27	34 13	31 23	26 15	27 16	27 19	17 15	21 15	15 12	15 10	16 12
	(5) Mumps .. {M F	13 12	20 12	14 11	8 6	13 5	12 13	7 8	10 13	10 6	8 2	4 5
	(6) Other diseases in- cluded under 44 .. {M F	22 14	33 22	14 20	31 16	32 26	40 28	38 33	41 55	30 52	51 42	32 43
	(1) Pink disease .. {M F	? ?	? ?	14 19	27 16	29 25	33 26	34 26	38 51	26 47	42 39	27 42
	(2) Other diseases in- cluded under 44 (6) .. {M F	? ?	? ?	— 1	4 —	3 1	7 2	4 7	3 4	4 5	9 3	5 1
45-55	II.—Cancer and Other Tumours .. {M F	27,330 32,212	28,030 32,674	28,908 33,281	29,960 33,604	29,925 34,446	30,943 35,204	31,894 35,398	32,669 36,360	33,237 36,322	33,752 37,346	33,932 37,677
45-53	Cancer, malignant disease* {M F	26,284 30,612	26,916 30,967	27,777 31,569	28,829 31,887	28,837 32,735	29,777 33,486	30,780 33,727	31,590 34,764	32,189 34,802	32,692 35,913	32,821 36,160
45 (18)	Buccal cavity & pharynx {M F	2,928 529	2,913 519	2,951 514	3,040 536	2,812 537	3,000 542	2,972 537	2,847 637	2,784 580	2,711 578	2,538 585
46 (18)	Digestive organs and peritoneum* {M F	16,396 14,955	16,710 15,230	17,043 15,368	17,703 15,493	17,704 15,958	18,002 16,356	18,641 16,371	19,099 16,794	19,233 16,993	19,257 17,334	19,433 17,369
47 (18)	Respiratory organs .. {M F	1,991 760	2,258 864	2,532 908	2,688 920	2,971 953	3,252 1,057	3,491 1,107	3,744 1,231	4,169 1,185	4,580 1,340	4,758 1,456
48 (18)	Uterus F	4,455	4,354	4,341	4,342	4,313	4,451	4,470	4,348	4,462	4,519	4,504
49 (18)	Other female genital organs F	1,567	1,645	1,667	1,735	1,868	1,936	1,983	2,153	2,121	2,304	2,207
50 (18)	Breast {M F	46 5,944	60 6,062	61 6,381	49 6,386	55 6,551	53 6,687	77 6,768	79 7,079	60 6,922	60 7,218	59 7,410
51 (18)	Male genito-urinary organs M	2,885	2,947	3,187	3,259	3,277	3,431	3,572	3,679	3,857	3,958	3,921
52 (18)	Skin {M F	664 494	627 447	683 480	630 527	618 500	627 460	606 483	661 497	657 510	674 528	650 473
53 (18)	Other or unspecified organs {M F	1,374 1,908	1,401 1,856	1,320 1,910	1,460 1,948	1,400 2,055	1,412 1,997	1,421 2,008	1,481 2,025	1,429 2,029	1,452 2,092	1,462 2,156
54 (19)	Non-malignant tumours {M F	376 980	444 1,042	484 1,099	482 1,083	420 1,096	459 1,094	484 1,061	472 976	495 994	561 944	475 905
	(a) Female genital organs F	668	717	743	723	722	713	673	598	613	577	525
	(b) Other sites .. {M F	376 312	444 325	484 356	482 360	420 374	459 381	484 388	472 378	495 381	561 367	475 380
55 (19)	Tumours of undetermined nature* {M F	670 620	670 665	647 613	649 634	668 615	707 624	630 610	607 620	553 526	499 489	636 612
	(a) Female genital organs F	32	28	29	26	22	13	9	15	12	11	14
	(b) Other sites* .. {M F	670 588	670 637	647 584	649 608	668 593	707 611	630 601	607 605	553 514	499 478	636 598
56-69	III.—Rheumatism, Dis- eases of Nutrition and of Endocrine Glands and other General Diseases* {M F	4,953 8,497	4,758 8,285	4,707 8,498	4,716 8,589	4,806 8,898	4,798 8,994	4,869 9,263	5,156 9,716	5,039 9,714	5,024 9,482	5,083 9,868
56 (20)	Rheumatic fever .. {M F	638 779	693 812	557 703	491 627	589 718	594 793	526 649	535 607	395 522	511 644	446 571
57 (21)	Chronic rheumatism, osteo-arthritis .. {M F	978 2,410	884 2,118	950 2,193	901 2,262	924 2,291	960 2,199	1,046 2,309	1,088 2,481	1,067 2,460	1,048 2,394	1,037 2,485
	(1) Chronic rheumatism* {M F	93 125	72 115	56 95	52 94	44 85	57 72	59 63	44 60	36 32	35 32	36 80
	(2) Rheumatoid arthritis, osteo-arthritis* {M F	885 2,285	812 2,003	894 2,098	849 2,168	880 2,206	903 2,127	987 2,246	1,044 2,421	1,031 2,428	1,013 2,362	1,001 2,405
58 (21)	Gout {M F	253 49	238 55	213 53	233 32	200 45	180 40	179 33	179 36	177 31	163 22	117 24

† See note on page 9.

TABLE 6—continued.

International List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
99 (22)	Diabetes {M F	2,306 3,322	2,317 3,342	2,259 3,551	2,425 3,683	2,460 3,818	2,496 3,975	2,531 4,150	2,731 4,388	2,801 4,495	2,714 4,405	2,882 4,745
10 (23)	Scurvy {M F	11 8	9 10	15 6	9 8	6 10	10 7	8 3	5 8	2 5	3 7	4 5
11 (23)	Beri-Beri {M F	1 —	— —	1 —	— —	1 —	— —	— —	— —	1 —	2 1	3 —
12 (23)	Pellagra {M F	— 1	1 5	— 4	2 2	2 5	1 6	2 7	3 9	3 8	1 10	1 10
13 (23)	Rickets* {M F	? ?	? ?	238 147	195 129	130 98	114 80	103 75	104 68	111 82	95 50	88 57
	(1) Rickets {M F	252 164	184 132	227 134	182 119	123 90	108 72	93 66	94 54	98 64	82 42	73 42
	(2) Spinal curvatures of undetermined nature* {M F	20 28	12 25	11 13	13 10	7 8	6 8	10 9	10 14	13 18	13 8	15 15
64 (23)	Osteomalacia* {M F	— 28	— 25	1 13	2 8	1 7	3 3	1 7	2 4	3 6	1 7	1 6
65 (25)	Diseases of the pituitary gland {M F	14 28	14 22	26 23	24 20	25 24	14 38	17 41	15 44	28 48	25 31	25 31
	(1) Infantiliam {M F	— 3	1 2	2 3	5 3	4 4	1 4	1 1	— 2	1 2	— 3	2 1
	(2) Other diseases of the pituitary gland {M F	14 25	13 20	24 20	19 17	21 20	13 34	16 40	15 42	27 46	25 28	23 30
66 (24)	Diseases of the thyroid and parathyroid glands* {M F	206 1,333	191 1,481	220 1,567	227 1,575	243 1,624	234 1,613	255 1,719	272 1,808	242 1,784	245 1,673	260 1,690
	(a) Simple goitre {M F	23 147	26 147	30 145	18 134	31 167	21 107	27 150	20 124	23 93	20 118	19 105
	(b) Exophthalmic goitre {M F	128 936	112 1,115	138 1,162	165 1,239	168 1,244	181 1,315	183 1,378	207 1,492	191 1,482	196 1,372	201 1,378
	(c) Myxœdema, cretinism {M F	37 232	40 201	37 247	23 185	37 197	21 167	29 178	27 185	18 188	23 171	29 194
	(d) Tetany* {M F	16 13	12 11	13 8	18 13	4 5	9 15	11 9	16 5	7 11	6 4	8 5
	(e) Other diseases included under 66 {M F	2 5	1 7	2 5	3 4	3 11	2 9	5 4	2 2	3 10	— 8	3 8
67 (25)	Diseases of the thymus {M F	116 86	84 54	95 48	91 63	100 53	80 53	86 62	101 61	109 54	79 44	75 48
68 (25)	Diseases of the adrenals {M F	97 146	91 141	77 129	60 129	88 137	75 138	65 149	77 144	57 132	85 123	94 126
69 (25)	Other general diseases* {M F	61 143	40 88	55 61	56 51	37 68	37 49	50 59	44 58	43 87	52 71	50 62
	(1) Amyloid disease of undetermined origin* {M F	— —	— —	3 —	3 4	2 —	— 3	3 11	7 7	6 7	5 5	5 5
	(2) Other diseases included under 69 {M F	61 143	40 88	52 61	53 47	35 63	37 46	47 48	37 51	37 80	47 66	45 57
70-74	IV.—Diseases of the Blood and Blood-forming Organs {M F	1,832 2,025	1,932 2,127	2,019 2,221	2,166 2,476	2,098 2,482	2,192 2,484	2,139 2,558	2,199 2,499	2,099 2,541	2,289 2,630	2,275 2,794
70 (27)	Hæmorrhagic conditions {M F	203 192	217 186	218 165	191 148	193 210	238 201	205 197	225 199	199 185	207 189	190 186
	(a) Purpura {M F	136 159	131 148	135 148	119 126	125 164	129 158	125 159	110 144	115 140	97 117	74 134
	(b) Hæmophilia {M F	67 33	86 38	83 17	72 22	68 46	109 43	80 38	115 55	84 45	110 72	116 52
71 (26)	Anæmia, chlorosis {M F	910 1,273	995 1,379	990 1,476	1,178 1,711	1,075 1,641	1,054 1,633	1,022 1,627	995 1,540	953 1,590	1,023 1,579	1,103 1,788
	(a) Pernicious anæmia {M F	807 1,148	902 1,248	893 1,333	1,040 1,551	963 1,465	926 1,459	918 1,442	893 1,365	847 1,421	930 1,401	985 1,605

† See note on page 9

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
	(b) Other anemias and chlorosis .. {M F	103 125	93 131	97 143	138 160	112 176	128 174	104 185	102 175	106 169	93 178	118 183
	(1) Splenic anemia .. {M F	71 78	57 76	67 85	98 94	75 107	95 106	68 114	68 115	82 111	62 115	71 104
	(2) Other diseases in- cluded under 71b .. {M F	32 47	36 55	30 58	40 66	37 69	33 68	36 71	34 60	24 58	31 63	47 79
72 (27)	Leukemia, aleukemia .. {M F	670 497	672 493	752 520	740 553	751 554	820 585	830 645	895 672	863 686	951 758	913 746
	(a) Leukemia .. {M F	357 335	354 302	378 328	390 347	407 369	463 382	454 409	506 465	516 434	576 480	554 512
	(b) { (1) Aleukemia (lymphadenoma) .. {M F	313 162	318 191	374 192	350 206	344 185	357 203	{ 360 200	{ 360 174	{ 326 217	{ 357 236	{ 336 205
	(2) Aleukemia (agranulocytosis) .. {M F											
								{ 16 36	{ 29 33	{ 21 35	{ 18 42	{ 23 29
73 (27)	Diseases of the spleen .. {M F	37 50	34 57	47 52	42 50	56 60	56 49	60 72	58 64	58 63	70 76	47 54
	(1) Banti's disease .. {M F	26 34	19 33	31 29	21 35	37 32	36 33	42 51	37 46	41 47	54 56	32 45
	(2) Other diseases of the spleen .. {M F	11 16	15 24	16 23	21 15	19 28	20 16	18 21	21 18	17 16	16 20	15 9
74 (27)	Other diseases of the blood and blood-forming organs {M F	12 13	14 12	12 8	15 14	23 17	24 16	22 17	26 24	26 17	38 28	22 20
75-77	V.—Chronic Poisoning {M F	137 53	93 50	78 44	101 41	76 37	69 24	82 24	60 34	82 53	64 33	69 35
75 (28)	Alcoholism (acute or chronic) .. {M F	85 49	49 45	40 41	61 34	43 30	33 19	50 23	32 27	54 48	44 28	51 29
76 (29)	Chronic poisoning by other organic substances {M F	10 3	2 4	4 —	12 3	3 3	4 3	3 —	4 4	2 2	1 4	4 5
77 (29)	Chronic poisoning by min- eral substances .. {M F	42 1	42 1	34 3	28 4	30 4	32 2	29 1	24 3	26 3	19 1	14 1
	(1) Occupational lead .. {M poisoning .. {F	40 1	39 1	30 3	27 2	26 2	30 2	26 —	21 2	25 2	19 1	13 —
	(2) Other chronic poi- soning by mineral substances .. {M F	2 —	3 —	4 —	1 2	4 2	2 —	3 1	3 1	1 1	— —	1 1
78-89	VI.—Diseases of the Nervous System and Sense Organs* {M F	20,630 21,830	19,008 20,837	19,569 20,860	19,429 21,029	18,669 20,399	18,622 20,685	18,830 21,010	18,893 21,573	18,777 21,128	18,238 20,500	19,291 21,810
78 (36)	Encephalitis .. {M F	172 138	161 116	173 105	153 116	158 123	152 131	160 148	157 126	163 127	148 115	151 105
	(a) Cerebral abscess .. {M F	112 66	92 63	115 56	102 58	84 64	90 66	96 69	110 56	89 62	82 56	91 44
	(b) Other diseases in- cluded under 78 .. {M F	60 72	69 53	58 49	51 58	74 59	62 65	64 79	47 70	74 65	66 59	60 61
79 (30)	Meningitis* .. {M F	735 596	590 487	590 506	621 459	615 390	544 424	478 362	501 376	520 393	457 375	450 339
80 (31)	Tabes dorsalis (locomotor ataxy) .. {M F	744 138	579 122	557 114	634 144	592 141	496 107	553 118	496 104	473 116	474 116	441 89
81 (36)	Other diseases of the spinal cord .. {M F	754 601	719 578	744 576	708 592	684 582	679 544	699 528	673 546	704 550	652 520	585 498
	(1) Progressive muscular atrophy .. {M F	307 240	291 240	316 245	274 225	304 244	331 224	312 234	301 271	359 238	321 268	325 244
	(2) Subacute combined sclerosis .. {M F	16 26	30 27	34 24	46 49	43 56	41 56	38 57	60 50	33 47	50 50	44 63
	(3) Myelitis of un stated origin .. {M F	204 164	159 161	164 157	173 150	159 141	139 129	156 121	144 105	109 131	103 92	93 86
	(4) Other diseases in- cluded under 81 .. {M F	227 171	239 150	230 150	215 168	178 141	168 135	193 116	168 120	203 134	178 110	123 105

† See note on page 9.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
82 (32)	Cerebral hæmorrhage, apoplexy, etc.	{M 11,966 F 15,206	{M 11,164 F 14,723	{M 11,593 F 14,704	{M 11,592 F 14,937	{M 11,215 F 14,505	{M 11,362 F 14,812	{M 11,619 F 15,310	{M 11,781 F 15,818	{M 11,864 F 15,437	{M 11,538 F 15,206	{M 12,658 F 16,317
	(a) Cerebral hæmorrhage	{M 9,383 F 11,729	{M 8,560 F 11,181	{M 8,791 F 10,998	{M 8,675 F 11,104	{M 8,106 F 10,566	{M 8,157 F 10,609	{M 8,162 F 10,706	{M 8,186 F 10,835	{M 8,089 F 10,458	{M 7,763 F 10,215	{M 8,219 F 10,810
	(1) Cerebral hæmorrhage so returned	{M 8,712 F 10,917	{M 7,977 F 10,472	{M 8,207 F 10,295	{M 8,135 F 10,409	{M 7,647 F 9,998	{M 7,738 F 10,104	{M 7,799 F 10,194	{M 7,823 F 10,418	{M 7,724 F 10,059	{M 7,509 F 9,843	{M 7,922 F 10,449
	(2) Apoplexy (lesion unstated)	{M 671 F 812	{M 583 F 709	{M 584 F 703	{M 540 F 695	{M 459 F 568	{M 419 F 505	{M 363 F 512	{M 363 F 417	{M 365 F 399	{M 254 F 372	{M 297 F 361
	(b) Cerebral embolism and thrombosis	{M 1,896 F 2,591	{M 2,003 F 2,773	{M 2,183 F 2,934	{M 2,369 F 3,115	{M 2,577 F 3,316	{M 2,705 F 3,590	{M 2,963 F 3,978	{M 3,110 F 4,318	{M 3,270 F 4,351	{M 3,301 F 4,437	{M 3,969 F 4,950
	(1) Cerebral embolism	{M 214 F 299	{M 225 F 313	{M 199 F 299	{M 200 F 281	{M 206 F 297	{M 180 F 271	{M 193 F 269	{M 175 F 274	{M 139 F 239	{M 154 F 191	{M 168 F 233
	(2) Cerebral thrombosis	{M 1,504 F 2,086	{M 1,620 F 2,243	{M 1,838 F 2,416	{M 2,025 F 2,643	{M 2,266 F 2,857	{M 2,409 F 3,187	{M 2,674 F 3,548	{M 2,870 F 3,927	{M 3,062 F 3,997	{M 3,086 F 4,140	{M 3,711 F 4,610
	(3) Cerebral softening	{M 178 F 206	{M 158 F 217	{M 146 F 219	{M 144 F 191	{M 105 F 162	{M 116 F 132	{M 96 F 161	{M 65 F 117	{M 69 F 115	{M 61 F 106	{M 90 F 107
	(c) Hemiplegia and other paralyzes of unstated origin	{M 687 F 886	{M 601 F 769	{M 619 F 772	{M 548 F 718	{M 532 F 623	{M 500 F 613	{M 494 F 626	{M 485 F 665	{M 505 F 628	{M 474 F 554	{M 470 F 557
	(1) Hemiplegia	{M 610 F 793	{M 535 F 702	{M 571 F 716	{M 495 F 657	{M 488 F 568	{M 463 F 571	{M 452 F 570	{M 459 F 632	{M 463 F 597	{M 447 F 528	{M 440 F 544
	(2) Other paralyzes of unstated origin	{M 77 F 93	{M 66 F 67	{M 48 F 56	{M 53 F 61	{M 44 F 55	{M 37 F 42	{M 42 F 56	{M 26 F 33	{M 42 F 31	{M 27 F 26	{M 30 F 13
83 (33)	General paralysis of the insane	{M 988 F 264	{M 943 F 218	{M 945 F 259	{M 864 F 236	{M 771 F 239	{M 788 F 224	{M 725 F 224	{M 652 F 232	{M 594 F 253	{M 628 F 215	{M 622 F 208
84 (34)	Other forms of insanity*	{M 530 F 766	{M 450 F 673	{M 423 F 692	{M 426 F 729	{M 384 F 625	{M 378 F 675	{M 447 F 626	{M 376 F 643	{M 445 F 642	{M 391 F 563	{M 446 F 637
	(a) Dementia præcox	{M ? F ?	{M ? F ?	{M 14 F 23	{M 31 F 26	{M 33 F 33	{M 37 F 41	{M 43 F 30	{M 32 F 35	{M 52 F 45	{M 46 F 41	{M 50 F 32
	(b) Other conditions included under 84*	{M ? F ?	{M ? F ?	{M 409 F 669	{M 395 F 703	{M 351 F 592	{M 341 F 634	{M 404 F 596	{M 344 F 608	{M 393 F 597	{M 345 F 522	{M 396 F 605
85 (35)	Epilepsy	{M 1,128 F 1,068	{M 1,154 F 1,038	{M 1,201 F 1,087	{M 1,183 F 1,083	{M 1,105 F 1,054	{M 1,048 F 1,005	{M 1,078 F 983	{M 1,126 F 993	{M 1,027 F 970	{M 1,087 F 916	{M 1,110 F 1,000
86 (36)	Infantile convulsions (under 5 years of age)	{M 1,158 F 837	{M 1,014 F 660	{M 989 F 632	{M 873 F 567	{M 750 F 515	{M 739 F 491	{M 684 F 477	{M 639 F 422	{M 552 F 356	{M 508 F 356	{M 478 F 323
87 (36)	Other diseases of the nervous system*	{M 1,565 F 1,577	{M 1,416 F 1,570	{M 1,498 F 1,586	{M 1,510 F 1,536	{M 1,484 F 1,515	{M 1,427 F 1,519	{M 1,503 F 1,572	{M 1,521 F 1,658	{M 1,561 F 1,667	{M 1,538 F 1,569	{M 1,633 F 1,769
	(a) Chorea	{M 22 F 79	{M 21 F 79	{M 32 F 51	{M 14 F 51	{M 14 F 48	{M 19 F 55	{M 17 F 54	{M 13 F 41	{M 10 F 26	{M 13 F 33	{M 7 F 30
	(b) Neuritis, neuralgia*	{M 69 F 131	{M 67 F 119	{M 63 F 89	{M 48 F 68	{M 53 F 60	{M 60 F 87	{M 46 F 57	{M 57 F 52	{M 50 F 56	{M 52 F 43	{M 42 F 56
	(c) Paralysis agitans	{M 699 F 547	{M 594 F 588	{M 710 F 620	{M 792 F 617	{M 780 F 658	{M 750 F 646	{M 771 F 677	{M 777 F 747	{M 821 F 791	{M 776 F 806	{M 926 F 886
	(d) Disseminated sclerosis	{M 376 F 448	{M 380 F 418	{M 389 F 496	{M 395 F 488	{M 390 F 458	{M 356 F 461	{M 407 F 501	{M 438 F 547	{M 439 F 497	{M 455 F 427	{M 447 F 565
	(e) Other diseases included under 87*	{M 399 F 372	{M 354 F 366	{M 304 F 330	{M 261 F 312	{M 247 F 291	{M 242 F 270	{M 262 F 283	{M 236 F 271	{M 241 F 297	{M 242 F 260	{M 211 F 232
88 (37)	Diseases of the eye and annexa	{M 50 F 49	{M 37 F 46	{M 35 F 38	{M 36 F 41	{M 45 F 47	{M 45 F 43	{M 37 F 58	{M 45 F 51	{M 33 F 46	{M 61 F 51	{M 30 F 45
89 (37)	Diseases of the ear and mastoid sinus	{M 840 F 590	{M 781 F 606	{M 821 F 561	{M 829 F 589	{M 866 F 663	{M 964 F 710	{M 847 F 588	{M 926 F 604	{M 841 F 571	{M 756 F 498	{M 687 F 480
	(a) Otitis and other diseases of the ear	{M 575 F 376	{M 499 F 376	{M 504 F 347	{M 484 F 375	{M 517 F 409	{M 595 F 424	{M 496 F 361	{M 549 F 357	{M 467 F 318	{M 432 F 285	{M 394 F 264
	(b) Diseases of the mastoid sinus	{M 265 F 214	{M 282 F 230	{M 317 F 214	{M 345 F 214	{M 349 F 254	{M 369 F 286	{M 351 F 227	{M 377 F 247	{M 374 F 253	{M 324 F 213	{M 293 F 216

† See note on page 9.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
90-103	VII.—Diseases of the Circulatory System* {M F}	58,327 62,729	55,044 57,433	60,735 64,749	62,241 65,525	64,569 68,755	66,033 68,566	68,988 71,798	75,922 78,330	77,416 79,823	77,840 78,394	85,187 86,116
90-95	Heart diseases* {M F}	45,018 51,449	42,961 47,142	47,960 53,393	49,160 53,665	51,412 56,675	52,718 56,244	55,524 59,147	61,762 64,822	62,925 65,788	62,638 63,744	68,945 70,287
90 (38)	Pericarditis {M F}	180 111	167 133	165 106	183 109	198 115	154 112	131 87	265 187	248 162	235 160	161 100
91 (39)	Acute endocarditis* {M F}	657 787	662 738	601 584	569 580	605 651	574 640	608 639	609 639	624 590	594 621	573 592
	(1) Malignant endocard- itis {M F}	477 528	496 526	539 505	498 517	545 578	511 562	553 592	552 563	562 534	542 573	529 549
	(2) Other acute endocar- ditis* {M F}	180 259	166 212	62 79	71 63	60 73	63 78	55 76	57 76	62 56	52 48	44 51
92 (40)	Chronic endocarditis, val- vular disease* {M F}	12,876 15,921	11,625 14,533	12,097 15,130	11,654 14,162	10,857 14,062	10,665 12,839	10,436 12,601	10,119 12,494	9,475 11,688	8,736 10,542	8,768 10,830
	(1) Aortic valve disease* {M F}	2,390 1,075	2,276 1,146	2,359 1,167	2,359 1,028	2,133 1,095	2,118 1,044	2,144 1,048	2,051 1,014	1,919 969	1,789 892	1,822 916
	(2) Mitral valve disease* {M F}	4,212 7,145	3,723 6,366	3,772 6,559	3,760 6,354	3,456 6,217	3,525 5,725	3,477 5,662	3,522 5,741	3,252 5,386	3,049 4,903	3,136 5,163
	(3) Aortic and mitral valve disease* {M F}	723 612	648 574	627 559	622 591	578 553	622 537	585 527	571 533	551 482	478 445	452 461
	(4) Endocarditis, not re- turned as acute or chronic* {M F}	5,551 7,089	4,978 6,447	5,90 838	534 741	502 755	482 658	457 636	484 630	415 584	400 481	363 545
	(5) Other or unspecified valve disease* {M F}	4,749 6,007	4,379 5,448	4,188 5,442	3,918 5,442	3,773 4,875	3,491 4,728	3,338 4,576	3,020 4,267	2,995 3,821	2,995 3,745	2,995 3,745
93 (41)	Diseases of the myocardium* {M F}	23,633 27,626	22,699 25,430	26,698 30,813	27,954 31,889	30,143 34,606	30,874 35,162	32,923 37,681	38,038 42,883	39,232 44,480	39,025 42,907	43,595 48,436
	(a) Acute myocarditis* {M F}	261 250	192 194	75 78	96 90	91 90	115 112	112 118	147 127	168 147	138 125	181 135
	(b) Myocardial degener- ation* {M F}	23,372 27,376	22,507 25,236	20,931 24,100	22,079 25,114	23,778 27,212	24,399 28,121	26,422 30,569	30,542 34,863	31,649 36,274	32,684 36,529	37,051 41,994
	(1) Fatty heart {M F}	1,343 1,837	1,263 1,714	1,250 1,664	1,198 1,555	1,128 1,431	982 1,409	911 1,313	852 1,181	861 1,173	739 1,012	771 1,109
	(2) Cardiovascular degeneration* {M F}	5,640 5,207	6,254 5,759	6,905 5,207	7,222 5,759	7,774 6,267	8,960 6,550	9,386 7,553	9,940 8,650	9,581 8,650	10,805 9,410	10,805 10,768
	(3) Other diseases in- cluded under 93(b) {M F}	22,029 25,539	21,244 23,522	14,041 17,229	14,627 17,800	15,745 19,514	16,195 20,162	17,737 21,703	20,730 25,032	21,402 25,691	22,005 25,936	25,475 30,117
	(c) Myocarditis, not dis- tinguished as acute or chronic* {M F}	5,692 6,635	5,779 6,685	6,274 6,685	6,360 6,685	6,389 7,304	6,389 6,929	7,349 6,994	7,415 7,893	6,203 8,059	6,203 6,253	6,363 6,307
94 (42)	Diseases of the coronary arteries, angina pectoris* {M F}	3,376 1,431	4,118 1,766	4,565 2,063	5,241 2,432	6,325 2,905	7,173 3,491	8,232 4,085	9,459 4,636	10,333 5,127	11,274 5,908	12,959 6,537
95 (43)	Other diseases of the heart {M F}	4,296 5,573	3,690 4,542	3,834 4,697	3,559 4,493	3,284 4,336	3,278 4,000	3,194 4,054	3,272 3,983	3,013 3,741	2,774 3,606	2,884 3,790
	(a) Disordered action of heart {M F}	774 1,392	794 1,302	905 1,439	1,019 1,598	1,031 1,638	1,101 1,627	1,140 1,796	1,241 1,937	1,178 1,900	1,213 1,933	1,252 2,099
	(b) Other diseases in- cluded under 95 {M F}	3,522 4,181	2,896 3,240	2,929 3,258	2,540 2,895	2,253 2,698	2,177 2,373	2,054 2,258	2,031 2,046	1,835 1,841	1,561 1,673	1,632 1,691
	(1) Dilatation of heart (cause unspecified) {M F}	195 175	173 151	171 155	177 120	133 119	130 108	121 95	132 96	131 116	138 102	154 113
	(2) Heart disease (un- defined) {M F}	3,327 4,006	2,723 3,089	2,758 3,103	2,363 2,775	2,120 2,579	2,047 2,265	1,933 2,163	1,899 1,950	1,704 1,725	1,423 1,571	1,478 1,578
96 (44)	Aneurysm {M F}	947 305	1,006 313	989 325	958 336	931 414	984 431	982 459	1,030 490	1,001 528	1,024 551	1,010 554
97 (45)	Arterio-sclerosis* {M F}	11,265 9,722	10,088 8,837	10,841 9,888	11,120 10,469	11,271 10,580	11,304 10,704	11,436 11,055	11,930 11,743	12,187 12,245	12,813 12,709	13,711 13,738
	(1) With cerebral haemorrhage {M F}	3,791 3,520	3,711 3,588	4,055 4,021	4,189 4,269	4,154 4,370	4,173 4,463	4,353 4,511	4,329 4,755	4,399 4,816	4,480 4,995	4,670 5,230

† See note on page 9.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939 †
98 (45)	(2) With record of other cerebral vascular lesion { M 1,657 1,711 1,828 2,018 2,116 2,376 2,400 2,733 2,812 3,146 3,127 F 1,579 1,541 1,832 2,087 2,221 2,264 2,608 2,872 3,009 3,197 3,500											
	(3) Without record of cerebral vascular lesion { M 5,817 4,666 4,958 4,913 5,001 4,755 4,683 4,868 4,976 5,187 5,914 F 4,623 3,708 4,035 4,113 3,989 3,977 3,936 4,116 4,420 4,517 5,008											
	Gangrene { M 549 430 423 433 396 397 317 380 365 361 324 F 506 417 434 363 341 345 316 354 308 320 300											
	(a) Senile gangrene .. { M 504 396 389 389 362 356 291 350 329 331 297 F 469 375 390 310 312 288 323 277 299 281											
	(b) Other gangrene .. { M 45 34 34 44 34 41 26 30 36 30 27 F 37 42 44 37 31 33 28 31 31 21 19											
	Other diseases of the art- { M 251 230 177 192 169 164 206 189 198 171 156 eries* { F 271 220 171 179 183 159 168 160 143 115 110											
	Diseases of the veins (varix, { M 183 180 187 181 176 211 236 210 271 265 293 hemorrhoids, phlebitis, { F 341 365 374 335 353 418 391 416 389 421 478 etc.)											
	(1) Varix { M ? ? 68 74 63 80 113 65 119 115 133 F ? ? 174 151 152 171 174 153 176 182 236											
	(2) Other diseases of the { M ? ? 119 107 113 131 123 145 152 150 160 veins { F ? ? 200 184 201 247 217 263 213 239 242											
	Diseases of the lymphatic { M 44 53 42 53 38 42 43 29 23 29 21 system (lymphangitis, { F 55 51 40 42 49 33 43 33 29 30 25 etc.)											
102 (46)	Abnormalities of blood- { M 67 89 107 141 173 205 235 379 440 535 695 pressure* { F 70 82 118 131 153 225 213 306 388 500 622											
103 (46)	Other diseases of the cir- { M 13 7 9 3 3 8 9 13 6 4 2 culatory system .. { F 10 6 6 5 7 7 6 6 5 4 2											
104-114	VIII.—Diseases of the { M 44,732 29,362 34,384 29,318 30,269 27,972 26,594 28,545 29,559 25,141 23,466 Respiratory System* { F 38,619 22,555 29,623 25,490 25,971 22,139 20,669 21,793 22,687 18,234 18,493											
104 (50)	Diseases of the nasal fossæ { M 128 156 118 149 158 145 172 180 174 159 128 and annexa { F 99 107 76 120 121 102 100 101 103 103 68											
	(1) Diseases of the nose { M 22 25 21 16 14 15 29 20 15 26 16 F 25 23 14 20 17 19 17 9 14 13 9											
	(2) Diseases of the acces- { M 106 131 97 133 144 130 143 160 159 133 112 sory nasal sinuses .. { F 74 84 62 100 104 83 83 92 89 90 59											
	Diseases of the larynx .. { M 188 171 141 93 119 114 80 79 85 86 95 F 138 110 95 99 103 79 81 83 67 61 68											
105 (50)	(1) Laryngismus { M 29 31 22 25 20 19 17 13 19 12 18 stridulus* { F 18 21 16 16 11 15 16 13 10 10 12											
	(2) Laryngitis { M 159 133 119 61 96 91 61 62 63 68 77 F 116 86 76 82 87 63 62 68 57 48 53											
	(3) Other diseases of the { M — 7 — 7 3 4 2 4 3 6 — larynx* { F 4 3 3 1 5 1 2 2 — 3 3											
	Bronchitis { M 16,223 10,179 12,513 10,127 10,494 8,832 8,386 9,514 9,482 7,448 8,460 F 17,155 9,344 12,647 10,207 10,581 8,116 7,376 8,086 8,400 5,824 7,003											
106 (47)	(a) Acute bronchitis .. { M 3,570 2,001 2,906 2,224 2,457 1,952 1,740 2,111 2,199 1,608 1,812 F 4,713 2,380 3,742 2,920 3,258 2,409 2,204 2,412 2,754 1,807 2,195											
	(b) Chronic bronchitis.. { M 5,954 4,229 4,811 4,163 4,371 3,986 3,991 4,498 4,534 3,809 4,508 F 4,618 2,829 3,478 2,988 3,051 2,615 2,451 2,780 2,747 2,090 2,588											
	(c) Bronchitis, not dis- { M 6,699 3,949 4,796 3,740 3,666 2,894 2,655 2,905 2,749 2,031 2,140 tinguished as acute or { F 7,824 4,135 5,427 4,299 4,272 3,092 2,721 2,894 2,899 1,927 2,220 chronic											
107-109	Pneumonia (all forms) .. { M 25,081 16,468 18,951 16,516 16,965 16,620 15,527 16,482 17,252 15,313 12,501 F 18,765 11,256 14,622 13,042 13,094 12,003 11,259 11,700 12,280 10,632 9,706											
107 (48)	Broncho-pneumonia .. { M 12,961 7,481 10,019 8,291 8,758 7,856 7,492 8,505 9,253 7,569 6,995 F 11,419 6,141 8,724 7,524 7,723 6,837 6,521 6,902 7,539 6,245 6,174											
108 (48)	Lobar pneumonia .. { M 8,421 6,480 6,321 6,061 6,056 6,769 6,271 6,242 6,371 6,161 4,269 F 4,869 3,589 4,120 3,947 3,796 3,821 3,607 3,694 3,690 3,430 2,611											

† See note on page 9.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
109 (48)	Pneumonia (not otherwise defined) {M F	3,699 2,477	2,507 1,526	2,611 1,778	2,164 1,571	2,151 1,575	1,995 1,345	1,764 1,131	1,735 1,104	1,628 1,051	1,583 957	1,237 921
110 (49)	Pleurisy {M F	806 494	674 358	626 417	601 365	588 359	548 349	510 270	439 288	509 226	405 240	414 198
	(1) Empyema {M F	354 159	289 103	267 153	300 126	302 140	272 144	242 85	222 108	273 92	204 86	204 73
	(2) Other pleurisy {M F	452 335	385 255	359 264	301 239	286 219	276 205	268 185	217 180	236 134	201 154	210 125
111 (50)	Congestion and hæmorrhagic infarct of lung, etc.* {M F	511 734	435 576	539 719	560 736	584 794	523 708	555 757	559 686	568 687	436 576	459 609
	(1) Hypostatic congestion of lungs {M F	507 732	435 569	485 669	499 669	523 748	483 662	494 703	507 642	527 646	367 515	387 551
	(2) Other diseases included under 111* {M F	4 2	— 7	54 50	61 67	61 46	40 46	61 54	52 44	41 41	69 61	72 58
112 (50)	Asthma {M F	1,429 1,128	956 694	1,106 939	887 808	975 820	802 680	907 714	855 739	999 811	830 692	908 724
113 (50)	Pulmonary emphysema {M F	54 10	45 13	56 14	51 12	47 12	60 15	42 10	72 9	82 12	58 12	72 10
114 (50)	Other diseases of the respiratory system {M F	312 96	278 97	334 94	334 101	339 87	328 87	415 102	365 101	408 101	406 94	429 107
	(a) Chronic interstitial pneumonia, including occupational diseases of the lung {M F	222 60	201 64	260 60	241 49	252 53	236 49	306 61	266 50	315 54	291 37	320 53
	(b) Other diseases included under 114 {M F	90 36	77 33	74 34	93 52	87 34	92 38	109 41	99 51	93 47	115 57	109 54
	(1) Gangrene of the lung {M F	20 9	16 2	13 6	14 8	16 4	14 5	14 3	13 7	8 9	7 6	6 3
	(2) Other diseases included under 114 (b) {M F	70 27	61 31	61 31	79 44	71 30	78 33	95 38	86 44	85 38	108 51	103 51
115-129	IX.—Diseases of the Digestive System {M F	15,173 12,458	14,310 11,677	14,093 11,656	14,058 11,994	14,004 11,946	13,813 12,173	14,058 11,613	13,876 11,290	13,599 10,910	13,590 10,722	12,968 10,062
115 (58)	Diseases of the buccal cavity, pharynx, etc. {M F	911 881	881 858	868 845	822 941	907 1,056	1,149 1,289	944 1,048	825 751	693 682	758 637	579 555
	(1) Diseases of the teeth and gums {M F	262 194	261 190	263 207	222 195	221 204	229 179	214 167	193 129	163 126	174 114	140 99
	(2) Ludwig's angina {M F	61 51	54 48	47 39	41 44	45 30	61 47	48 45	45 30	35 31	39 21	39 23
	(3) Diseases of the tonsils {M F	436 511	441 467	448 468	420 516	488 621	640 753	527 639	436 435	358 393	417 351	283 307
	(4) Other diseases included under 115 {M F	152 142	125 153	110 131	139 186	153 201	219 310	155 197	151 157	137 132	128 151	117 126
116 (58)	Diseases of the œsophagus {M F	27 19	23 26	22 19	28 18	27 15	26 12	31 24	26 15	34 24	26 21	37 19
117 (51)	Ulcer of the stomach or duodenum {M F	3,055 1,031	3,214 1,036	3,214 1,021	2,935 1,052	3,134 1,000	3,241 1,075	3,320 1,021	3,556 1,127	3,532 1,052	3,552 1,010	3,806 1,059
	(a) Ulcer of the stomach {M F	1,976 870	2,074 876	2,029 846	1,867 827	2,012 814	2,172 850	2,167 812	2,242 882	2,272 825	2,298 789	2,530 826
	(b) Ulcer of the duodenum {M F	1,079 161	1,140 160	1,185 175	1,068 225	1,122 186	1,069 225	1,153 209	1,314 245	1,260 227	1,254 221	1,276 233
118 (58)	Other diseases of the stomach {M F	659 743	621 673	638 723	556 616	493 525	415 519	458 465	403 369	388 384	382 302	327 302
	(1) Inflammation of the stomach {M F	551 655	505 578	513 634	449 522	394 458	317 451	362 410	293 352	300 307	287 319	237 252
	(2) Other diseases included under 118 {M F	108 88	116 95	125 89	107 94	99 67	98 68	96 55	110 60	88 62	95 65	90 50

† See note on page 9.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
119 & 120 (52 & 53)	Diarrhœa and enteritis .. {M F	3,841 3,228	2,988 2,503	2,840 2,382	3,033 2,643	3,084 2,532	2,507 2,209	2,592 2,207	2,687 2,303	2,697 2,228	2,618 2,161	2,256 1,916
	(a) { (1) Colitis* .. {M F	184 198	146 203	134 189	154 208	130 165	123 173	148 163	128 159	98 162	114 153	88 147
	{ (2) Other diarrhœa and enteritis* .. {M F	3,530 2,837	2,720 2,115	2,576 1,983	2,704 2,170	2,791 2,104	2,205 1,761	2,258 1,733	2,365 1,820	2,378 1,739	2,291 1,697	1,914 1,477
	(b) Ulceration of intes- tines .. {M F	127 193	122 185	130 210	175 265	163 275	179 275	186 311	194 324	221 327	213 311	254 292
121 (54)	Appendicitis .. {M F	1,657 1,169	1,693 1,248	1,608 1,264	1,715 1,299	1,650 1,404	1,628 1,357	1,692 1,273	1,649 1,220	1,584 1,237	1,580 1,211	1,435 1,138
122 (55)	Hernia, intestinal obstruc- tion .. {M F	2,506 2,262	2,352 2,192	2,413 2,306	2,519 2,318	2,447 2,348	2,500 2,325	2,549 2,261	2,331 2,312	2,394 2,269	2,392 2,143	2,318 2,159
	(a) Hernia .. {M F	1,090 1,039	950 1,002	977 1,044	1,058 1,074	1,019 1,076	1,049 1,031	1,049 1,040	1,020 1,088	1,017 1,086	1,008 1,007	1,025 1,056
	(1) Strangulated hernia .. {M F	? ?	? ?	692 792	734 814	729 832	756 811	758 827	736 849	760 848	766 788	764 846
	(2) Hernia not re- turned as strangu- lated .. {M F	? ?	? ?	285 252	324 260	290 244	293 220	291 213	284 239	257 238	242 219	261 210
	(b) Intestinal obstruc- tion .. {M F	1,416 1,223	1,402 1,190	1,436 1,262	1,461 1,244	1,428 1,242	1,451 1,294	1,500 1,221	1,311 1,224	1,377 1,183	1,384 1,136	1,293 1,103
123 (56)	Other diseases of the intestines .. {M F	300 284	304 328	304 318	314 352	349 327	350 356	394 373	382 404	396 406	355 404	394 394
	(1) Constipation, intes- tinal stasis .. {M F	69 96	52 99	51 94	53 90	41 64	35 63	50 62	28 59	38 62	28 52	32 57
	(2) Diverticulitis .. {M F	138 116	158 148	174 150	187 181	206 183	231 221	255 225	270 278	281 273	242 284	285 280
	(3) Other diseases in- cluded under 123 .. {M F	93 72	94 81	79 74	74 81	102 80	84 72	89 86	84 67	77 71	85 68	77 57
124 (56)	Cirrhosis of the liver .. {M F	1,174 604	1,100 556	1,054 557	946 505	817 424	872 478	898 436	851 414	792 441	809 454	760 435
	(a) Returned as alcoholic {M F	175 83	144 71	162 99	115 62	115 77	125 84	139 62	133 64	135 72	127 65	111 50
	(b) Not returned as alco- holic .. {M F	999 521	956 485	892 458	831 443	702 347	747 394	759 374	718 350	657 369	682 389	649 385
125 (57)	Other diseases of the liver {M F	108 148	122 146	101 125	113 111	87 114	99 119	91 138	105 158	102 162	122 169	105 137
	(1) Acute yellow atrophy {M F	12 62	22 69	19 47	27 48	22 54	24 58	27 76	32 87	24 89	30 93	28 75
	(2) Other diseases in- cluded under 125 .. {M F	96 86	100 77	82 78	86 63	65 60	75 61	64 62	73 71	78 73	92 76	77 62
126 (57)	Biliary calculi .. {M F	321 889	333 880	353 853	342 882	301 884	309 962	368 945	337 817	301 779	298 803	302 756
	(1) With cholecystitis .. {M F	? ?	? ?	118 293	136 311	95 323	102 341	121 336	123 303	110 294	115 289	80 256
	(2) Without mention of cholecystitis .. {M F	? ?	? ?	235 560	206 571	206 561	207 621	247 609	214 514	191 485	183 514	222 500
127 (57)	Other diseases of the gall bladder and ducts .. {M F	289 690	354 721	330 711	355 752	337 791	361 859	397 881	385 885	359 809	368 857	339 816
	(1) Cholecystitis without record of biliary cal- culi .. {M F	230 632	300 665	301 665	300 697	308 731	322 811	348 863	345 829	303 766	311 812	292 769
	(2) Other diseases in- cluded under 127 .. {M F	59 58	54 56	29 46	55 55	29 60	39 48	49 36	40 52	56 43	57 45	47 47
128 (58)	Diseases of the pancreas .. {M F	196 262	189 260	227 299	252 266	234 265	218 299	225 301	237 272	225 263	223 274	213 244
129 (58)	Peritonitis, without stated cause .. {M F	129 231	136 250	121 233	128 239	137 291	138 314	99 222	102 204	102 189	107 194	97 132

† See note on page 9.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
130-139	X.—Non-venereal Dis- eases of the Genito- urinary System and Annexa	M 13,391 F 9,070	M 13,331 F 9,157	M 14,001 F 9,370	M 14,403 F 9,554	M 13,790 F 9,293	M 14,171 F 9,298	M 14,526 F 9,572	M 14,488 F 9,405	M 14,278 F 9,113	M 13,364 F 8,322	M 13,307 F 8,039
130-132	Nephritis	M 7,874 F 7,638	M 7,902 F 7,729	M 8,284 F 7,840	M 8,298 F 8,018	M 7,687 F 7,786	M 7,894 F 7,717	M 8,059 F 7,995	M 7,952 F 7,771	M 7,593 F 7,472	M 6,909 F 6,629	M 6,568 F 6,521
130 (59)	Acute nephritis*	M 563 F 602	M 600 F 574	M 558 F 515	M 549 F 536	M 536 F 520	M 559 F 517	M 488 F 483	M 577 F 489	M 439 F 459	M 487 F 419	M 479 F 398
131 (59)	Chronic nephritis*	M 7,311 F 7,036	M 7,302 F 7,155	M 6,728 F 6,335	M 6,788 F 6,533	M 6,302 F 6,421	M 6,545 F 6,387	M 6,781 F 6,721	M 6,562 F 6,573	M 6,497 F 6,423	M 5,707 F 5,567	M 5,456 F 5,474
132 (59)	Nephritis, not stated to be acute or chronic*	M ? F ?	M ? F ?	M 998 F 990	M 961 F 949	M 849 F 845	M 790 F 791	M 790 F 791	M 813 F 709	M 657 F 590	M 715 F 643	M 633 F 649
133 (60)	Other diseases of the kid- ney and annexa	M 371 F 468	M 400 F 488	M 388 F 537	M 454 F 575	M 412 F 538	M 475 F 569	M 475 F 618	M 537 F 644	M 582 F 674	M 544 F 703	M 583 F 650
	(a) Pyelitis	M 231 F 339	M 271 F 354	M 284 F 394	M 336 F 439	M 293 F 420	M 338 F 433	M 327 F 450	M 371 F 482	M 419 F 506	M 392 F 521	M 414 F 486
	(b) Other diseases in- cluded under 133	M 140 F 129	M 129 F 134	M 104 F 143	M 118 F 136	M 119 F 118	M 137 F 136	M 148 F 168	M 166 F 162	M 163 F 168	M 152 F 182	M 169 F 164
134 (61)	Calculi of the urinary passages	M 308 F 149	M 249 F 168	M 269 F 160	M 267 F 161	M 273 F 152	M 281 F 164	M 308 F 199	M 300 F 169	M 333 F 213	M 268 F 187	M 269 F 166
	(a) Calculi of kidney and ureter	M ? F ?	M ? F ?	M 173 F 141	M 182 F 148	M 194 F 140	M 204 F 146	M 209 F 182	M 199 F 149	M 213 F 172	M 167 F 157	M 182 F 145
	(b) Calculi of the bladder	M ? F ?	M ? F ?	M 94 F 18	M 82 F 11	M 79 F 11	M 77 F 16	M 93 F 20	M 101 F 20	M 120 F 40	M 96 F 30	M 81 F 20
	(c) Calculi of un stated site	M ? F ?	M ? F ?	M 2 F 1	M 3 F 2	M — F 1	M — F 1	M 6 F 1	M — F —	M — F 1	M 5 F —	M 6 F 1
135 (62)	Diseases of the bladder	M 545 F 377	M 513 F 335	M 552 F 366	M 555 F 351	M 484 F 335	M 524 F 337	M 467 F 323	M 507 F 341	M 591 F 363	M 553 F 383	M 506 F 331
	(a) Cystitis	M 514 F 356	M 486 F 316	M 522 F 348	M 516 F 336	M 436 F 313	M 487 F 301	M 427 F 304	M 473 F 320	M 540 F 338	M 476 F 347	M 434 F 307
	(b) Other diseases of the bladder	M 31 F 21	M 27 F 19	M 30 F 18	M 39 F 15	M 48 F 22	M 37 F 36	M 40 F 19	M 34 F 21	M 51 F 25	M 77 F 36	M 72 F 24
136 (63)	Diseases of the urethra, urinary abscess, etc.	M 457 F 5	M 404 F 5	M 405 F 5	M 420 F 3	M 359 F 4	M 359 F 6	M 361 F 6	M 365 F 8	M 347 F 6	M 336 F 4	M 313 F 3
	(a) Stricture of the urethra	M 433 F 1	M 389 F —	M 391 F 1	M 403 F —	M 341 F —	M 339 F —	M 344 F 1	M 345 F 2	M 335 F 2	M 314 F 1	M 295 F —
	(b) Other diseases of the urethra, etc.	M 24 F 4	M 15 F 5	M 14 F 4	M 17 F 3	M 18 F 4	M 20 F 6	M 17 F 5	M 20 F 6	M 12 F 4	M 22 F 3	M 18 F 3
137 (64)	Diseases of the prostate	M 3,760	M 3,803	M 4,039	M 4,328	M 4,498	M 4,566	M 4,770	M 4,768	M 4,783	M 4,702	M 5,010
138 (65)	Diseases of the male genital organs	M 76	M 60	M 64	M 81	M 77	M 72	M 86	M 59	M 49	M 54	M 58
139 (65)	Diseases of the female genital organs	F 433	F 432	F 462	F 446	F 478	F 505	F 431	F 472	F 385	F 416	F 368
	(a) Diseases of the ovary, Fallopian tube and parametrium	F 239	F 230	F 240	F 218	F 227	F 255	F 194	F 214	F 165	F 174	F 135
	(1) Diseases of the ovary	F 5	F 8	F 6	F 9	F 10	F 18	F 7	F 14	F 2	F 3	F 7
	(2) Diseases of the Fallopian tube	F 205	F 188	F 211	F 192	F 186	F 206	F 162	F 177	F 144	F 139	F 101
	(3) Diseases of the parametrium	F 29	F 34	F 23	F 17	F 31	F 31	F 25	F 23	F 19	F 32	F 27
	(b) Diseases of the uterus	F 168	F 170	F 200	F 201	F 216	F 216	F 198	F 223	F 192	F 215	F 201
	(c) Diseases of the breast	F 13	F 6	F 9	F 11	F 13	F 11	F 11	F 17	F 8	F 11	F 11
	(d) Other diseases of the female genital organs	F 13	F 26	F 13	F 16	F 22	F 23	F 28	F 18	F 20	F 16	F 21

† See note on page 9.

TABLE 6—continued.

Inter- national List No.	Causes of Death.		1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
140-150	XI.—Diseases of Preg- nancy, Childbirth and the Puerperal State	F	2,791	2,855	2,601	2,587	2,618	2,748	2,457	2,301	1,988	1,917	1,815
140 & 145	Puerperal sepsis ..	F	1,161	1,244	1,050	991	1,061	1,212	1,006	843	596	555	476
140 (68)	Post-abortion sepsis*	F	238	300	229	262	257	295	262	241	173	177	168
141 (66)	Abortion not returned as septic	F	118	124	118	117	121	99	91	69	50	49	59
	(1) Haemorrhage following abortion*	F	51	59	97	105	108	94	71	56	44	39	49
	(2) Without record of haemorrhage*	F	67	65	21	12	13	5	20	13	6	10	10
142 (66)	Ectopic gestation ..	F	86	73	79	83	90	88	74	71	75	66	59
143 (66)	Other accidents of pregnancy	F	16	16	23	19	22	28	16	16	21	20	10
144 (67)	Puerperal haemorrhage ..	F	313	348	289	291	269	265	253	290	296	289	268
	(a) Placenta praevia ..	F	159	162	139	156	137	109	123	137	133	118	82
	(b) Other puerperal haemorrhage	F	154	186	150	135	132	156	130	153	163	171	186
145 (68)	Puerperal sepsis not re- turned as post-abortion*	F	923	944	821	729	804	917	744	602	423	378	308
	(a) Puerperal septicaemia and pyaemia*	F	919	943	820	729	803	917	744	602	422	378	307
	(b) Puerperal tetanus ..	F	4	1	1	—	1	—	—	—	1	—	1
146 (69)	Puerperal albuminuria and convulsions*	F	524	467	375	373	372	414	348	334	333	283	309
147 (69)	Other toxemias of preg- nancy*	F	66	66	131	151	140	126	138	162	167	168	156
148 (70)	Puerperal phlegmasia alba dolens, embolism and sudden death	F	180	190	188	200	175	158	165	159	139	135	140
	(a) Puerperal phlegmasia alba dolens not returned as septic*	F	17	23	47	46	55	50	43	52	53	49	53
	(b) Puerperal embolism and sudden death*	F	163	167	141	154	120	108	122	107	86	86	87
149 (70)	Other accidents of childbirth	F	274	246	300	286	311	293	311	300	262	320	306
150 (70)	Other or unspecified con- ditions of the puerperal state	F	53	81	48	76	57	65	55	57	49	32	32
	(1) Puerperal insanity	F	22	25	13	24	11	21	15	14	18	14	6
	(2) Puerperal diseases of the breast	F	6	8	11	13	17	20	16	18	7	5	6
	(3) Childbirth (unqualified)	F	25	48	24	39	29	24	24	25	24	13	20
151-153	XII.—Diseases of the Skin and Cellular Tissue*	M F	1,057 832	999 820	1,006 882	1,066 901	1,084 893	1,191 1,029	1,053 927	1,083 857	1,114 774	1,023 744	863 685
151 (71)	Carbuncle, boil ..	M F	303 166	340 171	352 160	369 197	383 230	368 197	341 233	353 190	350 182	337 191	311 190
152 (71)	Cellulitis, acute abscess*	M F	455 313	372 305	378 367	385 312	426 330	523 446	424 331	434 328	451 312	404 244	275 220
	(1) Cellulitis ..	M F	354 252	296 240	294 289	282 232	335 267	427 342	342 266	351 238	373 259	332 198	230 162
	(2) Acute abscess*	M F	101 61	76 65	84 78	103 80	91 63	96 104	82 65	83 90	78 53	72 46	45 58
153 (71)	Other diseases of the skin and its annexa ..	M F	299 353	287 344	276 355	312 392	275 335	300 386	288 363	296 339	313 280	282 309	277 275
154-156	XIII.—Diseases of the Bones and Organs of Locomotion	M F	577 386	560 352	545 327	608 354	534 359	591 314	552 347	536 319	508 336	493 307	486 285
154 (72)	Acute infective osteomye- litis and periostitis ..	M F	318 191	326 164	321 163	347 156	279 175	331 137	288 159	299 153	294 152	279 132	259 110

†See note on page 9

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
155 (72)	Other diseases of the bones {M F	114 69	102 72	91 56	115 69	115 76	108 67	123 79	100 62	90 76	91 72	124 81
156 (72)	Diseases of the joints and other organs of locomotion {M F	145 126	132 116	133 108	146 129	140 110	152 109	141 109	137 104	124 108	123 103	103 94
	(a) Diseases of the joints {M F	109 78	103 80	93 74	106 91	110 76	110 72	99 65	92 62	100 63	69 62	67 48
	(b) Diseases of other organs of locomotion {M F	36 48	29 36	40 34	40 38	30 32	42 38	42 44	45 42	24 45	54 41	41 46
157 (73)	XIV.—Congenital Malformations {M F	2,069 1,746	2,193 1,665	2,199 1,712	2,271 1,810	2,161 1,716	2,230 1,821	2,224 1,773	2,308 1,788	2,261 1,875	2,304 1,862	2,250 1,902
	(a) Congenital hydrocephalus {M F	144 112	138 108	147 117	161 127	151 115	153 115	155 129	156 98	137 123	142 137	153 135
	(b) Spina bifida and meningocele {M F	361 517	397 470	407 516	427 635	418 601	435 663	440 627	453 642	489 663	455 663	478 695
	(c) Congenital malformation of heart {M F	823 659	888 639	858 640	860 589	812 566	863 618	806 564	901 605	842 608	894 604	872 610
	(d) Monstrosities {M F	24 41	29 23	33 50	35 59	38 55	40 44	31 55	32 44	34 58	45 58	35 64
	(e) Other congenital malformations {M F	717 417	741 425	754 389	788 400	742 379	739 381	792 398	766 399	759 423	768 400	712 398
	(1) Congenital pyloric stenosis {M F	233 83	270 77	330 76	292 74	247 70	279 73	302 81	320 85	328 100	345 69	279 66
	(2) Cleft palate, hare-lip {M F	88 79	80 77	85 53	96 42	81 45	52 47	66 42	47 67	77 59	65 52	68 60
	(3) Imperforate anus {M F	54 15	55 17	42 18	51 22	54 10	50 15	55 17	55 20	41 14	45 23	51 14
	(4) Other stated congenital malformations {M F	308 220	288 215	247 195	300 228	320 229	300 216	326 221	295 199	270 209	269 225	296 237
	(5) Congenital malformation unspecified {M F	34 20	48 39	50 47	49 34	40 25	58 30	43 37	49 28	43 41	44 31	18 21
158-161	XV.—Diseases of Early Infancy* {M F	10,252 7,512	9,723 7,067	9,803 6,997	9,510 6,722	9,085 6,712	8,891 6,445	8,764 6,322	8,790 6,320	8,763 6,544	8,372 6,068	8,176 5,998
158 (74)	Congenital debility* {M F	1,522 982	1,357 841	1,307 809	1,119 704	1,082 728	943 583	916 605	890 569	828 546	667 429	640 409
159 (75)	Premature birth {M F	6,784 5,208	6,447 4,913	6,594 4,971	6,406 4,768	6,138 4,747	5,995 4,523	5,867 4,447	5,814 4,291	5,783 4,592	5,497 4,218	5,307 4,136
160 (76)	Injury at birth {M F	862 492	834 527	837 497	899 480	813 508	862 529	885 530	928 602	938 571	1,036 571	1,066 583
	(a) With mention of Cesarean section {M F	? ?	? ?	6 4	12 3	7 5	6 8	11 4	5 4	3 2	6 3	3 3
	(b) Without mention of Cesarean section {M F	? ?	? ?	831 493	887 477	806 503	856 521	874 526	923 598	935 569	1,030 568	1,063 580
161 (77)	Other diseases peculiar to early infancy* {M F	1,084 830	1,085 786	1,065 720	1,086 770	1,052 729	1,091 810	1,096 740	1,158 858	1,214 855	1,172 850	1,163 870
	(a) Atelectasis {M F	581 440	601 411	637 405	619 433	657 422	635 464	670 448	685 534	752 514	731 478	717 529
	(b) Icterus neonatorum {M F	257 132	235 141	204 122	199 114	193 107	209 121	195 94	201 107	192 133	215 147	215 112
	(c) Other diseases included under 161* {M F	246 258	249 234	224 193	268 223	202 200	247 225	231 198	272 217	270 208	226 225	231 229
	(1) Diseases of the umbilicus {M F	52 46	61 52	57 33	51 52	43 26	50 33	44 29	37 36	48 35	38 31	37 32

† See note on page 9.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
	(2) Pemphigus neonatorum .. {M F	65 61	56 46	51 33	40 32	28 24	37 32	34 24	43 25	47 31	42 27	19 17
	(3) Other diseases in- cluded under 161 (c)* {M F	129 151	132 136	116 127	177 139	131 150	160 160	153 145	192 156	175 142	146 167	175 180
162 (78)	XVI.—Old Age* .. {M F	8,495 12,685	7,345 10,772	7,120 10,867	7,250 11,016	6,703 10,435	6,331 9,735	6,807 10,186	6,932 10,157	6,747 10,238	6,215 9,110	6,884 10,444
	(a) Senile dementia* .. {M F	877 1,271	776 1,112	565 758	491 659	449 514	388 426	424 465	503 533	431 481	286 455	301 444
	(b) Other forms of senile decay* .. {M F	7,618 11,414	6,569 9,660	6,555 10,109	6,759 10,357	6,254 9,921	5,943 9,309	6,383 9,721	6,429 9,624	6,316 9,757	5,929 8,655	6,583 10,000
163-198	XVII.—Deaths from Violence .. {M F	15,184 6,936	15,585 6,832	14,547 7,031	14,981 8,888	15,295 7,385	15,178 7,553	14,501 7,462	14,693 7,901	14,893 7,903	14,963 7,817	16,180 8,329
163-171	Suicide .. {M F	3,480 1,504	3,527 1,524	3,624 1,523	4,054 1,689	3,893 1,761	3,839 1,711	3,525 1,698	3,441 1,638	3,447 1,718	3,558 1,758	3,307 1,747
163 (79)	By solid or liquid poisons and corrosive substances {M F	354 314	406 309	368 308	428 349	468 348	426 323	344 313	298 264	304 276	317 274	276 243
164 (79)	By poisonous gas .. {M F	824 461	842 509	934 517	1,168 639	1,091 641	1,183 681	1,101 678	1,081 690	1,083 702	1,221 772	1,164 817
165 (79)	By hanging or strangu- lation .. {M F	690 136	629 124	614 122	727 135	704 168	631 155	616 179	670 161	645 169	641 163	562 144
166 (79)	By drowning .. {M F	546 329	554 333	584 329	670 329	561 324	535 272	459 287	482 280	489 317	487 311	475 312
167 (79)	By firearms .. {M F	221 11	254 8	254 13	249 10	283 5	226 12	220 6	236 9	233 7	237 12	237 11
168 (79)	By cutting or piercing instruments .. {M F	581 118	535 88	524 87	534 77	455 97	478 93	491 75	399 74	383 78	366 63	363 59
169 (79)	By jumping from high places .. {M F	87 65	110 67	111 56	98 74	102 64	113 67	104 66	94 73	106 73	118 72	84 61
170 (79)	By crushing .. {M F	170 20	190 30	227 36	172 30	218 44	236 45	179 44	172 35	188 42	164 52	137 33
171 (79)	By other means .. {M F	7 50	7 56	8 55	8 46	11 70	11 63	11 50	9 52	16 54	7 39	9 67
172†-175	Homicide .. {M F	97 107	112 82	76 114	71 115	87 123	109 117	81 97	83 97	83 90	77 90	90 117
173 (80)	By firearms .. {M F	9 16	9 9	6 12	8 17	6 12	4 8	6 11	4 11	6 8	6 6	5 16
174 (80)	By cutting or piercing instruments .. {M F	18 22	7 9	9 23	5 16	15 23	8 20	9 21	9 17	4 9	12 20	9 13
175 (80)	By other means .. {M F	70 69	96 64	61 79	58 82	66 88	97 89	66 65	70 69	73 73	59 64	76 88
176-194	Accidental deaths .. {M F	10,827 5,066	11,081 4,968	9,943 5,076	9,976 4,771	10,465 5,202	10,420 5,409	10,065 5,336	10,375 5,830	10,579 5,747	10,511 5,643	11,940 6,163
176 (81)	Attack by venomous animals .. {M F	5 18	18 14	9 14	21 23	25 19	22 10	8 15	11 13	15 11	8 13	5 5
177 (81)	Food poisoning .. {M F	10 8	10 6	8 7	5 10	12 6	11 7	10 9	6 5	22 15	17 11	15 15
178 (81)	Accidental absorption of irrespirable or poison- ous gas .. {M F	119 90	111 39	104 73	136 64	106 58	129 47	122 78	176 78	170 76	199 75	119 84
179 (81)	Other acute accidental poisoning (not by gas) {M F	46 25	56 48	51 41	45 44	57 49	42 51	56 35	54 41	47 51	55 37	31 41

† Deaths from Infanticide (172) are included under headings 173-175 (Homicide).

‡ See note on page 9.

§ In addition to these numbers, 265 deaths were registered which occurred in the Gresford Colliery disaster in 1934.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
180 (81)	Conflagration {M F	45 30	31 30	30 42	22 27	30 16	22 38	23 42	32 30	39 35	35 38	48 55
181 (81)	Accidental burns (con- flagration excepted) {M F	681 935	601 749	597 800	535 729	534 783	524 714	531 801	517 836	511 807	492 774	520 722
182 (81)	Accidental mechanical suffocation {M F	265 205	277 197	242 186	255 167	248 144	236 175	234 155	255 174	295 168	284 185	303 184
183 (81)	Accidental drowning .. {M F	735 131	622 117	583 102	753 80	810 115	542 58	688 133	590 89	656 125	551 100	703 110
184 (81)	Accidental injury by fire- arms {M F	55 10	75 4	66 4	66 8	67 3	60 5	67 7	64 7	61 5	56 3	84 6
185 (81)	Accidental injury by {M cutting or piercing in- struments {F	14 6	9 1	2 2	7 1	10 4	9 —	6 1	13 2	20 3	6 —	14 1
186 (81)	Accidental injury by fall, crushing, etc. .. {M F	8,241 3,365	8,552 3,497	7,813 3,637	7,581 3,384	7,980 3,784	8,275 4,091	7,815 3,865	8,122 4,385	8,284 4,251	8,294 4,224	9,592 4,746
187 (81)	Cataclysm {M F	? ?	? ?	— —	— —	— —	— —	— —	— —	— —	1 —	— —
188 (81)	Injury by animals (poi- soning by venomous animals excepted) {M F	52 7	42 10	45 4	54 4	37 4	51 4	41 4	46 7	49 5	46 6	36 4
189 (81)	Hunger or thirst .. {M F	20 7	9 5	6 5	5 2	9 2	10 5	13 1	6 2	11 3	7 2	5 3
190 (81)	Excessive cold {M F	68 27	28 6	19 5	14 6	30 7	11 5	17 9	24 7	22 3	19 8	14 9
191 (81)	Excessive heat {M F	50 19	155 72	11 1	67 36	93 53	35 21	37 22	20 8	14 6	15 4	12 4
192 (81)	Lightning {M F	14 —	9 1	10 2	7 1	13 2	11 —	13 1	17 2	— —	9 1	20 4
193 (81)	Electricity (lightning ex- cepted) {M F	52 1	61 7	51 5	51 4	63 7	63 4	61 9	70 10	70 9	87 6	79 12
194 (81)	Other and unstated {M forms of accidental {F violence	355 182	415 165	296 146	352 181	341 146	367 174	323 149	352 134	293 174	\$330 156	\$338 153
	(1) Inattention at birth {M F	105 118	105 112	82 100	114 112	87 78	91 106	85 70	84 59	71 99	97 89	69 78
	(2) Other causes in- cluded under 194 {M F	250 64	310 53	214 46	238 69	254 68	276 68	238 79	268 75	225 72	\$233 67	\$269 75
195 (82)	Violent deaths of unstated {M nature (i.e., accidental, {F suicidal, etc.)	700 259	788 258	802 318	786 313	757 299	719 315	749 331	719 334	719 348	728 326	765 302
196 (83)	Wounds of war {M F	72 —	74 —	92 —	85 —	84 —	83 —	69 —	70 —	56 —	81 —	73 —
197 (83)	Execution of civilians by belligerent armies .. {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
198 (84)	Execution {M F	8 —	3 —	10 —	9 —	9 —	8 1	12 —	5 2	9 —	8 —	5 —
199-200	XVIII.—Ill-defined Diseases* {M F	484 347	441 306	777 570	748 593	731 584	662 588	768 539	681 521	695 542	588 495	541 382
199 (85)	Sudden death* {M F	133 82	117 75	174 97	178 113	194 143	153 107	171 112	187 98	158 84	125 94	103 78
200 (85)	Cause of death unstated or ill-defined* {M F	351 265	324 231	603 473	570 480	537 441	509 481	597 427	494 423	537 458	463 401	438 304
	(1) Heart failure* .. {M F	250 171	214 153	499 397	493 426	463 367	448 426	512 379	455 382	474 412	400 359	361 254
	(2) Other ill-defined causes {M F	70 79	80 55	63 64	49 43	50 58	43 37	51 37	27 29	30 28	26 24	31 20
	(3) Cause not specified {M F	31 15	30 23	41 12	28 11	24 16	18 18	34 11	12 12	33 18	37 18	46 30

† See note on page 9.

‡ In addition to these numbers, 265 deaths were registered which occurred in the Gresford Colliery disaster in 1934.

TABLE 7. CRUDE DEATH-RATES OF MALES, FEMALES AND PERSONS
FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING,
1929-1939.

England and Wales.

List of Causes as in use for 1931 (see note to heading of Table 6), but in this table headings consistently showing a mortality of less than 5 per million and some indefinite headings are omitted. Where the incidence of mortality falls particularly on one sex, the rate in that sex has been taken as the criterion. For titles omitted see Table 6. The relation of the full detailed International List to the Intermediate International List will be found in the first column of Table 6. The deaths on which the rates for years prior to 1931 are based have been reconstructed as far as possible in the terms of the revised List, and where such reconstruction is incomplete an * is marked against the heading.

NOTE.—Rates based upon less than 20 deaths are distinguished by *italic type* (see note to Table 17, page 56).

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
	ALL CAUSES	M 14,234 F 12,723 P 13,447	12,270 10,682 11,443	13,033 11,615 12,294	12,745 11,396 12,043	12,948 11,711 12,304	12,511 11,112 11,783	12,485 11,064 11,746	12,930 11,410 12,139	13,198 11,700 12,419	12,466 10,834 11,618	12,950 11,319 12,097
-44	I.—Infectious & Para- sitic Diseases*	M 2,387 F 2,028 P 2,200	1,641 1,252 1,438	1,839 1,470 1,647	1,706 1,398 1,545	1,902 1,568 1,728	1,503 1,147 1,318	1,375 1,042 1,201	1,352 1,002 1,170	1,573 1,266 1,413	1,186 846 1,009	1,220 895 1,050
& 2	Typhoid and paratyphoid fevers	M 10 F 9 P 10	9 7 8	7 6 6	7 6 6	6 5 6	4 4 4	4 4 4	6 6 6	5 5 5	5 3 4	3 3 3
1	Typhoid fever	M 9 F 8 P 8	7 6 6	5 4 5	6 5 5	5 4 5	3 3 3	4 4 4	5 5 5	4 4 4	4 3 4	2 2 2
7	Measles	M 92 F 80 P 86	119 93 105	92 73 82	93 77 85	53 44 48	102 85 93	36 31 33	75 61 67	28 23 26	44 36 40	8 7 7
8	Scarlet fever	M 19 F 17 P 18	18 19 19	12 14 14	12 14 13	18 19 18	24 24 24	13 15 14	13 12 12	9 8 9	9 5 9	5 5 5
9	Whooping cough	M 147 F 172 P 160	47 55 51	58 67 63	68 79 74	51 61 56	44 56 51	35 42 39	49 53 51	41 45 43	25 29 27	29 33 31
10	Diphtheria	M 86 F 88 P 87	90 85 88	70 64 67	58 58 58	67 65 66	102 100 101	88 84 86	78 73 75	70 74 72	72 70 71	57 49 53
11	Influenza	M 731 F 737 P 734	144 110 126	360 360 360	320 334 327	564 570 567	151 128 139	193 171 182	162 136 148	456 452 454	133 103 118	219 219 219
	(a) 1. With pneumonic complications	M 390 F 331 P 359	70 41 55	176 145 160	152 141 146	294 258 275	76 52 64	99 71 84	84 59 71	239 209 223	68 42 54	97 85 91
	2. With other res- piratory compli- cations*	M 174 F 209 P 192	27 22 24	81 99 90	69 83 76	137 153 146	27 27 27	35 38 37	29 28 29	105 117 111	23 21 22	52 56 54
	(b) 1. With non-res- piratory compli- cations*	M 104 F 118 P 112	35 36 35	73 79 76	71 77 74	88 102 95	36 36 36	45 47 46	40 39 39	85 92 89	33 31 32	51 58 54
	2. Without stated complications	M 63 F 79 P 71	12 11 12	31 38 35	28 34 31	45 57 51	11 13 12	14 16 15	10 10 10	28 34 31	9 9 9	18 20 19
13	Dysentery	M 4 F 1 P 2	3 2 2	4 3 3	4 3 3	3 2 2	3 3 3	3 2 3	3 2 2	3 3 3	4 3 3	4 2 3
15	Erysipelas	M 28 F 24 P 26	29 23 26	27 23 25	26 23 25	32 27 30	41 32 36	30 23 26	26 22 24	16 12 14	12 9 10	8 7 8
16	Acute poliomyelitis	M 4 F 3 P 4	5 4 4	3 2 2	5 4 4	6 4 5	4 3 3	4 3 4	3 2 2	5 3 4	7 6 6	4 3 3
17	Encephalitis lethargica	M 27 F 25 P 26	23 23 23	26 22 24	21 20 21	22 18 20	18 18 19	18 18 18	17 17 17	20 17 18	17 15 16	20 16 18
18	Cerebro-spinal fever	M 19 F 11 P 15	19 13 16	45 28 36	37 24 30	27 20 23	22 14 18	18 13 15	19 12 16	20 14 17	20 12 16	15 10 12
22	Tetanus	M 6 F 2 P 4	6 1 3	5 1 3	5 1 3	4 1 3	4 1 3	5 1 3	4 1 3	4 1 3	4 1 2	3 1 2

TABLE 7—continued.

Inter-national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939
23-32	Tuberculosis (all forms) { M F P	1,122 810 959	1,037 770 898	1,041 762 896	972 713 837	968 692 824	899 638 763	848 599 718	825 570 692	824 576 695	764 516 635	777 508 636
23	Respiratory system .. { M F P	938 661 793	863 624 739	872 622 742	806 578 687	819 571 690	759 520 635	722 498 605	703 472 583	702 475 584	650 423 532	667 420 533
24	Central nervous system { M F P	71 59 65	67 58 62	70 60 65	66 55 60	57 49 53	57 50 53	51 41 45	48 40 44	47 41 44	45 40 42	42 37 39
25	Intestines and peritoneum .. { M F P	32 30 31	29 29 29	27 28 27	27 24 25	23 25 24	20 21 20	18 19 18	16 17 17	18 15 16	15 14 14	14 13 14
26	Vertebral column .. { M F P	14 11 12	14 10 12	14 11 12	13 10 12	14 9 11	13 9 11	13 9 11	11 8 10	12 7 9	10 6 8	11 7 9
27	Other bones and joints { M F P	8 6 7	9 5 7	8 4 6	8 6 7	7 5 6	8 5 6	6 4 5	7 4 5	5 4 5	5 3 4	5 4 5
30	Genito-urinary system { M F P	9 5 7	8 5 7	9 6 7	9 5 7	9 4 6	8 5 7	8 5 6	10 5 7	9 5 7	8 5 6	8 4 6
32	Disseminated tuberculosis .. { M F P	48 35 41	43 35 39	37 28 32	38 31 35	34 26 30	31 25 28	27 22 24	27 20 24	29 24 26	29 21 25	28 21 24
	(a) Acute .. { M F P	17 14 16	17 15 16	18 14 16	17 15 16	16 14 15	17 15 16	13 12 13	15 12 13	17 15 16	15 11 13	15 11 13
	(b) Chronic .. { M F P	30 20 25	27 20 23	0 0 18	0 0 15	0 0 12	— 0 10	0 0 13	0 0 12	0 0 11	— 0 12	0 0 14
	(c) Not distinguished as acute or chronic .. { M F P	47 24 35	48 24 36	50 24 36	43 22 32	45 21 33	43 19 30	45 17 31	42 18 29	43 18 30	45 18 31	44 18 30
34	Syphilis .. { M F P	?	?	?	?	?	?	?	?	?	?	?
	(a) Congenital syphilis { M F P	?	?	12 9 10	11 8 7	8 6 7	7 6 6	7 5 5	7 4 5	6 4 5	5 4 4	4 4 4
	(b & c) Acquired or un-specified .. { M F P	?	?	38 15 26	33 15 23	37 15 25	36 13 24	38 12 25	36 13 24	37 15 26	40 14 26	40 14 26
36	Purulent infection, septi-cæmia* .. { M F P	29 16 22	29 15 22	25 13 19	21 13 17	24 14 19	27 14 20	23 12 17	18 11 14	15 7 11	14 10 12	14 8 11
	(a) Septicæmia .. { M F P	?	?	23 13 18	18 11 15	21 12 17	25 12 18	21 11 16	16 9 12	13 6 10	11 8 9	11 7 9
38	Malaria .. { M F P	2 0 1	2 0 1	1 0 1	1 0 1	1 0 1	1 — 1	1 0 0	1 — 0	1 0 1	1 0 1	1 — 1
44	Other infectious or para-sitic diseases .. { M F P	5 3 4	5 3 4	4 3 4	4 2 3	4 3 3	5 3 4	4 3 3	4 4 4	3 4 4	4 3 4	3 3 3
45-55	II.—Cancer and Other Tumours .. { M F P	1,441 1,561 1,503	1,469 1,576 1,525	1,509 1,598 1,555	1,554 1,606 1,581	1,546 1,641 1,595	1,594 1,672 1,635	1,636 1,674 1,656	1,668 1,711 1,690	1,687 1,703 1,695	1,705 1,743 1,725	1,724 1,748 1,736
45-53	Cancer, malignant disease* { M F P	1,386 1,483 1,437	1,411 1,494 1,454	1,450 1,516 1,484	1,495 1,524 1,510	1,490 1,559 1,526	1,534 1,590 1,563	1,578 1,595 1,587	1,612 1,636 1,625	1,634 1,632 1,633	1,652 1,676 1,665	1,667 1,677 1,672
45	Buccal cavity and pharynx .. { M F P	154 26 87	153 25 86	154 25 87	158 26 89	145 26 83	155 26 88	152 25 86	145 30 85	141 27 82	137 27 80	129 27 76
46	Digestive organs and peritoneum* .. { M F P	864 725 792	876 735 802	890 738 811	918 741 826	915 760 834	927 777 849	956 774 861	975 790 879	976 797 883	973 809 888	987 806 892

† See note on page 9.

TABLE 7—continued.

International t No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
	Respiratory organs .. { M F P	105 37 69	118 42 78	132 44 86	139 44 90	153 45 97	168 50 106	179 52 113	191 58 122	212 56 130	231 63 144	242 68 151
	Uterus F	216	210	208	208	205	211	211	205	209	211	209
	Other female genital organs F	76	79	80	83	89	92	94	101	99	108	102
	Breast { M F P	2 288 151	3 292 154	3 306 161	3 305 160	3 312 164	3 318 167	4 320 168	4 333 175	3 325 170	3 337 177	3 344 181
	Male genito-urinary organs M	152	154	166	169	169	177	183	188	196	200	199
	Skin { M F P	35 24 29	33 22 27	36 23 29	33 25 29	32 24 28	32 22 27	31 23 27	34 23 28	33 24 28	34 25 29	33 22 27
	Other or unspecified organs { M F P	72 92 83	73 90 82	69 92 81	76 93 85	72 98 86	73 95 84	73 95 84	76 95 86	73 95 84	73 98 86	74 100 88
	Non-malignant tumours { M F P	20 47 34	23 50 37	25 53 40	25 52 39	22 52 38	24 52 38	25 50 38	24 46 35	25 47 36	28 44 37	24 42 33
	(a) Female genital organs F	32	35	36	35	34	34	32	28	29	27	24
	(b) Other sites { M F P	20 15 17	23 16 19	25 17 21	25 17 21	22 18 20	24 18 21	25 18 21	24 18 21	25 18 21	28 17 23	24 18 21
	Tumours of undetermined nature* { M F P	35 30 33	35 32 34	34 29 32	34 30 32	35 29 32	36 30 33	32 29 31	31 29 30	28 25 26	25 23 24	32 28 30
	(b) Sites other than fe- male genital organs* { M F P	35 28 32	35 31 33	34 28 31	34 29 31	35 28 31	36 29 33	32 28 30	31 28 30	28 24 26	25 22 24	32 28 30
	III.—Rheumatism, Di- seases of Nutrition and of Endocrine Glands and other General Diseases* .. { M F P	261 412 340	249 400 328	246 408 330	245 411 331	248 424 340	247 427 341	250 438 348	263 457 364	256 454 360	254 443 352	250 457 362
	Rheumatic fever { M F P	34 38 36	36 39 38	29 34 32	25 30 28	30 34 32	31 38 34	27 31 29	27 29 28	20 24 22	26 30 28	23 26 25
	Chronic rheumatism, osteo- arthritis { M F P	52 117 86	46 102 75	50 105 79	47 108 79	48 109 80	49 104 78	54 109 83	56 117 87	54 115 86	53 112 84	53 115 85
	(1) Chronic rheumatism* { M F P	5 6 6	4 6 5	3 5 4	3 4 4	2 4 3	3 3 3	3 3 3	2 3 3	2 2 2	2 1 1	2 4 3
	(2) Rheumatoid arthritis, osteo-arthritis* .. { M F P	47 111 80	43 97 71	47 101 75	44 104 75	45 105 76	47 101 75	51 106 80	53 114 85	52 114 84	51 110 82	51 112 83
	Gout { M F P	13 2 8	12 3 7	11 3 7	12 2 7	10 2 6	9 2 5	9 2 5	9 2 5	9 1 5	8 1 4	6 1 3
	Diabetes { M F P	122 161 142	121 161 142	118 170 145	126 176 152	127 182 156	129 189 160	130 196 164	139 207 174	142 211 178	137 206 173	146 220 185
	Rickets* { M F P	? ? ?	? ? ?	12 7 10	10 6 8	7 5 6	6 4 5	5 4 4	5 3 4	6 4 4	5 2 4	4 3 4
	(1) Rickets (excluding spinal curvatures of undetermined nature) { M F P	13 8 11	10 6 8	12 6 9	9 6 7	6 4 5	6 3 4	5 3 4	5 3 4	5 3 4	4 2 3	4 2 3
	Diseases of the thyroid and parathyroid glands* { M F P	11 65 39	10 71 42	11 75 45	12 75 45	13 77 46	12 77 46	13 81 49	14 85 51	12 84 49	12 78 47	13 78 47
	(a) Simple goitre .. { M F P	1 7 4	1 7 4	2 7 4	1 6 4	2 8 5	1 5 3	1 7 4	1 6 4	1 4 3	1 6 3	1 5 3

† See note on page 9.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939
	(b) Exophthalmic goitre { M F P	7 45 27	6 54 31	7 56 33	9 59 35	9 59 35	9 62 37	9 65 38	11 70 42	10 69 41	10 64 38	10 64 38
	(c) Myxœdema, cretinism { M F P	2 11 7	2 10 6	2 12 7	1 9 5	2 9 6	1 8 5	1 8 5	1 9 5	1 9 5	1 8 5	1 9 5
67	Diseases of the thymus .. { M F P	6 4 5	4 3 3	5 2 4	5 3 4	5 3 4	4 3 3	4 3 4	5 3 4	6 3 4	4 2 3	4 2 3
68	Diseases of the adrenals .. { M F P	5 7 6	5 6 6	4 6 5	3 5 5	5 7 6	4 7 5	3 7 5	4 7 5	3 6 5	4 6 5	5 6 5
69	Other general diseases* .. { M F P	3 7 5	2 4 3	3 3 3	3 2 3	2 3 3	2 2 2	3 3 3	2 3 2	2 4 3	3 4 3	3 3 3
70-74	IV.—Diseases of the Blood and Blood- forming Organs .. { M F P	97 98 97	101 103 102	105 107 106	112 118 115	108 118 114	113 118 116	110 121 116	112 118 115	107 119 113	116 123 119	116 130 123
70	Hæmorrhagic conditions { M F P	11 9 10	11 9 10	11 8 10	10 7 8	10 10 10	12 10 11	11 9 10	11 9 10	10 9 9	10 9 10	10 9 9
	(a) Purpura .. { M F P	7 8 7	7 7 7	7 7 7	6 6 6	6 7 7	7 8 7	6 8 7	6 7 6	6 7 6	5 7 5	4 6 5
71	Anæmia, chlorosis .. { M F P	48 62 55	52 67 60	52 71 62	61 82 72	56 78 67	54 78 66	52 77 65	51 72 62	48 75 62	52 74 63	56 83 70
	(a) Pernicious anæmia { M F P	43 56 49	47 60 54	47 64 56	54 74 64	50 70 60	48 69 59	47 68 58	46 64 55	43 67 55	47 65 57	50 74 63
	(b) Other anæmias and chlorosis .. { M F P	5 6 6	5 6 6	5 7 6	7 8 7	6 8 7	7 8 7	5 9 7	5 8 7	5 8 7	5 8 7	6 8 7
72	Leukæmia, aleukæmia .. { M F P	35 24 29	35 24 29	39 25 32	38 26 32	39 26 32	42 28 35	43 31 36	46 32 38	44 32 38	48 35 41	46 35 40
	(a) Leukæmia .. { M F P	19 16 17	19 15 16	20 16 18	20 17 18	21 18 19	24 18 21	23 19 21	26 22 20	26 22 23	29 22 26	28 24 26
	(b) Aleukæmia (lymph- adenoma) .. { M F P	17 8 12	17 9 13	20 9 14	18 10 14	18 9 13	18 10 14	19 11 15	20 10 15	18 12 15	19 13 16	17 10 13
75-77	V.—Chronic Poisoning { M F P	7 3 5	5 2 4	4 2 3	5 2 4	4 2 3	4 1 2	4 1 3	3 2 2	4 2 2	3 2 2	4 2 3
75	Alcoholism (acute or chronic) .. { M F P	4 2 3	3 2 2	2 2 2	3 2 2	2 1 2	2 1 1	3 1 2	2 1 1	3 2 2	2 1 2	3 1 2
78-89	VI.—Diseases of the Nervous System and Sense Organs* .. { M F P	1,088 1,058 1,072	996 1,005 1,001	1,021 1,002 1,011	1,008 1,005 1,006	964 972 968	959 982 971	966 994 980	964 1,015 991	953 991 973	921 957 940	980 1,012 996
78	Encephalitis .. { M F P	9 7 8	8 6 7	9 5 7	8 6 7	8 6 7	8 6 7	8 7 8	8 6 7	8 6 7	7 5 6	8 5 6
	(a) Cerebral abscess .. { M F P	6 3 4	5 3 4	6 3 4	5 3 4	4 3 4	5 3 4	5 3 4	6 3 4	5 3 4	4 3 3	5 2 3
79	Meningitis* .. { M F P	39 29 34	31 23 27	31 24 27	32 22 27	32 19 25	28 20 24	25 17 21	26 18 21	26 18 22	23 18 20	23 16 19
80	Tabes dorsalis (locomotor ataxy) .. { M F P	39 7 22	30 6 18	29 5 17	33 7 19	31 7 18	26 5 15	28 6 17	25 5 15	24 5 14	24 5 14	22 4 13

‡ See note on page 9.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939
89	(e) Other diseases in- cluded under 87* ..	M 21 F 18 P 19	19 18 18	16 16 16	14 15 14	13 14 13	12 13 13	13 13 13	12 13 12	12 14 13	12 12 12	12 12 12
	Diseases of the ear and mastoid sinus ..	M 44 F 29 P 36	41 29 35	43 27 35	43 38 35	45 32 38	50 34 41	43 28 35	47 28 37	43 27 34	38 23 30	38 23 30
	(a) Otitis and other dis- eases of the ear ..	M 30 F 18 P 24	26 18 22	26 17 21	25 18 21	27 19 23	31 20 25	25 17 21	28 17 22	24 15 19	22 13 17	22 13 17
90-103	(b) Diseases of the mas- toid sinus ..	M 14 F 10 P 12	15 11 13	17 10 13	18 10 14	18 12 15	19 14 16	18 11 14	19 12 15	19 12 15	16 10 13	16 10 13
	VII.—Diseases of the Circulatory System*	M 3,075 F 3,039 P 3,057	2,886 2,770 2,826	3,170 3,109 3,138	3,228 3,132 3,178	3,336 3,275 3,304	3,402 3,257 3,326	3,538 3,396 3,464	3,675 3,686 3,777	3,929 3,743 3,832	3,933 3,659 3,791	4,371 3,911 4,111
	Heart diseases* ..	M 2,373 F 2,493 P 2,436	2,252 2,274 2,264	2,503 2,564 2,535	2,550 2,565 2,558	2,656 2,700 2,679	2,716 2,671 2,693	2,847 2,797 2,821	3,153 3,051 3,100	3,193 3,085 3,137	3,165 2,975 3,066	3,501 3,261 3,371
90	Pericarditis ..	M 9 F 5 P 7	9 6 8	9 5 7	9 5 7	10 5 8	8 5 7	7 4 5	14 9 11	13 8 10	12 7 10	12 7 10
	Acute endocarditis* ..	M 35 F 38 P 36	35 36 35	31 28 30	30 28 29	31 31 31	30 30 30	31 30 31	31 30 31	32 28 30	30 29 29	30 29 29
	(1) Malignant endocard- itis ..	M 25 F 26 P 25	26 25 26	28 24 26	26 25 25	28 28 28	26 27 27	28 28 27	28 26 27	29 25 27	27 27 27	27 27 27
91	(2) Other acute endo- carditis* ..	M 9 F 13 P 11	9 10 9	3 4 4	4 3 3	3 3 3	3 4 3	3 2 3	3 3 3	3 3 3	3 2 2	3 2 2
	Chronic endocarditis, val- vular disease* ..	M 679 F 771 P 727	609 701 657	631 726 681	604 677 642	561 670 618	549 610 581	535 596 567	517 588 554	481 548 516	441 492 468	441 501 457
	(1) Aortic valve disease* ..	M 126 F 52 P 87	119 55 86	123 56 88	122 49 84	110 52 80	109 50 78	110 50 79	105 48 75	97 45 70	90 42 65	90 42 65
92	(2) Mitral valve disease* ..	M 222 F 346 P 287	195 307 253	197 315 258	195 304 252	179 296 240	182 272 229	178 268 225	180 270 227	165 253 211	154 229 193	154 229 193
	(3) Aortic and mitral valve disease* ..	M 38 F 30 P 34	34 28 31	33 27 30	32 28 30	30 26 28	32 26 29	30 25 27	29 25 27	28 23 25	24 21 22	24 21 22
	(4) Endocarditis, not re- turned as acute or chronic* ..	M 293 F 343 P 319	261 311 287	31 40 36	28 35 32	26 36 31	25 31 28	23 30 27	25 30 27	21 20 24	20 22 21	20 22 21
93	(5) Other or unspecified valve disease* ..	M 248 F 260 P 269	227 288 244	216 259 239	202 232 217	203 224 217	193 224 209	178 215 198	169 200 185	153 178 166	153 178 166	153 178 166
	Diseases of the myocardium* ..	M 1,246 F 1,339 P 1,294	1,190 1,227 1,209	1,393 1,479 1,438	1,450 1,524 1,489	1,557 1,648 1,605	1,590 1,670 1,632	1,688 1,782 1,737	1,942 2,018 1,981	1,991 2,086 2,040	1,972 2,003 1,988	2,211 2,223 2,233
	(a) Acute myocarditis* ..	M 14 F 12 P 13	10 9 10	4 4 4	5 4 5	5 4 4	6 5 6	6 6 6	8 6 7	9 7 8	7 6 6	7 6 6
94	(b) Myocardial degenera- tion* ..	M 1,232 F 1,326 P 1,281	1,180 1,217 1,199	1,092 1,157 1,126	1,145 1,200 1,174	1,228 1,296 1,264	1,257 1,336 1,298	1,355 1,446 1,402	1,559 1,641 1,602	1,606 1,701 1,655	1,651 1,705 1,679	1,881 1,941 1,911
	1. Fatty heart ..	M 71 F 89 P 80	66 83 75	65 80 73	62 74 68	58 67 63	51 67 59	47 62 55	43 56 50	44 55 50	37 47 42	37 47 42
	2. Cardiovascular de- generation* ..	M 294 F 250 P 271	324 275 299	357 299 326	372 311 340	399 357 377	457 407 431	476 441 458	502 447 474	502 447 474	541 499 521	541 499 521
95	3. Other diseases in- cluded under 93 (b)	M 1,161 F 1,237 P 1,201	1,114 1,135 1,125	733 827 782	759 851 807	813 930 874	834 958 898	910 1,026 970	1,058 1,178 1,121	1,086 1,205 1,148	1,112 1,211 1,163	1,291 1,391 1,341
	(c) Myocarditis, not dis- tinguished as acute or chronic* ..	M 297 F 319 P 308	300 320 310	324 348 337	328 329 328	328 328 328	328 328 328	328 328 328	375 371 373	376 378 377	313 292 302	321 292 302

TABLE 7—continued.

Personal No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
	Diseases of the coronary arteries, angina pectoris* {M F P	178 69 121	216 85 148	238 99 166	272 116 191	327 138 229	370 166 264	422 193 303	483 218 345	524 240 377	570 276 417	658 303 473
	Other diseases of the heart {M F P	226 270 249	193 219 207	200 226 213	185 215 200	170 207 189	169 190 180	164 192 178	167 187 178	153 175 165	140 168 155	146 176 162
	(a) Disordered action of heart {M F P	41 67 55	42 63 53	47 69 59	53 76 65	53 78 66	57 77 67	58 85 72	63 91 78	60 89 75	61 90 76	64 97 81
	(b) { 1: Dilatation of heart (cause unspecified) {M F P	10 8 9	9 7 8	9 7 8	9 6 7	7 6 6	7 6 6	6 4 5	7 5 6	7 5 6	7 5 6	8 5 6
	{ 2: Heart disease (un defined) {M F P	175 194 185	143 149 146	144 149 147	123 133 128	110 123 116	105 108 107	99 102 101	97 92 94	86 81 84	72 73 73	75 73 74
	Aneurysm {M F P	50 15 32	53 15 33	52 16 33	50 16 32	48 20 33	51 20 35	50 22 35	53 23 37	51 25 37	52 26 38	51 26 38
	Arterio-sclerosis* .. {M F P	594 471 530	529 426 475	566 475 518	577 500 537	582 504 542	582 508 544	586 523 553	609 553 580	618 574 595	647 593 619	696 637 665
	(1) With cerebral hæmor- rhage {M F P	200 171 185	195 173 183	212 193 202	217 204 210	215 208 211	215 212 213	223 213 218	221 224 222	223 226 225	226 233 230	237 243 240
	(2) With record of other cerebral vascular lesion {M F P	87 77 82	90 74 82	95 88 92	105 100 102	109 106 107	122 108 115	123 123 123	140 135 137	143 141 142	159 149 154	159 162 161
	(3) Without record cerebral vascular lesion {M F P	307 224 264	245 179 210	259 194 225	255 197 225	258 190 223	245 189 216	240 186 212	248 194 220	253 207 229	262 211 235	300 232 265
	Gangrene {M F P	29 25 27	23 20 21	22 21 21	22 17 20	20 16 18	16 16 18	16 15 16	19 17 18	19 14 16	18 15 17	16 14 15
	(a) Senile gangrene .. {M F P	27 23 25	21 18 19	20 19 19	20 16 18	19 15 17	18 15 17	15 14 14	18 15 16	17 13 15	17 14 15	15 13 14
	Other diseases of the arteries* {M F P	13 13 13	12 11 11	9 8 9	10 9 9	9 9 9	8 8 8	11 8 9	10 8 9	10 7 8	9 5 7	8 5 6
	Diseases of the veins (varix, hæmorrhoids, phlebitis, etc.) {M F P	10 17 13	9 18 14	10 18 14	9 16 13	9 17 13	11 20 16	12 18 15	11 20 15	14 18 16	13 20 17	15 22 19
	(1) Varix {M F P	? ? ?	? ? ?	4 8 6	4 7 5	3 7 5	4 8 6	6 7 7	3 7 5	6 8 7	6 8 7	7 11 9
	(2) Other diseases of the veins {M F P	? ? ?	? ? ?	6 10 8	6 9 7	6 10 8	7 12 9	6 10 8	7 12 10	8 10 9	8 11 9	8 11 10
	Abnormalities of blood- pressure* {M F P	4 3 3	5 4 4	6 6 6	7 6 7	9 6 8	11 11 11	12 10 11	19 14 17	22 18 20	27 23 25	35 29 32
-114	VIII.—Diseases of the Respiratory System* {M F P	2,358 1,871 2,104	1,539 1,088 1,304	1,795 1,422 1,601	1,521 1,218 1,363	1,564 1,237 1,394	1,441 1,051 1,238	1,364 977 1,163	1,457 1,026 1,233	1,500 1,064 1,273	1,270 851 1,052	1,192 858 1,017
	Diseases of the nasal fossæ and annexa {M F P	7 5 6	8 5 7	6 4 5	8 6 7	8 6 5	7 6 5	9 5 7	9 5 7	9 5 7	8 5 6	7 3 5
	(2) Diseases of the acces- sory nasal sinuses .. {M F P	6 4 5	7 4 5	5 3 4	7 5 6	7 5 6	7 4 5	7 4 6	8 4 6	8 4 6	7 4 5	6 3 4

See note on page 9.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939
105	Diseases of the larynx	M 10	9	7	5	6	6	4	4	4	4	4
		F 7	5	5	5	5	4	4	4	3	3	3
		P 8	7	6	5	6	5	4	4	4	4	4
	(2) Laryngitis ..	M 8	7	6	3	5	5	3	3	3	3	3
		F 6	4	4	4	4	3	3	3	3	3	2
		P 7	6	5	4	5	4	3	3	3	3	3
106	Bronchitis ..	M 855	534	653	525	542	455	430	486	481	376	4
		F 831	451	607	488	504	385	349	381	394	272	4
		P 843	490	629	506	522	419	388	431	436	322	3
	(a) Acute Bronchitis ..	M 188	105	152	115	127	101	89	108	112	81	1
		F 228	115	180	140	155	114	104	114	129	84	1
		P 209	110	166	128	142	108	97	111	121	83	1
	(b) Chronic bronchitis	M 314	222	251	216	226	205	205	230	230	192	2
		F 224	136	167	143	145	124	116	131	129	98	1
		P 267	177	207	178	184	163	158	178	177	143	1
	(c) Bronchitis, not dis- tinguished as acute or chronic ..	M 353	207	250	194	189	149	136	148	140	103	1
		F 379	199	261	205	203	147	129	136	136	90	1
		P 367	203	256	200	197	148	132	142	138	96	1
107-109	Pneumonia (all forms) ..	M 1,322	863	989	857	876	856	796	841	876	774	6
		F 909	543	702	623	624	570	532	551	576	496	4
		P 1,107	696	840	735	745	707	659	690	720	630	5
107	Broncho-pneumonia ..	M 683	392	523	430	452	405	384	434	470	382	3
		F 553	296	419	360	368	325	308	325	354	292	2
		P 616	342	469	393	408	363	345	377	409	335	3
108	Lobar pneumonia ..	M 444	340	330	314	313	349	322	319	323	311	2
		F 236	173	198	189	181	181	171	174	173	160	1
		P 336	253	261	249	244	262	243	243	245	233	1
109	Pneumonia (not otherwise defined) ..	M 195	131	136	112	111	103	90	89	83	80	4
		F 120	74	85	75	75	64	53	52	49	45	4
		P 156	101	110	93	92	83	71	70	65	62	3
110	Pleurisy ..	M 42	35	33	31	30	28	26	22	26	20	2
		F 24	17	20	17	17	17	13	14	11	11	1
		P 33	26	26	24	23	22	19	18	18	16	1
	(1) Empyema ..	M 19	15	14	16	16	14	12	11	14	10	4
		F 8	5	7	6	7	7	4	5	4	4	4
		P 13	10	11	11	11	10	8	8	9	7	7
	(2) Other pleurisy ..	M 24	20	19	16	15	14	14	11	12	10	7
		F 16	12	13	11	10	10	9	8	6	7	7
		P 20	16	16	13	13	12	11	10	9	9	9
111	Congestion and hemor- rhagic infarct of lung, etc.* ..	M 27	23	28	29	30	27	28	29	29	22	2
		F 36	28	35	35	38	34	36	32	32	27	2
		P 31	25	31	32	34	30	32	30	31	25	2
	(1) Hypostatic congestion of lungs ..	M 27	23	25	26	27	25	25	26	27	19	1
		F 35	27	32	32	36	31	33	30	30	24	1
		P 31	25	29	29	31	28	29	28	29	21	1
112	Asthma ..	M 75	50	58	46	50	41	47	44	51	42	4
		F 55	33	45	39	39	32	34	35	38	32	3
		P 65	41	51	42	44	37	40	39	44	37	3
113	Pulmonary emphysema ..	M 3	2	3	3	2	3	2	4	4	3	3
		F 0	1	1	1	1	1	0	0	1	1	1
		P 2	1	2	2	1	2	1	2	2	2	2
114	Other diseases of the res- piratory system ..	M 16	15	17	17	18	17	21	19	21	21	4
		F 5	5	5	5	4	4	5	5	5	4	4
		P 10	9	11	11	11	10	13	11	12	12	12
	(a) Chronic interstitial pneumonia, including occupational diseases of the lung ..	M 12	11	14	13	13	12	16	14	16	15	1
		F 3	3	3	2	3	2	3	2	3	2	2
		P 7	7	8	7	8	7	9	8	9	8	8
115-129	IX.—Diseases of the Digestive System ..	M 800	750	736	729	723	712	721	708	690	687	4
		F 604	563	560	573	569	578	549	531	512	500	4
		P 696	653	644	648	643	642	632	616	597	590	1
115	Diseases of the buccal cavity, pharynx, etc. ..	M 48	46	45	43	47	59	48	42	35	38	4
		F 44	41	41	45	50	61	50	35	32	30	3
		P 46	44	43	44	49	60	49	39	34	34	3
	(1) Diseases of the teeth and gums ..	M 14	14	14	12	11	12	11	10	8	9	9
		F 9	9	10	9	10	9	8	6	6	5	5
		P 12	11	12	10	11	10	9	8	7	7	7

TABLE 7—continued.

Personal No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
	(3) Diseases of the tonsils { M 23 23 23 22 25 33 27 22 18 21 14 F 25 23 22 25 30 36 30 20 18 16 14 P 24 23 23 23 27 34 29 21 18 19 14											
	(4) Other diseases in- cluded under 115 { M 8 7 6 7 8 11 8 8 7 6 6 F 7 7 6 9 10 15 9 7 6 7 6 P 7 7 6 8 9 13 9 8 7 7 6											
	Ulcer of the stomach or duodenum { M 161 168 168 152 162 167 170 182 179 179 193 F 50 50 49 50 48 51 48 53 49 47 49 P 103 107 106 99 102 107 107 115 112 111 118											
	(a) Ulcer of the stomach { M 104 109 106 97 104 112 111 114 115 116 129 F 42 42 41 40 39 40 38 42 39 37 38 P 72 74 72 67 70 75 73 76 75 75 81											
	(b) Ulcer of the duodenum { M 57 60 62 55 58 55 59 67 64 63 65 F 8 8 8 9 11 10 12 11 11 10 11 P 31 33 34 32 32 31 34 38 36 36 37											
	Other diseases of the stomach... { M 35 33 33 29 25 21 23 21 20 19 17 F 36 32 35 29 25 22 22 19 17 18 14 P 35 33 34 29 25 23 23 20 18 19 15											
	(1) Inflammation of the stomach { M 29 26 27 23 20 16 19 15 15 15 12 F 32 28 30 25 22 21 19 17 14 15 12 P 30 27 29 24 21 19 19 16 15 15 12											
	(2) Other diseases in- cluded under 118 { M 6 6 7 6 5 5 5 6 4 5 5 F 4 5 4 4 3 3 3 3 3 3 2 P 5 5 5 5 4 4 4 4 4 4 3											
& 120	Diarrhoea and enteritis { M 202 157 148 157 159 129 133 137 137 132 115 F 156 121 114 126 121 105 104 108 104 101 89 P 178 138 131 141 139 117 118 122 120 116 101											
	(a) { 1. Colitis* { M 10 8 7 8 7 6 8 7 5 6 4 F 10 10 9 10 8 8 8 7 8 7 7 P 10 9 8 9 7 7 8 7 6 6 6 2. Other diarrhoea and enteritis* { M 186 143 134 140 144 114 116 121 121 116 97 F 137 102 95 104 100 84 82 86 82 79 69 P 161 121 114 121 121 98 98 102 100 97 82											
	(b) Ulceration of intes- tines { M 7 6 7 9 8 9 10 10 11 11 13 F 9 9 10 13 13 15 15 15 15 15 14 P 8 8 9 11 11 12 13 13 13 13 13											
	Appendicitis { M 87 89 84 89 85 84 87 84 80 80 73 F 57 60 61 62 67 64 60 57 58 57 53 P 71 74 72 75 76 74 73 70 69 68 62											
	Hernia, intestinal obstruc- tion { M 132 123 126 131 126 129 131 119 121 121 118 F 110 106 111 111 110 110 107 109 106 100 100 P 120 114 118 120 118 119 118 114 114 110 109											
	(a) Hernia { M 57 50 51 55 53 54 54 52 52 51 52 F 50 48 50 51 51 49 49 51 51 47 49 P 54 49 51 53 52 51 51 52 51 49 50											
	1. Strangulated hernia { M ? ? 36 38 38 39 39 38 39 39 39 F ? ? 38 39 40 39 39 40 40 37 39 P ? ? 37 39 39 39 39 39 39 38 39											
	2. Hernia not returned as strangulated { M ? ? 15 17 15 15 14 13 12 13 F ? ? 12 12 10 10 11 11 10 10 P ? ? 13 15 13 13 12 13 12 11 11											
	(b) Intestinal obstruction { M 75 73 75 76 74 75 77 67 70 70 66 F 59 57 61 59 59 61 58 58 55 53 50 P 67 65 67 67 66 68 67 62 62 61 57											
	Other diseases of the in- testines { M 16 16 16 16 18 18 20 19 20 18 20 F 14 16 15 17 16 17 18 19 19 19 18 P 15 16 16 17 17 17 19 19 20 18 19											
	(1) Constipation, intes- tinal stasis { M 4 3 3 3 2 2 3 1 2 1 2 F 5 5 5 4 3 3 3 3 3 2 3 P 4 4 4 4 3 2 3 2 2 2 2											
	(2) Diverticulitis { M 7 8 9 10 11 12 13 14 14 12 14 F 6 7 7 9 9 10 11 13 13 13 13 P 6 8 8 9 10 11 12 13 14 13 14											
	(3) Other diseases in- cluded under 123 { M 5 5 4 4 5 4 5 4 4 4 4 F 3 4 4 4 4 3 4 3 3 3 3 P 4 4 4 4 5 4 4 4 4 4 3											

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1
124	Cirrhosis of the liver ..	M 62	58	55	49	42	45	46	43	40	41	
		F 29	27	27	24	20	23	21	19	21	21	
		P 45	42	40	36	31	33	33	31	30	31	
	(a) Returned as alcoholic	M 9	8	8	6	6	6	7	7	7	6	
		F 4	3	5	3	4	4	3	3	3	3	
		P 7	5	7	4	5	5	5	5	5	5	
	(b) Not returned as alcoholic ..	M 53	50	47	43	36	38	39	37	33	34	
		F 25	23	22	21	17	19	18	16	17	18	
		P 38	36	34	32	26	28	28	26	25	26	
125	Other diseases of the liver	M 6	6	5	6	4	5	5	5	5	6	
		F 7	7	6	5	5	6	7	7	8	8	
		P 6	7	6	5	5	5	6	6	6	7	
126	Biliary calculi ..	M 17	17	18	18	16	16	19	17	15	15	
		F 43	42	41	42	42	46	45	38	37	37	
		P 31	30	30	30	29	31	32	28	26	27	
	(1) With cholecystitis ..	M ?	?	6	7	5	5	6	6	6	6	
		F ?	?	14	15	15	16	16	14	14	13	
		P ?	?	10	11	10	11	11	10	10	10	
	(2) Without mention of cholecystitis ..	M ?	?	12	11	11	11	13	11	10	9	
		F ?	?	27	27	27	29	29	24	23	24	
		P ?	?	20	19	19	20	21	18	16	17	
127	Other diseases of the gall bladder and ducts ..	M 15	19	17	18	17	19	20	20	18	19	
		F 33	35	34	36	38	41	43	41	38	40	
		P 25	27	26	28	28	30	32	31	28	30	
	(1) Cholecystitis without record of biliary calculi	M 12	16	16	16	16	17	18	18	15	16	
		F 31	32	32	33	35	39	41	39	36	38	
		P 22	24	24	25	26	28	30	29	26	27	
128	Diseases of the pancreas ..	M 10	10	12	13	12	11	12	12	11	11	
		F 13	13	14	13	13	14	14	13	12	13	
		P 12	11	13	13	12	13	13	12	12	12	
129	Peritonitis, without stated cause ..	M 7	7	6	7	7	7	5	5	5	5	
		F 11	12	11	11	14	15	10	10	9	9	
		P 9	10	9	11	11	11	8	7	7	7	
130-139	X.—Non-venereal Diseases of the Genito-urinary System and Annexa ..	M 706	699	731	747	712	730	745	740	725	675	
		F 439	442	450	457	443	442	453	443	427	388	
		P 567	565	584	596	572	580	593	585	570	526	
130-132	Nephritis ..	M 415	414	432	430	397	407	413	406	385	349	
		F 370	373	376	383	371	367	378	366	350	309	
		P 392	393	403	406	383	386	395	385	367	328	
130	Acute nephritis*	M 30	31	29	28	28	29	25	29	22	25	
		F 29	28	25	26	25	25	23	23	22	20	
		P 29	29	27	27	26	27	24	26	22	22	
131	Chronic nephritis*	M 385	383	351	352	326	337	348	335	330	288	
		F 341	345	304	312	306	303	318	309	301	260	
		P 362	363	327	331	315	320	332	322	315	274	
132	Nephritis, not stated to be acute or chronic*	M ?	?	52	50	44	41	41	41	33	36	
		F ?	?	48	45	40	39	37	33	28	30	
		P ?	?	50	48	42	40	39	37	30	33	
133	Other diseases of the kidney and annexa ..	M 20	21	20	24	21	24	24	27	30	27	
		F 23	24	26	27	26	27	29	30	32	33	
		P 21	22	23	26	24	26	27	29	31	30	
	(a) Pyelitis ..	M 12	14	15	17	15	17	17	19	21	20	
		F 16	17	19	21	20	21	21	23	24	24	
		P 14	16	17	19	18	19	19	21	23	22	
	(b) Other diseases included under 133 ..	M 7	7	5	6	6	7	8	8	8	8	
		F 6	6	7	7	6	6	8	8	8	8	
		P 7	7	6	6	6	7	8	8	8	8	
134	Calculi of the urinary passages ..	M 16	13	14	14	14	14	16	15	17	14	
		F 7	8	8	8	7	8	9	8	10	9	
		P 12	10	11	11	11	11	12	11	13	11	
	(a) Calculi of kidney and ureter ..	M ?	?	9	9	10	11	11	10	11	8	
		F ?	?	7	7	7	7	9	7	8	7	
		P ?	?	8	8	8	9	10	9	9	8	
	(b) Calculi of the bladder	M ?	?	5	4	4	4	5	5	6	5	
		F ?	?	1	1	1	1	1	1	2	1	
		P ?	?	3	2	2	2	3	3	4	3	

‡ See note on page 9.

TABLE 7—continued.

Sectional No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
	Diseases of the bladder .. { M 29 27 29 29 25 27 24 26 30 28 26 F 18 16 18 17 16 16 15 16 17 18 15 P 23 21 23 23 20 21 19 21 23 23 20											
	(a) Cystitis { M 27 25 27 27 23 25 22 24 27 24 22 F 17 15 17 16 15 14 14 15 16 16 14 P 22 20 22 21 19 19 18 19 21 20 18											
	Diseases of the urethra, urinary abscess, etc. .. { M 24 21 21 22 19 18 19 19 18 17 16 F 0 0 0 0 0 0 0 0 0 0 0 P 12 10 10 11 9 9 9 9 9 8 8											
	(a) Stricture of the urethra { M 23 20 20 21 18 17 18 18 17 16 15 F 0 0 0 0 0 0 0 0 0 0 0 P 11 10 10 10 8 8 8 8 8 8 7											
	Diseases of the prostate .. M 198 199 211 224 232 235 245 243 243 238 254											
	Diseases of the female genital organs .. } F 21 21 22 21 23 24 20 22 18 19 17											
	(a) Diseases of the ovary, Fallopian tube and parametrium... } F 12 11 12 10 11 12 9 10 8 8 6											
	2. Diseases of the Fallopian tube... } F 10 9 10 9 9 10 8 8 7 6 5											
	(b) Diseases of the uterus F 8 8 10 10 10 10 9 10 9 10 9											
140-150	XI.—Diseases of Pregnancy, Child-birth and the Puerperal State†	F 4.16	4.22	3.95	4.04	4.32	4.41	3.94	3.65	3.13	2.97	2.82
140 & 145	Puerperal sepsis F 1.73 1.84 1.59 1.55 1.75 1.95 1.61 1.34 0.94 0.86 0.74											
140	Post-abortion sepsis* .. F 0.35 0.44 0.35 0.41 0.42 0.47 0.42 0.38 0.27 0.27 0.26											
141	Abortion not returned as septic } F 0.18 0.18 0.18 0.18 0.20 0.16 0.15 0.11 0.08 0.08 0.09											
	(1) Haemorrhage* following abortion* .. } F 0.08 0.09 0.15 0.16 0.18 0.15 0.11 0.09 0.07 0.06 0.08											
	(2) Without record of haemorrhage* .. } F 0.10 0.10 0.03 0.02 0.02 0.01 0.03 0.02 0.01 0.02 0.02											
142	Ectopic gestation F 0.13 0.11 0.12 0.13 0.15 0.14 0.12 0.11 0.12 0.10 0.09											
143	Other accidents of pregnancy F 0.02 0.02 0.03 0.03 0.04 0.04 0.03 0.03 0.03 0.03 0.02											
144	Puerperal haemorrhage .. F 0.47 0.51 0.44 0.45 0.44 0.43 0.41 0.46 0.47 0.45 0.42											
	(a) Placenta praevia .. F 0.24 0.24 0.21 0.24 0.23 0.18 0.20 0.22 0.21 0.18 0.13											
	(b) Other puerperal haemorrhage .. } F 0.23 0.27 0.23 0.21 0.22 0.25 0.21 0.24 0.26 0.26 0.29											
145	Puerperal sepsis not returned as post-abortion* } F 1.38 1.40 1.25 1.14 1.33 1.47 1.19 0.96 0.67 0.59 0.48											
	(a) Puerperal septicemia and pyemia* .. } F 1.37 1.39 1.24 1.14 1.33 1.47 1.19 0.96 0.66 0.59 0.48											
	(b) Puerperal tetanus .. F 0.01 0.00 0.00 — 0.00 — — — 0.00 — 0.00											
146	Puerperal albuminuria and convulsions* .. } F 0.78 0.69 0.57 0.58 0.61 0.66 0.56 0.53 0.52 0.44 0.48											
147	Other toxemias of pregnancy* .. } F 0.10 0.10 0.20 0.24 0.23 0.20 0.22 0.26 0.26 0.26 0.24											
148	Puerperal phlegmasia alba dolens, embolism and sudden death .. } F 0.27 0.28 0.29 0.31 0.29 0.25 0.26 0.25 0.22 0.21 0.22											
	(a) Puerperal phlegmasia alba dolens not returned as septic* .. } F 0.03 0.03 0.07 0.07 0.09 0.08 0.07 0.08 0.08 0.08 0.08											
	(b) Puerperal embolism and sudden death* .. } F 0.24 0.25 0.21 0.24 0.20 0.17 0.20 0.17 0.14 0.13 0.14											

† The rates for these headings are per 1,000 Total (live and still) Births.
See note on page 9.

TABLE 7—continued.

Inter-national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938
149	Other accidents [†] of childbirth F	0.41	0.36	0.46	0.45	0.51	0.47	0.50	0.48	0.41	0.50
150	Other or unspecified con- ditions of the puerperal state } F	0.08	0.12	0.07	0.12	0.09	0.10	0.09	0.09	0.08	0.05
†	(1) Puerperal insanity .. F	0.03	0.04	0.02	0.04	0.02	0.03	0.02	0.02	0.03	0.02
	(2) Puerperal diseases of the breast } F	0.01	0.01	0.02	0.02	0.03	0.03	0.03	0.03	0.01	0.01
	(3) Childbirth (unqualified) F	0.04	0.07	0.04	0.06	0.05	0.04	0.04	0.04	0.04	0.02
151-153	XII.—Diseases of the Skin and Cellular Tissue* } M	56	52	53	55	56	61	54	55	57	52
		49	40	42	43	43	49	44	40	36	35
		48	44	47	49	49	53	49	48	46	43
151	Carbuncle, boil } M	16	18	18	19	20	19	17	18	18	17
		8	8	8	9	11	9	11	9	9	9
		12	13	13	14	15	14	14	13	13	13
152	Cellulitis, acute abscess* } M	24	20	20	20	22	27	22	22	23	20
		15	15	18	15	16	21	16	15	15	11
		19	17	19	17	19	24	19	19	19	16
	(1) Cellulitis } M	19	16	15	15	17	22	18	18	19	17
		12	12	14	11	13	16	13	11	12	9
		15	13	15	13	15	19	15	14	15	13
	(2) Acute abscess* .. . } M	5	4	4	5	5	5	4	4	4	4
		3	3	4	4	3	5	3	4	2	2
		4	4	4	5	4	5	4	4	3	3
153	Other diseases of the skin and its annexa .. . } M	16	15	14	16	14	15	15	15	16	14
		17	17	17	19	16	18	17	16	13	14
		16	16	16	18	15	17	16	16	14	14
154-156	XIII.—Diseases of the Bones and Organs of Locomotion .. . } M	30	29	28	32	28	30	28	27	24	25
		19	17	16	17	17	15	14	15	14	14
		24	23	22	24	22	22	22	21	21	19
154	Acute infective osteomye- litis and periostitis .. } M	17	17	17	18	14	17	15	15	15	14
		9	8	8	7	8	7	8	7	7	6
		13	12	12	13	11	12	11	11	11	10
155	Other diseases of the bones } M	6	5	5	6	6	6	6	5	5	5
		3	3	3	3	4	3	4	3	4	3
		5	4	4	5	5	4	5	4	4	4
156	Diseases of the joints and other organs of loco- motion } M	8	7	7	8	7	8	7	7	6	6
		6	6	5	6	5	5	5	5	5	5
		7	6	6	7	6	6	6	6	6	5
	(a) Diseases of the joints } M	6	5	5	5	6	6	5	5	5	3
		4	4	4	4	4	3	3	3	3	3
		5	5	4	5	5	4	4	4	4	3
157	XIV.—Congenital Mal- formations } M	109	115	115	118	112	115	114	118	115	116
		85	80	82	87	82	86	84	84	88	87
		96	97	98	102	96	100	98	100	101	101
	(a) Congenital hydro- cephalus } M	8	7	8	8	8	8	8	8	7	7
		5	5	6	5	5	5	6	5	6	6
		6	6	7	7	7	7	7	6	6	7
	(b) Spina bifida and men- ingocele } M	19	21	21	22	22	22	23	23	25	23
		25	23	25	30	29	31	30	30	31	31
		22	22	23	26	25	27	26	27	28	27
	(c) Congenital malforma- tion of heart .. . } M	43	47	45	45	42	44	41	46	43	45
		32	31	31	28	27	29	27	28	29	28
		37	38	37	36	34	37	34	37	35	36
	(e) Other congenital mal- formations } M	38	39	39	41	38	38	41	39	39	39
		20	21	19	19	18	18	19	19	20	19
		29	29	29	30	28	28	29	29	29	28
	1. Congenital pyloric stenosis } M	12	14	17	15	13	14	15	16	17	17
		4	4	4	4	3	3	4	4	5	3
		8	9	10	9	8	9	9	10	10	10
	2. Cleft palate, hare lip } M	5	4	4	5	4	3	3	2	4	3
		4	4	3	2	2	2	2	3	3	2
		4	4	3	3	3	2	3	3	3	3

† See note on page 9.

† The rates for these headings are per 1,000 total (live and still) births.

TABLE 7—continued.

Personal No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
	4. Other stated congenital malformations ..	M 16 F 11 P 13	15 10 13	13 9 11	16 11 13	17 11 14	15 10 13	17 10 13	15 9 12	14 10 12	14 11 12	15 11 13
	5. Congenital malformation unspecified ..	M 2 F 1 P 1	3 2 2	3 2 2	3 2 2	2 1 2	3 1 2	2 2 2	3 1 2	2 2 2	2 1 2	1 1 1
(The rates for this section are shown per 1,000 live-births in Table 12.)												
141	XV.—Diseases of Early Infancy											
	XVI.—Old Age*	M 448 F 615 P 535	385 453 455	372 520 450	376 527 454	346 497 425	326 462 397	349 482 418	354 478 418	342 480 414	314 425 372	350 484 420
	(a) Senile dementia*	M 46 F 62 P 54	41 54 47	29 36 33	25 31 29	23 24 24	20 20 20	22 22 22	26 25 25	22 23 22	14 21 18	15 21 18
	(b) Other forms of senile decay*	M 402 F 553 P 481	344 466 408	342 485 417	351 495 426	323 473 401	306 442 377	327 460 396	328 453 393	321 458 392	300 404 354	334 464 402
-198	XVII.—Deaths from Violence ..	M 800 F 336 P 558	817 330 563	759 328 540	777 329 544	790 352 562	782 359 562	744 353 540	750 372 553	756 371 556	756 365 553	822 386 594
-171	Suicide ..	M 183 F 73 P 126	185 74 127	189 73 129	210 81 143	201 84 140	198 81 137	181 80 129	176 77 124	175 81 126	180 82 129	168 81 123
	By solid or liquid poisons and corrosive substances ..	M 19 F 15 P 17	21 15 18	19 15 17	22 17 19	24 17 20	22 15 19	18 15 16	15 12 14	15 13 14	16 13 14	14 11 13
	By poisonous gas ..	M 43 F 22 P 32	44 25 34	49 25 36	61 31 45	56 31 43	61 32 46	56 32 44	55 32 43	55 33 44	62 36 48	59 38 48
	By hanging or strangulation ..	M 36 F 7 P 21	33 6 19	32 6 18	38 6 21	36 8 22	33 7 19	32 8 20	34 8 20	33 8 20	32 8 20	29 7 17
	By drowning ..	M 29 F 16 P 22	29 16 22	30 16 23	35 16 25	29 15 22	28 13 20	24 14 18	25 13 19	25 15 20	25 15 19	24 14 19
	By firearms ..	M 12 F 1 P 6	13 0 7	13 1 7	13 0 6	15 0 7	12 1 6	11 0 6	12 0 6	12 0 6	12 1 6	12 1 6
	By cutting or piercing instruments ..	M 31 F 6 P 18	28 4 16	27 4 15	28 4 15	24 5 14	25 4 14	25 4 14	20 3 12	19 4 11	18 3 10	18 3 10
	By jumping from high places ..	M 5 F 3 P 4	6 3 4	6 3 4	5 4 4	5 3 4	6 3 4	5 3 4	5 3 4	5 3 4	6 3 5	4 3 4
	By crushing ..	M 9 F 1 P 5	10 1 6	12 2 7	9 1 5	11 2 6	12 2 7	9 2 5	9 2 5	10 2 6	8 2 5	7 2 4
2-175	Homicide ..	M 5 F 5 P 5	6 4 5	4 5 5	4 5 5	4 6 5	6 6 6	4 5 4	4 5 4	4 4 4	4 4 4	5 5 5
6-194	Accidental deaths ..	M 571 F 245 P 401	581 240 403	519 244 376	517 228 367	541 248 388	537 257 391	516 252 379	530 274 397	537 269 398	531 263 392	606 286 439
8	Accidental absorption of irrespirable or poisonous gas ..	M 6 F 4 P 5	6 2 4	5 4 4	7 3 5	5 3 4	7 2 4	6 4 5	9 4 6	9 4 6	10 4 7	6 4 5
1	Accidental burns (conflagration excepted) ..	M 36 F 45 P 41	32 36 34	31 38 35	28 35 31	28 37 33	27 34 31	27 38 33	26 39 33	26 38 32	25 36 31	26 34 30
2	Accidental mechanical suffocation ..	M 14 F 10 P 12	15 10 12	13 9 11	13 8 10	13 7 10	12 8 10	12 7 10	13 8 11	15 8 11	14 9 11	15 9 12

† See note on page 9

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939
183	Accidental drowning .. { M F P	39 6 22	33 6 19	30 5 17	39 4 21	42 5 23	28 3 15	35 6 20	30 4 17	33 6 19	28 5 16	30 5 20
186	Accidental injury by fall, crushing, etc. .. { M F P	434 163 293	448 169 303	408 175 286	393 162 273	412 180 292	426 194 306	401 183 287	415 206 306	420 199 306	419 197 304	480 237 340
191	Excessive heat .. { M F P	3 1 2	8 3 6	1 0 0	3 2 3	5 1 4	2 1 1	2 1 1	1 0 1	1 0 0	1 0 0	1 0 0
194	Other and unstated forms of accidental violence .. { M F P	19 9 14	22 8 15	15 7 11	18 9 13	18 7 12	19 8 13	17 7 12	18 6 12	15 8 11	17 7 12	18 7 13
	(1) Inattention at birth† { M F P	6 6 6	6 5 5	4 5 5	6 5 6	4 5 4	5 5 5	4 3 4	4 3 4	4 5 4	5 4 5	5 4 5
	(2) Other causes in- cluded under 194 { M F P	13 3 8	16 3 9	11 2 7	12 3 8	13 3 8	14 3 9	12 4 8	14 4 8	11 4 7	12 3 7	14 3 8
195	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.) .. { M F P	37 13 24	41 12 26	42 15 28	41 15 27	39 14 26	37 15 26	38 16 27	37 16 26	36 16 26	37 15 26	39 14 28
196	Wounds of war .. { M F P	4 — 2	4 — 2	5 — 2	4 — 2	4 — 2	4 — 2	4 — 2	4 — 2	3 — 1	4 — 2	4 — 2
199-200	XVIII.—Ill-defined Diseases* .. { M F P	26 17 21	23 15 19	41 27 34	39 28 33	38 28 33	34 28 31	39 25 32	35 25 29	35 25 30	30 23 26	27 18 27
199	Sudden death* .. { M F P	7 4 5	6 4 5	9 5 7	9 5 7	10 7 8	8 5 6	9 5 7	10 5 7	8 4 6	6 4 5	5 4 4
200	Cause of death unstated or ill-defined* .. { M F P	19 13 16	17 11 14	31 23 27	30 23 26	28 21 24	26 23 24	31 20 25	25 20 22	27 21 24	23 19 21	22 14 18
	(1) Heart failure* .. { M F P	13 8 11	11 7 9	26 19 22	26 20 23	24 17 21	23 20 22	26 18 22	23 18 20	24 19 22	20 17 18	18 12 15

† The rates for this cause per 1,000 Live Births are shown in Table 12.

‡ See note on page 9.

TABLE 8.—STANDARDIZED DEATH-RATES* OF MALES AND FEMALES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1929-1939. England and Wales.

The deaths on which these rates are based were classified according to the International List in use from 1921-30 and according to the revised International List from 1931 onwards. A † is inserted against those headings in which changes of classification occur, but in most cases these changes do not materially affect the comparability of the figures. The nature of the change will be found in Appendix C to Part I, Statistical Review, 1931. The numbers and headings to the various causes are those of the revised International List, but where a difference in name occurs the old name is shown in brackets. The relation of the full detailed International List to the Intermediate International List will be found in the first column Table 6.

List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
	ALL CAUSES { Males Females Persons	12,641 10,243 11,345	10,700 8,435 9,496	11,281 9,019 10,077	10,896 8,730 9,738	10,920 8,809 9,794	10,428 8,328 9,305	10,167 8,036 9,026	10,434 8,152 9,213	10,492 8,202 9,267	9,780 7,483 8,549	9,720 7,427 8,487
2	Typhoid and paratyphoid (enteric) fevers .. { M F	9 9	8 7	7 5	7 5	6 4	4 4	4 4	6 7	5 5	4 3	3 2
7	Measles { M F	125 121	165 142	130 114	133 123	76 71	151 139	54 52	115 103	44 39	68 61	12 12
8	Scarlet fever .. { M F	23 23	23 26	16 20	16 20	23 26	31 34	18 21	17 17	13 11	12 13	7 8
9	Whooping cough .. { M F	202 261	66 85	83 107	98 127	76 100	67 94	54 73	76 93	64 78	39 51	44 57
10	Diphtheria { M F	109 121	117 120	91 90	77 83	88 92	134 144	120 123	109 110	100 114	103 109	82 77
11	Influenza { M F	619 542	119 82	304 265	263 237	463 401	122 91	152 120	127 92	345 293	103 71	161 135
15	Erysipelas† .. { M F	24 19	25 20	25 20	23 21	30 25	34 27	25 19	21 18	13 9	9 6	6 5
16	Acute poliomyelitis .. { M F	5 4	5 5	4 3	6 5	8 5	5 4	5 5	3 3	6 3	9 8	6 4
17	Encephalitis lethargica .. { M F	25 23	21 21	23 20	19 18	19 16	16 18	15 14	14 14	16 13	13 11	16 12
18	Cerebro-spinal fever (meningococcal meningitis) { M F	23 16	24 18	55 37	46 32	35 27	29 20	23 19	26 18	27 21	25 19	19 14
32	Tuberculosis (all forms)† { M F	1,056 820	973 781	976 772	913 727	901 707	832 657	774 610	744 578	739 584	685 528	685 514
23	Respiratory system .. { M F	845 641	774 606	780 601	718 562	729 559	669 512	627 486	601 457	595 459	550 410	556 404
24	Central nervous system { M F	89 82	85 80	91 84	87 78	75 71	75 73	68 60	65 59	65 61	62 61	58 56
25	Intestines & peritoneum { M F	37 35	34 32	31 32	32 27	27 28	23 23	21 20	18 19	20 17	17 16	16 15
34	Syphilis { M F	45 26	45 25	45 24	39 23	39 21	36 18	37 16	35 16	34 16	34 15	32 16
5-53	Cancer, malignant disease† { M F	1,023 988	1,022 975	1,034 974	1,052 966	1,035 973	1,046 974	1,058 959	1,068 969	1,071 951	1,066 961	1,051 943
54	Non-malignant tumours† { M F	? ?	? ?	22 40	21 39	18 39	19 39	20 37	19 34	20 34	23 32	19 30
55	Tumours of undetermined nature† { M F	? ?	? ?	28 22	27 23	28 23	29 22	26 22	25 21	22 19	20 17	25 21
4 (a) & 5 (a)	Tumours of female genital organs — non-malignant and undetermined† .. { M F	? ?	? ?	27 27	25 25	25 24	24 23	23 20	20 20	19 19	17 17	17 17
56	Rheumatic fever .. { M F	35 41	38 42	30 37	27 32	33 38	32 42	29 34	29 32	22 27	28 34	24 29
7 (2)	Rheumatoid arthritis, osteo-arthritis† .. { M F	35 70	31 60	34 61	31 62	32 61	32 58	34 60	35 62	34 61	33 58	32 56
59	Diabetes { M F	94 109	92 106	88 111	92 112	92 114	91 115	89 117	95 120	96 121	91 115	94 121
68	Diseases of the adrenals† { M F	4 6	4 5	3 5	3 5	4 5	3 5	3 5	3 5	2 5	3 4	4 4
1 (a)	Pernicious anæmia .. { M F	32 39	35 41	34 43	39 49	35 46	34 44	32 43	31 40	29 40	32 38	32 43
2 (a)	Leukæmia { M F	17 15	18 13	18 15	19 15	19 16	22 16	22 17	23 19	24 18	26 20	25 20
2 (b)	Aleukæmia (lymphadenoma) .. { M F	15 6	15 8	17 8	16 8	15 7	16 8	17 9	17 8	15 9	16 10	16 9
79	Meningitis† { M F	46 37	37 31	38 32	39 29	40 25	35 27	31 24	32 24	33 26	29 25	29 22
80	Tabes dorsalis (locomotor ataxia) .. { M F	29 5	22 4	20 4	23 5	21 4	17 3	19 4	17 3	16 3	15 3	14 3

* See Note re Standardized death-rates at foot of Table 3.

† See note on page 9.

List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939
82	Cerebral hæmorrhage, apoplexy, etc.†	{M 439 F 427	400 404	436 421	427 418	404 399	398 397	396 399	394 403	389 385	369 370	396 384
83	General paralysis of the insane	{M 42 F 10	39 8	40 10	35 9	31 9	32 8	28 9	25 8	22 8	24 7	23 7
84	Other forms of insanity†	{M 21 F 27	18 23	17 24	17 25	15 21	15 23	17 21	14 21	16 21	15 18	16 19
85	Epilepsy	{M 55 F 44	56 42	57 45	56 45	51 43	49 41	49 40	52 39	47 39	48 36	50 39
87 (c)	Paralysis agitans	{M 27 F 16	22 17	26 29	29 17	27 18	26 17	26 17	25 19	26 19	24 19	28 20
87 (d)	Disseminated sclerosis	{M 16 F 16	15 15	16 18	16 17	15 16	14 16	16 17	17 18	16 16	17 14	16 18
89	Diseases of the ear and mastoid sinus	{M 49 F 34	45 35	47 32	49 34	50 38	57 42	50 34	56 37	52 35	45 31	42 29
90-95	Heart diseases†	{M 1,815 F 1,621	1,687 1,450	1,845 1,592	1,848 1,560	1,896 1,616	1,897 1,565	1,949 1,597	2,118 1,700	2,113 1,685	2,058 1,589	2,208 1,670
91 (1)	Malignant (infective) endocarditis	{M 23 F 24	24 25	26 24	24 23	26 27	24 26	26 28	26 26	26 25	25 27	24 25
91 (2)	Other acute endocarditis†	{M 10 F 13	9 10	3 3	3 3	3 3	3 3	3 2	3 3	3 2	2 2	2 2
92 (1)	Aortic valve disease†	{M 96 F 34	87 35	89 35	88 31	78 32	76 30	75 29	71 27	65 26	60 23	60 23
92 (2)	Mitral valve disease†	{M 175 F 245	153 216	151 219	148 207	135 202	136 185	131 180	130 178	118 164	110 148	110 152
92 (3)	Aortic and mitral valve disease†	{M 30 F 22	27 21	25 19	25 20	23 19	24 18	23 17	21 17	21 15	17 13	16 14
92 (4)	Endocarditis, not returned as acute or chronic†	{M ? F ?	? ?	23 28	21 23	19 24	18 21	17 20	18 19	15 18	14 14	12 15
92 (5)	Other or unspecified valve disease†	{M 225 F 234	198 210	187 192	168 171	159 169	147 150	139 143	126 135	118 124	106 110	103 103
93 (a)	Acute myocarditis†	{M 13 F 11	9 8	3 3	4 3	3 3	4 4	4 4	6 4	6 4	5 4	6 4
93 (b.1)	Fatty heart	{M 52 F 57	48 53	47 50	43 46	40 42	34 40	31 36	29 32	29 32	24 27	25 29
93 (b.2)	Cardiovascular degeneration†	{M 881 F 757	826 676	215 144	233 155	251 165	255 168	266 188	301 209	309 222	319 220	337 235
93 (b.3)	Other diseases included under 93 (b) †	{M 538 F 483	547 488	578 488	547 488	578 524	578 526	617 552	705 620	711 623	716 607	807 672
93 (c)	Myocarditis, not distinguished as acute or chronic†	{M ? F ?	? ?	216 190	214 187	228 200	225 185	220 181	248 200	245 200	200 153	200 148
94	Diseases of the coronary arteries, angina pectoris†	{M 130 F 44	154 52	168 59	189 69	224 80	248 94	279 107	314 118	338 128	360 144	406 153
95 (a)	Disordered action of heart	{M 41 F 45	30 40	34 42	38 46	37 46	39 45	39 48	42 51	39 49	39 49	40 51
95 (b.2)	Heart disease (undefined)	{M 133 F 124	106 94	105 91	88 80	78 73	73 63	68 58	65 51	57 44	46 39	48 38
96	Aneurysm	{M 37 F 10	38 10	38 10	36 11	35 13	36 13	36 14	37 16	35 16	36 17	35 16
97	Arterio-sclerosis†	{M 451 F 286	391 252	412 275	412 284	409 281	398 277	391 278	400 288	399 293	410 296	426 307
97 (1)	With cerebral hæmorrhage..	{M 151 F 114	152 118	148 118	145 118	147 116	143 116	143 119	143 118	142 119	144 120	144 120
97 (2)	With other cerebral vascular lesion	{M 69 F 51	74 57	76 59	83 58	81 65	91 70	91 72	100 74	96 78	96 78	96 78
98	Gangrene	{M 23 F 15	18 12	17 13	17 10	15 9	15 9	11 8	13 9	12 7	12 7	10 7
98 (a)	Senile gangrene	{M 21 F 14	16 10	15 11	15 9	14 8	13 8	10 7	12 8	11 6	11 7	9 6
100	Diseases of the veins (varix hæmorrhoids, phlebitis, etc.)†	{M 7 F 11	7 12	7 12	7 10	7 11	8 12	8 12	7 12	9 11	9 11	9 13
104-114	Diseases of the respiratory system†	{M 2,245 F 1,649	1,430 946	1,704 1,242	1,426 1,055	1,442 1,043	1,313 897	1,225 831	1,296 853	1,332 872	1,123 720	988 664
104 (2)	Diseases of the accessory nasal sinuses	{M 5 F 4	7 4	5 3	7 5	8 5	7 4	7 4	8 4	8 4	7 4	5 3

TABLE 8—continued.

List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939†
105	Diseases of the larynx .. {M F	12 9	12 7	9 6	6 6	7 6	7 5	5 5	5 5	5 4	5 4	6 4
106	Bronchitis {M F	727 586	448 320	548 420	436 337	435 334	361 255	335 230	370 241	365 246	282 171	305 194
106 (a)	Acute {M F	177 176	100 92	145 140	111 108	115 112	94 86	82 78	95 82	100 90	74 60	76 70
106 (b)	Chronic {M F	240 141	167 84	187 101	159 86	163 86	145 72	144 67	157 74	156 72	129 54	149 64
107	Broncho-pneumonia .. {M F	792 650	445 342	614 488	499 410	515 410	460 366	432 343	484 359	518 381	425 320	366 285
108	Lobar pneumonia .. {M F	389 201	294 145	284 169	271 157	270 150	295 148	267 139	262 140	265 137	252 129	167 92
109	Pneumonia (not otherwise defined) .. {M F	184 112	123 68	130 82	106 71	105 70	93 58	82 51	79 47	76 45	71 42	56 37
10 (1)	Empyema {M F	18 8	15 6	14 8	15 7	15 7	13 7	12 4	11 6	13 5	10 5	9 4
10 (2)	Other pleurisy {M F	19 12	16 9	15 9	12 8	12 7	11 7	11 6	8 5	9 4	8 5	7 4
111	Congestion & hæmorrhagic infarct of lung† .. {M F	23 23	19 18	24 22	24 22	24 23	21 20	22 20	21 18	20 17	15 14	15 14
112	Asthma† {M F	58 38	38 24	43 31	34 27	37 26	30 22	33 23	31 23	35 25	30 22	32 22
14 (a)	Chronic interstitial pneumonia, including occupational diseases of the lung {M F	9 2	8 2	10 2	9 2	10 2	9 2	11 2	10 1	11 2	10 1	11 2
15-129	Diseases of the digestive system {M F	778 565	711 507	690 494	687 511	684 507	654 495	659 469	650 458	629 437	620 420	567 380
17 (a)	Ulcer of the stomach† .. {M F	82 30	85 30	82 28	73 27	78 26	82 26	81 25	82 26	82 23	81 22	88 22
(b)	Ulcer of the duodenum .. {M F	46 6	47 6	48 6	43 7	44 6	41 7	43 6	49 7	46 6	44 6	45 6
118	Other diseases of the stomach† {M F	34 30	32 26	32 29	28 24	24 21	21 19	22 17	19 17	18 14	17 13	15 11
18 (1)	Inflammation of the stomach {M F	29 26	26 23	27 26	23 21	20 19	16 17	18 16	14 14	14 11	13 11	12 9
121	Appendicitis {M F	84 53	84 55	79 55	83 57	79 60	78 58	80 53	79 50	75 53	74 48	66 46
22 (a)	Hernia {M F	47 34	40 32	41 32	43 32	40 31	40 30	41 29	39 29	37 29	36 26	36 27
22 (b)	Intestinal obstruction .. {M F	71 50	69 48	69 49	69 48	68 48	68 48	69 45	61 45	61 43	61 41	56 38
124	Cirrhosis of the liver† .. {M F	45 20	41 18	39 18	34 16	29 13	31 15	31 13	29 12	27 13	27 13	25 12
125	Other diseases of the liver† {M F	16 25	19 26	4 5	5 4	4 5	4 5	4 6	4 7	4 7	5 7	5 5
127	Other diseases of the gall bladder and ducts {M F	13 22	13 22	13 22	13 23	13 23	13 24	14 25	13 24	13 21	13 22	11 21
126	Biliary calculi {M F	12 28	13 28	13 26	12 26	11 26	11 27	13 27	11 22	10 21	10 21	10 19
128	Diseases of the pancreas {M F	8 9	7 9	9 10	10 9	9 8	8 9	8 9	8 8	8 8	8 8	7 7
129	Peritonitis, without stated cause {M F	7 13	7 14	7 13	7 14	7 17	7 18	5 12	5 12	5 11	6 11	5 7
130	Acute nephritis† {M F	28 28	30 25	27 23	26 23	26 22	27 22	24 21	27 20	21 18	23 18	22 16
131	Chronic nephritis† {M F	295 234	287 231	258 200	256 202	234 196	239 190	243 193	231 187	226 181	197 155	184 150
132	Nephritis, not stated to be acute or chronic† .. {M F	? ?	? ?	40 32	37 30	32 27	30 25	29 24	30 21	23 17	25 19	22 18

† See note on page 9

TABLE 8—continued.

List No.	Causes of Death.	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939
134	Calculi of the urinary passages	$\begin{cases} M \\ F \end{cases}$ 13 5	$\begin{cases} M \\ F \end{cases}$ 10 6	$\begin{cases} M \\ F \end{cases}$ 11 6	$\begin{cases} M \\ F \end{cases}$ 11 5	$\begin{cases} M \\ F \end{cases}$ 11 5	$\begin{cases} M \\ F \end{cases}$ 11 5	$\begin{cases} M \\ F \end{cases}$ 12 7	$\begin{cases} M \\ F \end{cases}$ 11 5	$\begin{cases} M \\ F \end{cases}$ 12 7	$\begin{cases} M \\ F \end{cases}$ 10 6	$\begin{cases} M \\ F \end{cases}$ 10 5
135 (a)	Cystitis	$\begin{cases} M \\ F \end{cases}$ 21 11	$\begin{cases} M \\ F \end{cases}$ 19 10	$\begin{cases} M \\ F \end{cases}$ 20 10	$\begin{cases} M \\ F \end{cases}$ 20 10	$\begin{cases} M \\ F \end{cases}$ 16 9	$\begin{cases} M \\ F \end{cases}$ 17 8	$\begin{cases} M \\ F \end{cases}$ 15 8	$\begin{cases} M \\ F \end{cases}$ 16 8	$\begin{cases} M \\ F \end{cases}$ 18 9	$\begin{cases} M \\ F \end{cases}$ 16 9	$\begin{cases} M \\ F \end{cases}$ 14 7
136 (a)	Stricture of the urethra ..	M 17	M 15	M 14	M 15	M 12	M 12	M 12	M 12	M 11	M 10	M 10
137	Diseases of the prostate ..	M 151	M 148	M 153	M 161	M 162	M 160	M 163	M 159	M 156	M 150	M 155
151	Carbuncle, boil	$\begin{cases} M \\ F \end{cases}$ 13 7	$\begin{cases} M \\ F \end{cases}$ 14 7	$\begin{cases} M \\ F \end{cases}$ 15 6	$\begin{cases} M \\ F \end{cases}$ 16 8	$\begin{cases} M \\ F \end{cases}$ 16 9	$\begin{cases} M \\ F \end{cases}$ 16 8	$\begin{cases} M \\ F \end{cases}$ 14 9	$\begin{cases} M \\ F \end{cases}$ 15 7	$\begin{cases} M \\ F \end{cases}$ 15 7	$\begin{cases} M \\ F \end{cases}$ 13 7	$\begin{cases} M \\ F \end{cases}$ 12 7
152 (1)	Cellulitis†	$\begin{cases} M \\ F \end{cases}$ 16 10	$\begin{cases} M \\ F \end{cases}$ 14 9	$\begin{cases} M \\ F \end{cases}$ 13 12	$\begin{cases} M \\ F \end{cases}$ 13 9	$\begin{cases} M \\ F \end{cases}$ 15 10	$\begin{cases} M \\ F \end{cases}$ 18 13	$\begin{cases} M \\ F \end{cases}$ 14 10	$\begin{cases} M \\ F \end{cases}$ 15 9	$\begin{cases} M \\ F \end{cases}$ 16 9	$\begin{cases} M \\ F \end{cases}$ 13 7	$\begin{cases} M \\ F \end{cases}$ 9 6
154	Acute infective osteomyelitis and periostitis ..	$\begin{cases} M \\ F \end{cases}$ 19 12	$\begin{cases} M \\ F \end{cases}$ 20 10	$\begin{cases} M \\ F \end{cases}$ 19 10	$\begin{cases} M \\ F \end{cases}$ 21 10	$\begin{cases} M \\ F \end{cases}$ 17 11	$\begin{cases} M \\ F \end{cases}$ 20 8	$\begin{cases} M \\ F \end{cases}$ 17 10	$\begin{cases} M \\ F \end{cases}$ 18 10	$\begin{cases} M \\ F \end{cases}$ 17 10	$\begin{cases} M \\ F \end{cases}$ 16 8	$\begin{cases} M \\ F \end{cases}$ 15 7
162	Old age†	$\begin{cases} M \\ F \end{cases}$ 366 361	$\begin{cases} M \\ F \end{cases}$ 307 298	$\begin{cases} M \\ F \end{cases}$ 290 292	$\begin{cases} M \\ F \end{cases}$ 288 288	$\begin{cases} M \\ F \end{cases}$ 260 267	$\begin{cases} M \\ F \end{cases}$ 237 242	$\begin{cases} M \\ F \end{cases}$ 248 245	$\begin{cases} M \\ F \end{cases}$ 246 237	$\begin{cases} M \\ F \end{cases}$ 234 233	$\begin{cases} M \\ F \end{cases}$ 210 201	$\begin{cases} M \\ F \end{cases}$ 225 218
163-198	Deaths from violence (external causes) ..	$\begin{cases} M \\ F \end{cases}$ 734 288	$\begin{cases} M \\ F \end{cases}$ 745 281	$\begin{cases} M \\ F \end{cases}$ 693 290	$\begin{cases} M \\ F \end{cases}$ 710 280	$\begin{cases} M \\ F \end{cases}$ 721 293	$\begin{cases} M \\ F \end{cases}$ 705 297	$\begin{cases} M \\ F \end{cases}$ 669 287	$\begin{cases} M \\ F \end{cases}$ 670 294	$\begin{cases} M \\ F \end{cases}$ 674 295	$\begin{cases} M \\ F \end{cases}$ 671 281	$\begin{cases} M \\ F \end{cases}$ 710 291
163-171	Suicide	$\begin{cases} M \\ F \end{cases}$ 147 58	$\begin{cases} M \\ F \end{cases}$ 148 58	$\begin{cases} M \\ F \end{cases}$ 149 58	$\begin{cases} M \\ F \end{cases}$ 165 62	$\begin{cases} M \\ F \end{cases}$ 158 65	$\begin{cases} M \\ F \end{cases}$ 153 63	$\begin{cases} M \\ F \end{cases}$ 139 61	$\begin{cases} M \\ F \end{cases}$ 133 57	$\begin{cases} M \\ F \end{cases}$ 131 60	$\begin{cases} M \\ F \end{cases}$ 133 60	$\begin{cases} M \\ F \end{cases}$ 123 59
176-194	Accidental deaths§ ..	$\begin{cases} M \\ F \end{cases}$ 582 224	$\begin{cases} M \\ F \end{cases}$ 591 216	$\begin{cases} M \\ F \end{cases}$ 500 212	$\begin{cases} M \\ F \end{cases}$ 503 198	$\begin{cases} M \\ F \end{cases}$ 521 208	$\begin{cases} M \\ F \end{cases}$ 511 214	$\begin{cases} M \\ F \end{cases}$ 489 206	$\begin{cases} M \\ F \end{cases}$ 499 217	$\begin{cases} M \\ F \end{cases}$ 505 217	$\begin{cases} M \\ F \end{cases}$ 500 204	$\begin{cases} M \\ F \end{cases}$ 548 213
181	Accidental burns (conflagration excepted) ..	$\begin{cases} M \\ F \end{cases}$ 43 49	$\begin{cases} M \\ F \end{cases}$ 38 39	$\begin{cases} M \\ F \end{cases}$ 37 40	$\begin{cases} M \\ F \end{cases}$ 34 37	$\begin{cases} M \\ F \end{cases}$ 34 39	$\begin{cases} M \\ F \end{cases}$ 33 35	$\begin{cases} M \\ F \end{cases}$ 33 40	$\begin{cases} M \\ F \end{cases}$ 32 40	$\begin{cases} M \\ F \end{cases}$ 32 39	$\begin{cases} M \\ F \end{cases}$ 30 36	$\begin{cases} M \\ F \end{cases}$ 31 35
186 (pt)	Accidental injury by fall ..	$\begin{cases} M \\ F \end{cases}$ 79 55	$\begin{cases} M \\ F \end{cases}$ 78 54	$\begin{cases} M \\ F \end{cases}$ 76 57	$\begin{cases} M \\ F \end{cases}$ 67 52	$\begin{cases} M \\ F \end{cases}$ 75 60	$\begin{cases} M \\ F \end{cases}$ 76 63	$\begin{cases} M \\ F \end{cases}$ 78 61	$\begin{cases} M \\ F \end{cases}$ 85 72	$\begin{cases} M \\ F \end{cases}$ 86 68	$\begin{cases} M \\ F \end{cases}$ 82 66	$\begin{cases} M \\ F \end{cases}$ 89 71
199-200	Ill-defined diseases† ..	$\begin{cases} M \\ F \end{cases}$ 21 14	$\begin{cases} M \\ F \end{cases}$ 19 12	$\begin{cases} M \\ F \end{cases}$ 31 19	$\begin{cases} M \\ F \end{cases}$ 30 19	$\begin{cases} M \\ F \end{cases}$ 29 18	$\begin{cases} M \\ F \end{cases}$ 25 18	$\begin{cases} M \\ F \end{cases}$ 28 16	$\begin{cases} M \\ F \end{cases}$ 24 15	$\begin{cases} M \\ F \end{cases}$ 25 15	$\begin{cases} M \\ F \end{cases}$ 20 13	$\begin{cases} M \\ F \end{cases}$ 18 10
199	Sudden death†	$\begin{cases} M \\ F \end{cases}$ 5 3	$\begin{cases} M \\ F \end{cases}$ 4 3	$\begin{cases} M \\ F \end{cases}$ 7 3	$\begin{cases} M \\ F \end{cases}$ 7 4	$\begin{cases} M \\ F \end{cases}$ 7 4	$\begin{cases} M \\ F \end{cases}$ 6 3	$\begin{cases} M \\ F \end{cases}$ 6 3	$\begin{cases} M \\ F \end{cases}$ 7 3	$\begin{cases} M \\ F \end{cases}$ 5 2	$\begin{cases} M \\ F \end{cases}$ 4 2	$\begin{cases} M \\ F \end{cases}$ 3 2
200 (1)	Heart failure†	$\begin{cases} M \\ F \end{cases}$ 10 6	$\begin{cases} M \\ F \end{cases}$ 8 5	$\begin{cases} M \\ F \end{cases}$ 19 12	$\begin{cases} M \\ F \end{cases}$ 19 12	$\begin{cases} M \\ F \end{cases}$ 17 10	$\begin{cases} M \\ F \end{cases}$ 16 12	$\begin{cases} M \\ F \end{cases}$ 18 10	$\begin{cases} M \\ F \end{cases}$ 15 10	$\begin{cases} M \\ F \end{cases}$ 16 10	$\begin{cases} M \\ F \end{cases}$ 13 9	$\begin{cases} M \\ F \end{cases}$ 11 5

§ This heading excludes headings 195-198 (see Table 6) which were included in the heading "Violent deaths (excluding suicide and homicide)" to which the figures prior to 1931 relate.

† See note on page 9

TABLE 9.—DEATH-RATES PER MILLION LIVING FROM THE } England and Wales
PRINCIPAL EPIDEMIC OR GENERAL DISEASES, 1851-1939

Note.—The rates for all years prior to 1939 are based on total deaths and population (including non-civilians).
In 1939 non-civilians are excluded on and after 3rd September.

Period.	At All Ages (Standardized).							At Ages under 15 Years.						
	Typhoid and paratyphoid fevers.	Small-pox.	Influenza.	Encephalitis lethargica.	Tuberculosis (all forms).	Tuberculosis of respira- tory system.	Cancer.	Diabetes.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Acute poliomyelitis.	Cerebro-spinal fever.
1851-60					3,478	2,772	326		1,151			1,418		
1861-70					3,263	2,590	396		1,221			1,475		
1871-80	321	228			2,882	2,231	484		1,038	2,617	1,148	1,415		
1881-90	199	45			2,444	1,810	610		1,227	903	823	1,259		
1891-1900	175	14	363		2,021	1,418	767		1,217	439	884	1,115		
1901-10	91	13	208		1,646	1,143	867		973	311	584	876		
1911-20	34	0	566		1,375	1,007	928	93	891	141	447	435	13	45
1921-30	11	1	308	24	992	767	985	94	414	73	305		11	31
1851-55					3,638	2,890	320		1,114			1,439		
1856-60		180			3,328	2,663	341		1,185	2,201	1,379	1,398		
1861-65		205			3,316	2,625	381		1,265	2,646	1,422	1,437		
1866-70		97			3,217	2,558	416		1,180	2,589	891	1,511		
1871-75	371	392			2,956	2,327	460		1,023	2,018	807	1,378		
1876-80	275	76			2,818	2,141	515		1,051	1,806	726	1,450		
1881-85	218	78			2,558	1,922	567		1,138	1,160	848	1,269		
1886-90	181	13			2,342	1,704	650		1,313	656	799	1,250		
1891-95	175	20	418		2,138	1,504	725		1,174	498	896	1,151		
1896-1900	176	7	311		1,912	1,337	805		1,260	380	893	1,079		
1901-05	113	25	189		1,739	1,208	849	88	1,016	366	668	940		
1906-10	70	0	224		1,556	1,082	882	97	930	257	503	813		
1911-15	47	0	164		1,389	1,005	932	107	1,110	185	444	681	14	41
1916-20	22	0	965		1,359	1,009	924	91	665	96	449	509	12	48
1921-25	12	0	318	22	1,064	815	974	91	447	91	309	482	11	25
1926-30	9	1	299	26	921	721	998	96	380	55	301	387	12	37
1931-35	5	0	241	18	782	620	1,000	103	287	57	300	239	10	68
1898	182	8	331		1,915	1,325	804		1,256	320	788	973		
1899	198	6	390		1,908	1,339	829		948	334	953	965		
1900	174	3	504		1,904	1,337	830		1,199	340	936	1,090		
1901	155	11	173		1,807	1,263	841	91	850	380	888	965		
1902	126	75	222		1,739	1,229	836	83	1,211	427	768	924		
1903	101	23	187		1,741	1,196	856	84	854	364	592	893		
1904	93	15	166		1,780	1,228	854	91	1,141	330	564	1,109		
1905	90	3	199		1,634	1,130	856	91	1,025	333	532	809		
1906	92	1	178		1,647	1,138	880	94	871	301	587	768		
1907	68	0	256		1,606	1,125	866	93	1,157	275	541	944		
1908	75	0	275		1,585	1,099	874	98	729	236	521	899		
1909	60	1	241		1,524	1,063	895	99	1,145	273	484	654		
1910	53	1	172		1,422	988	893	103	750	200	384	798		
1911	67	1	113		1,456	1,035	909	99	1,173	158	433	705	16	31
1912	44	0	137		1,361	995	925	103	1,150	168	376	756	13	25
1913	41	0	161		1,340	958	948	108	951	175	392	492	15	25
1914	46	0	148		1,345	988	943	111	816	233	510	722	13	29
1915	37	0	257		1,440	1,053	933	113	1,458	189	510	730	13	27
1916	29	0	210		1,423	1,046	935	109	478	112	468	546	13	59
1917	26	0	174		1,479	1,085	930	90	941	62	393	411	11	62
1918	25	0	3,024		1,539	1,165	913	84	892	82	430	918	14	41
1919	15	1	1,169		1,229	918	915	89	334	104	447	248	12	40
1920	14	1	267		1,123	833	928	85	675	119	510	417	9	37
1921	16	0	213	19	1,117	845	957	90	211	105	430	433	12	29
1922	12	1	503	9	1,107	848	958	99	540	109	372	605	10	27
1923	12	0	188	13	1,049	978	971	92	506	83	249	398	9	21
1924	13	0	415	36	1,039	801	985	87	463	74	230	383	11	21
1925	10	0	272	34	1,017	788	997	88	517	85	259	591	11	27
1926	9	0	191	32	942	730	993	88	339	57	281	406	16	28
1927	9	1	466	28	951	744	987	94	359	49	256	367	12	33
1928	11	1	160	26	908	709	1,001	96	430	49	303	300	12	33
1929	9	1	580	24	932	737	1,000	103	345	57	328	649	10	45
1930	7	1	100	21	872	683	993	100	430	63	340	211	11	48
1931	6	0	284	22	869	686	998	101	341	45	258	263	7	95
1932	6	0	251	18	815	636	1,001	103	354	46	228	310	13	80
1933	5	0	432	17	799	639	997	104	201	63	261	237	13	67
1934	4	0	106	17	740	586	1,003	104	390	83	402	214	9	51
1935	4	—	135	15	687	552	1,010	104	143	47	351	170	10	46
1936	6	—	109	14	657	525	1,010	108	297	43	318	228	7	49
1937	5	—	318	15	657	523	1,002	110	114	31	310	195	8	52
1938	4	0	86	12	602	476	1,005	104	180	31	310	126	11	48
1939	2	—	148	14	595	476	989	108	35	17	231	145	11	35

TABLE 10.—CRUDE DEATH-RATES FROM THE PRINCIPAL EPIDEMIC DISEASES AND FROM CERTAIN OTHER CAUSES; INFANT MORTALITY; 1938 AND 1939.

{ England and Wales, Metropolitan Boroughs, County Boroughs, Administrative Counties. }
Note :—The figures relate to the areas as constituted during each year. Non-civilians are included up to 2nd September, 1939, but excluded thereafter.
 Rates based upon less than 20 deaths are distinguished by *italic type* (see note to Table 17, page 56).

Administrative Area.	Mortality per Million Population at all Ages.												Mortality per 1,000 Live births.		Mortality per 1,000 Total (live and still) births.												
	Typhoid and paratyphoid fever.		Smallpox.		Measles.		Scarlet fever.		Whooping cough.		Diphtheria.		Tuberculosis (all forms).		Tuberculosis of respiratory system.		Deaths under One Year.		Diarrhoea and enteritis under Two Years.		The Puerperal state.						
	1938.	1939.	1938.	1939.	1938.	1939.	1938.	1939.	1938.	1939.	1938.	1939.	1938.	1939.	1938.	1939.	1938.	1939.	1938.	1939.	1938.	1939.	Puerperal sepsis.	Others.			
England and Wales ..	4	3	0	—	40	7	9	5	27	31	71	53	635	636	532	538	53	50	5.30	4.54	0.86	0.74	2.11	2.08			
<i>Metropolitan Boroughs:</i>																											
City of London ..	—	—	—	—	—	—	—	—	—	—	—	116	2,500	797	347	797	347	52	—	—	—	—	—	—	—		
The Temples ..	—	—	—	—	—	—	—	—	—	—	—	—	797	843	621	783	200	—	—	—	—	—	—	—	—		
Battersea ..	—	—	—	—	78	—	—	15	21	46	49	15	713	780	743	688	53	62	14.66	12.95	2.30	0.51	0.46	1.52			
Bernonndsey ..	—	—	—	—	113	—	—	10	41	22	41	78	861	612	732	588	45	37	9.03	5.72	1.36	—	1.36	2.37			
Bethnal Green ..	—	—	—	—	65	—	—	22	22	35	54	12	861	612	732	588	59	51	22.04	12.32	0.74	0.86	0.74	0.86			
Camberwell ..	—	—	—	—	49	—	—	4	27	29	90	38	805	791	683	695	61	37	11.27	4.78	0.31	0.66	2.13	1.32			
Chelsea ..	—	—	—	—	54	—	—	18	18	—	71	59	785	1,002	696	904	80	34	19.16	1.98	3.41	—	1.71	1.93			
Deptford ..	—	—	—	—	21	—	—	10	34	—	52	67	670	726	566	693	54	49	5.08	7.97	0.70	1.41	1.40	—			
Finsbury ..	10	—	—	—	18	19	—	—	123	—	53	39	667	835	614	699	73	34	21.59	10.42	—	—	1.28	—			
Fulham ..	—	—	—	—	44	—	—	15	36	8	29	23	879	832	777	770	51	47	10.73	9.58	0.49	—	—	—			
Greenwich ..	—	—	—	—	42	—	—	10	21	45	10	—	773	713	627	635	42	53	2.30	8.46	—	—	—	—			
Hackney ..	—	—	—	—	29	—	—	5	24	31	24	21	619	635	556	558	56	41	12.39	5.30	0.35	0.74	—	—			
Hammersmith ..	—	—	—	—	40	—	—	—	32	26	40	34	695	921	576	843	62	43	13.87	7.86	—	—	0.54	1.03	0.54		
Hampstead ..	—	—	—	—	22	—	—	—	—	—	—	12	409	518	376	459	57	38	7.55	4.21	—	—	—	—	0.91	1.02	
Holborn ..	—	—	—	—	29	—	—	—	—	—	—	—	902	652	873	587	84	54	24.00	13.51	—	—	—	—	3.76	4.31	
Islington ..	—	—	—	—	82	—	7	—	55	44	79	37	804	933	725	826	65	50	20.06	10.82	0.65	0.48	1.52	0.95			
Kensington ..	—	—	—	—	69	—	—	—	29	44	46	25	609	560	534	510	78	64	24.60	12.44	0.87	1.45	1.31	1.45			
Lambeth ..	—	—	—	—	70	—	—	4	11	31	44	12	766	946	678	832	51	71	10.92	7.39	0.50	—	—	—	1.26	1.15	
Lewisham ..	—	—	—	—	61	—	—	—	13	32	100	36	764	722	668	635	47	42	5.02	8.20	1.53	0.63	0.61	2.22			
Paddington ..	—	—	—	—	80	—	—	—	22	40	58	40	590	753	509	658	66	60	13.77	11.28	0.51	0.84	1.02	0.55			
Poplar ..	—	—	—	—	97	—	8	—	22	32	74	40	811	765	729	742	60	30	8.50	5.45	1.45	0.97	0.97	1.45			
St. Marylebone ..	—	—	—	—	11	—	—	—	11	12	22	—	485	756	375	695	60	61	12.47	12.38	—	—	—	—	2.41	1.19	
St. Pancras ..	11	6	—	—	67	—	—	—	17	36	45	12	741	777	674	705	64	54	17.19	14.22	—	—	—	—	0.46	0.79	0.92
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)			

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Shoreditch ..	50	—	—	—	75	11	12	—	62	96	50	27	709	1,084	585	933	64	31	25.40	5.53	0.82	—	—	—
Southwark ..	—	—	—	—	76	—	7	—	15	30	62	60	922	901	840	833	57	49	14.78	7.65	—	—	—	—
Stepney ..	—	—	—	—	85	5	10	5	65	60	45	—	653	806	603	730	63	54	17.56	7.98	1.11	0.81	1.112	4.44
Stoke Newington ..	—	—	—	—	119	—	—	—	20	43	40	—	515	661	475	597	43	30	5.76	3.11	—	—	—	—
Wandsworth ..	3	6	—	—	35	—	6	—	9	40	44	3	685	692	603	607	46	48	10.61	8.13	0.96	0.99	1.44	1.23
Westminster ..	8	—	—	—	32	—	—	9	35	8	9	555	847	482	732	57	34	10.52	4.18	5.58	—	—	—	
Woolwich ..	7	7	—	—	27	—	27	7	7	56	53	49	848	760	775	690	50	49	9.23	6.69	—	—	—	—
County Boroughs.																								
Barnsley ..	4	3	—	—	53	11	11	5	38	35	86	68	773	782	659	667	60	57	6.20	6.01	0.920	0.862	0.00	2.00
Barrow-in-Furness ..	—	—	—	—	168	—	—	—	28	70	126	84	602	530	462	474	60	58	3.14	1.64	0.751	1.551	1.50	4.64
Bath ..	—	—	—	—	45	—	15	—	—	—	30	59	748	823	539	661	46	67	4.63	5.26	0.890	0.840	0.89	5.90
Birkenhead ..	—	—	—	—	15	14	44	—	44	14	146	28	688	560	586	476	28	56	—	—	1.121	1.003	3.37	—
Birmingham ..	7	7	—	—	194	7	7	7	187	7	76	122	776	995	658	901	76	58	12.18	7.94	0.780	0.80	1.17	1.59
Blackburn ..	—	—	—	—	10	14	7	1	72	49	66	47	778	850	695	767	61	60	11.19	1.16	0.440	0.841	7.21	1.39
Blackpool ..	—	—	—	—	62	18	27	—	18	18	88	63	841	513	664	441	69	58	2.89	1.48	1.37	—	2.73	4.18
Bolton ..	8	22	—	—	24	7	32	15	24	15	103	104	596	587	509	490	50	53	0.78	4.92	2.18	1.35	2.90	1.35
Bolton ..	6	—	—	—	59	18	18	6	6	24	130	66	543	624	443	516	45	73	1.31	5.32	2.06	1.17	5.37	3.90
Bootle ..	—	—	—	—	256	28	13	14	94	28	229	222	1,039	1,071	931	974	81	65	3.87	9.10	—	1.23	1.231	1.88
Bournemouth ..	—	—	—	—	8	8	—	8	16	23	25	23	549	483	434	437	45	47	2.93	3.54	0.710	0.680	0.710	0.68
Bradford ..	—	—	—	—	45	4	17	14	38	32	83	42	651	591	540	499	59	62	5.64	7.52	0.491	1.323	3.66	1.85
Brighton ..	—	—	—	—	14	—	—	—	14	26	14	20	669	657	567	545	61	43	8.93	2.38	1.020	0.462	0.32	3.30
Bristol ..	—	—	—	—	60	5	2	5	5	40	53	59	652	739	556	652	42	42	1.65	3.53	0.640	0.622	0.542	3.31
Burnley ..	—	—	—	—	35	—	—	12	—	23	147	12	823	795	699	576	73	61	3.84	0.91	0.920	0.872	0.75	1.75
Burton-upon-Trent ..	—	—	—	—	21	—	—	—	—	21	85	21	534	659	470	574	49	51	—	4.15	—	—	—	—
Bury ..	—	—	—	—	101	—	—	—	—	52	135	52	505	448	387	362	67	50	—	4.18	—	—	—	—
Canterbury ..	—	—	—	—	—	—	—	38	—	—	—	—	462	719	308	568	43	13	5.75	2.62	2.77	—	2.77	5.03
Carlisle ..	—	—	—	—	66	—	50	—	33	32	50	64	598	528	498	400	56	74	3.17	5.25	—	2.02	3.04	3.03
Chester ..	—	—	—	—	—	—	23	—	23	203	244	721	821	564	643	75	78	9.32	4.32	3.00	1.37	4.50	4.12	
Coventry ..	—	—	—	—	9	18	9	14	14	41	19	54	746	758	634	636	56	55	4.42	3.90	0.530	0.932	1.22	1.10
Croydon ..	—	—	—	—	33	33	12	—	12	13	66	69	563	460	481	382	40	39	6.90	5.69	0.290	0.290	0.580	0.87
Darlington ..	—	—	—	—	40	—	—	—	39	119	52	961	676	676	922	624	56	58	1.67	2.45	0.80	—	4.01	2.36
Derby ..	—	—	—	—	14	—	14	7	—	29	43	103	655	685	547	612	61	44	5.57	3.10	0.970	0.490	0.490	0.99
Dewsbury ..	—	—	—	—	132	—	19	38	—	76	38	19	416	513	303	475	52	50	9.30	1.31	1.28	1.26	2.55	3.77
Doncaster ..	—	—	—	—	70	28	14	14	28	55	98	179	531	565	405	414	50	54	3.08	3.63	—	1.74	2.98	0.87
Dudley ..	—	—	—	—	—	33	35	—	16	33	114	33	844	999	649	901	46	70	1.78	8.24	1.71	—	2.57	1.76
Eastbourne ..	—	—	—	—	18	—	—	—	34	34	49	77	762	437	620	336	51	40	—	3.04	1.53	1.43	1.53	1.43
East Ham ..	—	—	—	—	39	39	—	—	23	49	77	49	687	676	625	578	51	43	4.36	5.06	0.532	1.81	1.58	1.09
Exeter ..	—	—	—	—	29	29	—	—	43	71	—	85	766	737	622	595	56	42	4.95	—	0.952	—	—	1.00
Gateshead ..	—	—	—	—	162	26	9	—	103	115	113	117	1,180	974	1,031	66	61	6.46	6.46	—	1.90	2.39	4.28	—

TABLE 10—continued.

Administrative Area.	Mortality per Million Population at all Ages.										Mortality per 1,000 Live births.		Mortality per 1,000 Total (live and still) births.											
	Typhoid and paratyphoid fevers.		Smallpox.		Measles.		Scarlet fever.		Whooping cough.		Diphtheria.		Tuberculosis of respiratory system.		Deaths under One Year.		Diarrhoea and enteritis under Two Years.		The Puerperal state.					
	1938.	1939.	1938.	1939.	1938.	1939.	1938.	1939.	1938.	1939.	1938.	1939.	1938.	1939.	1938.	1939.	1938.	1939.	Puerperal sepsis.	Others.				
Gloucester ..	—	—	—	—	35	69	—	—	—	17	885	550	672	499	50	48	3.42	3.12	2.183	0.22	182.01			
Great Yarmouth ..	—	—	—	—	74	242	114	874	549	725	512	52	42	3.97	3.95	1.27	—	1.27	1.27	1.28				
Grimsby ..	—	—	65	—	32	77	32	747	751	639	641	49	53	5.58	5.78	0.60	0.62	3.00	1.87					
Halifax ..	—	—	21	10	31	62	51	565	669	452	587	57	60	2.29	1.48	1.46	2.15	1.46	2.15					
Hastings ..	—	—	16	—	16	47	15	933	692	840	647	44	27	4.17	1.23	1.34	2.36	2.67	1.18					
Huddersfield ..	16	—	—	—	8	24	24	63	549	602	430	420	65	72	1.13	1.23	2.70	1.18	1.62	4.72				
Ipswich ..	21	—	—	—	11	32	10	600	630	452	537	45	47	4.11	2.02	0.66	0.65	0.63	1.96					
Kingston-upon-Hull ..	3	10	91	3	82	16	135	85	894	878	772	747	69	62	9.52	10.83	0.33	0.82	3.42	3.30				
Leeds ..	—	—	36	4	26	37	67	41	808	850	686	719	64	57	11.30	7.14	0.38	0.82	1.39	1.78				
Leicester ..	—	—	4	4	34	46	125	88	752	796	665	701	46	49	4.39	4.90	1.25	1.05	1.25	1.32				
Lincoln ..	—	—	16	—	31	—	—	555	613	428	440	44	48	3.54	5.85	1.13	—	2.27	2.27					
Liverpool ..	5	—	135	4	126	45	179	117	940	924	810	803	74	71	6.80	6.17	0.65	0.31	1.31	1.48				
Manchester ..	—	—	82	—	11	1	43	75	51	991	998	856	69	62	6.80	6.02	1.47	0.74	2.51	2.13				
Middlesbrough ..	7	7	14	73	21	124	86	225	1,094	1,222	944	967	72	75	8.68	8.16	2.09	1.48	2.09	2.96				
Newcastle-upon-Tyne ..	3	—	79	7	10	35	79	39	1,023	996	862	833	66	63	10.05	6.31	1.24	1.47	2.27	2.09				
Northampton ..	10	—	—	10	20	73	30	839	443	704	383	47	42	4.99	0.80	—	—	—	—					
Norwich ..	—	—	33	—	33	8	74	58	564	687	515	604	35	28	3.13	0.62	1.21	0.60	1.81	0.60				
Nottingham ..	—	—	25	—	40	15	11	826	871	693	752	71	66	6.91	11.89	0.44	0.44	1.33	0.88					
Oldham ..	—	—	63	—	8	16	95	49	745	713	626	575	61	61	3.57	1.92	2.28	1.21	—	6.66				
Oxford ..	—	—	—	—	11	21	11	52	595	520	500	437	35	23	5.56	1.46	0.67	—	1.35	1.42				
Plymouth ..	—	—	142	—	61	5	71	116	807	761	685	640	53	42	2.42	0.87	0.58	0.56	1.74	1.96				
Portsmouth ..	—	—	39	4	4	16	58	24	739	649	627	563	60	52	12.61	8.22	0.25	0.77	2.03	2.31				
Preston ..	—	—	115	—	9	36	53	9	777	783	610	649	71	58	2.27	4.67	1.63	1.11	—	2.23				
Reading ..	10	—	129	—	10	19	40	38	657	635	588	520	40	51	3.99	4.48	1.26	0.62	3.16	3.11				
Rochdale ..	—	—	38	—	33	55	45	537	523	482	456	63	55	6.39	3.00	0.87	0.95	2.60	—					
Rotherham ..	—	—	13	—	26	131	65	419	494	327	416	52	53	2.20	4.60	1.42	0.74	2.84	2.21					
St. Helens ..	—	—	84	9	56	38	131	216	653	572	460	70	80	5.64	9.67	0.97	0.51	4.86	2.05					
Salford ..	—	—	130	—	10	5	32	55	63	1,118	1,140	963	987	75	70	6.73	8.05	1.23	0.32	2.76	2.25			
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Sheffield ..	2	—	—	—	54	10	2	—	19	33	56	46	579	717	498	588	50	48	2.09	3.44	1.54	1.07	1.31	1.30
Smethwick ..	—	—	—	—	13	39	—	—	26	138	117	803	573	703	521	62	55	6.56	3.20	2.39	0.84	0.80	2.51	
Southampton ..	6	23	—	—	22	—	—	6	11	34	33	45	689	774	611	667	51	50	3.35	7.78	0.97	0.68	1.30	2.05
Southeast-on-Sea ..	22	—	—	—	29	—	—	7	7	—	15	29	44	543	697	500	645	34	37	5.34	1.94	—	2.57	1.25
Southport ..	—	—	—	—	13	24	—	13	24	12	64	98	433	574	318	489	70	52	4.99	5.05	—	2.43	—	1.21
South Shields ..	—	—	—	—	9	9	82	56	54	37	553	412	1,087	1,085	833	870	65	66	7.38	6.60	1.01	—	2.53	3.19
Stockport ..	7	—	—	—	30	—	7	—	15	44	119	67	682	592	534	496	56	70	7.24	7.31	—	0.50	2.94	0.99
Stoke-on-Trent ..	—	4	—	—	37	56	29	11	15	60	118	52	798	923	673	759	51	61	2.46	3.64	1.92	2.17	3.41	1.95
Sunderland ..	11	—	—	—	38	50	33	6	27	89	93	173	866	749	678	598	67	78	14.56	2.02	0.83	0.57	3.03	2.28
Tynemouth ..	—	—	—	—	90	—	30	—	60	31	90	—	1,098	951	827	736	62	68	6.34	8.07	0.87	—	3.50	1.75
Wakefield ..	—	—	—	—	51	—	—	—	17	17	171	171	542	787	458	582	60	58	2.22	5.01	2.13	1.20	2.13	2.40
Wallasey ..	—	—	—	—	—	—	21	—	85	11	138	118	722	601	637	472	59	49	6.19	5.44	0.74	—	2.22	1.49
Walsall ..	—	—	—	—	9	37	—	—	75	37	28	47	652	824	596	768	65	58	6.01	7.15	0.97	0.98	1.93	0.49
Warrington ..	—	—	—	—	51	—	13	13	38	52	128	65	729	802	678	724	72	53	6.24	4.64	2.21	—	0.74	2.95
West Bromwich ..	—	—	—	—	12	158	12	—	48	73	218	158	762	814	641	680	58	58	5.12	6.02	1.23	1.29	3.07	1.29
West Ham ..	8	17	—	—	78	—	8	8	27	42	75	8	749	861	675	753	57	45	9.22	4.13	—	1.60	1.89	1.07
West Hartlepool ..	14	15	—	—	156	—	—	29	—	146	156	102	782	758	611	554	59	70	2.93	7.47	0.71	2.16	2.12	3.59
Wigan ..	—	—	—	—	170	—	—	73	24	194	122	703	851	545	754	99	73	2.93	5.21	1.40	1.40	1.40	4.49	
Wolverhampton ..	7	—	—	—	14	48	—	14	62	—	48	41	778	643	668	588	55	51	5.71	5.22	1.96	0.39	2.35	3.49
Worcester ..	—	—	—	—	19	—	94	—	38	—	131	18	976	828	919	662	54	38	4.89	2.44	—	1.17	3.51	—
York ..	—	—	—	—	10	—	20	—	69	30	10	625	574	516	455	44	52	6.40	1.94	1.86	1.86	—	3.73	
Cardiff ..	—	—	—	—	53	4	—	4	49	18	36	62	991	1,031	856	885	52	53	3.41	4.01	1.35	0.55	2.44	1.91
Merthyr Tydfil ..	—	—	—	—	64	49	—	16	32	65	96	49	867	813	707	715	78	85	4.26	6.63	1.00	—	5.00	3.12
Newport (Mon.) ..	—	—	—	—	63	—	21	—	42	52	136	52	813	749	719	697	62	54	7.00	2.01	1.23	0.64	1.84	5.12
Swansea ..	—	—	—	—	6	12	—	6	31	31	87	50	795	800	646	707	51	60	2.01	1.63	0.38	0.78	1.52	1.95
<i>Administrative Counties</i>																								
Bedfordshire ..	4	3	0	—	33	6	8	5	22	29	64	45	568	567	471	476	49	47	4.85	3.80	0.83	0.68	2.16	2.12
Berkshire ..	—	4	—	—	34	4	—	—	42	22	65	40	538	503	435	426	49	39	4.35	1.20	0.47	1.16	1.17	1.85
Buckinghamshire ..	9	4	—	—	39	—	4	—	8	57	21	522	408	404	404	337	41	35	2.47	1.46	0.89	1.12	1.49	2.25
Cambridgeshire ..	3	3	—	—	19	—	6	9	16	18	23	12	410	426	333	343	32	39	1.98	3.09	0.64	0.80	2.13	1.80
Cheshire ..	—	—	—	—	—	—	—	—	7	7	33	408	417	347	371	30	38	0.55	2.08	—	0.50	1.07	2.01	—
Cheshire ..	3	7	—	—	27	5	11	9	19	13	134	99	494	477	393	383	47	46	3.33	2.49	1.81	0.53	2.63	1.94
Cornwall ..	—	3	—	—	19	3	10	—	39	38	29	48	626	574	484	468	50	57	1.47	3.72	1.42	0.71	3.12	2.61
Cumberland ..	5	—	—	—	118	10	10	5	21	65	26	5	764	774	590	623	60	56	5.50	1.93	0.62	1.54	3.11	5.25
Derbyshire ..	6	3	—	—	13	9	21	11	16	38	139	58	441	428	358	320	51	47	2.77	2.33	0.76	0.39	2.37	1.66
Devonshire ..	—	6	—	—	37	6	—	2	13	17	9	30	536	576	438	488	49	39	3.33	3.00	0.50	0.34	2.19	1.53
Dorsetshire ..	—	12	—	—	4	—	8	—	20	12	8	38	460	434	357	342	44	40	3.39	2.19	0.54	0.27	2.72	1.86
Durham ..	1	1	—	—	52	18	21	9	37	40	205	129	667	721	518	564	61	63	3.58	3.73	1.08	1.30	3.25	5.53
Ely, Isle of ..	12	—	—	—	—	—	—	12	12	36	74	84	442	513	295	358	57	42	0.80	1.61	—	—	3.88	1.55

TABLE 10—continued.

Administrative Area.	Mortality per Million Population at all Ages.																Mortality per 1,000 Live Births.		Mortality per 1,000 Total (live and still) births.						
	Typhoid and paratyphoid fevers.		Smallpox.		Measles.		Scarlet fever.		Whooping cough.		Diphtheria.		Tuberculosis (all forms).		Tuberculosis of respiratory system.		Deaths under One Year.		Diarrhoea and enteritis under Two Years.		The Puerperal state.				
	1938	1939	1938	1939	1938	1939	1938	1939	1938	1939	1938	1939	1938	1939	1938	1939	1938	1939	1938	1939	1938	1939			
Essex ..	5	6	—	—	31	—	4	2	17	11	48	29	500	521	416	450	42	36	4.57	3.23	0.66	0.57	1.93	1.99	
Gloucestershire	3	3	—	—	26	3	3	3	26	33	52	33	570	515	463	421	46	43	1.84	1.92	1.60	0.84	2.13	2.18	
Herefordshire..	9	—	—	—	9	—	9	61	37	53	9	53	460	490	396	446	43	42	0.62	2.38	0.60	—	1.19	2.87	
Hertfordshire	2	2	—	—	19	—	12	—	8	16	14	33	490	433	387	353	36	38	1.76	1.93	0.53	0.37	2.89	1.37	
Huntingdonshire	—	—	—	—	—	—	—	—	18	17	35	34	530	475	389	441	46	35	—	—	—	2.21	—	—	
Kent ..	4	3	1	—	32	1	7	5	7	26	42	16	564	474	487	447	43	37	4.21	3.42	0.89	0.55	1.54	1.52	
Lancashire	6	2	—	—	53	2	10	5	21	30	111	82	521	530	426	427	55	57	2.86	3.69	0.93	0.92	2.58	2.85	
Leicestershire..	3	3	—	—	17	3	10	23	10	39	63	97	479	457	380	363	44	46	1.73	2.60	0.62	0.21	2.50	3.32	
Lincolnshire, Holland	21	—	—	—	21	—	10	10	31	62	105	52	460	578	377	464	49	47	1.98	3.09	0.60	0.60	1.81	2.98	
" Kesteven	—	—	—	—	9	—	4	9	9	96	17	26	358	444	288	348	53	42	3.60	1.74	—	—	—	—	
" Lindsey	—	—	—	—	26	—	4	4	44	44	47	53	508	419	393	393	50	47	1.40	3.86	0.45	1.75	2.92	1.70	
London	3	2	—	—	58	1	7	2	25	35	50	26	723	781	637	701	57	47	13.23	8.36	0.77	0.63	1.09	1.28	
Middlesex	3	2	—	—	31	1	4	1	16	23	38	29	539	571	453	492	45	43	7.15	4.28	0.80	0.68	1.56	2.18	
Norfolk	9	9	—	—	9	—	6	3	25	24	12	3	424	476	369	365	39	41	1.65	2.61	0.59	0.19	1.39	3.68	
Northamptonshire	—	—	—	—	—	—	—	—	4	18	9	45	9	578	491	470	420	41	40	1.88	2.95	0.60	—	1.81	1.74
Northumberland	5	7	—	—	47	2	17	12	69	36	103	104	562	665	404	524	65	55	4.76	2.96	0.63	0.47	2.02	2.67	
Nottinghamshire	4	—	—	—	23	6	6	8	25	35	81	52	578	513	467	448	46	51	3.71	3.28	0.63	0.48	2.92	2.06	
Oxfordshire ..	—	—	—	—	15	—	—	—	15	21	52	35	370	421	311	358	35	36	1.38	1.87	—	0.45	1.34	0.45	
Peterborough, Soke of	—	—	—	—	18	—	—	—	18	53	125	70	412	492	322	421	44	55	1.17	3.61	—	1.16	3.38	1.10	
Rutlandshire ..	—	—	—	—	—	—	—	—	—	22	54	280	488	280	379	36	31	3.97	—	—	—	—	—	—	
Shropshire ..	4	—	—	—	29	28	4	—	21	24	79	52	377	481	294	349	47	48	1.08	2.36	1.04	0.50	2.08	2.26	
Somersetshire..	22	—	—	—	17	2	5	15	9	35	14	52	431	450	358	42	38	1.66	2.26	0.71	0.50	1.77	0.17		
Southampton ..	—	2	—	—	37	—	4	—	21	26	31	9	469	406	381	334	41	39	1.85	1.99	0.60	0.68	2.27	2.26	
Staffordshire ..	1	—	—	—	12	37	3	7	35	34	96	72	620	580	496	482	57	58	4.38	4.28	0.87	0.94	2.02	2.02	
Suffolk, East ..	5	5	—	—	—	5	5	—	34	10	10	10	379	453	346	376	48	39	2.44	1.36	0.67	0.65	1.68	1.96	
Suffolk, West	10	—	—	—	—	19	—	—	—	10	9	494	568	426	483	29	36	1.47	0.66	—	0.64	1.41	1.92		
Surrey ..	3	1	—	—	21	—	4	2	11	21	34	17	480	471	416	399	38	38	4.51	2.21	0.74	0.39	1.82	1.75	
Sussex, East ..	3	6	—	—	7	—	7	6	13	25	10	22	448	452	381	373	32	35	1.90	3.28	0.26	0.53	1.32	1.1	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Sussex, West ..	8	7	—	—	26	—	4	7	34	14	8	21	498	440	427	367	43	33	1.09	2.47	0.53	0.48	2.11	2.40
Warwickshire ..	3	—	—	—	3	10	8	2	20	29	75	19	584	548	473	437	49	45	4.84	3.45	1.03	0.44	1.76	1.74
Westmorland ..	—	—	—	—	79	—	16	—	16	—	16	—	457	379	378	303	55	57	2.26	1.08	—	—	4.39	3.14
Wight, Isle of ..	—	—	—	—	35	—	—	—	12	34	12	—	583	480	478	377	33	26	2.66	1.81	—	—	1.70	3.51
Wiltshire ..	7	—	—	—	33	—	7	3	42	35	23	41	435	405	363	346	44	39	2.49	1.43	0.65	0.39	2.39	1.97
Worcestershire ..	3	—	—	—	9	3	15	6	15	26	66	72	594	539	511	437	48	49	3.06	3.94	0.55	0.69	2.76	1.72
Yorkshire, East Riding	—	—	—	—	22	—	10	10	5	26	27	62	428	442	442	312	42	49	3.93	4.54	0.69	0.34	3.79	1.02
Yorkshire, North ..	—	—	—	—	18	53	27	15	18	29	33	35	570	432	426	332	52	52	3.80	3.32	0.37	1.06	2.56	2.30
West ..	3	3	1	—	53	5	11	9	18	40	95	63	487	516	381	414	51	54	3.48	3.83	1.03	0.79	2.55	2.13
Anglesey ..	—	—	—	—	—	—	21	21	43	21	43	84	774	863	666	737	65	73	6.22	—	—	—	2.61	10.26
Brecknockshire ..	—	—	—	—	—	—	19	—	132	—	57	19	509	567	452	454	62	51	1.35	1.31	1.27	1.24	7.59	3.72
Caernarvonshire ..	8	8	—	—	8	16	—	—	59	25	51	65	1,290	1,013	1,088	850	58	59	1.83	5.98	2.31	—	2.89	5.15
Cardiganshire ..	38	—	—	—	—	—	38	—	—	—	69	58	706	644	585	522	52	69	3.80	4.63	0.40	1.21	3.60	4.83
Carmarthenshire ..	—	—	—	—	12	—	—	12	—	58	69	58	706	644	585	522	52	69	3.80	4.63	0.40	1.21	3.60	4.83
Denbighshire ..	—	—	—	—	19	6	—	—	57	12	185	69	599	587	504	500	63	57	3.01	2.23	0.41	1.27	2.88	2.54
Flintshire ..	17	—	—	—	33	8	8	24	8	8	132	96	653	448	521	384	55	55	3.50	1.99	0.95	1.89	1.90	2.83
Glamorganshire ..	—	1	—	—	20	31	23	14	37	38	90	87	841	775	693	659	60	60	3.30	3.59	1.30	1.28	4.34	3.66
Merionethshire ..	—	—	—	—	73	73	—	—	25	—	59	78	1,001	1,050	901	879	60	62	1.93	1.83	3.62	—	1.81	7.04
Monmouthshire ..	—	—	—	—	20	42	7	10	33	52	59	78	750	748	604	647	56	61	4.45	6.53	2.49	0.19	4.78	2.71
Montgomeryshire ..	—	—	—	—	22	22	—	—	22	66	45	88	735	438	579	394	34	73	1.43	1.49	1.37	—	1.37	4.29
Pembrokeshire ..	144	—	—	—	24	12	24	—	48	84	84	12	709	657	577	514	45	50	4.43	2.13	—	1.36	0.71	2.73
Radnorshire ..	—	—	—	—	—	—	51	—	102	—	—	—	512	506	409	455	46	49	3.85	3.48	—	—	—	6.71

TABLE 11.—DEATHS UNDER ONE YEAR OF AGE FROM } England and Wales.
CERTAIN CAUSES, 1929-1939.

Cause of Death.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.	1938.	1939.
All Causes	47,868	38,908	41,939	39,933	36,960	35,017	34,092	35,425	35,175	32,724	31,190
I—Common Infectious Diseases (6-10, 44 : 4)	3,415	2,028	2,000	2,185	1,479	1,694	1,199	1,808	1,192	1,030	870
II—Tuberculous Diseases (23-32)	660	585	665	617	482	413	335	359	389	376	319
III—Diarrhoea and Enteritis (119)	4,597	3,522	3,284	3,630	3,558	2,890	3,031	3,220	3,086	3,020	2,579
IV—Developmental and Wasting Diseases (157-159, 161: a & b)	19,256	18,366	18,543	17,973	17,491	17,092	16,782	16,774	17,039	16,106	15,737
V—Miscellaneous Diseases— (Remainder)	19,940	14,407	17,447	15,528	13,950	12,928	12,745	13,264	13,469	12,192	11,685
Measles (7)	657	902	720	661	363	676	287	624	233	392	89
Whooping cough (9) ..	2,554	965	1,127	1,410	1,010	902	812	1,073	860	549	713
Diphtheria (10)	143	126	101	72	70	74	70	82	81	73	51
Influenza (11)	777	130	513	422	519	169	205	161	375	131	228
Tuberculosis of nervous system (24)	325	306	366	341	229	227	182	190	220	211	159
Tuberculosis of intestines and peritoneum (25)	128	86	104	89	81	51	45	36	38	38	35
Other tuberculous diseases (23, 26-32)	207	193	195	187	172	135	108	133	131	127	125
Syphilis (34)	413	360	322	291	232	201	174	162	140	123	119
Meningitis (79)	291	231	257	225	233	213	215	203	209	220	215
Convulsions (86)	1,702	1,456	1,412	1,237	1,084	1,076	1,026	902	790	750	706
Bronchitis (106)	2,725	1,718	2,305	1,899	1,485	1,253	1,202	1,203	1,244	973	901
Pneumonia (107-109) ..	8,477	5,160	7,302	5,987	5,484	4,873	5,018	5,328	5,582	4,904	4,461
Other respiratory diseases (104, 105, 110-114) ..	188	189	180	163	123	108	119	107	94	110	90
Inflammation of the stomach (118 : 1)	253	219	247	208	189	153	157	141	112	105	107
Diarrhoea and enteritis (119)	4,597	3,522	3,284	3,630	3,558	2,890	3,031	3,220	3,086	3,020	2,579
Hernia, intestinal obstruction (122)	432	399	392	357	340	311	350	320	286	278	272
Congenital malformations (157)	3,350	3,420	3,494	3,611	3,417	3,619	3,540	3,683	3,699	3,724	3,672
Diseases of early infancy (158-161)	17,764	16,789	16,800	16,232	15,797	15,336	15,086	15,110	15,327	14,440	14,174
Congenital debility (158) ..	2,504	2,198	2,116	1,823	1,810	1,526	1,521	1,459	1,374	1,096	1,049
Premature birth (159) ..	11,992	11,360	11,565	11,174	10,885	10,518	10,314	10,105	10,375	9,715	9,443
Injury at birth (160) ..	1,354	1,360	1,334	1,379	1,321	1,391	1,415	1,530	1,509	1,607	1,649
With mention of Caesarean section (160 a)	?	?	10	15	12	14	15	9	5	9	6
Without mention of Caesarean section (160 b)	?	?	1,324	1,364	1,309	1,377	1,400	1,521	1,504	1,598	1,643
Other diseases peculiar to early infancy (161) ..	1,914	1,871	1,785	1,856	1,781	1,901	1,836	2,016	2,069	2,022	2,033
Atelectasis (161 a) ..	1,021	1,012	1,042	1,052	1,079	1,099	1,118	1,219	1,266	1,209	1,246
Icterus neonatorum (161 b)	389	376	326	313	300	330	289	308	325	362	327
Other diseases included under 161 (161 c) ..	504	483	417	491	402	472	429	489	478	451	460
Diseases of the umbilicus (161 c : 1)	98	113	90	103	69	83	73	73	83	69	69
Pemphigus neonatorum (161 c : 2)	126	102	84	72	52	69	58	68	78	69	36
Other diseases under 161 c (161 c : 3)	280	268	243	316	281	320	298	348	317	313	355
Suffocation—in bed or not stated how (182 pt.) ..	364	359	296	300	255	253	230	260	245	260	295
Inattention at birth (194 : 1)	223	217	182	226	165	197	155	143	170	186	147
Other causes	2,298	2,161	2,340	2,385	2,154	2,300	2,080	2,344	2,253	2,110	2,052

**TABLE 12.—INFANT MORTALITY (DEATHS UNDER
1 YEAR PER 1,000 LIVE BIRTHS) FROM CERTAIN CAUSES, 1929-1939.**

England and Wales.

NOTE.—Rates based upon less than 20 deaths are distinguished by *italic type* (see note to Table 17, page 56).

Cause of Death.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.	1938.	1939.
All Causes	74·37	59·97	66·35	65·04	63·68	58·59	56·94	58·53	57·61	52·68	50·36
I—Common Infectious Diseases (6-10, 44 : 4)	5·31	3·13	3·16	3·56	2·55	2·83	2·00	2·99	1·95	1·66	1·40
II—Tuberculous Diseases (23-32)	1·03	0·90	1·05	1·00	0·83	0·69	0·56	0·59	0·64	0·61	0·52
III—Diarrhœa and Enteritis (119)	7·14	5·43	5·20	5·91	6·13	4·84	5·06	5·32	5·05	4·86	4·16
IV—Developmental and Wasting Diseases (157-159, 161 : a & b)	29·92	28·31	29·34	29·27	30·14	28·60	28·03	27·71	27·91	25·93	25·41
V—Miscellaneous Diseases— (Remainder)	30·98	22·21	27·60	25·29	24·03	21·63	21·29	21·91	22·06	19·63	18·87
Measles (7)	1·02	1·39	1·14	1·08	0·63	1·13	0·48	1·03	0·38	0·63	0·14
Whooping cough (9) ..	3·97	1·49	1·78	2·30	1·74	1·51	1·36	1·77	1·41	0·88	1·15
Diphtheria (10)	0·22	0·19	0·16	0·12	0·12	0·12	0·12	0·14	0·13	0·12	0·08
Influenza (11)	1·21	0·20	0·81	0·69	0·89	0·28	0·34	0·27	0·61	0·21	0·37
Tuberculosis of nervous system (24)	0·50	0·47	0·58	0·56	0·39	0·38	0·30	0·31	0·36	0·34	0·26
Tuberculosis of intestines and peritoneum (25) ..	0·20	0·13	0·16	0·14	0·14	0·09	0·08	0·06	0·06	0·06	0·06
Other tuberculous diseases (23, 26-32)	0·32	0·30	0·31	0·30	0·30	0·23	0·18	0·22	0·21	0·20	0·20
Syphilis (34)	0·64	0·55	0·51	0·47	0·40	0·34	0·29	0·27	0·23	0·20	0·19
Meningitis (79)	0·45	0·36	0·41	0·37	0·40	0·36	0·36	0·34	0·34	0·35	0·35
Convulsions (86)	2·64	2·24	2·23	2·01	1·87	1·80	1·71	1·49	1·29	1·21	1·14
Bronchitis (106)	4·23	2·65	3·65	3·09	2·56	2·10	2·01	1·99	2·04	1·57	1·45
Pneumonia (107-109) ..	13·17	7·95	11·55	9·75	9·45	8·15	8·38	8·80	9·14	7·89	7·20
Other respiratory diseases (104, 105, 110-114) ..	0·29	0·29	0·28	0·27	0·21	0·18	0·20	0·18	0·15	0·18	0·15
Inflammation of the stomach (118 : 1)	0·39	0·34	0·36	0·34	0·33	0·26	0·26	0·23	0·18	0·17	0·17
Diarrhœa and enteritis (119)	7·14	5·43	5·20	5·91	6·13	4·84	5·06	5·32	5·05	4·86	4·16
Hernia, intestinal obstruction (122)	0·67	0·61	0·62	0·58	0·59	0·52	0·58	0·53	0·47	0·45	0·44
Congenital malformations (157)	5·20	5·27	5·53	5·88	5·89	6·06	5·91	6·08	6·06	5·99	5·93
Diseases of early infancy (158-161)	27·60	25·88	26·58	26·44	27·22	25·66	25·20	24·96	25·10	23·25	22·89
Congenital debility (158) ..	3·89	3·39	3·35	2·97	3·12	2·55	2·54	2·41	2·25	1·76	1·69
Premature birth (159) ..	18·63	17·51	18·30	18·20	18·75	17·60	17·23	16·69	16·99	15·64	15·25
Injury at birth (160) ..	2·10	2·10	2·11	2·25	2·28	2·33	2·36	2·53	2·47	2·59	2·66
With mention of Cæsarean section (160 a)	?	?	0·02	0·02	0·02	0·02	0·03	0·01	0·01	0·01	0·01
Without mention of Cæsarean section (160 b) ..	?	?	2·10	2·22	2·26	2·30	2·34	2·51	2·46	2·57	2·65
Other diseases peculiar to early infancy (161) ..	2·97	2·88	2·82	3·02	3·07	3·18	3·07	3·33	3·39	3·25	3·28
Atelectasis (161 a) ..	1·59	1·56	1·65	1·71	1·86	1·84	1·87	2·01	2·07	1·95	2·01
Icterus neonatorum (161 b) ..	0·60	0·58	0·52	0·51	0·52	0·55	0·48	0·51	0·53	0·58	0·53
Other diseases included under 161 (161 c) ..	0·78	0·74	0·66	0·80	0·69	0·79	0·72	0·81	0·78	0·73	0·74
Disease of the umbilicus (161 c : 1)	0·15	0·17	0·14	0·17	0·12	0·14	0·12	0·12	0·14	0·11	0·11
Pemphigus neonatorum (161 c : 2)	0·20	0·16	0·13	0·12	0·09	0·12	0·10	0·11	0·13	0·11	0·06
Other diseases under 161 c (161 c : 3)	0·44	0·41	0·38	0·51	0·48	0·54	0·50	0·57	0·52	0·50	0·57
Suffocation—in bed or not stated how (182 pt.) ..	0·57	0·55	0·47	0·49	0·44	0·42	0·38	0·43	0·40	0·42	0·48
Inattention at birth (194 : 1) ..	0·35	0·33	0·29	0·37	0·28	0·33	0·26	0·24	0·28	0·30	0·24
Other causes	3·57	3·33	3·70	3·88	3·71	3·85	3·47	3·87	3·69	3·40	3·31

TABLE 13.—DEATHS AT VARIOUS PERIODS IN THE FIRST YEAR OF { England and Wales Geographical Regions* Aggregates of County
Life, 1939, and the Four Quarters Thereof. } Boroughs, Other Urban Districts and Rural Districts.

	Total under 1 year.	Under 30 minutes	30 minutes and under 1 day.	Total under 1 day.	Days.						1 day and under 1 week.	Weeks			Months					
					1	2	3	4	5	6		0	1	2	3	Total under 4 weeks	4 weeks to 3 months	3-6	6-9	9-12
England and Wales { All Infants... Legitimate... Illegitimate... South East Greater London Remainder of South East... Midland Section Southern Section North North I... " II... " III... " IV... Midland... Midland I... " II... East... South West... Wales... Wales I... " II... Density Summaries— County Boroughs... Other Urban Dis... Rural Districts... England and Wales... March Quarter... June... September... December... Excluding Greater London	17,870 31,320 31,190	474 438 912	3,066 2,361 5,427	1,157 2,799 6,339	1,052 491 2,051	777 482 1,259	417 317 734	295 216 511	231 202 433	3,929 2,802 13,070	7,469 5,601 13,070	1,080 863 1,943	756 596 1,352	592 444 1,036	9,897 7,504 17,401	2,939 1,965 4,904	2,492 1,858 4,350	1,559 1,165 2,724	983 828 1,811	
	16,590 12,269 28,859	375 341 716	2,860 2,173 5,033	1,084 2,514 5,749	996 836 1,920	737 629 1,625	737 448 1,185	394 301 695	283 205 488	217 187 404	3,711 2,606 6,317	6,946 5,120 12,066	1,017 801 1,818	705 553 1,258	545 412 957	9,213 6,886 16,099	2,691 1,806 4,497	2,282 1,714 3,996	1,464 1,084 2,548	940 779 1,719
	1,280 1,051 2,331	99 97 196	206 188 394	305 285 590	73 58 131	56 62 118	40 34 74	23 16 39	12 11 23	14 15 29	218 196 414	523 481 1,004	63 62 125	51 43 94	47 32 79	684 618 1,302	248 159 407	248 144 354	95 81 176	43 49 92
8,490 5,196 3,294	329 207 122	1,589 940 703	1,018 596 825	596 340 256	424 256 168	318 188 130	192 116 76	137 88 49	99 56 43	1,766 1,044 722	3,684 2,137 1,547	490 280 210	310 210 130	278 178 100	4,762 2,775 1,987	1,320 838 482	1,208 829 379	755 480 275	445 274 171	
3,147 5,343	121 208	607 982	728 1,190	229 367	160 264	131 187	74 118	59 78	45 54	698 1,426 2,258	1,426 2,258	183 307	134 176	158 158	1,863 2,899	498 822	378 830	251 504	157 288	
11,956 2,299 1,254 2,805 5,598	302 68 27 51 156	1,927 320 195 505 907	2,229 388 222 556 1,063	759 136 69 203 351	717 152 77 160 328	493 98 49 115 231	265 44 24 68 129	203 35 15 48 106	165 24 20 34 87	2,602 488 254 628 1,232	4,831 876 476 1,184 2,295	769 129 39 45 361	558 103 35 45 262	406 96 129 93 172	6,564 1,204 391 1,639 3,090	1,893 391 227 639 848	1,776 375 208 427 840	1,021 189 111 353 486	702 140 77 151 334	
6,085 4,214 1,871	174 114 60	1,043 730 313	1,217 844 373	375 256 119	339 218 121	219 149 70	142 97 45	94 65 29	99 72 27	1,268 857 411	2,485 1,701 784	401 273 128	293 209 84	184 123 61	3,363 2,306 1,057	966 669 297	820 581 239	549 381 168	387 277 110	
1,164 1,248	35 36	209 287	244 323	79 94	69 75	59 68	40 34	17 22	16 18	280 311	524 634	79 61	41 49	40 37	684 806	177 175	134 114	97 87	72 66	
2,247 1,656 591	36 19 17	372 275 97	408 294 114	148 107 41	119 77 42	102 71 31	61 48 13	38 26 12	36 27 9	504 356 148	912 650 262	910 90 28	118 71 30	91 64 27	1,222 875 347	373 273 100	298 237 61	215 168 47	139 103 36	
Density Summaries— County Boroughs... Other Urban Dis... Rural Districts... England and Wales... March Quarter... June... September... December... Excluding Greater London	11,449 9,369 5,176	279 258 168	1,860 1,681 1,000	2,139 1,939 1,168	691 614 406	587 563 337	400 418 253	255 238 125	174 158 91	2,262 2,131 1,294	4,401 4,070 2,462	696 615 352	504 449 219	383 322 153	5,984 3,456 3,186	1,873 1,444 749	1,762 1,170 589	1,092 777 375	738 522 277	
England and Wales... March Quarter... June... September... December... Excluding Greater London	10,035 7,897 6,408 6,850	221 234 239 218	1,353 1,454 1,346 1,274	1,574 1,688 1,585 1,492	554 516 493 488	516 451 398 378	370 310 276 303	209 183 159 183	165 138 99 109	1,945 1,700 1,522 1,564	3,519 3,388 3,107 3,056	607 477 399 460	484 344 222 302	376 250 179 231	4,986 4,459 3,907 4,049	1,759 1,167 904 1,074	1,605 1,088 763 894	1,002 677 518 527	683 506 316 306	

* For constitution of Geographical Regions, see note on first page of Table 17.

TABLE 14. Suspended. See note on page vi.

TABLE 15. INFANT MORTALITY FROM CERTAIN CAUSES,
1939. (Deaths under 1 year and various sub-divisions
of the first year per 1,000 live births.){ England and Wales, Geographical
Regions. (See note on first
page of Table 17.)NOTE.—Rates based upon less than 20 deaths are distinguished by *italic type* (see note to Table 17.)

Area	All Causes.							I.—Common Infectious Diseases (6-10, 44 : 4).							II.—Tuberculous Diseases (23-32).						
	Total under 1 Year.	Under 4 Weeks.	4 weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.			
England and Wales	50.36	28.10	7.92	7.02	4.40	2.92	1.40	0.04	0.32	0.36	0.32	0.37	0.52	0.01	0.02	0.13	0.17	0.19			
South East	41.22	23.12	6.41	5.87	3.67	2.16	0.13	0.02	0.27	0.33	0.26	0.25	0.41	0.00	0.02	0.11	0.13	0.15			
Greater London	43.51	23.24	7.02	6.94	4.02	2.29	1.26	0.03	0.30	0.38	0.29	0.27	0.40	0.01	0.02	0.11	0.12	0.15			
Remainder of South East	38.07	22.97	5.57	4.38	3.18	1.98	0.94	0.01	0.22	0.25	0.22	0.23	0.42	—	0.02	0.10	0.15	0.14			
North	59.41	32.62	9.41	8.83	5.07	3.49	1.61	0.04	0.36	0.44	0.34	0.43	0.60	—	0.02	0.15	0.20	0.23			
North I	63.30	33.14	10.76	10.32	5.20	3.85	1.73	0.08	0.44	0.50	0.30	0.47	0.69	—	—	0.22	0.25	0.22			
North II	58.90	29.64	10.66	9.77	5.21	3.62	2.02	0.05	0.33	0.56	0.38	0.70	0.56	—	—	0.09	0.33	0.14			
North III	54.61	31.91	8.31	6.87	4.57	2.94	1.73	0.06	0.45	0.41	0.27	0.55	0.62	—	0.04	0.12	0.19	0.27			
North IV	60.68	33.50	9.19	9.11	5.27	3.62	1.41	0.01	0.28	0.41	0.39	0.31	0.56	—	0.02	0.16	0.15	0.23			
Midland	51.83	28.64	8.23	6.98	4.68	3.30	1.58	0.05	0.37	0.38	0.34	0.44	0.65	0.03	0.01	0.17	0.20	0.23			
Midland I	52.97	28.99	8.41	7.30	4.79	3.48	1.66	0.06	0.34	0.39	0.35	0.52	0.64	0.03	0.01	0.19	0.18	0.24			
Midland II	49.43	27.93	7.85	6.31	4.44	2.91	1.43	0.03	0.42	0.37	0.32	0.29	0.66	0.05	—	0.13	0.26	0.21			
East	41.92	24.63	6.37	4.83	3.49	2.59	1.30	0.04	0.25	0.32	0.40	0.29	0.40	0.04	—	0.11	0.14	0.11			
South West	42.55	27.48	5.97	3.89	2.97	2.25	0.92	0.07	0.17	0.20	0.17	0.31	0.48	—	—	0.10	0.17	0.20			
Wales	59.67	32.45	9.91	7.91	5.71	3.69	1.70	0.03	0.37	0.27	0.53	0.50	0.35	—	0.03	0.08	0.13	0.11			
Wales I	60.14	31.78	9.92	8.61	6.10	3.74	1.89	—	0.44	0.25	0.62	0.58	0.29	—	0.04	0.07	0.11	0.07			
Wales II	58.38	34.28	9.88	6.03	4.64	3.56	1.19	0.10	0.20	0.30	0.30	0.30	0.49	—	—	0.10	0.20	0.49			
	III.—Diarrhoea and Enteritis (119).							IV.—Developmental and Wasting Diseases (157-9, 161a & b).							V.—Miscellaneous Diseases (Remainder).						
England and Wales	4.16	0.39	1.14	1.45	0.84	0.35	25.41	21.37	2.81	0.80	0.29	0.14	18.87	6.30	3.63	4.28	2.78	1.88			
South East	4.21	0.28	0.96	1.66	0.91	0.40	20.68	17.31	2.35	0.58	0.31	0.13	14.80	5.51	2.82	3.19	2.05	1.23			
Greater London	5.39	0.31	1.21	2.24	1.16	0.47	20.57	17.18	2.43	0.56	0.25	0.14	15.88	5.71	3.06	3.66	2.19	1.26			
Remainder of South East	2.58	0.23	0.60	0.87	0.57	0.31	20.84	17.49	2.24	0.60	0.39	0.12	13.30	5.24	2.48	2.55	1.85	1.18			
North	4.60	0.51	1.35	1.58	0.81	0.35	29.54	25.04	3.17	0.93	0.28	0.12	23.06	7.03	4.51	5.72	3.44	2.35			
North I	5.26	0.50	1.68	1.73	0.85	0.50	27.93	24.16	2.53	0.91	0.17	0.17	27.38	8.39	6.11	6.96	3.63	2.28			
North II	5.40	0.47	1.36	2.40	1.03	0.14	27.32	24.54	3.48	0.99	0.19	0.14	23.58	6.58	5.50	5.73	3.29	2.49			
North III	3.99	0.68	0.97	1.30	0.88	0.16	28.70	24.67	2.96	0.70	0.29	0.08	19.57	6.50	3.89	4.34	2.94	1.89			
North IV	4.49	0.42	1.43	1.47	0.70	0.46	31.15	26.18	3.61	1.05	0.34	0.13	23.07	6.88	4.00	6.01	3.69	2.49			
Midland	4.66	0.38	1.38	1.52	1.00	0.37	25.92	21.72	2.88	0.91	0.25	0.16	19.02	6.46	3.59	3.99	2.89	2.09			
Midland I	5.17	0.44	1.63	1.65	1.04	0.40	26.26	22.02	2.79	1.03	0.28	0.14	19.24	6.44	3.63	4.05	2.94	2.19			
Midland II	3.59	0.26	0.85	1.27	0.90	0.32	25.20	21.08	2.06	0.66	0.18	0.21	18.55	6.50	3.51	3.88	2.77	1.88			
East	2.34	0.18	0.86	0.65	0.47	0.18	22.80	19.16	2.45	0.76	0.25	0.18	15.09	5.22	2.81	2.99	2.23	1.84			
South West	1.81	0.27	0.58	0.41	0.48	0.07	24.99	21.45	2.56	0.65	0.24	0.10	14.35	5.69	2.66	2.52	1.91	1.57			
Wales	3.24	0.58	0.93	0.82	0.64	0.27	29.85	24.40	3.69	1.12	0.42	0.21	24.54	7.44	4.89	5.63	3.98	2.60			
Wales I	3.41	0.62	0.84	0.94	0.76	0.25	29.38	24.15	3.45	1.02	0.51	0.25	25.17	7.01	5.16	6.32	4.10	2.58			
Wales II	2.77	0.49	1.19	0.49	0.30	0.30	31.12	25.09	4.35	1.38	0.20	0.10	22.82	8.59	4.15	3.75	3.66	2.67			
	Measles (7).							Whooping cough (9).							Syphilis (34).						
England and Wales	0.14	0.00	0.01	0.02	0.04	0.07	1.15	0.02	0.29	0.33	0.26	0.26	0.19	0.07	0.07	0.04	0.01	0.00			
South East	0.01	—	—	0.00	0.00	0.00	1.05	0.02	0.26	0.30	0.25	0.23	0.18	0.06	0.08	0.02	0.01	0.00			
Greater London	0.02	—	—	0.01	—	0.01	1.16	0.03	0.28	0.33	0.28	0.24	0.18	0.06	0.08	0.03	0.01	0.01			
Remainder of South East	0.01	—	—	—	0.01	—	0.90	0.01	0.22	0.25	0.21	0.21	0.18	0.06	0.08	0.02	0.02	—			
North	0.18	—	0.02	0.04	0.05	0.07	1.27	0.03	0.31	0.39	0.26	0.28	0.24	0.11	0.08	0.04	0.00	—			
North I	0.19	—	0.03	0.03	—	0.14	1.43	0.06	0.39	0.47	0.28	0.25	0.30	0.14	0.14	0.03	—	—			
North II	0.52	—	0.09	—	0.14	0.28	1.36	0.05	0.19	0.56	0.23	0.35	0.28	0.09	0.14	0.05	—	—			
North III	0.18	—	—	0.06	0.06	0.06	1.42	0.06	0.43	0.33	0.21	0.39	0.19	0.10	0.06	0.02	0.02	—			
North IV	0.11	—	0.02	0.04	0.04	—	1.11	—	0.25	0.35	0.29	0.22	0.23	0.11	0.07	0.05	—	—			
Midland	0.26	0.01	0.01	0.03	0.08	0.13	1.23	0.03	0.33	0.34	0.25	0.28	0.16	0.05	0.07	0.03	—	0.01			
Midland I	0.33	0.01	—	0.05	0.09	0.18	1.21	0.03	0.30	0.33	0.24	0.31	0.18	0.06	0.08	0.04	—	—			
Midland II	0.11	—	0.03	—	0.05	0.03	1.27	0.03	0.40	0.37	0.26	0.21	0.13	0.03	0.05	0.03	—	0.03			
East	0.07	—	0.04	—	—	0.04	1.08	0.04	0.22	0.32	0.29	0.22	0.14	—	0.07	0.07	—	—			
South West	—	—	—	—	—	—	0.82	0.03	0.17	0.17	0.17	0.27	0.07	—	0.03	0.03	—	—			
Wales	0.45	—	—	0.03	0.16	0.27	1.12	—	0.35	0.21	0.36	0.21	0.24	0.08	0.03	0.11	0.03	—			
Wales I	0.54	—	—	—	0.22	0.33	1.27	—	0.40	0.25	0.40	0.22	0.22	—	0.04	0.15	0.04	—			
Wales II	0.20	—	—	0.10	—	0.10	0.69	—	0.20	0.10	0.20	0.20	0.30	0.30	—	—	—	—			

TABLE 15—continued.

Area.	Meningitis (79).						Convulsions (86)						Bronchitis (106)					
	Total under 1 Year.	Under 4 Weeks.	4 weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	0.35	0.04	0.05	0.11	0.08	0.07	1.14	0.58	0.23	0.17	0.11	0.05	1.45	0.19	0.44	0.50	0.20	0.01
South East	0.28	0.03	0.04	0.09	0.09	0.03	0.38	0.19	0.07	0.06	0.05	0.01	0.84	0.11	0.23	0.34	0.10	0.00
Greater London	0.31	0.05	0.06	0.07	0.12	0.02	0.23	0.13	0.04	0.03	0.03	0.01	0.90	0.11	0.21	0.44	0.10	0.00
Remainder of South East	0.24	0.01	0.02	0.12	0.05	0.05	0.58	0.28	0.12	0.09	0.08	0.01	0.75	0.12	0.27	0.21	0.09	0.00
North	0.40	0.04	0.06	0.11	0.08	0.10	1.63	0.84	0.33	0.28	0.12	0.05	2.02	0.22	0.61	0.74	0.28	0.10
North I.	0.44	0.06	0.06	0.19	0.08	0.11	3.25	1.57	0.77	0.61	0.25	0.06	3.72	0.36	1.18	1.29	0.55	0.30
North II	0.33	0.05	0.05	0.14	—	—	1.36	0.80	0.33	0.14	0.05	0.05	2.21	0.28	0.99	0.33	0.42	0.10
North III	0.39	0.04	0.02	0.10	0.10	0.14	1.01	0.62	0.18	0.14	0.04	0.04	1.58	0.19	0.55	0.58	0.12	0.10
North IV	0.41	0.05	0.09	0.09	0.10	0.09	1.41	0.69	0.25	0.26	0.14	0.07	1.56	0.17	0.34	0.70	0.23	0.10
Midland	0.37	0.05	0.02	0.15	0.07	0.08	0.83	0.42	0.16	0.09	0.11	0.05	1.42	0.24	0.47	0.37	0.20	0.10
Midland I	0.34	0.06	0.01	0.14	0.04	0.09	0.58	0.28	0.13	0.05	0.11	0.01	1.43	0.26	0.39	0.43	0.21	0.10
Midland II	0.42	0.03	0.03	0.18	0.13	0.05	1.37	0.71	0.24	0.18	0.11	0.13	1.40	0.18	0.63	0.26	0.21	0.10
East	0.40	0.07	—	0.07	0.14	0.11	0.72	0.32	0.07	0.04	0.18	0.11	1.30	0.14	0.32	0.58	0.18	0.00
South West	0.14	0.03	0.03	0.07	—	—	0.68	0.24	0.14	0.10	0.14	0.07	0.75	0.14	0.20	0.17	0.20	0.00
Wales	0.48	0.05	0.11	0.19	0.03	0.11	4.28	2.31	0.88	0.53	0.32	0.24	2.58	0.35	0.88	0.69	0.27	0.40
Wales I	0.47	—	0.11	0.25	—	0.11	4.29	2.14	0.98	0.65	0.36	0.15	2.83	0.40	0.94	0.73	0.33	0.40
Wales II	0.49	0.20	0.10	—	0.10	0.10	4.25	2.77	0.59	0.20	0.20	0.49	1.88	0.20	0.69	0.59	0.10	0.30
Area.	Pneumonia (107-109).						Congenital malformations (157)						Congenital debility (158)					
	Total under 1 Year.	Under 4 Weeks.	4 weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	7.20	0.91	1.75	2.06	1.44	1.03	5.93	3.72	1.33	0.51	0.25	0.12	1.69	1.04	0.42	0.18	0.03	0.00
South East	5.54	0.91	1.45	1.56	1.01	0.61	4.82	2.80	1.23	0.40	0.27	0.12	0.94	0.50	0.29	0.10	0.03	0.01
Greater London	6.19	1.00	1.65	1.79	1.06	0.69	4.53	2.55	1.26	0.39	0.21	0.13	0.85	0.46	0.26	0.08	0.03	0.00
Remainder of South East	4.63	0.79	1.17	1.25	0.92	0.51	5.21	3.14	1.19	0.40	0.36	0.12	1.06	0.55	0.34	0.14	0.03	—
North	9.11	1.02	2.20	2.74	1.84	1.31	6.55	4.34	1.34	0.53	0.25	0.10	2.19	1.40	0.50	0.25	0.02	0.02
North I.	10.24	0.74	2.67	3.61	1.93	1.29	6.25	4.07	1.29	0.58	0.14	0.17	2.31	1.82	0.28	0.19	0.03	—
North II	10.38	0.89	2.63	3.38	1.83	1.64	5.40	3.38	1.36	0.33	0.19	0.14	3.01	1.83	0.85	0.33	—	—
North III	8.16	1.28	2.01	2.26	1.65	0.95	6.15	4.03	1.28	0.51	0.27	0.14	1.62	1.19	0.31	0.08	0.02	0.02
North IV	8.91	1.02	2.03	2.51	1.91	1.44	7.17	4.83	1.38	0.57	0.29	0.09	2.28	1.25	0.62	0.35	0.03	0.03
Midland	7.56	0.99	1.75	2.08	1.53	1.21	6.12	3.82	1.35	0.61	0.20	0.12	1.70	1.08	0.39	0.15	0.04	0.03
Midland I	7.59	0.89	1.80	2.00	1.63	1.27	6.37	3.91	1.41	0.72	0.23	0.11	1.60	1.02	0.35	0.15	0.05	0.03
Midland II	7.50	1.19	1.66	2.25	1.32	1.08	5.57	3.65	1.24	0.40	0.16	0.13	1.93	1.22	0.48	0.16	0.03	0.05
East	5.01	0.58	1.22	1.30	0.90	1.01	6.27	4.21	1.26	0.47	0.18	0.14	1.80	1.15	0.47	0.14	—	0.04
South West	5.11	0.72	1.19	1.19	0.99	1.02	6.58	4.40	1.40	0.48	0.20	0.10	1.84	1.26	0.41	0.14	0.03	—
Wales	8.23	0.53	1.86	2.34	2.15	1.35	7.33	4.30	1.75	0.74	0.37	0.16	2.95	1.73	0.80	0.32	0.05	0.06
Wales I	8.83	0.58	2.07	2.72	2.07	1.38	7.66	4.50	1.82	0.69	0.44	0.22	2.80	1.89	0.54	0.25	0.07	0.04
Wales II	6.62	0.40	1.28	1.28	2.37	1.28	6.42	3.75	1.58	0.89	0.20	—	3.36	1.28	1.48	0.49	—	0.10
Area.	Premature birth (159).						Injury at birth (160).						Suffocation—in bed or not stated how (182 pt.).					
	Total under 1 Year.	Under 4 Weeks.	4 weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	15.25	14.19	0.94	0.11	0.01	0.00	2.66	2.58	0.06	0.02	0.00	0.00	0.48	0.12	0.17	0.15	0.03	0.01
South East	12.32	11.54	0.69	0.08	0.00	—	2.49	2.41	0.05	0.02	0.00	—	0.42	0.07	0.17	0.14	0.03	0.00
Greater London	12.43	11.59	0.74	0.09	0.01	—	2.55	2.45	0.08	0.02	—	—	0.38	0.04	0.18	0.13	0.02	0.01
Remainder of South East	12.17	11.48	0.64	0.06	—	—	2.40	2.35	0.02	0.02	0.01	—	0.47	0.12	0.16	0.15	0.05	—
North	17.97	16.63	1.19	0.15	0.00	0.00	2.76	2.68	0.06	0.01	—	0.00	0.51	0.13	0.17	0.15	0.03	0.01
North I.	16.60	15.52	0.94	0.14	—	—	3.16	3.03	0.14	—	—	—	0.47	0.14	0.25	0.08	—	—
North II	16.39	14.98	1.08	0.33	—	—	2.40	2.30	0.09	—	—	—	0.80	0.09	0.38	0.28	0.05	—
North III	18.49	17.17	1.21	0.12	—	—	2.45	2.39	0.04	0.02	—	—	0.53	0.21	0.10	0.12	0.10	—
North IV	18.59	17.14	1.30	0.13	0.01	0.01	2.86	2.80	0.03	0.02	—	0.01	0.44	0.09	0.14	0.17	0.01	0.03
Midland	15.79	14.62	1.02	0.14	—	0.01	2.88	2.78	0.07	0.03	0.01	—	0.53	0.14	0.20	0.16	0.02	0.01
Midland I	15.89	14.81	0.92	0.16	—	—	3.05	2.94	0.06	0.04	0.01	—	0.50	0.10	0.20	0.18	0.01	0.01
Midland II	15.59	14.21	1.24	0.11	—	0.03	2.51	2.43	0.08	—	—	—	0.58	0.24	0.18	0.13	0.03	—
East	13.18	12.28	0.68	0.14	0.07	—	2.45	2.41	—	—	0.04	—	0.47	0.11	0.07	0.20	—	—
South West	14.32	13.54	0.75	0.03	—	—	3.24	3.03	0.17	0.03	—	—	0.55	0.14	0.17	0.20	0.03	—
Wales	17.23	16.17	1.01	0.05	—	—	2.12	2.10	0.03	—	—	—	0.42	0.22	0.19	0.05	—	—
Wales I	16.67	15.62	0.98	0.07	—	—	2.22	2.18	0.04	—	—	—	0.44	0.19	0.15	0.07	—	—
Wales II	18.77	17.68	1.09	—	—	—	1.88	1.88	—	—	—	—	0.40	0.10	0.30	—	—	—

TABLE 16. Suspended. See note on page vi.

TABLE 17. POPULATION, BIRTHS, DEATHS } } England and Wales, Regions,
AND INFANT MORTALITY, 1939. } } Counties, Boroughs, Urban
Districts and Rural Districts.

NOTES.

Column 2: The estimates of resident populations at the middle of 1939 have been derived from the 1931 Census Returns in conjunction with the National Register of September 29th, 1939, and these populations are used for the calculation of birth rates in column 8. The composite populations used for the calculation of death rates in column 12, which allow for the exclusion of non-civilians on and after September 3rd and for evacuation movements due to war conditions, will be found in Table 29. (See note on the next page re changes of boundary).

Columns 3-7: Live births are those *registered* during the calendar year and are classified according to the area of residence of the mother. The average time lag between occurrence and registration is usually about a month.

Columns 9-11: Deaths are those *registered* during the calendar year and are classified according to the area of residence of the deceased. Non-civilians are excluded on and after 3rd September, 1939, but included before that date. The time lag between occurrence and registration is usually only a day or two.

Columns 13-14: Mortality comparisons yielded by the crude death rates (col. 12) alone are vitiated by reason of the fact that the areal populations on which they are based may be of widely differing age constitutions. With a view to eliminating this element of variation, a comparability factor is provided in column 13 for each area and this, when multiplied by the crude death rate of the area, produces an adjusted death rate which may be regarded as comparable from a mortality point of view with the corresponding adjusted rate for any other area or with the crude death rate for England and Wales as a whole (where the comparability factor is unity). A guide to the relative incidence of mortality in different areas is provided by column 14 which expresses each local adjusted rate as a ratio of the national rate. For a fuller description of the Comparability Factor, reference should be made to the Text portion of the Statistical Review.

Column 16: Infant Mortality is calculated on numbers of births specially adjusted for the purpose as explained on page vi.

Columns 17-19: (Shown only for the Regional Summary on page 57); The rates of increase and decrease are in respect of the areas as constituted after all changes of boundaries which occurred during the year.

Regions: The constitution of the Regions shown in the summary on page 57 is as follows:—

<p><i>Greater London.</i> The area coincident with the City of London and Metropolitan Police Districts — approximately 15 miles' radius from Charing Cross.</p> <p><i>South East</i> Bedfordshire. Berkshire. Buckinghamshire. Essex. Hertfordshire. Kent. London. Middlesex. Oxfordshire. Southampton. Surrey. Sussex, East. " West. Wight, Isle of.</p>	<p><i>North I.</i> Durham. Northumberland.</p> <p><i>North II.</i> Cumberland. Westmorland. Yorkshire, E. Riding " N. Riding.</p> <p><i>North III.</i> Yorkshire, W. Riding. York, C.B.</p> <p><i>North IV.</i> Cheshire. Lancashire.</p> <p><i>Midland I.</i> Gloucestershire. Herefordshire. Shropshire. Staffordshire. Warwickshire. Worcestershire.</p>	<p><i>Midland II.</i> Derbyshire. Leicestershire. Northamptonshire. Nottinghamshire. Peterborough, Soke of</p> <p><i>East.</i> Cambridgeshire. Ely, Isle of. Huntingdonshire. Lincolnshire— Parts of Holland. " Kesteven. Lindsey.</p> <p>Norfolk. Rutlandshire Suffolk, East. " West.</p> <p><i>South West.</i> Cornwall. Devonshire. Dorsetshire. Somersetshire. Wiltshire.</p>	<p><i>Wales I.</i> Brecknockshire. Carmarthenshire. Glamorganshire. Monmouthshire.</p> <p><i>Wales II.</i> Anglesey. Caernarvonshire. Cardiganshire. Denbighshire. Flintshire. Merionethshire. Montgomeryshire. Pembrokeshire. Radnorshire.</p>
--	---	---	---

With a view to maintaining continuity with the Divisions in use prior to 1931, two supplementary sub-divisions of the current South-East region are shown in the Table. The former Midland division corresponds to the aggregate of the current Midland and East and Midland section of the South-East Region: the former South (including London) corresponds to the current South-West and the Southern section of the South-East Region: North and Wales are identical in the two arrangements.

Changes in boundaries. Areas marked $\left\{ \begin{array}{l} * \text{ have been altered} \\ \dagger \text{ " " created} \\ \S \text{ " " abolished} \end{array} \right\}$ during the year.

Unless otherwise indicated, statistics of areas created or abolished refer only to the portion of the year of their existence, while statistics of areas whose boundaries have been altered are composite figures combining the "before change" and "after change" position for the respective periods involved. The population of each area as constituted after change will be found in Appendix A to this volume (page 300), the populations shown in column 2 of this Table and of Table 29 being constructed figures appropriate for use with the partial or mixed records of births and deaths of the current year.

Standardization of Local Death Rates.—The A.C.F. shown for each area in col. 13, the use of which is explained in the above note on cols. 13-14, may be regarded as an index of the relationship of the estimated sex-age distribution of the local population as used for death-rates in 1939 to that of the corresponding total national population (as given in Table 1).

While the use of the A.C.F. alone suffices to standardize, for the purpose of valid comparison, the mortalities of different areas in the same period of time it does not suffice for the comparison of mortalities at different periods of time, either of the same or of different areas. For the latter purpose, an analogous time comparability factor (T.C.F.) must be introduced, so constructed as to eliminate the effect of sex-age changes in population taking place from time to time. For the country as a whole, such T.C.F.s are available from the ratios of standardized to crude death rates set out in Tables 3, and for recent years are as follows:—1929, .853; 1930, .838; 1931, .820; 1932, .808; 1933, .796; 1934, .790; 1935, .768; 1936, .759; 1937, .746; 1938, .736; 1939, .702. Upon the assumption of a similarity of temporal age trends in national and local populations, the national T.C.F.s for successive years can be used in conjunction with the A.C.F.s of local areas, the product of an A.C.F. and a T.C.F. yielding a combined comparability factor (C.C.F.) which, when multiplied by the crude death rate to which it applies, may be regarded as producing a standardized death rate comparable with the correspondingly treated crude death rate of any other place and time or with the national standardized rates shown in Table 3 of Part I. *Statistical Review.*

It is to be observed that the A.C.F.s and T.C.F.s now provided apply only to total mortalities from all causes. They are not appropriate for use with selected diseases or causes.

For a fuller description of the standardizing processes, reference should be made to the Text portion of the *Statistical Review* for 1934.

Rates based upon less than 20 births or deaths are distinguished by *italic* type as a warning to the user that the smallness of the experience may affect its significance.

TABLE 17.

AREA.	Estimated Resident Population (Middle 1939).	LIVE BIRTHS.					DEATHS.					Deaths under 1 year.		Increase or Decrease (—) of Population per cent. Census 1931—Mid. 1939.						
		Legitimate.		Illegitimate.		Crude Rate per 1,000 Total Population.	F.	M.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000.	Total.	By Births.	By Deaths.	Total.	By Migration.	
		M.	F.	M.	F.															
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
ENGLAND AND WALES																				
REGIONAL SUMMARY:																				
South East ..	14,602,900	304,034	289,376	13,216	12,726	619,352	14.9	254,945	244,023	498,968	12.1	1.00	1.00	31,190	50	3.77	2.41	1.36		
Greater London ..	8,728,000	101,382	96,409	4,798	4,704	207,293	14.2	81,054	79,228	160,282	11.2	0.97	0.90	8,490	41	8.34	2.51	5.83		
Remainder of South East ..	5,874,900	59,743	56,792	2,764	2,798	122,097	14.0	46,015	44,330	90,345	10.8	1.01	0.90	5,196	44	6.10	2.77	3.33		
North ..	13,149,300	41,639	39,617	2,034	1,906	85,196	14.5	35,039	34,898	69,937	11.7	0.93	0.90	3,294	38	11.85	2.10	9.75		
North I ..	2,207,900	98,738	94,263	4,196	4,069	201,266	15.3	86,682	82,237	168,919	12.9	1.03	1.10	11,956	59	0.35	2.24	1.89		
North II ..	17,860	17,123	17,123	677	689	36,349	16.5	14,506	12,600	27,106	12.4	1.08	1.11	2,299	63	1.75	4.05	5.80		
North III ..	1,301,200	10,422	9,749	578	511	21,260	16.3	8,517	7,960	16,477	12.6	1.02	1.06	1,254	59	1.88	3.22	1.34		
North IV ..	3,469,700	25,180	24,100	1,060	1,060	51,400	14.8	22,458	21,186	43,644	12.6	1.03	1.07	2,805	55	0.53	1.93	1.40		
Midland ..	6,170,500	45,276	43,291	1,881	1,809	92,257	15.0	41,201	40,491	81,692	13.3	1.02	1.12	5,598	61	0.71	1.55	0.84		
Midland I ..	7,283,200	58,039	54,956	2,172	2,038	117,205	16.1	43,751	41,353	85,104	11.6	1.05	1.01	6,085	52	5.44	3.31	2.13		
Midland II ..	4,813,100	39,571	37,257	1,401	1,323	79,552	16.5	28,978	27,384	56,362	11.7	1.06	1.02	4,214	53	6.01	3.45	2.56		
East ..	2,470,100	18,468	17,699	771	715	37,653	15.2	14,773	13,969	28,742	11.6	1.05	1.01	1,871	49	4.34	3.03	1.31		
South West ..	1,859,100	13,291	12,752	694	632	27,369	14.7	11,833	11,366	23,199	12.4	0.93	0.95	1,164	42	2.12	2.18	0.06		
Wales ..	2,100,300	14,082	13,498	626	611	28,817	13.7	13,789	14,375	28,164	13.2	0.88	0.96	1,248	43	2.39	0.48	1.91		
Wales I ..	2,465,200	18,502	17,498	730	672	37,402	15.2	17,836	15,464	33,308	13.4	1.02	1.13	2,247	60	4.88	2.01	6.89		
Wales II ..	1,781,800	13,591	12,857	464	419	27,331	15.3	12,666	10,551	23,217	13.0	1.07	1.15	1,656	60	6.26	2.65	8.91		
DENSITY SUMMARY OF ALL AREAS OUTSIDE GREATER LONDON:	683,400	4,911	4,641	266	253	10,071	14.7	5,170	4,913	10,083	14.4	0.93	1.11	591	58	1.08	0.24	1.32		
County Boroughs ..	12,832,700	96,801	92,473	4,385	4,291	197,950	15.4	83,543	79,756	163,299	12.8	1.02	1.08	11,449	58	0.12	2.35	2.23		
Urban Districts ..	12,640,240	94,172	89,231	3,712	3,501	190,616	15.1	79,535	77,025	156,560	12.3	1.00	1.02	9,369	49	5.02	2.08	2.94		
Rural Districts ..	7,259,060	53,318	50,880	2,355	2,136	108,689	15.0	45,852	42,912	88,764	12.0	0.96	0.95	5,176	47	5.62	2.66	2.96		
SUPPLEMENTARY SUB-DIVISIONS OF SOUTH-EAST REGION:																				
Midland Section ..	5,348,800	39,337	37,339	1,476	1,451	79,603	15.3	26,959	26,276	53,235	10.0	1.05	0.87	3,147	40	15.74	4.03	11.71		
Southern Section ..	9,254,100	62,045	59,070	3,322	3,253	127,690	13.6	54,095	52,952	107,047	11.8	0.93	0.91	5,343	42	4.63	1.75	2.88		

† Populations appropriate for calculation of death rates are shown in Table 29.
 ‡ In addition to these numbers 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934.

TABLE 17—continued.

(See notes on first page of Table 17.)

AREA.	Esti- mated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	
		M.	F.	M.	F.									Number.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ENGLAND (excluding Monmouth)														
BEDFORDSHIRE:														
ADMIN. COUNTY	265,540	1,937	1,957	98	93	4,085	15.4	1,502	1,496	2,998	11.0	1.01	0.92	162
*URBAN DISTRICTS	178,612	1,345	1,368	67	70	2,850	16.0	998	1,019	2,017	11.0	1.05	0.95	111
Amphill ..	2,374	13	20	2	—	35	14.7	11	21	32	12.7	0.78	0.82	3
Bedford M.B. ..	46,260	304	319	20	16	659	14.2	269	320	589	12.2	0.95	0.96	20
Biggleswade ..	5,974	51	37	—	4	92	15.4	51	40	91	14.8	0.80	1.09	7
Dunstable M.B. ..	14,090	112	109	4	6	231	16.4	84	71	155	10.5	1.08	0.94	6
Kempston ..	7,580	79	80	1	3	163	21.5	36	35	71	9.3	1.07	0.82	9
Leighton Buzzard	7,050	51	61	1	1	114	16.2	48	46	94	12.9	0.91	0.97	7
*Luton M.B. ..	92,062	705	718	37	38	1,498	16.3	476	469	945	10.0	1.16	0.96	57
Sandy ..	3,222	30	24	2	2	58	18.0	23	17	40	12.0	0.86	0.85	2
*RURAL DISTRICTS	86,928	592	589	31	23	1,235	14.2	504	477	981	11.1	0.92	0.84	51
Amphill ..	19,190	142	146	9	10	307	16.0	132	120	252	12.7	0.93	0.98	12
Bedford ..	27,930	168	183	15	4	370	13.2	138	147	285	10.2	0.89	0.75	17
Biggleswade ..	24,060	142	142	4	6	294	12.2	139	120	259	10.9	0.90	0.81	13
*Luton ..	15,748	140	118	3	3	264	16.8	95	90	185	11.2	0.98	0.91	9
BERKSHIRE ..	330,800	2,470	2,182	139	100	4,891	14.8	2,082	2,007	4,089	11.9	0.92	0.90	200
COUNTY BORO':														
Reading ..	100,600	776	680	37	34	1,527	15.2	680	647	1,327	12.8	0.94	0.99	79
ADMIN. COUNTY ..	230,200	1,694	1,502	102	66	3,364	14.6	1,402	1,360	2,762	11.5	0.91	0.86	121
URBAN DISTRICTS ..	80,400	547	498	41	21	1,107	13.8	485	536	1,021	12.2	0.88	0.89	40
Abingdon M.B. ..	8,053	49	60	1	2	112	13.9	43	47	90	10.9	0.86	0.86	2
Maidenhead M.B.	23,200	161	135	13	10	319	13.8	127	148	275	11.3	0.89	0.83	11
Newbury M.B. ..	14,940	98	82	6	2	188	12.6	92	87	179	11.4	0.89	0.84	5
New Windsor M.B.	19,410	144	144	14	6	308	15.9	120	128	248	12.4	0.92	0.94	13
Wallingford M.B.	3,087	19	16	2	—	37	12.0	26	22	48	14.9	0.77	0.95	3
Wantage ..	4,164	28	15	1	1	45	10.8	24	34	58	13.7	0.85	0.96	2
Wokingham M.B.	7,546	48	46	4	—	98	13.0	53	70	123	15.8	0.73	0.95	4
RURAL DISTRICTS ..	149,800	1,147	1,004	61	45	2,257	15.1	917	824	1,741	11.1	0.93	0.85	81
Abingdon ..	16,820	201	146	8	5	360	21.4	94	83	177	10.1	1.12	0.93	12
Bradfield ..	14,980	98	79	4	7	188	12.5	84	85	169	10.8	0.88	0.79	9
Cookham ..	10,440	81	75	8	1	165	15.8	58	62	120	10.7	0.92	0.81	6
Easthampstead ..	19,350	133	119	6	3	261	13.5	108	105	213	10.6	0.91	0.80	6
Faringdon ..	9,276	71	67	8	2	148	16.0	61	39	100	10.3	0.91	0.77	3
Hungerford ..	8,409	65	47	4	5	121	14.4	71	52	123	12.2	0.85	0.86	6
Newbury ..	11,720	72	74	2	3	151	12.9	87	74	161	13.1	0.92	1.00	6
Wallingford ..	11,730	109	102	8	8	227	19.4	79	58	137	11.2	1.02	0.94	13
Wantage ..	11,710	66	71	4	4	145	12.4	65	58	123	10.4	0.87	0.75	5
Windsor ..	9,155	51	33	2	2	88	9.6	56	61	117	11.9	0.91	0.89	2
Wokingham ..	26,210	200	191	7	5	403	15.4	154	147	301	10.9	0.92	0.83	13
BUCKINGHAMSHIRE:														
ADMIN. COUNTY ..	314,200	2,318	2,289	92	101	4,800	15.3	1,760	1,673	3,433	10.5	0.97	0.84	188
URBAN DISTRICTS ..	157,700	1,243	1,200	46	54	2,543	16.1	883	806	1,689	10.3	1.06	0.90	100
Aylesbury M.B. ..	14,850	125	124	6	3	258	17.4	84	79	163	14.4	1.05	0.90	10
Beaconsfield ..	5,498	40	35	3	—	78	14.2	24	34	58	9.9	0.91	0.74	3
Bletchley ..	7,601	59	48	2	3	112	14.7	51	36	87	10.9	1.04	0.94	4
Buckingham M.B.	3,295	24	36	—	1	61	18.5	28	26	54	15.5	0.89	1.14	1
Chepping ..	34,420	255	242	7	12	516	15.0	194	154	348	9.7	1.12	0.90	21
Wycombe M.B.														
Chesham ..	10,440	64	73	2	2	141	13.5	63	64	127	11.7	0.92	0.89	2
Eton ..	3,930	21	17	—	—	38	9.7	16	18	34	8.4	1.20	0.83	1
Linslade ..	2,656	25	12	—	1	38	14.3	22	14	36	13.0	0.86	0.92	1
Marlow ..	5,490	51	47	2	3	103	18.8	33	43	76	13.0	0.91	0.98	5
Newport Pagnell ..	4,010	21	10	2	1	34	8.5	37	21	58	14.0	0.78	0.90	3
Slough M.B. ..	52,590	493	476	20	25	1,014	19.3	251	230	481	8.9	1.27	0.93	48
Wolverton ..	12,920	65	80	2	3	150	11.6	80	87	167	12.6	0.81	0.84	2
RURAL DISTRICTS ..	156,500	1,075	1,089	46	47	2,257	14.4	877	867	1,744	10.7	0.90	0.80	88
Amersham ..	32,580	232	253	8	10	503	15.4	187	166	353	10.2	0.93	0.78	18

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
WILTSHIRE : —contd.															
Salisbury ..	26,970	153	183	3	8	347	12.9	140	139	279	10.5	0.83	0.72	13	37
Salisbury ..	7,605	42	50	2	1	95	12.5	46	50	96	12.2	0.89	0.90	4	41
Salisbury ..	33,070	248	225	20	15	508	15.4	163	161	324	9.4	0.98	0.76	19	37
Salisbury ..	12,770	97	90	1	3	191	15.0	66	86	152	11.5	0.81	0.77	7	36
Salisbury ..	6,589	41	37	1	1	80	12.1	54	45	99	14.1	0.86	1.00	4	49
Salisbury ..	6,566	31	31	1	3	66	10.1	51	54	105	15.3	0.78	0.99	3	43
Salisbury ..	30,350	231	220	10	6	467	15.4	170	166	336	10.5	0.94	0.82	20	42
WILTSHIRE : —contd.															
Salisbury ..	151,350	867	927	34	36	1,864	12.3	856	970	1,826	11.9	0.88	0.87	73	38
Salisbury ..	79,040	413	440	21	17	891	11.3	409	447	856	10.8	0.95	0.85	35	37
Salisbury ..	72,310	454	487	13	19	973	13.5	447	523	970	13.1	0.83	0.90	38	38
Salisbury ..	31,460	213	208	3	8	432	13.7	188	220	408	12.6	0.85	0.89	16	36
Salisbury ..	18,970	114	114	3	3	234	12.3	117	129	246	12.7	0.86	0.90	10	42
Salisbury ..	21,880	127	165	7	8	307	14.0	142	174	316	14.0	0.78	0.90	12	38
WILTSHIRE : —contd.															
Salisbury ..	1,156,670	8,563	7,935	332	295	17,125	14.8	7,341	7,142	14,483	12.5	1.00	1.03	892	52
Salisbury ..	417,270	3,083	2,951	143	131	6,308	15.1	2,835	2,682	5,517	13.3	1.01	1.11	390	62
Salisbury ..	143,400	1,150	1,157	48	50	2,405	16.8	983	821	1,804	12.9	1.05	1.12	139	58
Salisbury ..	44,280	333	323	24	15	695	15.7	328	283	611	13.6	1.04	1.17	54	78
Salisbury ..	135,600	942	890	41	42	1,915	14.1	921	912	1,833	13.6	1.02	1.15	134	70
Salisbury ..	93,990	658	581	30	24	1,293	13.8	603	666	1,269	13.6	0.93	1.05	63	49
WILTSHIRE : —contd.															
Salisbury ..	739,400	5,480	4,984	189	164	10,817	14.6	4,506	4,460	8,966	12.0	1.00	0.99	502	46
Salisbury ..	576,950	4,347	3,906	155	120	8,528	14.8	3,538	3,575	7,113	12.2	1.01	1.02	396	46
WILTSHIRE : —contd.															
Salisbury ..	3,044	17	13	1	2	33	10.8	19	29	48	15.2	0.87	1.09	1	30
Salisbury ..	2,998	19	17		3	39	13.0	18	20	38	12.6	0.84	0.87	2	51
Salisbury ..	38,000	288	270	14	6	578	15.2	205	209	414	10.8	1.06	0.95	22	38
Salisbury ..	41,950	388	371	14	8	781	18.6	209	187	396	9.4	1.14	0.80	34	44
Salisbury ..	5,054	27	28	2		57	11.3	33	43	76	14.8	0.92	1.13	1	18
Salisbury ..	3,061	17	14	1	2	34	11.1	22	18	40	12.6	0.87	0.91		
Salisbury ..	15,790	124	102	2	3	231	14.6	80	94	174	10.9	1.05	0.95	16	69
Salisbury ..	27,810	226	246	5	3	480	17.3	150	168	318	11.0	1.05	0.95	30	62
Salisbury ..	15,060	89	119	1	4	213	14.1	100	99	199	13.1	1.02	1.10	12	56
Salisbury ..	46,560	347	309	15	13	684	14.7	318	317	635	13.5	1.02	1.14	43	63
Salisbury ..	18,680	124	110	8	5	247	13.2	117	134	251	13.6	1.04	1.17	15	61
Salisbury ..	26,810	288	239	10	6	543	20.3	119	110	229	8.5	1.35	0.95	32	50
Salisbury ..	11,680	57	60	5		122	10.4	72	63	135	11.2	0.90	0.83	2	16
Salisbury ..	17,630	113	134	6	2	255	14.5	101	110	211	11.7	0.92	0.89	10	39
Salisbury ..	7,773	74	53	3	4	134	17.2	43	35	78	9.7	1.04	0.83	8	60
Salisbury ..	23,400	177	129	6	4	316	13.5	162	158	320	13.1	0.85	0.92	8	25
Salisbury ..	31,690	189	177	3	7	376	11.9	224	254	478	15.2	0.95	1.10	17	45
Salisbury ..	6,346	35	41	2	1	79	12.4	41	44	85	13.3	0.97	1.07	2	25
Salisbury ..	4,589	21	26	3		50	10.9	43	39	82	17.6	0.83	1.21	2	40
Salisbury ..	5,887	40	35	3	1	79	13.4	28	26	54	8.9	0.94	0.69	2	25
Salisbury ..	36,200	206	172	11	4	393	10.9	248	266	514	14.1	0.94	1.10	22	56
Salisbury ..	11,820	75	61		4	140	11.8	82	80	162	13.1	0.88	0.95	8	37
Salisbury ..	6,155	46	41	3	1	91	14.8	41	30	71	11.4	1.06	1.00	5	55
Salisbury ..	8,342	55	42	3	1	101	12.1	64	49	113	13.4	0.90	1.00	3	29
Salisbury ..	8,606	82	59	3	1	145	16.8	60	57	117	13.3	0.95	1.04	6	41
Salisbury ..	19,270	132	125	6	10	273	14.2	130	104	234	12.2	1.02	1.03	15	55
Salisbury ..	23,440	215	179	4	3	401	17.1	123	136	259	11.3	1.13	1.06	13	33
Salisbury ..	38,200	318	247	5	6	576	15.1	200	202	402	10.5	1.00	0.92	18	31
Salisbury ..	8,525	65	56	1		122	14.3	55	60	115	13.2	1.00	1.00	8	65
Salisbury ..	23,320	155	132	5	2	294	12.6	173	190	363	15.7	0.97	1.26	14	47
Salisbury ..	14,920	93	88	3	2	186	12.5	87	87	174	11.3	0.95	0.89	4	22

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of T

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.							Deaths and 1 year.
		Legitimate.		Illegitimate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
CHESHIRE—contd.															
U.D's.—contd.															
Winsford ..	11,170	97	83	2	2	184	16.5	88	71	159	14.1	0.99	1.15	12	
Wirral ..	13,170	148	128	5	10	291	22.1	83	86	169	11.9	0.94	0.92	9	
*RURAL DISTRICTS..	162,450	1,133	1,078	34	44	2,289	14.1	968	885	1,853	11.2	0.97	0.90	106	
Bucklow ..	9,360	63	55	1	2	121	12.9	54	51	105	10.8	0.99	0.88	5	
Chester ..	18,020	117	140	4	6	267	14.8	98	84	182	9.8	0.94	0.76	12	
Congleton ..	11,820	69	78	1	5	153	12.9	65	62	127	10.5	1.00	0.87	9	
Disley ..	2,874	22	21	—	—	43	15.0	14	18	32	10.8	0.90	0.80	2	
*Macclesfield ..	18,470	90	102	6	6	204	11.0	99	99	198	10.4	0.95	0.82	8	
Nantwich ..	25,210	192	173	7	13	385	15.3	161	143	304	11.8	0.94	0.92	19	
Northwich ..	29,020	234	208	6	7	455	15.7	166	160	326	11.0	1.02	0.93	22	
Runcorn ..	32,350	215	203	5	1	424	13.1	195	162	357	11.0	0.98	0.89	15	
Tarvin ..	14,110	121	93	4	4	222	15.7	108	92	200	13.8	0.93	1.06	14	
Tintwistle ..	1,216	10	5	—	—	15	12.3	8	14	22	17.9	0.82	1.21	—	
CORNWALL:															
ADMIN. COUNTY ..	310,100	1,987	1,854	85	82	4,008	12.9	2,233	2,383	4,616	14.7	0.84	1.02	231	
URBAN DISTRICTS..	171,300	1,115	1,050	54	45	2,264	13.2	1,238	1,350	2,588	14.9	0.84	1.03	125	
Bodmin M.B. ..	5,480	34	35	1	—	70	12.8	26	41	67	12.1	0.77	0.77	6	
Bude—Stratton ..	4,514	32	20	1	—	53	11.7	31	30	61	12.8	0.83	0.88	3	
Camborne—Redruth ..	34,780	252	240	8	14	514	14.8	256	310	566	16.2	0.89	1.19	28	
Falmouth M.B. ..	15,000	97	89	9	10	205	13.7	120	106	226	14.8	0.89	1.09	12	
Fowey M.B. ..	2,227	5	1	—	—	6	2.7	19	15	34	15.2	0.83	1.04	1	
Helston M.B. ..	4,926	41	23	—	1	65	13.2	45	41	86	17.4	0.79	1.14	3	
Launceston M.B. ..	4,271	22	22	—	—	44	10.3	33	32	65	15.0	0.83	1.03	1	
Liskeard M.B. ..	4,120	15	19	—	—	34	8.3	27	43	70	16.9	0.76	1.06	1	
Looe ..	3,067	19	12	1	—	32	10.4	31	27	58	18.3	0.73	1.10	1	
Lostwithiel M.B. ..	1,951	14	12	1	—	27	13.8	8	20	28	14.3	0.75	0.89	4	
Newquay ..	7,840	45	33	—	2	80	10.2	41	68	109	13.2	0.79	0.86	5	
Padstow ..	2,335	15	13	1	—	29	12.4	17	20	37	15.6	0.79	1.02	1	
Penryn M.B. ..	3,825	32	29	1	2	64	16.7	22	28	50	13.1	0.95	1.03	6	
Penzance M.B. ..	19,340	110	106	8	2	226	11.7	148	152	300	15.6	0.80	1.03	14	
St. Austell ..	22,360	152	164	6	3	325	14.5	172	173	345	15.3	0.85	1.07	21	
St. Ives M.B. ..	7,890	41	47	5	2	95	12.0	74	63	137	17.1	0.73	1.03	4	
St. Just ..	4,128	35	24	—	1	60	14.5	33	34	67	16.2	0.80	1.10	3	
Saltash M.B. ..	6,830	40	53	3	1	97	14.2	42	38	80	11.6	0.88	0.84	7	
Torpoint ..	3,776	27	26	—	3	56	14.8	25	25	50	13.1	0.90	0.97	1	
Truro M.B. ..	12,640	87	82	9	4	182	14.4	68	84	152	12.0	0.92	0.91	4	
RURAL DISTRICTS..	138,800	872	804	31	37	1,744	12.6	995	1,033	2,028	14.4	0.83	0.90	106	
Camelford ..	6,999	37	27	1	2	67	9.6	43	46	89	12.5	0.85	0.88	3	
Kerrier ..	18,460	110	107	3	5	225	12.2	119	156	275	14.6	0.85	1.03	15	
Launceston ..	6,288	35	29	1	1	66	10.5	45	40	85	13.4	0.81	0.90	2	
Liskeard ..	13,190	66	74	2	2	144	10.9	102	101	203	15.3	0.80	1.01	15	
St. Austell ..	19,160	120	130	5	5	260	13.6	151	121	272	14.0	0.92	1.06	13	
St. Germans ..	15,380	74	83	2	5	164	10.7	107	101	208	13.7	0.79	0.89	10	
Scilly, Isles of ..	1,583	12	9	—	—	21	13.3	6	8	14	8.8	0.90	0.65	1	
Stratton ..	4,650	36	24	—	1	61	13.1	30	24	54	11.4	0.90	0.85	2	
Truro ..	23,920	170	132	8	8	318	13.3	184	198	382	15.7	0.78	1.01	20	
Wadebridge ..	12,600	99	75	4	2	180	14.3	95	97	192	14.9	0.82	1.01	14	
West Penwith ..	16,570	113	114	5	6	238	14.4	113	141	254	15.1	0.83	1.04	11	
CUMBERLAND															
COUNTY BORO';	255,280	1,976	1,842	124	93	4,035	15.8	1,738	1,745	3,483	13.3	1.00	1.10	244	
Carlisle ..	61,000	464	438	27	20	949	15.6	403	412	815	13.0	1.09	1.17	71	
ADMIN. COUNTY ..	194,280	1,512	1,404	97	73	3,086	15.9	1,335	1,333	2,668	13.4	0.97	1.07	173	
URBAN DISTRICTS..	79,280	651	609	36	21	1,317	16.6	535	569	1,104	13.7	1.02	1.15	75	
Cockermouth ..	4,807	36	35	5	3	79	16.4	34	43	77	15.4	0.97	1.23	5	
Keswick ..	4,376	19	18	1	—	38	8.7	28	39	67	14.4	0.87	1.04	—	

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.							Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.											
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
BERLAND—contd.																
W. Boro'—contd.																
Ayrport...	11,210	96	77	5	6	184	16.4	71	81	152	13.4	1.00	1.11	8	43	
Arith...	9,297	89	71	8	1	169	18.2	60	77	137	14.2	0.92	1.08	8	47	
Whitehaven M.B.	22,370	201	197	10	6	414	18.5	149	138	287	12.8	1.10	1.16	31	73	
Workington M.B.	27,220	210	211	7	5	433	15.9	193	191	384	14.0	1.06	1.23	23	53	
RURAL DISTRICTS...																
Arith with Garrigill	115,000	861	795	61	52	1,769	15.4	800	764	1,564	13.2	0.95	1.04	98	55	
Arith...	2,300	13	14	1	—	28	12.2	16	22	38	15.7	0.81	1.05	1	36	
Barnard...	25,650	175	167	17	13	372	14.5	165	173	338	12.6	0.92	0.96	19	51	
Barnard...	17,630	129	108	7	5	249	14.1	117	102	219	12.1	1.00	1.00	12	48	
Barnard...	26,160	235	190	10	15	450	17.2	196	170	366	13.9	1.01	1.16	33	73	
Barnard...	11,320	93	77	6	4	180	15.9	76	84	160	13.8	0.91	1.04	9	50	
Barnard...	11,100	63	82	3	7	155	14.0	67	67	134	11.7	0.91	0.88	3	19	
Barnard...	20,840	153	157	17	8	335	16.1	163	146	309	14.3	0.95	1.12	21	63	
WYSHIRE...																
WYSHIRE...	768,900	5,822	5,525	229	206	11,782	15.3	4,565	4,223	8,788	11.4	1.07	1.01	553	47	
WYSHIRE BORO'...	137,700	979	881	39	45	1,944	14.1	885	782	1,667	12.3	1.05	1.07	85	44	
WYSHIRE...	631,200	4,843	4,644	190	161	9,838	15.6	3,680	3,441	7,121	11.2	1.08	1.00	468	47	
RURAL DISTRICTS...																
Arith...	339,500	2,515	2,337	90	102	5,044	14.9	2,036	1,915	3,951	11.6	1.07	1.03	244	48	
Arith...	21,760	148	150	7	6	311	14.3	143	120	263	12.1	1.09	1.09	19	51	
Arith...	4,801	29	26	1	2	58	12.1	36	38	74	15.0	0.96	1.19	2	34	
Arith...	3,211	26	15	—	—	41	12.8	20	20	40	12.0	0.96	0.95	4	98	
Arith...	14,620	104	73	3	5	185	12.7	90	75	165	11.3	1.07	1.00	10	54	
Arith...	10,210	90	71	3	5	169	16.6	48	41	89	8.8	1.20	0.87	9	53	
WYSHIRE BORO'...																
Arith M.B.	16,880	148	121	8	5	282	16.7	101	118	219	12.6	0.97	1.01	14	50	
Arith M.B.	65,200	518	458	20	19	1,015	15.6	387	335	722	11.1	1.11	1.02	41	40	
Arith...	8,132	39	49	3	1	92	11.3	39	46	85	10.6	1.08	0.95	4	43	
Arith...	6,728	58	68	1	3	130	19.3	33	38	71	10.5	1.06	0.92	3	23	
Arith M.B.	17,960	92	85	1	8	186	10.4	152	149	301	16.7	0.88	1.21	10	54	
WYSHIRE...																
Arith...	22,730	199	165	5	—	369	16.2	130	125	255	11.2	1.14	1.06	15	41	
Arith M.B.	31,990	243	237	8	8	496	15.5	172	167	339	10.7	1.16	1.03	24	48	
Arith...	26,200	181	195	9	8	393	15.0	143	171	314	12.0	1.08	1.07	20	51	
Arith...	16,460	122	123	7	9	261	15.9	120	117	237	14.1	0.97	1.13	11	42	
Arith...	8,150	43	51	1	3	98	12.0	57	50	107	13.1	0.94	1.02	6	61	
WYSHIRE...																
Arith...	17,370	125	135	2	7	269	15.5	117	93	210	12.1	1.09	1.09	11	41	
Arith...	16,960	123	127	3	6	259	15.3	87	69	156	9.2	1.30	0.99	16	61	
Arith...	20,510	178	113	6	5	302	14.7	115	93	208	10.1	1.11	0.93	20	66	
Arith...	4,936	20	41	—	—	62	12.6	18	26	44	8.7	0.92	0.66	1	16	
Arith...	4,692	29	34	2	1	66	14.1	28	24	52	11.0	0.98	0.89	4	61	
RURAL DISTRICTS...																
Arith...	291,700	2,328	2,307	100	59	4,794	16.4	1,644	1,526	3,170	10.8	1.08	0.96	224	47	
Arith...	11,000	73	82	7	5	167	15.2	60	54	114	10.2	0.97	0.82	4	24	
Arith...	18,670	138	137	8	7	290	15.5	134	139	273	14.1	0.93	1.08	8	27	
Arith...	25,880	172	191	10	2	375	14.5	144	135	279	10.7	0.98	0.87	21	56	
Arith...	42,580	350	307	14	8	679	15.9	238	212	450	10.7	1.17	1.03	46	68	
Arith...	18,100	130	120	3	4	257	14.2	99	126	225	12.0	0.99	0.98	15	58	
WYSHIRE...																
Arith...	70,480	603	611	15	18	1,247	17.7	388	329	717	10.2	1.13	0.95	59	47	
Arith...	17,700	145	130	8	4	287	16.2	100	82	182	10.3	1.10	0.94	8	28	
Arith...	27,480	188	182	16	3	389	14.2	151	128	279	9.9	1.06	0.87	16	41	
Arith...	59,810	529	547	19	8	1,103	18.4	330	321	651	10.7	1.14	1.01	47	43	
WYSHIRE...																
Arith...	746,790	4,856	4,638	241	235	9,970	13.4	4,964	5,128	10,092	13.4	0.84	0.93	408	41	
Arith BORO's...	290,690	2,135	2,017	112	118	4,382	15.1	1,818	1,793	3,611	12.0	0.95	0.99	185	42	
Arith...	69,890	469	434	12	21	936	13.4	424	484	908	12.9	0.91	0.97	40	42	
Arith...	220,800	1,666	1,583	100	97	3,446	15.6	1,394	1,309	2,703	12.5	0.96	0.99	145	42	
WYSHIRE...																
Arith...	456,100	2,721	2,621	129	117	5,588	12.3	3,146	3,335	6,481	13.9	0.80	0.92	223	39	
RURAL DISTRICTS...																
Arith...	233,600	1,272	1,247	65	58	2,642	11.3	1,648	1,877	3,525	14.7	0.76	0.92	101	38	
Arith...	2,368	9	16	—	1	26	11.0	17	9	26	11.0	0.78	0.71	1	38	
Arith...	2,350	17	17	1	—	35	14.9	14	10	24	9.9	1.00	0.82	1	29	

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of Ta

AREA.	Esti- mated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Ratio of local ad- justed death rate to National Rate.	Number.	Deaths under 1 year
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.				
		M.	F.	M.	F.											
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15		
DEVONSHIRE—contd.																
U.D's.—contd.																
Barnstaple M.B. . .	14,530	91	91	3	3	188	12.9	111	108	219	14.9	0.82	1.01	7		
Bideford M.B. . .	9,226	52	50	—	4	106	11.5	69	89	158	16.8	0.80	1.11	6		
Brixham . . .	8,237	44	44	5	—	93	11.3	62	63	125	15.0	0.78	0.97	2		
Buckfastleigh . .	2,446	13	12	—	—	25	10.2	11	21	32	13.0	0.77	0.83	1		
Budleigh Salterton	3,437	17	15	2	1	35	10.2	26	27	53	14.7	0.64	0.78	1		
Crediton . . .	3,752	16	20	—	2	38	10.1	26	31	57	14.6	0.86	1.04	1		
Dartmouth M.B. .	6,075	24	27	3	—	54	8.9	37	49	86	14.3	0.87	1.03	3		
Dawlish . . .	5,524	23	33	2	3	61	11.0	47	50	97	16.6	0.77	1.06	1		
Exmouth . . .	15,270	75	84	1	2	162	10.6	102	133	235	14.8	0.69	0.84	2		
Great Torrington M.B. . .	2,740	24	12	3	1	40	14.6	21	27	48	17.4	0.80	1.15	1		
Holsworthy . . .	1,353	14	6	1	1	22	16.3	14	7	21	15.5	0.82	1.05	2		
Honiton M.B. . .	2,991	16	12	—	1	29	9.7	23	21	44	14.0	0.83	0.96	3		
Ilfracombe . . .	8,142	41	38	2	2	83	10.2	55	92	147	17.5	0.72	1.04	3		
Kingsbridge . . .	3,087	19	21	1	1	42	13.6	14	31	45	14.4	0.82	0.98	1		
Lynton . . .	1,749	13	13	2	1	29	16.6	7	9	16	8.9	0.75	0.55	2		
Newton Abbot . .	14,540	102	65	4	6	177	12.2	114	97	211	14.5	0.84	1.01	10		
Norham . . .	5,290	26	23	1	1	51	9.6	30	42	72	12.9	0.80	0.85	1		
Okehampton M.B.	3,600	18	31	2	2	53	14.7	21	23	44	12.0	0.81	0.80	—		
Ottery St. Mary . .	3,549	16	20	2	1	39	11.0	24	32	56	15.4	0.78	0.90	—		
Paignton . . .	22,510	112	121	5	2	240	10.7	153	197	350	15.1	0.70	0.87	5		
Salcombe . . .	2,203	6	13	—	1	20	9.1	19	13	32	14.0	0.71	0.82	2		
Seaton . . .	2,581	16	11	—	—	27	10.5	19	20	39	14.1	0.69	0.80	—		
Sidmouth . . .	8,639	37	40	—	—	77	8.9	49	70	119	12.9	0.60	0.74	2		
South Molton M.B.	2,782	16	14	1	1	32	11.5	17	23	40	14.2	0.75	0.88	2		
Tavistock . . .	5,522	25	34	1	2	62	11.2	47	42	89	16.0	0.75	0.99	5		
Teignmouth . . .	9,765	48	35	2	2	87	8.9	69	70	139	13.7	0.67	0.76	3		
Tiverton M.B. . .	9,814	61	65	2	1	129	13.1	66	80	146	14.6	0.84	1.01	7		
Torquay M.B. . .	44,850	249	242	19	15	525	11.7	331	360	691	14.8	0.75	0.92	24		
Totnes M.B. . .	4,678	32	22	—	1	55	11.8	33	31	64	13.3	0.83	0.91	2		
*RURAL DISTRICTS..																
Axminster . . .	222,500	1,449	1,374	64	59	2,946	13.2	1,498	1,458	2,956	13.0	0.84	0.90	122		
Barnstaple . . .	10,240	61	45	3	3	112	10.9	76	55	131	12.3	0.79	0.80	3		
Bideford . . .	18,880	120	134	5	3	262	13.9	130	118	248	12.7	0.81	0.85	12		
Broadwood Widge	5,004	33	33	—	1	67	13.4	21	38	59	11.6	0.88	0.84	—		
Crediton . . .	1,961	14	10	2	—	26	13.3	7	10	17	8.6	0.96	0.68	—		
Holsworthy . . .	9,234	52	54	4	1	111	12.0	50	59	109	11.6	0.84	0.81	4		
Holsworthy . . .	6,152	39	36	2	2	79	12.8	47	40	87	14.1	0.85	0.99	5		
Honiton . . .	6,693	44	45	2	1	92	13.7	40	40	80	11.5	0.93	0.88	—		
Kingsbridge . . .	10,450	63	61	5	—	129	12.3	76	89	165	15.5	0.77	0.99	4		
Newton Abbot . .	21,530	150	124	6	9	289	13.4	172	145	317	14.4	0.82	0.98	15		
Okehampton . . .	11,760	73	67	2	10	152	12.9	76	88	164	13.8	0.79	0.90	7		
*Plympton St. Mary																
St. Thomas . . .	29,740	215	208	4	6	433	14.6	198	184	382	12.7	0.90	0.94	14		
South Molton . .	29,520	186	199	9	7	401	13.6	182	205	387	12.8	0.85	0.90	15		
Tavistock . . .	8,942	56	49	4	1	110	12.3	66	50	116	13.0	0.87	0.93	7		
Tiverton . . .	13,790	92	74	3	7	176	12.8	100	98	198	14.1	0.83	0.97	7		
Torrington . . .	18,960	142	135	6	3	286	15.1	121	115	236	12.3	0.87	0.88	15		
Totnes . . .	7,314	39	51	3	2	95	13.0	52	47	99	13.5	0.83	0.93	10		
Totnes . . .	12,330	70	49	4	3	126	10.2	84	77	161	12.8	0.83	0.88	4		
DORSETSHIRE :																
ADMIN. COUNTY . .	254,170	1,751	1,674	78	76	3,579	14.1	1,598	1,669	3,267	12.6	0.87	0.91	145		
URBAN DISTRICTS..																
Blandford Forum	160,100	1,112	1,022	55	48	2,237	14.0	923	1,023	1,946	11.9	0.89	0.88	82		
M.B. . .	3,300	24	15	2	—	41	12.4	22	30	52	15.3	0.84	1.06	1		
Bridport M.B. . .	5,720	40	34	2	3	79	13.8	46	48	94	15.9	0.81	1.06	3		
Dorchester M.B. .	10,200	71	61	4	6	142	13.9	76	61	137	12.9	0.94	1.00	4		
Lyme Regis M.B. .	2,731	15	23	—	—	38	13.9	21	15	36	12.5	0.78	0.81	1		
Poole M.B. . .	69,890	524	464	27	24	1,039	14.9	373	453	826	11.5	0.89	0.85	43		
Portland . . .	12,630	71	70	3	1	145	11.5	58	46	104	8.8	0.97	0.71	—		
Shaftesbury M.B. .	3,090	26	12	1	—	39	12.6	20	34	54	16.7	0.74	1.02	1		

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.							Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.											
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
WILTSHIRE—contd.																
Salisbury—contd.																
Salisbury ..	6,352	34	26	1	3	64	10.1	30	39	69	10.4	0.98	0.84	1	15	
Salisbury ..	6,031	20	32	—	1	53	8.8	36	46	82	12.8	0.85	0.90	5	83	
Salisbury M.B. ..	2,506	18	17	1	—	36	14.4	19	14	33	13.1	0.87	0.94	2	54	
Salisbury & Melbury Regis M.B. ..	33,560	239	236	13	8	496	14.8	186	211	397	11.5	0.91	0.86	20	39	
Salisbury Minster ..	4,090	30	32	1	2	65	15.9	36	26	62	14.9	0.77	0.95	1	15	
WILTSHIRE DISTRICTS.																
Salisbury ..	94,070	639	652	23	28	1,342	14.3	675	646	1,321	13.7	0.85	0.96	63	46	
Salisbury ..	7,624	49	59	3	3	114	15.0	58	52	110	14.1	0.83	0.97	3	26	
Salisbury ..	7,186	39	42	2	3	86	12.0	53	44	97	13.0	0.90	0.97	2	23	
Salisbury ..	6,948	38	47	2	4	91	13.1	55	50	105	14.5	0.80	0.96	1	11	
Salisbury ..	15,670	103	118	5	5	231	14.7	113	111	224	14.1	0.85	0.99	22	94	
Salisbury ..	8,200	60	64	3	1	128	15.6	69	63	132	15.5	0.81	1.04	1	78	
Salisbury ..	5,058	45	27	—	2	74	14.6	33	33	66	12.6	0.85	0.89	2	25	
Salisbury ..	8,004	49	41	2	1	93	11.6	69	71	140	16.9	0.82	1.15	4	42	
Salisbury ..	16,840	124	130	2	5	261	15.5	92	96	188	11.2	0.99	0.92	14	52	
Salisbury ..	18,540	132	124	4	4	264	14.2	133	126	259	13.7	0.78	0.88	14	52	
WILTSHIRE DISTRICTS.																
Salisbury ..	1,437,860	12,114	11,506	438	460	24,518	17.1	9,488	8,282	17,770	12.5	1.11	1.15	1,599	65	
Salisbury ..	555,560	4,904	4,598	178	190	9,870	17.8	3,799	3,403	7,202	13.2	1.08	1.18	670	68	
Salisbury ..	76,700	605	565	29	25	1,224	16.0	497	447	944	12.3	1.02	1.04	71	58	
Salisbury ..	116,600	1,086	923	30	34	2,073	17.8	781	712	1,493	13.2	1.14	1.24	123	61	
Salisbury ..	110,000	904	856	33	41	1,834	16.7	780	650	1,430	13.4	1.07	1.18	120	66	
Salisbury ..	182,500	1,618	1,660	59	56	3,393	18.6	1,272	1,181	2,453	13.7	1.11	1.26	262	78	
Salisbury ..	69,760	691	594	27	34	1,346	19.3	469	413	882	12.9	1.08	1.15	94	70	
WILTSHIRE COUNTY.																
Salisbury ..	882,300	7,210	6,908	260	270	14,648	16.6	5,689	4,879	10,568	12.0	1.11	1.10	929	63	
WILTSHIRE DISTRICTS.																
Salisbury ..	611,700	5,023	4,780	187	185	10,175	16.6	3,975	3,403	7,378	12.2	1.11	1.12	615	60	
Salisbury ..	3,950	26	20	1	—	47	11.9	30	28	58	14.1	0.76	0.89	4	78	
Salisbury ..	20,930	209	203	4	4	420	20.1	98	85	183	8.8	1.50	1.09	27	64	
Salisbury ..	35,110	299	273	17	20	609	17.3	267	201	468	13.3	1.02	1.12	40	63	
Salisbury ..	30,580	266	244	4	5	519	17.0	200	155	355	11.7	1.12	1.08	27	52	
Salisbury ..	16,710	114	122	2	3	241	14.4	126	78	204	12.4	1.03	1.06	13	53	
Salisbury ..	19,570	155	144	4	3	306	15.6	138	105	243	12.4	1.08	1.11	23	72	
Salisbury ..	17,520	129	119	4	7	259	14.8	111	108	219	12.5	1.07	1.11	25	96	
Salisbury ..	37,340	320	360	12	13	705	18.9	234	219	453	12.1	1.16	1.16	51	72	
Salisbury ..	27,810	186	158	7	11	362	13.0	186	166	352	12.5	1.03	1.06	20	54	
Salisbury ..	19,320	159	127	4	5	295	15.3	103	104	207	10.8	1.03	0.92	11	37	
Salisbury ..	26,080	194	170	5	9	378	14.5	171	148	319	12.5	1.13	1.17	29	76	
Salisbury ..	17,870	171	152	7	2	332	18.6	145	107	252	14.5	1.10	1.32	25	75	
Salisbury ..	23,490	211	192	6	5	414	17.6	169	107	276	12.0	1.20	1.19	20	48	
Salisbury ..	19,360	180	168	3	4	355	18.3	102	100	202	10.5	1.18	1.02	13	36	
WILTSHIRE DISTRICTS.																
Salisbury ..	29,490	238	227	11	6	482	16.3	170	152	322	11.0	1.12	1.02	21	43	
Salisbury ..	30,700	259	240	14	12	525	17.1	250	205	455	15.3	1.08	1.37	33	63	
Salisbury ..	13,670	93	90	5	3	191	14.0	87	73	160	11.7	1.07	1.03	9	47	
Salisbury ..	29,100	233	239	6	7	485	16.7	158	142	300	10.6	1.21	1.06	38	78	
Salisbury ..	13,770	118	102	4	1	225	16.3	82	76	158	11.4	0.99	0.93	10	44	
Salisbury ..	19,040	146	134	6	4	290	15.2	124	113	237	12.6	1.07	1.11	5	17	
Salisbury ..	50,020	360	327	17	14	718	14.4	323	271	594	11.9	1.13	1.11	54	75	
Salisbury ..	67,460	607	585	31	36	1,259	18.7	445	424	869	12.9	1.10	1.17	83	66	
Salisbury ..	3,280	25	29	—	1	55	16.8	13	27	40	12.3	1.03	1.05	4	73	
Salisbury ..	16,980	152	147	2	4	305	18.0	87	100	187	11.0	1.20	1.09	14	46	
Salisbury ..	22,550	173	208	11	6	398	17.6	156	109	265	11.9	1.15	1.13	16	41	
WILTSHIRE DISTRICTS.																
Salisbury ..	270,600	2,187	2,128	73	85	4,473	16.5	1,714	1,476	3,190	11.7	1.13	1.09	314	69	
Salisbury ..	17,190	129	112	7	8	256	14.9	117	102	219	12.5	0.96	0.99	14	54	
Salisbury ..	42,480	301	322	6	13	642	15.1	269	239	508	12.1	1.13	1.13	53	82	

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of T

AREA.	Esti- mated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Deat und 1 y
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	
		M.	F.	M.	F.									Number.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DURHAM—contd.														
R.D's.—contd.														
Darlington ..	8,859	54	69	5	1	129	14.6	58	51	109	12.0	0.94	0.93	5
Durham ..	32,080	243	259	11	14	527	16.4	198	169	367	11.4	1.17	1.10	37
Easington ..	80,790	784	699	17	27	1,527	18.9	501	423	924	11.4	1.26	1.19	125
Lanchester ..	15,260	104	100	5	5	214	14.0	100	78	178	11.5	1.04	0.99	6
Sedgefield ..	33,650	260	252	8	7	527	15.7	198	168	366	10.7	1.15	1.02	35
Stockton ..	7,164	58	54	5	3	120	16.8	46	48	94	12.8	1.00	1.06	7
Sunderland ..	24,180	196	200	5	4	405	16.7	165	130	295	12.3	1.15	1.17	27
Weardale ..	8,947	58	61	4	3	126	14.1	62	68	130	13.9	0.90	1.03	5
ELY, ISLE OF :														
ADMIN. COUNTY ..	81,620	632	533	31	28	1,224	15.0	529	440	969	11.6	0.97	0.93	52
URBAN DISTRICTS..														
Chatteris ..	49,750	369	335	18	18	740	14.9	317	275	592	11.6	0.97	0.93	33
Ely ..	5,085	40	29	2	—	71	14.0	29	29	58	11.1	0.93	0.85	4
March ..	8,458	63	47	1	—	111	13.1	55	44	99	11.2	0.93	0.86	6
Whittlesey ..	12,290	70	91	4	7	172	14.0	62	67	129	10.1	1.06	0.88	7
Whittlesey ..	8,297	84	56	2	2	144	17.4	63	39	102	12.3	1.00	1.02	7
Wisbech M.B. ..	15,620	112	112	9	9	242	15.5	108	96	204	12.7	0.92	0.97	9
RURAL DISTRICTS..														
Ely ..	31,870	263	198	13	10	484	15.2	212	165	377	11.6	0.97	0.93	19
North Witchford	13,010	115	64	6	3	188	14.5	97	86	183	13.7	0.91	1.03	11
Thorney ..	4,910	38	35	—	2	75	15.3	35	22	57	11.5	0.86	0.82	2
Wisbech ..	2,250	19	23	1	1	44	19.6	14	9	23	9.6	1.22	0.97	—
Wisbech ..	11,700	91	76	6	4	177	15.1	66	48	114	9.5	1.03	0.81	6
ESSEX														
COUNTY BORO's ..	1,933,300	13,925	13,023	438	428	27,814	14.4	10,219	9,451	19,670	10.4	1.03	0.80	1,033
County Boro's ..	515,400	3,562	3,317	128	114	7,121	13.8	3,050	2,836	5,886	11.8	1.00	0.98	297
East Ham ..	127,600	934	870	20	21	1,845	14.5	752	648	1,400	11.4	1.04	0.98	76
Southend-on-Sea	137,800	758	703	51	34	1,546	11.2	781	927	1,708	12.7	0.84	0.88	57
West Ham ..	250,000	1,870	1,744	57	59	3,730	14.9	1,517	1,261	2,778	11.6	1.11	1.06	164
ADMIN. COUNTY ..	1,417,900	10,363	9,706	310	314	20,693	14.6	7,169	6,615	13,784	9.9	1.04	0.85	736
URBAN DISTRICTS..														
Barking M.B. ..	1,222,300	9,052	8,448	252	264	18,016	14.7	5,915	5,443	11,358	9.5	1.09	0.86	638
Barking M.B. ..	77,500	572	552	9	8	1,141	14.7	321	241	562	7.6	1.47	0.92	37
Benfleet ..	16,980	110	120	5	5	240	14.1	97	111	208	12.3	0.72	0.73	7
Billerica ..	35,160	240	214	11	15	480	13.7	254	188	442	12.4	0.81	0.83	24
Braintree & Bocking	15,060	110	79	7	5	201	13.3	99	84	183	11.8	0.94	0.92	7
Brentwood ..	27,840	151	164	9	6	330	11.9	119	128	247	8.6	0.99	0.70	5
Brightlingsea ..														
Burnham-on- Crouch ..	4,246	18	17	—	1	36	8.5	49	24	73	16.5	0.60	0.94	—
Canvey Island ..	3,557	14	17	—	—	31	8.7	22	19	41	11.3	0.74	0.69	—
Canvey Island ..	6,230	43	36	3	3	85	13.6	49	38	87	14.0	0.78	0.90	4
Chelmsford M.B.	32,020	245	225	5	6	481	15.0	156	151	307	9.5	1.09	0.86	8
Chigwell ..														
Chingford M.B..	25,100	210	200	2	4	416	16.6	111	99	210	8.4	1.07	0.74	10
Clacton ..	39,460	350	307	5	6	668	16.9	129	132	261	6.8	1.28	0.72	15
Colchester M.B..	23,650	130	102	11	10	253	10.7	167	139	306	12.9	0.75	0.80	14
Dagenham M.B..	52,550	387	347	21	14	769	14.6	249	256	505	9.7	0.93	0.75	22
Dagenham M.B..	109,300	972	919	14	20	1,925	17.6	332	291	623	6.0	1.79	0.89	94
Epping ..														
Frinton and Walton	5,846	48	45	2	1	96	16.4	30	25	55	9.1	0.94	0.71	2
Halstead ..	7,287	38	45	1	1	85	11.7	45	51	96	12.3	0.70	0.80	2
Harwich M.B. ..	5,930	45	38	1	1	85	14.3	40	43	83	13.6	0.85	0.96	4
Hornchurch ..	12,760	109	81	—	5	195	15.3	83	78	161	12.8	1.03	1.09	4
Hornchurch ..	81,350	773	736	13	17	1,539	18.9	350	292	642	7.9	1.25	0.82	67
Ilford M.B. ..														
Leyton M.B. ..	169,800	1,149	1,106	19	33	2,307	13.6	727	723	1,450	9.0	1.16	0.86	75
Maldon M.B. ..	116,100	717	729	30	23	1,499	12.9	623	619	1,242	11.2	0.98	0.91	46
Rayleigh ..	9,039	68	55	5	1	129	14.3	65	45	110	11.9	0.82	0.81	5
Romford M.B. ..	8,002	57	41	2	1	101	12.6	64	50	114	14.2	0.79	0.93	7
Romford M.B. ..	57,460	516	485	17	16	1,034	18.0	271	263	534	9.2	1.23	0.94	45
Saffron Walden M.B. ..														
Thurrock ..	6,324	41	37	2	4	84	13.3	48	48	96	14.6	0.81	0.98	2
Waltham Holy Cross ..	68,660	606	520	23	18	1,167	17.0	359	273	632	9.4	1.17	0.91	50
Waltham Holy Cross ..	7,327	60	49	—	2	111	15.1	38	39	77	10.7	0.96	0.85	2

† Populations appropriate for calculation of death rates are shown in Table 29.

† Populations appropriate for calculations of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of

AREA.	Esti- mated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.							Number.
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.		
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
HEREFORDSHIRE—contd.															
RURAL DISTRICTS ..	65,490	499	488	35	30	1,052	16.1	458	443	901	12.9	0.87	0.93		
Bromyard ..	6,733	55	52	3	6	116	17.2	51	37	88	11.4	0.94	0.89		
Dore and Bredwardine ..	7,124	45	46	4	2	97	13.6	43	56	99	13.9	0.83	0.95		
Hereford ..	13,180	101	93	3	4	201	15.3	94	73	167	12.0	0.88	0.87		
Kington ..	4,473	34	37	5	2	78	17.4	23	33	56	12.1	0.81	0.81		
Ledbury ..	8,140	54	53	2	4	113	13.9	47	56	103	10.6	1.01	0.88		
Leominster and Wigmore ..	9,629	56	77	8	4	145	15.1	68	69	137	13.8	0.78	0.89		
Ross and Whitchurch	10,650	102	88	4	7	201	18.9	92	75	167	15.0	0.80	0.90		
Weobley ..	5,561	52	42	6	1	101	18.2	40	44	84	14.7	0.85	1.03		
HERTFORDSHIRE :															
ADMIN. COUNTY ..	499,200	3,755	3,551	126	145	7,577	15.2	2,613	2,593	5,206	10.1	1.02	0.85	29	
URBAN DISTRICTS ..	368,300	2,795	2,672	90	110	5,667	15.4	1,928	1,903	3,831	10.1	1.04	0.87	22	
Baldock ..	3,991	38	42	2	1	83	20.8	26	28	54	12.7	1.13	1.10		
Barnet ..	22,030	153	131	1	4	289	13.1	132	99	231	10.5	1.03	0.89	1	
Berkhamsted ..	10,320	58	57	1	4	120	11.6	49	69	118	10.9	1.03	0.93		
Bishop's Stortford ..	11,160	84	78	6	2	170	15.2	71	60	131	11.3	0.99	0.92		
Bushey ..	12,930	78	82	7	1	168	13.0	49	55	104	8.0	1.07	0.71		
Cheshunt ..	17,850	150	148	6	2	306	17.1	89	90	179	9.9	1.04	0.85	1	
Chorleywood ..	3,775	15	18	—	1	34	9.0	18	21	39	9.6	0.87	0.69		
East Barnet ..	34,480	281	268	6	10	565	16.4	171	159	330	9.6	1.10	0.87	2	
Harpenden ..	11,940	67	78	3	3	151	12.6	52	68	120	9.4	0.96	0.75	1	
Hemel Hempstead M.B. ..	19,220	145	172	5	7	329	17.1	99	113	212	10.6	1.03	0.90		
Hertford M.B. ..	13,180	74	62	3	6	145	11.0	65	69	134	10.1	1.00	0.83		
Hitchin ..	17,380	157	135	3	5	300	17.3	95	89	184	10.2	0.99	0.83	1	
Hoddesdon ..	12,110	113	104	2	4	223	18.4	54	63	117	9.4	1.00	0.78		
Letchworth ..	16,660	115	143	3	5	266	16.0	91	87	178	10.1	1.11	0.93	1	
Rickmansworth ..	19,930	195	173	1	6	375	18.8	92	85	177	8.5	1.17	0.82	1	
Royston ..	3,913	27	19	1	—	47	12.0	26	20	46	11.3	0.81	0.76		
St. Alban M.B. ..	37,000	270	226	10	14	520	14.1	219	211	430	11.2	1.01	0.93	2	
Sawbridgeworth ..	3,070	14	20	—	1	35	11.4	20	14	34	10.6	0.83	0.73		
Stevenage ..	5,673	40	32	—	1	73	12.9	30	28	58	9.9	0.92	0.75		
Tring ..	4,440	31	32	2	—	65	14.6	28	30	58	12.6	0.85	0.89		
Ware ..	7,478	48	38	—	—	86	11.5	38	46	84	11.0	0.83	0.75		
Watford M.B. ..	66,520	482	491	24	27	1,024	15.4	367	357	724	10.8	1.05	0.94	3	
Welwyn Garden City	13,250	160	123	4	6	293	22.1	47	42	89	6.3	1.37	0.71		
RURAL DISTRICTS ..															
Barnet ..	130,900	960	879	36	35	1,910	14.6	685	690	1,375	10.0	0.99	0.82	6	
Berkhamsted ..	9,434	73	56	1	1	131	13.9	38	39	77	8.0	1.11	0.73		
Braughing ..	4,361	29	32	—	—	61	14.0	33	31	64	13.4	0.90	1.00		
Braughing ..	8,943	52	61	2	2	117	13.1	59	75	134	14.3	0.82	0.97		
Hatfield ..	17,560	152	127	8	4	291	16.6	87	74	161	8.8	1.11	0.81		
Hemel Hempstead ..	8,947	70	70	3	2	145	16.2	45	54	99	10.5	0.96	0.83		
Hertford ..	7,054	55	47	4	3	109	15.5	42	44	86	11.9	0.90	0.89		
Hitchin ..	18,890	114	127	5	6	252	13.3	120	117	237	12.0	0.91	0.90		
St. Albans ..	21,710	185	139	7	7	338	15.6	89	86	175	7.7	1.11	0.71	1	
Ware ..	9,716	55	70	1	1	127	13.1	65	48	113	11.3	0.94	0.88		
Watford ..	20,280	148	122	4	8	282	13.9	86	102	188	8.8	1.00	0.73	1	
Welwyn ..	4,005	27	28	1	1	57	14.2	21	20	41	9.6	0.98	0.78		
HUNTINGDONSHIRE :															
ADMIN. COUNTY ..	57,210	419	384	22	17	842	14.7	416	379	795	13.5	0.89	0.99	3	
URBAN DISTRICTS ..	26,360	214	195	8	11	428	16.2	190	171	361	13.3	0.94	1.03	1	
Godmanchester M.B. ..	2,023	19	9	1	1	30	14.8	9	12	21	9.9	0.94	0.77		
Huntingdon M.B. ..	4,624	23	39	—	2	64	13.8	45	34	79	16.3	0.85	1.15		
Old Fletton ..	7,729	66	51	1	3	121	15.7	43	49	92	11.8	1.11	1.08		
Ramsey ..	5,236	52	58	4	1	115	22.0	36	35	71	13.2	0.99	1.08		
St. Ives M.B. ..	2,721	30	14	1	1	46	16.9	21	15	36	12.5	0.86	0.89		
St. Neots ..	4,027	24	24	1	3	52	12.9	36	26	62	14.9	0.81	1.00		

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
GDONSHIRE— <i>ctd.</i>															
DISTRICTS	30,850	205	189	14	6	414	13.4	226	208	434	13.7	0.85	0.96	15	36
ngdon	7,368	41	40	4	1	86	11.7	58	39	97	13.1	0.84	0.91	1	11
an Cross	7,051	62	54	4	1	121	17.2	51	36	87	11.9	0.90	0.97	6	49
es	10,050	68	65	5	2	140	13.9	77	72	149	14.5	0.80	0.96	6	42
oots	6,381	34	30	1	2	67	10.5	40	61	101	15.1	0.79	0.99	2	29
Y BORO'	1,431,100	10,562	10,059	434	392	21,447	15.0	8,298	7,872	16,170	11.3	0.95	0.89	782	36
rbury.	26,300	170	183	5	9	367	14.0	163	166	329	12.4	0.86	0.88	5	13
COUNTY	1,404,800	10,392	9,876	429	383	21,080	15.0	8,135	7,706	15,841	11.3	0.96	0.90	777	37
DISTRICTS	1,120,400	8,409	7,876	343	313	16,941	15.1	6,298	6,113	12,411	11.2	0.96	0.89	599	36
rd	22,460	139	127	2	10	278	12.4	127	119	246	10.6	0.89	0.78	11	39
nam M.B.	71,010	459	438	10	4	911	12.8	316	361	677	9.8	0.98	0.70	30	33
y M.B.	80,110	730	660	17	16	1,423	17.8	346	284	630	8.0	1.26	0.83	56	40
stays and Peters	13,130	67	59	5	2	133	10.1	78	84	162	12.6	0.74	0.77	6	44
ley M.B.	60,000	434	360	18	23	835	13.9	289	304	593	10.0	0.97	0.80	24	29
nam M.B.	45,490	371	303	22	14	710	15.6	320	216	536	12.4	1.00	1.02	26	38
ehurst and cup	63,140	574	491	19	19	1,103	17.5	312	293	605	9.6	1.18	0.94	47	43
ord	25,200	216	230	5	7	458	18.2	101	93	194	7.8	1.28	0.83	16	35
ord M.B.	36,590	282	277	13	4	576	15.7	160	173	333	9.1	1.11	0.83	19	33
M.B.	23,140	188	173	16	8	385	16.6	137	163	300	12.9	0.91	0.97	16	41
M.B.	40,270	322	292	20	12	646	16.0	261	225	486	12.5	0.91	0.94	19	29
M.B.	41,870	369	335	9	8	721	17.2	256	196	452	11.0	1.10	1.00	31	44
sham M.B.	11,850	63	74	1	1	139	11.7	91	81	172	14.2	0.83	0.97	3	21
stone M.B.	45,260	283	267	24	17	591	13.1	284	309	593	13.1	0.84	0.91	19	32
gham M.B.	74,070	495	506	13	18	1,032	13.9	390	318	708	10.4	0.94	0.81	32	32
send M.B.	40,040	327	333	10	6	676	16.9	219	191	410	10.6	1.04	0.91	23	35
e Bay	16,250	69	72	7	4	152	9.4	129	142	271	16.7	0.63	0.87	7	45
M.B.	8,666	43	53	2	3	101	11.7	62	55	117	13.3	0.75	0.82	3	29
M.B.	2,627	16	25	—	3	44	16.7	16	11	27	10.0	0.90	0.79	2	44
stone M.B.	48,270	372	347	16	20	755	15.6	316	254	570	11.6	0.98	0.94	22	29
ate M.B.	39,200	216	184	15	12	427	10.9	208	238	446	11.6	0.83	0.80	11	26
Romey M.B.	1,990	14	13	2	—	29	14.6	17	16	33	15.9	0.94	1.24	—	—
fleet	17,800	141	144	3	4	292	16.4	101	84	185	10.5	1.11	0.96	6	21
ngton	49,510	475	455	16	18	964	19.5	225	223	448	9.0	0.99	0.74	42	44
e	25,740	182	185	10	12	389	15.1	148	167	315	12.7	0.90	0.94	19	49
nborough M.B.	2,934	23	35	2	2	62	21.1	15	15	30	10.3	1.07	0.91	1	16
gate M.B.	34,470	248	244	24	11	527	15.3	209	256	465	13.7	0.89	1.01	20	38
ster M.B.	39,180	360	359	7	7	733	18.7	244	228	472	12.5	1.06	1.10	28	39
l Tunbridge	32,620	218	178	10	14	420	12.9	240	312	552	16.1	0.72	0.96	9	21
ells M.B.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
wich M.B.	3,925	37	25	1	1	64	16.3	22	20	42	8.7	1.33	0.96	3	47
noaks	13,610	81	73	2	3	159	11.7	79	67	146	10.5	0.89	0.77	7	43
rness	16,360	89	96	3	7	195	11.9	92	97	189	12.0	0.96	0.95	14	71
ngbourne and lton	20,860	179	139	5	5	328	15.7	128	134	262	12.4	0.99	1.01	9	27
hborough	7,769	48	59	2	1	110	14.2	56	75	131	16.1	0.81	1.08	4	36
ascombe	8,183	52	65	—	—	117	14.3	56	35	91	11.3	1.11	1.04	3	26
erden M.B.	3,436	13	31	1	2	47	13.7	24	23	47	12.8	0.80	0.85	1	21
ridge	17,750	133	93	3	10	239	13.5	88	118	206	11.3	0.94	0.88	9	37
stable	15,620	81	76	8	5	170	10.9	136	133	269	17.0	0.67	0.94	1	58
DISTRICTS	284,400	1,983	2,000	86	70	4,139	14.6	1,837	1,593	3,430	11.4	0.94	0.89	178	42
ge-Blean	15,950	120	133	7	3	263	16.5	127	100	227	13.4	0.87	0.96	17	63
brook	13,270	71	82	6	1	160	12.1	95	97	192	12.2	1.02	1.03	9	56
ford	33,370	248	254	10	10	522	15.6	186	151	337	9.8	1.03	0.83	18	34
r	9,417	56	65	4	3	128	13.6	57	59	116	12.2	0.83	0.84	6	46
Ashford	9,099	65	62	1	3	131	14.4	64	49	113	11.7	0.80	0.77	4	30
y m	23,300	160	161	10	3	334	14.3	127	118	245	10.7	0.95	0.84	20	58
m	8,788	60	57	4	—	121	13.8	72	49	121	13.6	0.71	0.80	5	41

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of

AREA.	Esti- mated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.							Number.
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.		
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
KENT—contd. R.D.'s—contd.															
Hollingbourne ..	14,160	79	97	1	4	181	12.8	113	76	189	12.7	0.90	0.94	1	
Maidstone ..	15,850	122	114	7	3	246	15.5	112	109	221	12.4	0.99	1.01	2	
Malling ..	30,740	208	212	7	13	440	14.3	200	157	357	11.0	0.97	0.88	2	
Romney Marsh ..	3,494	23	14	—	1	38	10.9	28	24	52	14.1	0.92	1.07	1	
Sevenoaks ..	28,400	241	206	9	5	461	16.2	158	185	343	11.3	0.90	0.84	1	
Sheppey ..	9,188	66	69	2	—	137	14.9	51	29	80	9.1	0.98	0.74	—	
Strood ..	17,420	133	131	4	3	271	15.6	91	69	160	9.1	0.93	0.70	—	
Swale ..	17,910	111	131	4	5	251	14.0	118	114	232	12.3	0.95	0.97	—	
Tenterden ..	6,313	46	42	1	2	91	14.4	43	51	94	13.9	0.86	0.99	—	
Tonbridge ..	19,230	124	127	5	3	259	13.5	138	111	249	11.4	1.04	0.98	1	
West Ashford ..	8,501	50	43	4	8	105	12.4	57	45	102	11.4	0.80	0.75	—	
LANCASHIRE															
COUNTY BORO'S	5,013,830	36,713	35,356	1549	1514	75,132	15.0	33,860	33,349	67,209	13.5	1.04	1.16	4,70	
Barrow-in-Furness ..	3,115,930	23,366	22,476	1134	1110	48,086	15.4	21,416	20,949	42,365	13.8	1.05	1.20	3,15	
Blackburn ..	67,670	560	538	15	24	1,137	16.8	492	412	904	13.3	1.05	1.15	7	
Blackpool ..	111,600	646	645	25	36	1,352	12.1	824	914	1,738	15.6	0.93	1.20	7	
Bolton ..	128,200	653	607	45	55	1,360	10.6	951	1,052	2,003	14.9	0.80	0.90	7	
Bootle ..	167,900	1,120	1,128	49	46	2,343	14.0	1,248	1,250	2,498	15.0	1.00	1.24	17	
Burnley ..	73,780	753	755	25	24	1,557	21.1	480	415	895	12.4	1.21	1.24	10	
Bury ..	87,310	527	507	33	27	1,094	12.5	667	675	1,342	15.5	0.96	1.23	6	
Liverpool ..	58,630	364	326	12	14	716	12.2	430	464	894	15.4	0.96	1.22	3	
Manchester ..	822,400	7,604	7,287	357	366	15,614	19.0	5,466	5,218	10,684	13.3	1.14	1.25	1,10	
Oldham ..	727,600	5,081	4,726	313	258	10,378	14.3	4,839	4,566	9,405	13.4	1.09	1.21	63	
Preston ..	124,400	764	713	38	46	1,561	12.5	1,009	929	1,938	15.7	1.00	1.30	9	
Rochdale ..	112,800	824	805	39	45	1,713	15.2	757	778	1,535	13.7	1.04	1.18	10	
St. Helens ..	90,300	483	456	40	18	997	11.0	654	668	1,322	14.7	0.96	1.17	5	
Salford ..	107,200	894	932	13	20	1,859	17.3	655	583	1,238	11.6	1.20	1.15	14	
Southport ..	196,600	1,445	1,423	69	68	3,005	15.3	1,356	1,342	2,698	14.2	1.11	1.30	20	
Warrington ..	78,900	357	343	25	27	752	9.5	606	732	1,338	10.3	0.79	1.06	4	
Wigan ..	78,900	629	626	18	19	1,292	16.5	460	404	864	11.2	1.16	1.07	6	
ADMIN. COUNTY	82,550	662	659	18	17	1,356	16.4	522	547	1,069	13.0	1.13	1.21	9	
URBAN DISTRICTS															
Abram ..	1,641,300	11,449	10,979	376	361	23,165	14.1	10,949	10,975	21,924	13.3	1.01	1.11	1,34	
Accrington M.B. ..	6,106	56	53	1	1	111	18.2	49	34	83	13.8	1.13	1.20	—	
Adlington ..	39,150	191	191	12	3	397	10.1	278	301	579	14.7	0.91	1.11	—	
Ashton-in-Makerfield	3,994	29	36	1	2	68	17.0	24	26	50	12.6	0.99	1.03	—	
Ashton-under-Lyne M.B.	19,340	148	127	4	4	283	14.6	134	95	229	11.9	1.11	1.09	2	
Aspull ..	48,360	317	287	12	14	630	13.0	353	366	719	15.0	0.97	1.20	3	
Atherton ..	6,625	57	59	3	—	119	18.0	43	39	82	12.5	1.14	1.18	—	
Audenshaw ..	20,540	150	147	1	2	300	14.6	123	123	246	12.0	1.00	1.08	1	
Bacup M.B. ..	11,880	92	62	2	3	159	13.4	62	68	130	10.0	0.95	0.95	—	
Barrowford ..	19,510	122	113	3	3	241	12.4	156	159	315	16.0	1.03	1.36	1	
Billinge and Winstanley	4,877	23	23	—	—	46	9.4	36	31	67	13.8	0.90	1.03	—	
Blackrod ..	5,758	45	52	2	1	100	17.4	31	37	68	11.8	1.03	1.00	—	
Brierfield ..	3,201	21	24	—	1	46	14.4	24	19	43	13.6	0.97	1.09	—	
Carnforth ..	7,126	39	42	4	1	86	12.1	56	55	111	15.8	0.88	1.15	—	
Chadderton ..	3,088	19	15	1	—	35	11.3	21	16	37	11.8	1.01	0.98	—	
Chorley M.B. ..	30,830	252	212	7	9	480	15.6	177	186	363	11.8	1.13	1.10	2	
Church ..	30,170	262	235	8	13	518	17.2	247	225	472	15.6	1.05	1.35	4	
Clayton-le-Moors ..	5,402	22	29	1	—	52	9.6	38	33	71	13.1	0.95	1.03	—	
Clietheroe M.B. ..	6,989	41	42	2	—	85	12.2	51	43	94	13.3	0.95	1.04	—	
Colne M.B. ..	11,260	56	56	5	1	118	10.5	72	65	137	11.9	0.88	0.87	—	
Crompton ..	21,500	111	109	6	9	235	10.9	175	167	342	15.9	0.94	1.24	1	
Crosby M.B. ..	13,140	93	73	2	5	173	13.2	98	95	193	14.8	1.02	1.25	1	
Dalton-in-Furness ..	55,690	364	357	14	14	749	13.4	328	377	705	12.8	0.98	1.04	5	
Darwen M.B. ..	10,460	100	83	3	4	190	18.2	59	86	145	13.8	1.00	1.14	1	
Denston ..	31,160	155	172	4	8	339	10.9	230	265	495	15.8	0.80	1.16	2	
Derby ..	22,700	172	173	5	3	353	15.6	145	145	290	12.7	1.07	1.12	1	

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SHIRE—contd.															
—contd.															
Asden ..	24,940	248	253	6	5	512	20.5	136	136	272	10.0	1.30	1.17	22	42
as M.B. ..	42,630	293	274	8	10	585	13.7	257	284	541	12.8	1.02	1.08	22	38
worth ..	17,720	137	133	4	1	275	15.5	109	113	222	12.6	1.10	1.15	15	34
worth M.B. ..	27,740	189	164	2	5	360	13.0	178	173	351	12.7	1.03	1.08	20	56
wood M.B. ..	24,410	198	169	9	10	386	15.8	144	140	284	11.6	1.11	1.16	19	49
aby ..	8,600	68	56	2	3	129	15.0	52	74	126	14.2	0.80	1.04	5	38
ood ..	11,430	79	77	2	1	159	13.9	84	89	173	14.0	0.87	1.07	9	57
orne ..	14,200	130	109	3	1	243	11.1	83	86	169	12.0	1.00	1.08	13	53
ge ..	2,448	8	8	—	—	16	6.5	21	21	42	16.3	0.68	0.92	1	63
at Harwood ..	10,810	46	70	—	—	116	10.7	77	81	158	14.4	0.88	1.05	9	78
ingden M.B. ..	15,050	73	67	2	—	142	9.4	114	117	231	15.2	0.90	1.13	7	49
lock ..	10,930	91	107	2	2	202	18.5	63	56	119	11.0	1.22	1.11	10	49
wood M.B. ..	25,280	178	175	10	9	372	14.7	181	206	387	15.3	1.02	1.20	18	48
lley ..	20,050	134	138	5	3	280	14.0	131	109	240	12.1	1.08	1.08	9	32
wich ..	14,870	99	89	2	2	192	12.9	105	102	207	13.9	0.99	1.14	12	63
ton with Roby ..	34,220	448	442	10	14	914	26.7	165	173	338	9.6	1.44	1.14	59	64
in Makerfield ..	20,580	170	172	5	2	349	17.0	125	130	255	12.5	1.21	1.25	14	40
orne ..	14,400	95	96	2	—	193	13.4	79	66	145	10.1	1.28	1.07	17	88
rsley ..	10,740	66	68	1	—	135	12.6	78	73	151	14.2	1.07	1.26	9	67
tham ..	4,123	31	25	1	1	58	14.1	25	28	53	12.7	1.05	1.10	5	86
aster M.B. ..	47,790	342	318	18	19	697	14.6	294	291	585	12.1	1.01	1.01	60	86
h M.B. ..	4,291	27	21	1	—	49	11.4	35	33	68	15.9	0.97	1.27	5	102
nd ..	46,210	321	335	13	5	674	14.6	312	286	598	13.0	1.13	1.21	48	71
erland ..	12,500	103	93	1	1	198	15.8	83	75	158	15.2	1.15	1.19	14	70
erland ..	19,420	222	191	4	5	422	21.7	129	114	243	12.6	1.22	1.27	27	64
eborough ..	10,980	64	66	4	4	138	12.6	108	85	193	17.4	0.97	1.39	9	66
le Lever ..	4,755	20	33	5	1	59	12.4	37	40	77	16.3	1.01	1.36	3	51
ridge ..	3,946	27	27	—	—	54	13.7	24	30	54	13.4	0.95	1.06	8	148
nam St. Anne's ..	25,390	110	130	4	8	252	9.9	206	260	466	17.5	0.73	1.06	11	43
l.B. ..	29,850	206	236	5	8	455	15.2	216	191	407	13.6	1.04	1.17	21	46
leton M.B. ..	8,375	47	51	1	6	105	12.5	56	70	126	15.1	1.00	1.25	5	48
row ..	31,500	176	153	11	8	348	11.0	261	295	556	17.3	0.60	0.90	25	71
eysham M.B. ..	10,710	55	53	3	2	113	10.6	71	80	151	14.2	0.94	1.10	6	53
asley M.B. ..	34,290	133	131	8	8	280	8.2	286	239	525	15.3	0.91	1.15	22	78
on M.B. ..	20,640	163	158	4	6	331	16.0	131	99	230	11.1	1.10	1.01	19	57
oton-le-Willows ..	18,720	142	137	4	8	291	15.5	128	117	245	12.8	0.95	1.00	17	53
askirk ..	8,671	77	60	1	—	138	15.9	57	51	108	12.5	1.12	1.16	12	87
ell ..	12,510	64	57	2	2	125	10.0	90	104	194	15.4	0.97	1.23	8	64
valdtwistle ..	10,320	59	63	3	—	125	12.1	90	80	170	16.6	0.91	1.25	9	72
ilham ..	6,319	36	39	1	4	80	12.7	54	49	103	15.9	0.87	1.14	2	25
lton le Fylde ..	2,047	13	14	1	—	28	13.7	19	16	35	16.8	0.77	1.07	1	36
esall ..	11,620	105	97	2	2	206	17.7	74	64	138	11.9	1.11	1.00	18	87
scot ..	32,810	190	175	3	7	375	11.4	166	169	335	10.2	1.03	0.87	10	26
arwich M.B. ..	26,950	179	158	6	7	350	13.0	186	215	401	14.9	1.00	1.23	21	60
cliffe M.B. ..	3,704	20	35	1	—	56	15.1	27	23	50	13.5	1.07	1.10	2	36
nford ..	14,970	97	72	1	1	171	11.4	80	99	179	11.9	0.92	0.90	11	64
nbottom ..	26,810	133	136	6	5	280	10.4	182	198	380	14.1	0.96	1.12	17	61
rtentall M.B. ..	5,805	32	27	3	—	62	10.7	41	45	86	14.5	0.95	1.14	1	16
nton ..	15,380	99	94	4	4	201	13.1	104	122	226	14.8	1.04	1.27	15	75
lmersdale ..	6,000	46	43	1	2	92	15.3	33	38	71	11.8	1.11	1.08	7	76
ndish with ..	8,526	87	61	2	2	152	17.8	52	56	108	12.7	1.11	1.17	10	66
angtree ..	59,200	335	322	14	14	685	11.6	342	376	718	12.5	1.08	1.12	25	37
erford M.B. ..	41,120	294	295	5	5	599	14.6	248	246	494	12.1	1.14	1.14	29	48
inton and ..	12,940	69	68	4	2	143	11.1	99	102	201	14.8	0.75	0.92	11	76
ornton Cleveleys ..	6,060	32	24	2	3	61	10.1	44	52	96	15.5	0.90	1.15	3	49
stington ..	2,271	6	11	1	1	19	8.4	15	23	38	16.9	0.88	1.23	—	75
awden ..	11,080	63	58	—	—	121	10.9	77	90	167	14.8	0.91	1.11	9	75
rtion ..															

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of T

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Des un 1 ye
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad-justed death rate to National Rate.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—contd.														
U.D.'s.—contd.														
Tyldesley	18,540	138	119	4	4	265	14.3	131	110	241	13.1	1.11	1.20	15
Ulverston	9,359	52	61	2	7	122	13.0	81	56	137	14.4	0.90	1.07	9
Upholland	5,997	63	50	8	2	123	20.5	23	33	56	9.4	1.16	0.90	6
Urmston	33,520	291	255	9	3	558	16.6	180	159	339	10.1	1.13	0.94	27
Walton le Dale ..	13,660	90	102	4	—	196	14.3	83	103	186	13.4	1.02	1.13	12
Wardle	4,294	20	18	—	—	38	8.8	22	31	53	12.3	0.76	0.77	—
Westhoughton ..	14,860	107	109	2	3	221	14.9	117	112	229	15.5	1.06	1.36	10
Whitefield	12,480	88	92	—	3	183	14.7	72	68	140	11.3	1.08	1.01	6
Whitworth	7,544	52	49	2	2	105	13.9	67	44	111	14.7	0.95	1.15	8
Widnes M.B. ..	44,470	437	428	9	13	887	19.9	310	245	555	12.7	1.21	1.27	64
Withnell	2,739	25	18	1	—	44	16.1	16	25	41	14.6	0.99	1.19	—
Worsley	25,330	174	172	7	4	357	14.1	173	153	326	12.9	1.02	1.09	17
RURAL DISTRICTS														
Blackburn	256,600	1,898	1,901	39	43	3,881	15.1	1,495	1,425	2,920	11.2	1.01	0.93	203
Whitefield	12,430	68	62	2	3	135	10.9	79	72	151	12.1	0.96	0.96	2
Burnley	17,420	89	112	—	2	203	11.7	114	128	242	13.8	0.91	1.04	11
Chorley	24,530	192	197	5	8	402	16.4	161	142	303	12.3	1.04	1.06	15
Clitheroe	8,916	49	45	1	2	97	10.9	36	45	81	8.9	1.27	0.93	2
Fylde	9,489	64	90	—	—	154	16.2	63	58	121	12.5	0.96	0.99	8
Garstang	11,750	95	70	1	2	168	14.3	65	60	125	10.5	0.94	0.82	5
Lancaster	10,000	56	61	1	5	123	12.3	70	51	121	11.8	0.84	0.82	3
Limehurst	7,770	44	46	3	—	93	12.0	62	43	105	13.6	0.96	1.08	4
Lunesdale	6,240	44	29	3	1	77	12.3	40	54	94	14.5	0.94	1.13	5
Preston	35,060	244	271	5	3	523	14.9	183	180	363	10.1	0.96	0.80	30
Ulverston	16,070	124	100	4	6	234	14.6	107	122	229	14.0	0.85	0.98	13
Warrington	23,840	203	193	4	7	407	17.1	94	92	186	7.9	1.16	0.76	22
West Lancashire ..	36,780	281	298	5	2	586	15.9	229	187	416	10.9	1.07	0.96	43
Whiston	29,000	282	257	3	2	544	18.8	143	138	281	9.6	1.14	0.90	30
Wigan	7,305	63	70	2	—	135	18.5	49	53	102	13.7	1.04	1.18	10
LEICESTERSHIRE														
•COUNTY BORO':	569,000	4,043	3,895	179	151	8,268	14.5	3,234	3,142	6,376	11.2	1.02	0.94	392
•Leicester	262,900	1,761	1,728	87	91	3,667	13.9	1,531	1,497	3,028	11.5	1.02	0.97	180
ADMIN COUNTY														
ASHBY DE LA ZOUCH	306,100	2,282	2,167	92	60	4,601	15.0	1,703	1,645	3,348	10.9	1.02	0.92	212
URBAN DISTRICTS	143,900	1,123	1,058	45	27	2,253	15.7	781	779	1,560	10.7	1.07	0.95	115
Ashby de la Zouch ..	5,915	39	36	1	2	78	13.2	28	48	76	12.5	1.01	1.04	6
Ashby Wolds	3,191	21	21	—	1	43	13.5	25	13	38	11.8	1.12	1.09	3
Coalville	24,350	194	207	7	2	410	16.8	138	115	253	10.3	1.07	0.91	20
Hinckley	34,360	305	269	13	7	594	17.3	156	180	336	9.7	1.20	0.96	28
Loughborough M.B.	31,320	230	201	7	4	442	14.1	192	182	374	11.9	1.02	1.00	27
Market Harborough ..	9,417	55	54	2	1	112	11.9	42	63	105	10.8	0.96	0.86	3
Melton Mowbray ..	11,370	104	96	7	4	211	18.6	73	59	132	11.5	1.02	0.97	11
Oadby	5,345	32	28	3	1	64	12.0	25	26	51	9.4	0.98	0.76	3
Shepshed	5,672	31	37	1	1	70	12.3	22	31	53	9.3	1.01	0.78	3
•Wigston	12,960	112	109	4	4	229	17.7	80	62	142	10.9	1.10	0.99	14
RURAL DISTRICTS														
Ashby de la Zouch ..	162,200	1,159	1,109	47	33	2,348	14.5	922	866	1,788	11.0	0.99	0.90	97
Ashby de la Zouch ..	13,740	101	87	6	2	196	14.3	92	64	156	11.4	1.03	0.97	10
Barrow upon Soar ..	39,540	277	279	15	9	580	14.7	225	216	441	11.0	1.01	0.92	22
Billesdon	6,295	63	38	3	2	106	16.8	36	41	77	11.8	1.00	0.98	8
Blaby	34,360	235	244	12	5	496	14.4	151	161	312	9.1	1.05	0.79	15
Castle Donington ..	8,145	64	63	1	1	129	15.8	44	41	85	10.4	0.94	0.81	4
Lutterworth	10,360	73	77	2	1	153	14.8	68	64	132	12.7	0.84	0.88	11
Market Bosworth ..	24,330	190	167	3	3	363	14.9	133	115	248	10.1	1.09	0.91	12
Market Harboro' ..	8,590	48	46	2	3	99	11.5	53	49	102	11.5	0.84	0.80	5
Melton and Belvoir ..	16,840	108	108	3	7	226	13.4	120	115	235	14.0	0.86	1.00	10
LINCOLNSHIRE :														
PARTS OF HOLLAND.														
ADMIN. COUNTY	95,520	765	782	34	32	1,613	16.9	548	517	1,065	11.0	1.00	0.91	76

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Deaths, under 1 year.	
		Legitimate.		Illegitimate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SHIRE—contd.															
DISTRICTS ..	36,380	296	280	14	17	607	16.7	233	190	423	11.6	0.96	0.92	21	34
on M.B. ..	22,990	181	181	1	8	371	16.1	158	121	279	12.1	0.97	0.97	10	27
ling ..	13,390	115	99	13	9	236	17.6	75	69	144	10.6	0.94	0.82	11	46
DISTRICTS ..	59,140	469	502	20	15	1,006	17.0	315	327	642	10.7	1.03	0.91	55	55
on ..	19,140	160	184	6	5	355	18.5	105	116	221	11.3	1.04	0.97	18	51
Elloe ..	22,330	159	187	8	6	360	16.1	109	111	220	9.7	1.02	0.82	16	44
ling ..	17,670	150	131	6	4	291	16.5	101	100	201	11.1	1.04	0.95	21	72
SHIRE :															
OF KESTEVEN															
N. COUNTY ..	116,230	845	792	39	46	1,722	14.8	728	677	1,405	12.2	0.89	0.90	72	42
N. DISTRICTS ..	42,220	328	279	18	14	639	15.1	294	255	549	12.9	0.92	0.98	22	34
ne ..	4,565	26	36	2	3	67	14.7	31	34	65	14.1	0.90	1.05	—	—
atham M.B. ..	20,050	170	111	10	6	297	14.8	153	125	278	13.7	0.93	1.05	11	37
ford ..	7,425	70	53	3	1	127	17.1	49	42	91	12.1	0.89	0.89	4	31
ford M.B. ..	10,180	62	79	3	4	148	14.5	61	54	115	11.2	0.94	0.87	7	47
DISTRICTS ..	74,010	517	513	21	32	1,083	14.6	434	422	856	11.8	0.87	0.85	50	46
Kesteven ..	23,130	148	134	1	13	296	12.8	115	92	207	9.6	0.94	0.75	13	44
h Kesteven ..	21,870	165	171	6	9	351	16.0	139	131	270	12.3	0.86	0.87	20	57
h Kesteven ..	13,650	95	90	7	5	197	14.4	97	89	186	13.7	0.84	0.95	7	35
Kesteven ..	15,360	109	118	7	5	239	15.6	83	110	193	12.6	0.86	0.90	10	42
SHIRE :															
OF LINDSEY															
TY BORO'S ..	431,330	3,230	3,158	202	187	6,777	15.7	2,749	2,541	5,290	12.3	0.97	0.99	333	49
nsby ..	155,530	1,140	1,133	71	68	2,412	15.5	1,040	918	1,958	12.7	1.01	1.06	124	51
oln ..	92,230	721	754	39	49	1,563	16.9	612	492	1,104	12.2	1.05	1.06	83	53
oln ..	63,300	419	379	32	19	849	13.4	428	426	854	13.4	0.95	1.05	41	48
N. COUNTY ..	275,800	2,090	2,025	131	119	4,365	15.8	1,709	1,623	3,332	12.0	0.95	0.94	209	47
N. DISTRICTS ..	133,100	1,027	1,012	62	56	2,157	16.2	799	772	1,571	11.7	1.03	1.00	93	43
rd ..	2,200	15	9	—	1	25	11.4	13	21	34	15.4	0.70	0.89	1	40
on-upon-Humber	6,126	51	55	2	2	110	18.0	30	33	63	10.3	0.91	0.77	2	—
g ..	4,345	27	22	1	—	50	11.5	29	31	60	13.8	0.98	1.12	2	40
thorpes M.B. ..	28,580	186	200	10	8	404	14.1	158	150	308	10.9	1.04	0.94	11	27
nsborough ..	16,850	99	114	10	10	233	13.8	118	133	251	14.7	0.93	1.13	16	69
ncastle ..	3,419	14	25	1	—	40	11.7	28	31	59	17.0	0.80	1.12	1	25
th M.B. ..	9,962	60	70	5	5	140	14.1	82	73	155	15.2	0.85	1.07	4	29
lethorpe and	4,567	19	22	1	1	43	9.4	41	28	69	15.2	0.76	0.95	—	—
utton ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ket Rasen ..	2,027	17	15	—	2	34	16.8	16	10	26	12.5	0.77	0.80	2	59
thorpe M.B. ..	43,310	466	413	24	20	923	21.3	212	176	388	8.8	1.35	0.98	47	51
gness ..	10,240	66	61	8	7	142	13.9	61	64	125	12.1	0.92	0.92	6	42
odhall Spa ..	1,474	7	6	—	—	13	8.8	11	22	33	21.6	0.71	1.27	1	77
L. DISTRICTS ..	142,700	1,063	1,013	69	63	2,208	15.5	910	851	1,761	12.3	0.88	0.89	116	52
stor ..	12,060	76	87	6	4	173	14.3	95	86	181	14.7	0.85	1.03	6	35
nsborough ..	10,380	73	82	4	6	165	15.9	59	59	118	11.4	0.86	0.81	9	55
nford Brigg ..	30,550	263	235	18	14	530	17.3	198	173	371	12.0	0.99	0.98	23	43
nsby ..	11,810	74	82	8	8	172	14.6	60	52	112	9.6	0.95	0.75	13	76
ncastle ..	11,070	83	84	3	4	174	15.7	67	79	146	13.2	0.80	0.87	11	63
of Axholme ..	13,020	95	91	7	9	202	15.5	90	83	173	13.1	0.90	0.97	4	19
th ..	17,660	108	107	5	3	223	12.6	129	103	232	13.3	0.80	0.88	17	76
lsby ..	23,350	192	150	15	10	367	15.7	134	138	272	11.6	0.85	0.81	22	60
ton ..	12,800	99	95	3	5	202	15.8	78	78	156	12.2	0.80	0.90	11	53
ON ..	4,013,400	25,107	24,154	1545	1560	52,366	13.0	23,823	22,554	46,377	12.3	0.99	1.01	2,409	47
y of London ..	8,720	18	21	2	3	44	5.0	52	42	94	10.9	1.22	1.10	—	—
er and Middle	380	5	2	—	—	7	18.4	6	—	6	15.9	0.87	1.14	—	—
emples ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of)

AREA.	Esti- mated Resident Popula- tion (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Ratio of local ad- justed death rate to National Rate.	Number.
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.			
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
LONDON—contd.															
METROPOLITAN BOROUGHES:															
Battersea	139,200	922	970	53	58	2,003	14.4	882	805	1,687	12.8	0.95	1.00	11	
Bermondsey	95,500	649	585	21	20	1,275	13.4	559	446	1,005	11.1	1.08	0.99	4	
Bethnal Green	90,130	578	537	21	18	1,154	12.8	538	444	982	11.6	1.08	1.04	8	
Camberwell	219,500	1,510	1,429	51	50	3,040	13.8	1,292	1,300	2,592	12.4	0.96	0.98	10	
Chelsea	55,400	256	234	23	26	539	9.7	407	336	743	14.6	0.81	0.98	1	
Deptford	94,080	665	693	23	31	1,412	15.0	602	516	1,118	12.5	0.98	1.01	6	
Finsbury	55,110	347	302	17	21	687	12.5	365	338	703	13.7	1.01	1.14	2	
Fulham	135,800	885	830	58	58	1,831	13.5	805	808	1,613	12.5	0.97	1.00	8	
Greenwich	94,790	632	679	16	21	1,348	14.2	528	451	979	10.9	1.02	0.92	6	
Hackney	205,100	1,347	1,288	50	47	2,732	13.3	1,113	1,110	2,223	11.4	1.08	1.02	10	
Hammersmith	122,800	885	806	80	58	1,829	14.9	732	659	1,391	12.0	1.02	1.01	7	
Hampstead	90,170	460	442	43	35	980	10.9	456	537	993	11.7	0.95	0.92	3	
Holborn	33,400	104	98	12	15	229	6.9	209	169	378	12.3	0.90	1.01	1	
Islington	288,100	1,986	1,937	118	127	4,168	14.5	1,813	1,672	3,485	12.8	0.98	1.04	20	
Kensington	172,100	955	873	100	136	2,064	12.0	931	1,141	2,072	13.0	0.95	1.02	12	
Lambeth	270,800	1,678	1,657	94	138	3,567	13.2	1,708	1,736	3,444	13.5	0.97	1.08	19	
Lewisham	231,000	1,536	1,468	65	66	3,135	13.6	1,129	1,227	2,356	10.7	1.05	0.93	12	
Paddington	135,300	795	757	142	118	1,812	13.4	754	854	1,608	12.7	0.99	1.04	10	
Poplar	131,200	947	1,075	16	27	2,065	15.7	842	692	1,534	12.4	1.04	1.07	6	
St. Marylebone	89,160	336	414	41	46	837	9.4	524	522	1,046	12.7	0.92	0.97	4	
St. Pancras	177,900	990	932	126	139	2,187	12.3	1,171	999	2,170	13.0	1.00	1.07	11	
Shoreditch	77,280	547	528	23	15	1,113	14.4	504	438	942	12.9	1.02	1.09	11	
Southwark	141,120	1,012	879	42	36	1,969	14.0	1,043	793	1,836	13.9	0.98	1.13	9	
Stepney	197,200	1,263	1,111	46	47	2,467	12.5	1,251	962	2,213	12.1	1.10	1.10	12	
Stoke Newington	49,360	346	303	14	11	674	13.7	282	298	580	12.4	0.99	1.01	1	
Wandsworth	339,000	1,979	1,864	127	104	4,074	12.0	1,846	1,923	3,769	11.7	0.90	0.87	19	
Westminster	123,000	429	418	82	62	991	8.1	627	596	1,223	10.8	1.01	0.90	3	
Woolwich	150,800	1,045	1,022	39	27	2,133	14.1	852	740	1,592	11.1	1.00	0.92	10	
MIDDLESEX															
ADMIN. COUNTY	2,103,300	15,729	14,883	641	618	31,871	15.2	9,583	9,712	19,295	9.4	1.12	0.87	1,366	
URBAN DISTRICTS															
Acton M.B.	68,210	412	383	21	27	843	12.4	334	345	679	10.5	1.03	0.89	4	
Brentford and Chiswick M.B.	61,100	356	330	20	25	731	12.0	346	357	703	12.1	0.98	0.98	30	
Ealing M.B.	164,400	1,200	1,149	37	42	2,428	14.8	747	793	1,540	9.5	1.12	0.88	115	
Edmonton M.B.	105,000	843	740	23	12	1,618	15.4	479	440	919	9.0	1.20	0.89	61	
Enfield	97,410	886	818	24	28	1,756	18.0	478	440	918	9.5	1.13	0.89	61	
Feltham	32,770	369	386	20	13	788	24.0	149	137	286	8.5	1.40	0.98	48	
Finchley M.B.	65,740	436	464	24	27	951	14.5	301	404	705	11.1	0.96	0.88	35	
Friern Barnet	27,370	162	174	3	4	343	12.5	83	138	221	8.2	1.04	0.70	14	
Harrow	190,200	1,651	1,561	59	50	3,321	17.5	711	697	1,408	7.4	1.23	0.75	128	
Hayes and Harlington	50,040	578	559	24	22	1,183	23.6	210	166	376	7.3	1.55	0.94	67	
Hendon M.B.	146,200	911	830	49	47	1,837	12.6	566	618	1,184	8.3	1.16	0.80	63	
Heston and Isleworth M.B.	102,000	757	681	21	21	1,480	14.5	447	448	895	8.9	1.14	0.84	74	
Hornsey M.B.	96,510	553	501	22	25	1,101	11.4	483	531	1,014	11.2	0.92	0.85	30	
Potters Bar	13,090	130	107	4	2	243	18.0	64	57	121	9.1	1.11	0.83	9	
Ruislip Northwood	47,760	502	452	15	12	981	20.5	199	190	389	8.0	1.21	0.80	50	
Southall M.B.	52,680	379	392	17	17	805	15.3	236	219	455	8.7	1.17	0.84	47	
Southgate M.B.	69,400	393	368	6	13	780	11.2	336	357	693	10.2	0.95	0.80	21	
Staines	31,340	304	293	18	15	630	20.1	155	170	325	10.2	1.08	0.91	24	
Sunbury-on-Thames	17,610	175	155	6	11	347	19.7	101	86	187	10.4	1.12	0.96	21	
Tottenham M.B.	142,400	849	847	42	38	1,776	12.5	716	689	1,405	10.3	1.11	0.94	66	
Twickenham M.B.	98,580	683	657	34	29	1,403	14.2	523	497	1,020	10.5	1.01	0.88	37	
Uxbridge	45,150	427	375	23	15	840	18.6	213	208	421	9.3	1.17	0.90	58	
Wembley M.B.	121,600	883	855	24	27	1,789	14.7	426	443	869	7.3	1.28	0.77	71	
Willenden M.B.	188,000	1,455	1,378	90	81	3,004	16.0	926	914	1,840	10.4	1.08	0.93	152	
Wood Green M.B.	52,700	309	290	12	13	624	11.8	281	313	594	11.7	0.97	0.94	21	
Yiewsley and West Drayton	16,040	126	138	3	2	269	16.8	73	55	128	8.0	1.10	0.79	11	

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of T

AREA.	Esti- mated Resident Population (Middle 1939). †	LIVE BIRTHS						DEATHS.						De- aths per 1,000 Population.
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORTHAMPTONSHIRE —contd. R.D.'s.—contd.														
Towcester	12,930	88	91	3	2	184	14.2	88	82	170	13.1	0.81	0.88	
Wellingborough ..	12,510	81	81	4	5	171	13.7	88	93	181	14.1	0.84	0.98	
NORTHUMBERLAND														
COUNTY BOROS ..	770,040	5,746	5,617	239	229	11,831	15.4	5,018	4,318	9,336	12.3	1.06	1.08	700
Newcastle-upon-Tyne	360,400	2,777	2,741	129	118	5,765	16.0	2,432	2,021	4,453	12.8	1.10	1.16	363
Tynemouth	293,400	2,233	2,213	106	94	4,646	15.8	1,977	1,682	3,659	12.9	1.11	1.18	289
	67,000	544	528	23	24	1,119	16.7	455	339	794	12.2	1.06	1.07	70
ADMIN. COUNTY ..	409,640	2,969	2,876	110	111	6,066	14.8	2,586	2,297	4,883	11.8	1.03	1.00	333
URBAN DISTRICTS														
Alnwick	314,700	2,365	2,297	80	82	4,824	15.3	1,960	1,750	3,710	11.8	1.07	1.04	260
Amble	6,891	41	49	1	2	93	13.5	50	54	104	14.7	0.94	1.14	6
Ashington	4,333	39	40	1	—	80	18.5	26	27	53	12.0	1.05	1.04	4
Bedlingtonshire	29,650	219	239	3	10	471	15.9	158	152	310	10.6	1.21	1.06	27
Berwick-upon-	27,330	206	200	4	9	419	15.3	165	146	311	11.4	1.15	1.08	28
Tweed M.B.	12,100	90	75	4	5	174	14.4	104	89	193	15.8	0.90	1.18	13
Blyth M.B.	34,520	298	295	15	9	617	17.9	219	177	396	11.6	1.15	1.10	30
Gosforth	20,650	144	123	8	2	277	13.4	97	105	202	9.9	0.99	0.81	5
Hexham	8,996	53	53	2	1	109	12.1	73	72	145	15.6	0.80	1.15	4
Longbenton	21,680	159	157	7	3	326	15.0	114	111	225	10.4	1.09	0.94	17
Morpeth M.B.	9,732	81	70	3	3	157	16.1	72	57	129	13.1	0.92	1.00	7
Newbiggin by the Sea	9,114	85	84	3	3	175	19.2	66	48	114	12.4	1.17	1.20	10
Newburn														
Pruddhoe	19,870	169	158	4	2	333	16.8	136	112	248	12.5	1.10	1.14	26
Seaton Valley	8,764	58	58	2	7	125	14.3	38	44	82	9.3	1.20	0.92	5
Wallsend M.B.	27,700	182	181	6	4	373	13.5	164	145	309	11.3	1.10	1.03	22
Whitley and	45,220	397	358	11	15	781	17.3	295	217	512	11.5	1.18	1.12	44
Monkseaton	28,150	144	157	6	7	314	11.2	183	194	377	13.4	0.88	0.97	18
RURAL DISTRICTS														
Alnwick	94,940	604	579	30	29	1,242	13.1	626	547	1,173	11.9	0.94	0.92	69
Belford	12,190	97	79	3	4	183	15.0	79	62	141	11.3	0.93	0.87	6
Bellingham	4,925	20	33	2	1	56	11.4	38	29	67	13.1	0.89	0.96	4
Castle Ward	4,992	24	35	—	—	59	11.8	43	27	70	13.3	0.91	1.00	5
Glendale	12,730	94	73	6	2	175	13.7	63	55	118	8.9	1.06	0.78	6
Haltwhistle	7,423	43	48	3	4	98	13.2	47	46	93	12.2	0.85	0.86	7
Hexham	7,752	44	44	1	5	94	12.1	55	50	105	13.3	0.90	0.99	4
Morpeth	19,530	111	90	5	4	210	10.8	130	127	257	12.5	0.88	0.91	17
Newcastle-upon-Tyne	15,390	113	119	4	4	240	15.6	103	82	185	11.6	1.12	1.07	13
(Moot Hall and precincts)	3	1	—	—	—	1	333.3	—	—	—	—	—	—	—
Norham and Islandshires	4,457	24	23	1	3	51	11.4	33	27	60	13.2	0.84	0.92	2
Rothbury	5,548	33	35	5	2	75	13.5	35	42	77	13.1	0.87	0.94	5
NOTTINGHAMSHIRE														
COUNTY BOROS ..	757,000	5,962	5,771	252	263	12,248	16.2	4,598	4,400	8,998	11.9	1.07	1.05	691
Nottingham	278,800	2,135	2,012	127	127	4,401	15.8	1,877	1,785	3,662	13.3	1.04	1.14	290
ADMIN. COUNTY ..	478,200	3,827	3,759	125	136	7,847	16.4	2,721	2,615	5,336	11.1	1.09	1.00	401
URBAN DISTRICTS														
Arnold	335,600	2,747	2,660	95	95	5,597	16.7	1,919	1,843	3,762	11.2	1.12	1.04	291
Beeston & Stapleford	18,480	160	168	4	4	336	18.2	99	103	202	10.9	1.12	1.01	17
Carlton	41,270	387	381	16	14	798	19.3	220	211	431	10.4	1.19	1.02	33
East Retford M.B.	30,280	217	216	7	7	447	14.8	159	184	343	11.3	1.10	1.03	22
	15,150	105	104	4	7	220	14.5	89	116	205	13.4	0.95	1.05	10
Eastwood	8,920	61	85	2	4	152	17.0	58	40	98	11.1	1.14	1.05	6
Hucknall	20,760	224	177	8	5	414	19.9	131	104	235	11.3	1.19	1.11	25
Kirkby-in-Ashfield	18,710	167	136	1	5	309	16.5	108	114	222	11.9	1.15	1.13	21
Mansfield M.B.	47,760	365	352	7	13	737	15.4	286	259	545	11.4	1.11	1.05	46
Mansfield Woodhouse	14,950	136	143	6	5	290	19.4	70	65	135	9.0	1.21	0.90	18
Newark M.B.	20,420	158	154	6	6	324	15.9	116	104	220	10.6	1.03	0.90	10

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of Table

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
NGHAMSHIRE ntd.															
—contd.															
on-in-Ashfield..	38,610	300	318	11	9	638	16.5	234	217	451	11.8	1.18	1.15	37	58
op ..	10,930	106	86	3	2	197	18.0	52	36	88	8.2	1.29	0.87	14	71
t Bridgford ..	21,340	100	86	7	3	196	9.2	132	134	266	12.4	0.90	0.92	3	15
ksop M.B. ..	28,020	261	254	13	11	539	19.2	165	156	321	11.4	1.14	1.07	29	54
L. DISTRICTS	142,600	1,080	1,099	30	41	2,250	15.8	802	772	1,574	11.0	1.02	0.93	110	49
ord ..	44,240	359	377	9	14	759	17.2	288	237	525	11.7	1.04	1.01	43	56
ham ..	16,600	106	97	2	4	209	12.6	78	103	181	10.8	0.83	0.74	6	29
Retford ..	19,780	118	144	2	9	273	13.8	116	131	247	12.5	0.80	0.92	6	22
ark ..	9,606	76	59	3	1	139	14.5	77	57	134	13.8	0.91	1.04	9	65
ingham ..	4											0.67			
shire Hall)															
thwell ..	37,160	265	274	7	11	557	15.0	175	187	362	9.7	1.14	0.91	29	52
ksop ..	15,210	156	148	7	2	313	20.6	68	57	125	8.3	1.36	0.93	17	54
DSHIRE ..	233,260	1,673	1,636	81	66	3,456	14.8	1,282	1,351	2,633	11.0	0.95	0.86	109	31
ITY BORO' ..															
ord ..	95,600	648	636	27	29	1,340	14.0	421	485	906	9.4	1.02	0.79	31	23
N. COUNTY ..	137,660	1,025	1,000	54	37	2,116	15.4	861	866	1,727	12.1	0.91	0.91	78	36
N DISTRICTS	39,960	275	289	22	19	605	15.1	250	267	517	12.4	0.92	0.94	22	36
bury M.B. ..	16,010	124	121	8	4	257	16.1	90	100	190	11.5	1.03	0.98	14	64
..	3,406	22	34	3	4	63	18.5	22	17	39	11.1	0.90	0.83	—	—
pping Norton	3,338	10	20	3	1	34	10.2	24	23	47	13.4	0.79	0.87	2	59
(B.															
ley-on-Thames	7,075	46	44	5	6	101	14.3	56	59	115	15.4	0.83	1.06	3	29
(B.															
ime ..	3,085	22	22	1	—	45	14.6	18	31	49	15.0	0.85	1.05	—	—
ney ..	5,453	37	32	1	2	72	13.2	29	27	56	10.0	0.97	0.80	1	14
odstock M.B. ..	1,593	14	16	1	2	33	20.7	11	10	21	12.6	0.75	0.78	2	61
L DISTRICTS	97,700	750	711	32	18	1,511	15.5	611	599	1,210	12.0	0.91	0.90	56	37
bury ..	12,870	86	76	4	1	167	13.0	98	100	198	15.0	0.84	1.04	7	42
ngdon ..	25,040	230	218	7	6	461	18.4	127	130	257	9.9	0.95	0.78	12	26
pping Norton	14,200	91	81	4	1	177	12.5	87	96	183	12.6	0.87	0.91	8	44
ley ..	14,720	103	84	6	2	195	13.2	95	79	174	11.0	0.92	0.84	9	45
ghley ..	13,890	118	125	5	5	253	18.2	94	88	182	12.9	0.93	0.99	11	43
ney ..	16,980	122	127	6	3	258	15.2	110	106	216	12.5	0.91	0.94	9	35
BOROUGH,															
KE OF :															
N. COUNTY ..	56,660	418	374	21	16	829	14.6	354	312	666	11.7	0.98	0.95	46	55
AN DISTRICT :															
rborough M.B. ..	47,760	348	311	16	15	690	14.4	286	264	550	11.5	0.99	0.94	40	58
AL DISTRICTS	8,900	70	63	5	1	139	15.6	68	48	116	13.0	0.92	0.99	6	43
nack ..	2,432	13	15	1	—	29	11.9	23	16	39	16.5	0.90	1.23	1	34
erborough ..	6,468	57	48	4	1	110	17.0	45	32	77	11.8	0.93	0.91	5	45
ANDSHIRE :															
N. COUNTY ..	17,860	142	140	2	4	288	16.1	116	111	227	12.3	0.85	0.86	9	31
AN DISTRICT :															
ham ..	3,270	25	25	1	2	53	16.2	15	28	43	12.5	0.70	0.72	1	18
AL DISTRICTS	14,590	117	115	1	2	235	16.1	101	83	184	12.3	0.89	0.90	8	34
ton ..	2,645	31	25	—	—	56	21.2	15	12	27	10.1	0.85	0.71	1	18
ham ..	6,304	48	59	1	1	109	17.3	40	33	73	11.2	0.91	0.84	5	46
pingham ..	5,641	38	31	—	1	70	12.4	46	38	84	14.5	0.88	1.05	2	29

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of 1

AREA.	Esti- mated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						De- aths per 1,000 Population.
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SHROPSHIRE :														
ADMIN. COUNTY ..	244,900	1,903	1,686	114	97	3,800	15.5	1,670	1,556	3,226	12.9	0.93	0.99	18
URBAN DISTRICTS ..														
Bishops Castle M.B.	1,321	13	4	5	2	20	15.1	10	4	14	10.5	0.73	0.63	90
Bridgnorth M.B.	5,319	31	26	5	4	66	12.4	34	38	72	13.2	0.81	0.88	—
Church Stretton ..	2,246	6	15	1	1	23	10.2	21	17	38	16.4	0.72	0.98	—
Dawley ..	7,868	71	64	8	3	146	18.6	49	43	92	11.7	0.97	0.94	—
Ellesmere ..	1,905	16	6	1	1	24	12.6	11	13	24	12.5	0.81	0.84	—
Ludlow M.B.														
Market Drayton ..	4,984	54	54	5	5	118	23.7	42	32	74	14.6	0.90	1.09	—
Newport ..	3,465	30	29	1	1	61	17.6	22	20	42	11.8	0.96	0.94	—
Oakengates ..	10,660	59	59	1	2	121	11.4	70	65	135	12.6	0.97	1.01	—
Oswestry M.B.	9,776	73	60	4	5	142	14.5	82	72	154	14.9	0.95	1.17	—
Shrewsbury M.B.														
Wellington ..	9,870	69	69	3	1	142	14.4	56	46	102	10.2	1.02	0.86	—
Wem ..	2,197	17	8	—	1	26	11.8	20	17	37	16.4	0.80	1.08	—
Wenlock M.B.	13,670	104	86	6	9	205	15.0	107	99	206	14.8	0.92	1.13	—
Whitchurch ..	6,306	47	42	4	5	98	15.5	44	42	86	13.2	0.90	0.98	—
RURAL DISTRICTS ..														
Atcham ..	18,390	171	139	7	12	329	17.9	119	120	239	12.6	0.80	0.96	—
Bridgnorth ..	11,710	85	96	7	4	192	16.4	84	62	146	12.2	0.94	0.93	—
Clun ..	9,753	65	60	4	4	133	13.6	81	53	134	13.6	0.84	0.94	—
Drayton ..	8,444	68	53	6	6	133	15.8	43	41	84	10.0	0.96	0.79	—
Ellesmere ..	6,853	62	37	6	1	106	15.5	42	42	84	11.9	1.01	0.99	—
Ludlow ..														
Oswestry ..	15,300	118	107	7	5	237	15.5	119	103	222	14.0	0.93	1.08	—
Shifnal ..	10,260	70	72	4	3	149	14.5	63	43	106	10.7	0.99	0.88	—
Wellington ..	15,950	150	127	5	6	288	18.1	105	118	223	13.8	0.94	1.07	—
Wem ..	10,340	92	75	5	3	175	16.9	65	66	131	12.5	0.91	0.94	—
SOMERSETSHIRE														
COUNTY BORO' :														
Bath ..	69,040	440	457	24	31	952	13.8	458	596	1,054	14.8	0.82	1.00	54
ADMIN. COUNTY ..														
ADMIN. COUNTY ..	409,700	2,738	2,650	101	112	5,601	13.7	2,567	2,697	5,264	12.4	0.88	0.90	218
URBAN DISTRICTS ..														
Bridgwater M.B.	18,700	161	152	7	12	332	17.8	117	116	233	12.2	0.96	0.97	107
Burnham-on-Sea ..	7,615	46	46	3	1	96	12.6	54	54	108	13.6	0.78	0.88	4
Chard M.B. ..	4,357	28	24	3	—	55	12.6	34	28	62	14.1	0.87	1.01	1
Clevedon ..	7,810	54	35	2	2	93	11.9	64	90	154	18.9	0.67	1.05	1
Crewkerne ..	3,482	21	24	1	—	46	13.2	28	26	54	15.2	0.89	1.12	3
Frome ..														
Glastonbury M.B.	4,449	27	22	—	1	50	11.2	30	34	64	13.8	0.92	1.05	2
Ilminster ..	2,147	17	9	—	—	26	12.1	19	18	37	17.0	0.88	1.24	—
Keynsham ..	6,352	48	48	2	4	102	16.1	45	40	85	12.9	0.92	0.98	1
Minehead ..	6,463	28	23	1	1	53	8.2	45	61	106	15.0	0.84	1.04	3
Norton-Radstock ..														
Portishead ..	3,768	16	23	—	—	39	10.4	21	21	42	11.0	0.84	0.76	12
Shepton Mallet ..	4,218	33	28	—	1	62	14.7	24	25	49	11.1	0.92	0.84	1
Street ..	4,540	28	32	1	1	62	13.7	23	21	44	9.2	1.02	0.78	1
Taunton M.B.	28,120	201	173	6	10	390	13.9	157	151	308	10.7	0.95	0.84	15
Watchet ..														
Wellington ..	6,674	48	39	3	—	90	13.5	49	65	114	16.5	0.82	1.12	—
Wells M.B. ..	5,241	26	30	—	—	56	10.7	28	32	60	11.0	0.85	0.77	—
Weston-super-Mare M.B.	33,360	180	199	8	10	397	11.9	226	273	499	14.1	0.76	0.89	20
Yeovil M.B.	20,430	146	143	6	7	302	14.8	106	98	204	9.5	1.08	0.85	9
RURAL DISTRICTS ..														
Axbridge ..	24,120	141	121	7	8	277	11.5	128	148	276	12.1	0.88	0.88	111
Bathavon ..	17,880	133	128	2	5	268	15.0	111	125	236	12.6	0.92	0.96	8
Bridgwater ..	16,320	99	120	3	6	228	14.0	108	109	217	12.9	0.86	0.92	8

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.							Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.											
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
SHEPHERSHIRE—contd.																
—contd.																
rd	10,990	76	78	2	2	158	14.4	73	71	144	12.9	0.84	0.90	6	38	
ton	17,000	118	134	2	1	255	15.0	87	86	173	10.2	0.91	0.77	10	39	
verton ..	4,401	27	30	2	3	62	14.1	28	35	63	13.9	0.88	1.01	2	30	
me	8,345	52	54	6	1	113	13.5	55	69	124	13.9	0.87	1.00	8	70	
gport ..	11,900	69	76	4	5	154	12.9	75	83	158	12.9	0.84	0.90	4	26	
g Ashton ..	20,060	122	145	2	5	274	13.7	108	97	205	9.7	0.93	0.75	4	14	
nton Mallet ..	9,577	82	66	3	4	155	16.2	70	67	137	13.8	0.88	1.00	4	26	
nton	16,740	104	85	5	4	198	11.8	99	106	205	11.8	0.86	0.84	16	78	
llington ..	7,042	46	36	2		84	11.9	49	52	101	13.8	0.87	0.99	2	23	
lls	9,255	64	59	3	2	128	13.8	54	54	108	11.5	0.85	0.81	6	47	
lton	12,030	80	78	3	5	166	13.8	72	72	144	11.5	0.82	0.78	7	39	
ncanton ..	15,640	94	120	3	5	222	14.2	91	94	185	11.5	0.85	0.81	4	18	
vil	16,800	139	118	5	3	265	15.8	123	120	243	13.6	0.95	1.07	14	52	
HAMPTON																
NTM BORO'S ..	1,099,200	8,094	7,722	445	414	16,675	15.2	6,538	6,287	12,825	11.8	0.91	0.89	745	45	
armouth ..	565,800	3,914	3,823	231	220	8,188	14.5	3,523	3,535	7,058	12.8	0.90	0.95	411	51	
thmouth ..	124,100	624	658	56	53	1,391	11.2	797	1,015	1,812	14.1	0.73	0.85	67	47	
thampton ..	260,300	1,878	1,778	102	100	3,832	14.7	1,560	1,498	3,058	12.5	0.96	0.99	197	52	
thampton ..	181,400	1,400	1,387	73	67	2,965	16.3	1,166	1,022	2,188	12.4	1.01	1.04	147	50	
IN. COUNTY ..																
AN DISTRICTS ..	305,600	2,445	2,367	119	113	5,044	16.5	1,686	1,550	3,236	10.7	0.94	0.83	198	39	
ershot M.B. ..	37,250	326	295	15	11	647	17.4	148	127	275	8.0	1.14	0.75	28	43	
ver	7,736	64	65	5	4	138	17.8	60	44	104	13.4	0.88	0.97	6	32	
lover M.B. ..	12,300	120	119	8	4	251	20.4	67	57	124	9.7	1.03	0.83	9	38	
ingstone M.B. ..	14,920	97	126	3	3	229	15.3	89	84	173	11.2	1.02	0.94	9	33	
ristchurch M.B. ..	14,640	117	104	7	13	241	16.5	92	81	173	11.5	0.80	0.76	8	33	
leigh M.B. ..	26,360	220	175	1	8	404	15.3	145	128	273	10.2	0.98	0.83	16	47	
elham	33,000	318	334	13	15	680	20.6	183	173	356	10.7	0.99	0.88	32	39	
mborough ..	22,430	155	158	7	4	324	14.4	90	77	167	8.1	1.11	0.74	12	37	
et	8,229	72	62	2	3	139	16.9	46	56	102	12.6	0.86	0.83	2	14	
port M.B. ..	47,630	447	451	20	24	942	19.8	261	224	485	10.8	1.05	0.94	41	45	
vant and ..	26,570	161	163	13	10	347	13.1	163	144	307	11.6	0.82	0.79	15	43	
Waterloo ..																
nington M.B. ..	18,340	120	103	9	4	236	12.9	117	144	261	13.8	0.76	0.87	5	21	
ersfield ..	6,071	41	36	3	1	81	13.3	31	43	74	11.6	0.85	0.81	2	24	
msy M.B. ..	5,744	30	40			70	12.2	35	26	61	10.5	0.87	0.75	3	41	
inchester M.B. ..	24,380	157	136	13	9	315	12.9	159	142	301	12.2	0.90	0.91	11	35	
AL DISTRICTS ..																
ton	227,800	1,735	1,532	95	81	3,443	15.1	1,329	1,202	2,531	11.0	0.89	0.81	136	39	
adover	21,410	176	123	10	9	318	14.9	110	92	202	9.6	0.89	0.71	18	56	
ingstone ..	15,440	117	113	4	2	236	15.3	66	45	111	7.6	0.94	0.59	7	30	
oxford	14,940	99	73	8	3	183	12.2	70	56	126	8.4	0.94	0.65	3	16	
rtley Wintney ..	18,090	120	113	11	6	250	13.8	120	109	229	12.3	0.80	0.81	12	47	
oxford	17,030	108	99	7	9	223	13.1	127	105	232	13.7	0.83	0.94	15	68	
ngsclere and ..	15,210	95	99	4	3	201	13.2	81	82	163	10.3	0.89	0.76	6	29	
Whitchurch ..																
ew Forest ..	37,780	329	289	14	14	646	17.1	199	206	405	10.5	0.98	0.85	26	40	
tersfield ..	15,700	104	107	6	9	226	14.4	99	91	190	11.5	0.88	0.84	9	39	
ngwood and ..	18,890	130	119	11	8	268	14.2	146	106	252	13.0	0.79	0.85	4	15	
Fordingbridge ..																
msay and ..	19,560	178	149	7	8	342	17.5	133	112	245	12.2	0.92	0.93	16	47	
Stockbridge ..																
inchester ..	33,750	279	248	13	10	550	16.3	178	198	376	10.9	0.91	0.82	20	36	
WILTSHIRE ..																
UNTY BORO'S ..	1,495,530	12,597	12,207	373	359	25,536	17.1	8,952	8,142	17,094	11.5	1.12	1.06	1,466	57	
urton-upon-Trent ..	733,830	5,987	5,882	191	186	12,246	16.7	4,454	4,104	8,558	11.8	1.13	1.10	696	57	
ethwick	47,090	340	366	7	10	723	15.4	326	282	608	12.9	0.99	1.06	37	51	
oke-on-Trent ..	78,290	552	584	14	13	1,163	14.9	400	425	825	10.7	1.06	0.94	63	55	
alsall	270,500	2,144	2,109	75	78	4,406	16.3	1,716	1,590	3,306	12.3	1.19	1.21	269	61	
est Bromwich ..	107,600	965	939	29	34	1,967	18.3	659	604	1,263	11.8	1.13	1.10	113	58	
olverhampton ..	83,150	757	702	23	18	1,500	18.0	513	441	954	11.6	1.19	1.14	87	58	
est Bromhampton ..	147,200	1,229	1,182	43	33	2,487	16.9	840	762	1,602	11.0	1.09	0.99	127	51	

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of Table 17.)

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.							Deaths und 1 year
		Legitimate.		Illegitimate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.		
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
STAFFORDSHIRE—contd.															
ADMIN. COUNTY ..	761,700	6,610	6,325	182	173	13,290	17.4	4,498	4,038	8,536	11.2	1.12	1.04	770	
URBAN DISTRICTS ..															
Aldridge ..	576,700	5,152	4,940	130	122	10,344	17.9	3,397	3,015	6,412	11.1	1.16	1.06	591	
Amblecote ..	20,420	205	207	3	2	417	20.4	96	89	185	8.9	1.27	0.93	24	
Biddulph ..	2,836	13	19	—	—	32	11.3	19	17	36	12.7	0.89	0.93	7	
Bilston M.B. ..	9,847	95	87	4	2	188	19.1	50	58	108	10.9	1.19	1.07	40	
Brierley Hill ..	31,600	298	285	10	11	604	19.1	198	163	361	11.5	1.28	1.22	41	
	47,040	390	399	10	8	807	17.2	274	233	507	10.9	1.13	1.02	41	
Brownhills ..															
	19,790	192	187	6	9	394	19.9	125	88	213	10.8	1.19	1.06	16	
Cannock ..	37,090	320	305	11	6	642	17.3	232	191	423	11.4	1.12	1.06	41	
Coseley ..	29,640	334	321	2	6	663	22.4	167	163	330	11.1	1.26	1.16	38	
Darlaston ..	20,220	206	187	3	5	401	19.8	121	111	232	11.5	1.25	1.19	25	
Kids Grove ..	14,590	120	99	5	4	228	15.6	82	85	167	11.5	1.13	1.07	15	
Leek ..															
	19,030	119	102	4	2	227	11.9	124	130	254	13.1	0.98	1.06	13	
Lichfield M.B. ..	8,697	74	74	2	3	153	17.6	61	47	108	12.3	0.91	0.93	7	
Newcastle-under-Lyme M.B. ..	64,460	520	514	12	12	1,058	16.4	369	328	697	10.8	1.17	1.04	55	
Rowley Regis M.B. ..	44,780	396	375	—	4	775	17.3	238	213	451	10.1	1.25	1.04	34	
Rugeley ..	7,633	68	65	3	1	137	17.9	39	38	77	10.0	1.09	0.90	4	
Sedgley ..															
	20,700	155	144	3	2	304	14.7	144	107	251	12.1	1.06	1.06	26	
Stafford M.B. ..	32,670	232	270	7	7	516	15.8	178	170	348	10.5	1.06	0.92	36	
Stone ..	6,278	32	40	3	2	77	12.3	39	36	75	11.9	0.91	0.80	6	
Tamworth M.B. ..	11,800	76	93	4	6	179	15.2	93	92	185	15.5	0.97	1.24	14	
Tettenhall ..	6,727	57	49	2	1	109	16.2	30	38	68	10.1	0.93	0.78	2	
Tipton M.B. ..															
	37,390	389	343	8	5	745	19.9	237	206	443	12.0	1.25	1.24	57	
Uttoxeter ..	6,952	43	58	1	3	105	15.1	39	42	81	11.5	1.08	1.03	5	
Wednesbury M.B. ..	33,650	325	270	7	6	608	18.1	217	168	385	11.5	1.20	1.14	35	
Wednesfield ..	14,540	181	152	7	6	346	23.8	68	70	138	9.4	1.31	1.02	19	
Willenhall ..	28,320	312	295	13	9	629	22.2	157	132	289	10.2	1.24	1.05	31	
RURAL DISTRICTS ..															
	185,000	1,458	1,385	52	51	2,946	15.9	1,101	1,023	2,124	11.4	1.01	0.95	179	
Cannock ..	23,540	204	188	10	9	411	17.5	133	123	256	11.1	1.07	0.98	29	
Cheadle ..	30,750	254	251	8	8	521	16.9	202	161	363	11.6	1.09	1.04	31	
Leek ..	15,800	133	108	—	4	245	15.5	111	94	205	12.9	1.00	1.07	24	
Lichfield ..	32,920	274	238	8	10	530	16.1	171	157	328	10.0	1.02	0.81	29	
Newcastle-under-Lyme ..	16,140	100	90	4	4	198	12.3	98	84	182	11.1	0.95	0.87	13	
Seisdon ..	17,940	142	167	5	3	317	17.7	91	111	202	11.1	1.01	0.93	20	
Stafford ..	13,410	91	104	5	3	203	15.1	79	88	167	12.4	0.94	0.96	11	
Stone ..	12,340	98	80	6	7	191	15.5	84	78	162	12.9	0.96	1.02	6	
Tutbury ..	12,700	109	87	4	1	201	15.8	72	69	141	10.9	0.97	0.87	11	
Uttoxeter ..	9,460	53	72	2	2	129	13.6	60	58	118	12.2	0.98	0.99	5	
SUFFOLK EAST															
	301,710	2,092	2,013	112	89	4,306	14.3	1,918	1,848	3,766	12.3	0.90	0.91	184	
COUNTY BORO' : Ipswich ..															
	96,170	666	669	39	35	1,409	14.7	543	574	1,117	11.5	0.97	0.92	70	
ADMIN. COUNTY ..	205,540	1,426	1,344	73	54	2,897	14.1	1,375	1,274	2,649	12.6	0.88	0.92	114	
URBAN DISTRICTS ..															
Aldeburgh M.B. ..	92,340	659	569	30	17	1,275	13.8	578	594	1,172	12.6	0.89	0.93	45	
Beccles M.B. ..	2,414	15	18	—	1	34	14.1	17	19	36	14.0	0.85	0.98	—	
Bungay ..	6,399	41	29	1	—	71	11.1	39	47	86	12.9	0.84	0.90	2	
Eye M.B. ..	3,066	12	23	—	1	36	11.7	20	25	45	14.5	0.86	1.03	3	
Felixstowe ..	1,647	9	11	—	1	21	12.8	12	11	23	13.7	0.84	0.95	1	
	12,920	85	84	7	4	180	13.9	78	94	172	13.3	0.83	0.91	9	
Halesworth ..															
	2,150	20	11	3	—	34	15.8	20	14	34	15.4	0.84	1.07	1	
Leiston cum Sizewell ..	4,026	24	27	1	3	55	13.7	20	25	45	10.8	0.82	0.73	—	
Lowestoft M.B. ..	44,230	359	291	14	3	667	15.1	269	256	525	12.0	0.97	0.96	25	
Saxmundham ..	1,346	2	1	—	—	3	2.2	12	8	20	14.6	0.81	0.98	—	
Southwold M.B. ..	2,596	11	12	—	—	23	8.9	14	12	26	9.9	0.70	0.57	—	
Stowmarket ..	6,536	51	37	—	3	91	13.9	47	46	93	13.8	0.97	1.11	3	
Woodbridge ..	5,010	30	25	4	1	60	12.0	30	37	67	13.0	0.78	0.84	1	
RURAL DISTRICTS ..															
	113,200	767	775	43	37	1,622	14.3	797	680	1,477	12.6	0.87	0.91	69	

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
EAST—contd.															
—contd.															
.. ..	18,120	123	121	4	5	253	14.0	152	126	278	14.8	0.81	0.99	9	35
.. ..	24,590	184	159	5	9	357	14.5	163	147	310	12.1	0.83	0.83	13	35
.. ..	18,100	137	140	5	8	290	16.0	130	111	241	13.0	0.88	0.95	11	38
.. ..	17,210	108	115	17	7	247	14.4	133	119	252	14.3	0.87	1.03	17	68
.. ..	14,370	112	103	5	3	223	15.5	94	77	171	11.1	0.97	0.89	13	57
.. ..	14,540	63	85	3	3	154	10.6	86	63	149	10.2	0.88	0.74	1	62
.. ..	6,270	40	52	4	2	98	15.6	39	37	76	11.8	0.87	0.85	5	51
WEST :															
.. COUNTY ..	103,730	720	670	32	28	1,450	14.0	733	705	1,438	13.6	0.83	0.93	54	36
DISTRICTS ..	39,300	233	237	10	9	489	12.4	269	263	532	13.4	0.84	0.93	23	43
St. Edmunds ..	17,020	104	124	7	4	239	14.0	111	110	221	12.9	0.90	0.96	10	36
B.	2,855	23	9	1	1	34	11.9	24	19	43	14.8	0.89	1.09	2	59
.. ..	3,714	29	23	—	1	53	14.3	32	41	73	10.6	0.79	1.28	3	57
.. ..	9,082	35	51	2	3	91	10.0	55	46	101	11.0	0.83	0.75	5	55
.. ..	6,629	42	30	—	—	72	10.9	47	47	94	14.2	0.75	0.88	3	37
DISTRICTS ..	64,430	487	433	22	19	961	14.0	464	442	906	13.7	0.82	0.93	31	32
.. ..	8,476	47	64	3	3	117	13.8	71	60	131	15.5	0.77	0.99	4	34
.. ..	9,230	65	61	2	1	129	14.0	84	72	156	16.4	0.79	1.07	5	38
.. ..	10,990	88	68	7	3	166	15.1	86	86	172	15.1	0.77	0.96	3	18
.. ..	12,440	91	91	1	4	187	15.0	78	62	140	11.0	0.80	0.81	7	37
.. ..	7,724	52	46	4	2	104	13.5	36	65	101	12.5	0.79	0.82	7	65
.. ..	15,570	144	103	5	6	258	16.6	109	97	206	13.0	0.87	0.93	5	19
.. ..	1,451,600	10,077	9,525	415	457	20,474	14.1	7,167	7,261	14,428	10.0	0.98	0.81	778	38
TY BORO' :															
.. ..	243,900	1,676	1,548	90	90	3,404	14.0	1,228	1,329	2,557	11.0	0.96	0.87	131	39
N. COUNTY ..	1,207,700	8,401	7,977	325	367	17,070	14.1	5,939	5,932	11,871	9.8	0.99	0.80	647	38
N DISTRICTS ..	1,086,500	7,535	7,159	292	317	15,303	14.1	5,202	5,249	10,451	9.6	1.00	0.79	573	37
.. ..	28,480	218	200	4	5	427	15.0	117	115	232	8.0	0.95	0.63	17	40
.. ..	40,870	197	179	8	13	397	9.7	201	221	422	10.8	0.88	0.79	16	41
.. ..	31,190	194	187	6	7	394	12.6	142	140	282	9.4	1.00	0.78	16	40
.. ..	59,510	419	355	8	5	787	13.2	220	199	419	7.1	1.38	0.81	28	35
.. ..	27,100	228	179	11	8	426	15.7	116	138	254	9.5	1.03	0.81	11	26
.. ..	22,610	212	173	13	7	405	17.9	98	96	194	8.2	1.10	0.75	20	47
.. ..	56,400	349	387	11	15	762	13.5	247	245	492	8.9	0.95	0.70	33	43
.. ..	17,320	126	136	5	5	272	15.7	105	114	219	12.0	0.86	0.85	3	11
.. ..	19,060	123	128	7	9	267	14.0	98	101	199	9.9	0.97	0.79	8	30
.. ..	62,960	466	396	21	10	893	14.2	265	229	494	7.8	1.00	0.64	38	43
.. ..	44,150	344	325	15	13	697	15.8	230	236	466	10.5	0.97	0.84	32	46
.. ..	21,300	144	149	8	5	306	14.4	142	134	276	12.8	0.85	0.90	12	39
.. ..	18,860	152	144	4	10	310	16.4	88	90	178	9.9	0.94	0.77	13	42
.. ..	13,120	90	70	1	7	168	12.8	74	85	159	11.6	0.93	0.80	6	35
.. ..	40,870	273	286	13	22	594	14.5	222	218	440	10.4	0.96	0.83	29	47
.. ..	9,660	67	50	2	—	119	12.3	69	75	144	13.7	0.87	0.99	2	16
.. ..	39,970	258	246	11	18	533	13.3	224	226	450	11.4	0.91	0.86	14	26
.. ..	22,260	144	149	6	7	306	13.7	117	96	213	9.1	0.95	0.71	4	13
.. ..	39,930	286	312	6	11	615	15.4	179	173	352	8.9	1.10	0.81	24	39
.. ..	72,150	492	486	13	14	1,005	13.9	270	246	516	7.2	1.27	0.76	30	30
.. ..	66,370	497	487	13	12	1,009	15.2	311	249	560	8.7	1.23	0.88	31	31
.. ..	37,099	259	204	13	13	489	13.2	209	245	454	11.7	0.86	0.83	18	34
.. ..	38,300	193	169	17	14	393	10.3	215	257	472	12.6	0.83	0.86	10	26
.. ..	49,450	409	391	16	23	839	17.0	236	244	480	9.7	1.07	0.86	35	42

A considerable proportion of the population of this area was enumerated in Mental Hospitals, the deaths in which are not included in the above figures. The figures for the areas in which the deceased patients had resided before admission.

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of T

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Des un 1 y
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad-justed death rate to National Rate.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SURREY—contd.														
U.D.'s.—contd.														
Sutton and Cheam..	76,510	553	527	27	22	1,129	14·8	356	367	723	9·5	1·07	0·84	50
M.B.														
Walton and Weybridge	31,180	218	232	13	8	471	15·1	155	177	332	10·5	0·96	0·83	10
Wimbledon M.B. . .	58,350	301	307	7	19	634	10·9	306	350	656	11·7	0·84	0·81	11
Woking	41,530	323	305	13	15	656	15·8	190	183	373	8·7	0·95	0·68	3
RURAL DISTRICTS . .														
Bagshot	12,090	87	83	2	4	176	14·6	67	66	133	10·7	0·93	0·82	1
Dorking and Horley	20,810	136	137	5	9	287	13·8	143	128	271	12·4	0·93	0·95	1
Godstone	26,940	172	182	9	15	378	14·0	148	151	299	10·4	0·89	0·77	1
Guildford	34,720	313	276	12	15	616	17·7	213	193	406	11·3	0·93	0·87	2
Hambleton.. . . .	26,640	158	140	5	7	310	11·6	166	145	311	11·1	0·85	0·78	1
SUSSEX EAST														
COUNTY BORO'S: . .	570,200	3,346	3,145	200	209	6,900	12·1	3,809	4,483	8,292	13·9	0·79	0·91	26
Brighton	267,400	1,583	1,516	118	121	3,338	12·5	1,858	2,256	4,114	14·8	0·78	0·95	13
Eastbourne	146,600	957	909	69	79	2,014	13·7	1,062	1,175	2,237	14·7	0·82	1·00	9
Hastings	56,400	293	250	22	22	587	10·4	314	445	759	12·8	0·75	0·79	2
	64,400	333	357	27	20	737	11·4	482	636	1,118	16·8	0·70	0·97	2
ADMIN. COUNTY . . .														
302,800	1,763	1,629	82	88	3,562	11·8	1,951	2,227	4,178	13·1	0·80	0·87	12	
URBAN DISTRICTS . .														
Bexhill M.B.	159,100	868	830	48	50	1,796	11·3	1,059	1,353	2,412	14·4	0·77	0·92	6
Burgess Hill	23,760	138	107	7	11	263	11·1	139	205	344	13·7	0·74	0·84	1
Cuckfield	6,917	43	42	2	—	87	12·6	54	50	104	14·1	0·81	0·94	1
East Grinstead . . .	13,880	89	96	3	1	189	13·6	66	106	172	11·7	0·81	0·78	1
Hove M.B.	9,712	66	56	2	7	131	13·5	65	68	133	13·2	0·85	0·93	1
	59,860	230	236	25	15	506	8·5	459	648	1,107	17·4	0·69	0·99	2
Lewes M.B.														
Newhaven	12,020	78	79	2	4	163	13·6	68	85	153	12·4	0·85	0·87	1
Portslade-by-Sea . .	7,112	45	61	—	3	109	15·3	49	41	90	12·2	0·92	0·93	1
Rye M.B.	12,420	106	92	4	7	209	16·8	60	67	127	9·9	1·02	0·83	1
Seaford	4,149	33	32	1	2	58	14·0	40	24	64	14·8	0·86	1·05	1
	9,270	40	39	2	—	81	8·7	59	59	118	12·3	0·84	0·85	1
RURAL DISTRICTS . .														
Battle	143,700	895	799	34	38	1,766	12·3	892	874	1,766	11·6	0·83	0·80	6
Chailley	28,080	173	164	9	7	353	12·6	179	178	357	11·9	0·80	0·79	1
Cuckfield	17,610	108	95	5	6	214	12·2	113	104	217	11·8	0·82	0·80	1
Hailsham	24,770	169	127	2	5	303	12·2	153	154	307	11·6	0·87	0·83	1
Uckfield	34,460	213	205	5	10	433	12·6	200	205	405	11·3	0·81	0·76	1
	38,780	232	208	13	10	463	11·9	247	233	480	11·7	0·83	0·80	1
SUSSEX WEST														
ADMIN. COUNTY: . .	272,000	1,861	1,784	105	92	3,842	14·1	1,774	1,893	3,667	12·7	0·81	0·85	13
URBAN DISTRICTS . .														
Arundel M.B.	149,400	976	940	56	49	2,021	13·5	960	1,152	2,112	13·3	0·77	0·85	63
Bognor Regis	2,426	16	16	1	—	33	13·6	16	18	34	13·2	0·81	0·88	—
Chichester M.B. . . .	20,780	117	124	7	11	259	12·5	134	146	280	12·4	0·84	0·86	6
Horsham	16,750	124	112	4	5	245	14·6	98	89	187	10·7	0·91	0·80	12
Littlehampton	15,210	87	107	3	5	202	13·3	88	96	184	11·6	0·85	0·81	3
Shoreham-by-Sea . . .	11,720	100	90	9	8	207	17·7	79	74	153	12·3	0·90	0·91	10
Southwick	11,570	91	87	6	3	187	16·2	65	53	118	9·7	0·95	0·76	7
Worthing M.B.	9,734	80	65	—	1	146	15·0	61	60	121	12·0	0·90	0·89	7
	61,210	361	339	26	16	742	12·1	419	616	1,035	15·9	0·65	0·85	18
RURAL DISTRICTS . .														
Chancotbury	122,600	885	844	49	43	1,821	14·9	814	741	1,555	11·9	0·86	0·85	72
Chichester	17,500	147	136	9	2	294	16·8	106	118	224	12·1	0·81	0·81	8
Horsham	35,250	273	262	17	14	566	16·1	233	196	429	11·6	0·94	0·90	18
Midhurst	22,380	156	149	5	10	320	14·3	150	161	311	13·1	0·91	0·99	19
Petworth	14,480	89	82	3	5	179	12·4	98	83	181	11·5	0·83	0·79	7
Worthing	8,100	58	46	4	4	112	13·8	71	46	117	13·6	0·82	0·92	4
	24,890	162	169	11	8	350	14·1	156	137	293	11·0	0·81	0·74	16
WARWICKSHIRE														
COUNTY BORO'S: . .	1,681,300	14,130	13,105	487	489	28,211	16·8	9,570	9,026	18,596	11·1	1·11	1·02	1,557
Birmingham	1,272,900	10,721	10,088	392	400	21,601	17·0	7,319	6,853	14,172	11·2	1·13	1·05	1,258
	1,052,900	8,663	8,149	321	328	17,461	16·6	6,135	5,828	11,963	11·5	1·11	1·05	1,031

† Populations appropriate for calculation of death rates are shown in Table 29

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
WICKSHIRE—contd. —contd.															
entry ..	220,000	2,058	1,939	71	72	4,140	18.8	1,184	1,025	2,209	10.0	1.26	1.04	227	55
N. COUNTY ..	408,400	3,409	3,017	95	89	6,610	16.2	2,251	2,173	4,424	10.7	1.03	0.91	299	43
N. DISTRICTS ..	267,200	2,248	2,050	62	60	4,420	16.3	1,381	1,374	2,755	10.2	1.06	0.89	184	41
North ..	21,710	198	179	1	3	381	17.3	114	84	198	9.1	1.34	1.01	29	76
North ..	8,880	63	63	2	3	131	14.8	48	42	90	10.0	1.00	0.83	4	30
North M.B. ..	49,750	388	424	11	13	836	16.8	264	251	515	10.4	1.18	1.01	55	66
North Leamington ..	30,570	216	179	10	6	411	13.4	187	225	412	13.2	0.86	0.94	13	31
North M.B. ..	39,190	307	227	9	7	550	14.0	222	237	459	11.6	1.07	1.03	20	36
North ..	52,260	604	529	17	13	1,163	22.3	207	193	400	7.6	1.15	0.72	33	28
North-on-Avon ..	12,460	76	74	2	4	156	12.5	76	84	160	12.6	0.87	0.91	7	43
North ..	38,260	285	253	7	8	553	14.5	185	191	376	9.7	0.98	0.79	16	29
North ..	14,120	111	122	3	3	239	16.9	78	67	145	10.2	0.99	0.83	7	29
North DISTRICTS ..	141,200	1,161	967	33	29	2,190	15.5	870	799	1,669	11.7	1.00	0.97	115	32
North ..	11,550	86	70	1	—	157	13.6	82	62	144	12.4	0.89	0.91	7	44
North ..	21,870	209	158	2	3	372	17.0	134	118	252	11.5	1.14	1.08	22	59
North ..	29,210	271	227	9	7	514	17.6	150	131	281	9.5	1.13	0.89	29	56
North ..	15,530	125	101	2	4	232	14.9	88	96	184	11.6	1.05	1.01	9	39
North-on-Stour ..	7,480	49	37	2	2	90	12.0	68	55	123	16.2	0.76	1.02	3	30
North ..	10,860	72	72	2	1	147	13.5	77	76	153	13.8	0.88	1.00	8	54
North-on-Avon ..	14,690	116	83	5	3	207	14.1	105	107	212	14.0	0.87	1.01	11	52
North ..	14,350	132	131	5	2	270	18.8	88	65	153	10.6	1.08	0.95	18	66
North ..	15,660	101	88	5	7	201	12.8	78	89	167	10.5	0.96	0.83	8	40
WICKSHIRE :															
N. COUNTY ..	63,440	413	437	25	27	902	14.2	385	430	815	12.4	0.92	0.94	53	57
N. DISTRICTS ..	30,120	174	184	13	10	381	12.6	184	205	389	12.3	0.92	0.94	25	63
North M.B. ..	1,575	11	15	2	1	29	18.4	16	13	29	17.3	0.86	1.23	3	103
North M.B. ..	17,520	102	112	7	5	226	12.9	105	116	221	12.2	1.00	1.01	18	76
North ..	5,233	39	25	2	1	67	12.8	27	35	62	11.0	0.86	0.78	3	43
North ..	5,792	22	32	2	3	59	10.2	36	41	77	12.5	0.82	0.85	1	16
N. DISTRICTS ..	33,320	239	253	12	17	521	15.6	201	225	426	12.4	0.91	0.93	28	53
North Westmorland ..	16,810	131	138	8	10	287	17.1	103	101	204	11.9	0.92	0.90	15	52
North Westmorland ..	16,510	108	115	4	7	234	14.2	98	124	222	12.9	0.91	0.97	13	55
WICKSHIRE :															
ISLE OF :															
N. COUNTY ..	85,800	528	499	39	29	1,095	12.8	604	595	1,199	13.7	0.78	0.88	29	26
N. DISTRICTS ..	70,270	443	422	29	22	916	13.0	485	482	967	13.5	0.79	0.88	25	27
North ..	15,580	108	104	7	7	226	14.5	111	113	224	14.1	0.82	0.96	5	22
North M.B. ..	20,050	144	122	13	4	283	14.1	121	108	229	11.4	0.88	0.83	10	35
North ..	17,670	105	101	5	4	215	12.2	109	138	247	13.8	0.73	0.83	4	19
North-Shanklin ..	11,020	51	66	3	3	123	11.2	80	69	149	13.2	0.73	0.80	2	16
North ..	5,950	35	29	1	4	69	11.6	64	54	118	10.2	0.75	1.10	4	57
N. DISTRICT :															
of Wight ..	15,530	85	77	10	7	179	11.5	119	113	232	14.5	0.76	0.91	4	22
WICKSHIRE :															
N. COUNTY ..	310,500	2,310	2,225	97	75	4,707	15.2	1,969	1,902	3,871	12.2	0.92	0.93	192	39
N. DISTRICTS ..	153,700	1,136	1,086	45	41	2,308	15.0	971	935	1,906	12.0	0.94	0.93	95	39
North-on-Avon ..	4,804	46	33	1	1	81	16.9	32	35	67	13.4	0.87	0.96	4	36
North M.B. ..	4,954	32	31	—	—	63	12.7	29	24	53	10.3	0.95	0.81	1	16
North M.B. ..	10,650	92	81	4	3	180	16.9	63	61	124	11.4	0.92	0.87	5	27
North M.B. ..	6,994	49	46	2	3	100	14.3	47	32	79	10.7	0.92	0.81	—	—
North M.B. ..	2,272	20	23	—	—	43	18.9	20	14	34	14.6	0.73	0.90	4	93
North M.B. ..	4,667	32	41	—	3	76	16.3	25	27	52	10.5	1.00	0.87	2	26
North M.B. ..	5,326	41	45	—	1	87	16.3	40	37	77	13.8	1.10	1.25	4	38

† Populations appropriate for calculation of death rates are shown in Table 29

TABLE 17—continued.

(See notes on first page of T

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.							Number.
		Legitimate.		Illegitimate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.		
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
WILTSHIRE—contd.															
U.D's.—contd.															
Salisbury M.B.	28,650	229	229	7	9	474	16.5	162	162	324	10.8	0.95	0.85	23	
Swindon M.B.	60,390	420	388	23	17	848	14.0	402	371	773	12.5	0.96	0.99	35	
Trowbridge . .	12,610	87	86	2	3	178	14.1	68	100	168	13.0	0.91	0.98	11	
Warminster . .	5,947	46	48	2	1	97	16.3	35	43	78	12.6	0.88	0.92	2	
Westbury . . .	4,148	22	27	1	—	50	12.1	25	21	46	10.8	0.89	0.79	1	
Wilton M.B.	2,288	20	8	3	—	31	13.5	23	8	31	12.9	0.82	0.87	3	
RURAL DISTRICTS															
Amesbury . . .	156,800	1,174	1,139	52	34	2,399	15.3	998	967	1,965	12.3	0.91	0.93	97	
Bradford and Melksham . .	16,830	173	159	7	3	342	20.3	89	70	159	9.6	1.18	0.94	11	
Calne and Chippenham . .	8,437	47	57	4	—	108	12.8	52	53	105	12.0	0.88	0.87	11	
Cricklade and Wootton Bassett . .	21,500	126	125	5	6	262	12.2	126	116	242	11.2	0.91	0.84	10	
Devizes . . .	11,240	98	106	4	3	211	18.8	82	62	144	12.4	0.95	0.97	6	
Highworth . . .	12,230	80	75	2	2	159	13.0	75	78	153	11.9	0.84	0.83	5	
Malmesbury . .	16,820	121	109	7	5	242	14.4	91	111	202	11.8	0.97	0.95	15	
Marlborough and Ramsbury . .	8,165	68	68	3	1	140	17.1	49	63	112	13.3	0.85	0.93	4	
Mere and Tisbury . .	9,448	63	52	1	5	121	12.8	72	74	146	15.0	0.85	1.05	6	
Pewsey . . .	10,450	70	67	6	2	145	13.9	95	87	182	17.0	0.81	1.14	8	
Salisbury and Wilton . . .	14,150	172	115	3	3	293	20.7	88	76	164	11.4	1.02	0.96	10	
Warminster and Westbury . .	15,890	96	115	6	3	220	13.8	101	95	196	12.1	0.84	0.84	8	
Worcestershire County Boro's	11,640	60	91	4	1	156	13.4	78	82	160	13.4	0.80	0.89	7	
Dudley . . .	455,850	3,751	3,447	133	120	7,451	16.3	2,733	2,593	5,326	11.6	1.00	0.96	382	
Worcester . . .	115,900	913	933	30	27	1,903	16.4	786	646	1,432	12.4	1.05	1.08	108	
ADMIN. COUNTY	62,100	528	543	9	13	1,093	17.6	400	295	695	11.4	1.16	1.09	77	
URBAN DISTRICTS	53,800	385	390	21	14	810	15.1	386	351	737	13.6	0.95	1.07	31	
Bewdley M.B.	339,950	2,838	2,514	103	93	5,548	16.3	1,947	1,947	3,894	11.3	0.99	0.92	274	
Bromsgrove . .	243,900	2,072	1,819	66	55	4,012	16.4	1,366	1,326	2,692	11.0	1.04	0.95	210	
Droitwich M.B.	4,364	42	32	1	4	79	18.1	25	31	56	12.8	0.92	0.97	4	
Evesham M.B.	23,890	245	202	6	6	459	19.2	149	116	265	10.9	1.04	0.94	26	
Halesowen . .	4,677	35	34	—	1	70	15.0	30	26	56	11.9	0.80	0.79	4	
Kidderminster M.B.	10,820	80	69	9	3	161	14.9	61	69	130	11.5	0.95	0.90	4	
Malvern . . .	36,800	317	297	6	6	626	17.0	158	136	294	8.0	1.18	0.78	24	
Oldbury M.B.	32,990	287	247	17	11	562	17.0	184	216	400	12.0	0.96	0.95	17	
Redditch . . .	17,320	94	88	5	2	189	10.9	107	134	241	13.7	0.72	0.82	9	
Stourbridge M.B.	47,000	464	392	7	7	870	18.5	257	215	472	10.0	1.31	1.08	56	
Stourport-on-Severn	22,760	203	149	7	8	367	16.1	146	135	281	12.2	1.02	1.03	27	
RURAL DISTRICTS	35,310	237	244	8	5	494	14.0	206	208	414	11.8	1.03	1.00	32	
Bromsgrove . .	7,969	68	65	—	2	135	16.9	43	40	83	10.3	1.02	0.87	7	
Droitwich . .	96,050	766	695	37	38	1,536	16.0	581	621	1,202	12.1	0.90	0.90	64	
Evesham . . .	21,710	192	193	5	7	397	18.3	122	121	243	10.9	1.02	0.92	19	
Kidderminster	11,280	114	79	10	6	209	18.5	81	80	161	13.9	0.92	1.06	10	
Malvern . . .	13,890	114	94	3	6	217	15.6	92	85	177	12.4	0.86	0.88	6	
Pershore . . .	7,772	50	47	—	4	101	13.0	46	55	101	12.6	0.91	0.95	2	
Tenbury . . .	10,510	79	71	7	4	161	15.3	69	83	152	13.1	0.93	1.01	9	
Upton-on-Severn	13,180	102	92	6	6	206	15.6	67	89	156	11.5	0.86	0.82	11	
YORKSHIRE, EAST RIDING	5,148	37	39	1	1	78	15.2	30	26	56	9.8	0.94	0.76	3	
COUNTY BORO' : Kingston-upon-Hull	12,560	78	80	5	4	167	13.3	74	82	156	12.3	0.74	0.75	4	
ADMIN. COUNTY	505,980	4,141	3,775	230	214	8,360	16.5	3,193	2,882	6,075	12.2	1.02	1.03	479	
URBAN DISTRICTS	317,800	2,782	2,504	142	129	5,557	17.5	2,043	1,765	3,808	12.5	1.12	1.16	339	
Beverley M.B.	188,180	1,359	1,271	88	85	2,803	14.9	1,150	1,117	2,267	11.8	0.91	0.89	140	
Bridlington M.B.	91,290	720	681	41	49	1,491	16.3	583	612	1,195	12.8	0.90	0.95	70	
	14,210	112	121	5	5	243	17.1	77	97	174	12.1	0.94	0.94	10	
	22,020	125	135	13	16	289	13.1	154	187	341	15.0	0.80	0.99	12	

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SHIRE, EAST RIDING—contd.															
—contd.															
Field ..	6,362	50	55	7	3	115	18.1	43	36	79	12.0	0.87	0.86	8	69
ley ..	4,460	21	31	2	2	56	12.6	26	30	56	12.3	0.93	0.95	5	86
tempre ..	29,910	305	244	7	17	573	19.2	168	167	335	11.0	1.04	0.95	25	43
ton M.B. ..	1,811	21	18			39	21.5	11	14	25	14.0	0.85	0.88	2	51
nsea ..	4,448	21	24	3	1	49	11.0	39	30	69	15.2	0.75	0.94	2	39
ton ..	4,247	36	37	3	2	78	18.4	31	28	59	13.4	0.95	1.05	1	13
thernsea ..	3,822	29	16	1	3	49	12.8	34	23	57	13.8	0.77	0.88	5	89
AL DISTRICTS															
erley ..	96,890	639	590	47	36	1,312	13.5	567	505	1,072	10.8	0.91	0.81	70	53
llington ..	17,290	118	107	5	4	234	13.5	90	86	176	9.9	0.92	0.75	9	38
gent ..	8,540	50	49	3	1	103	12.1	47	47	94	11.0	0.93	0.85	6	58
field ..	11,710	75	63	2	5	145	12.4	58	54	112	9.3	0.90	0.74	7	48
derness ..	10,540	70	72	6	4	152	14.4	58	67	125	11.6	0.91	0.87	12	77
wden ..	17,770	107	114	7	6	234	13.2	118	86	204	11.3	0.91	0.85	18	75
orton ..	11,100	72	82	7	2	163	14.7	70	62	132	11.7	0.86	0.83	9	55
ington ..	7,340	59	40	9	6	114	15.5	46	38	84	11.3	0.95	0.89	5	44
kington ..	12,600	88	63	8	8	167	13.3	80	65	145	11.2	0.90	0.83	4	24
SHIRE, NORTH RIDING															
—contd.															
NTY BORO' :	476,500	3,892	3,695	199	177	7,963	16.7	3,201	2,903	6,104	12.8	1.00	1.06	478	60
ddlesbrough ..	139,900	1,236	1,228	61	58	2,583	18.5	1,023	805	1,828	13.3	1.16	1.28	194	75
IN. COUNTY ..	336,600	2,656	2,467	138	119	5,380	16.0	2,178	2,098	4,276	12.6	0.94	0.98	284	52
AN DISTRICTS															
an ..	187,100	1,540	1,392	82	69	3,083	16.5	1,234	1,218	2,452	13.0	0.96	1.03	171	55
borough ..	30,970	326	270	13	12	621	20.7	212	151	363	11.8	1.16	1.13	36	58
us ..	8,067	59	58	4	4	125	15.5	63	49	112	14.0	0.98	1.13	4	31
lton ..	7,455	80	49	2	—	131	17.6	49	39	88	11.8	1.06	1.03	7	53
lton ..	4,039	22	22	1	1	46	11.4	22	29	51	12.4	0.92	0.94	—	—
thallerton ..	4,893	43	31	4	1	79	16.1	37	24	61	12.0	0.99	0.98	8	94
kering ..	3,856	15	28	—	—	43	11.2	24	34	58	14.7	0.82	1.00	2	45
ear M.B. ..	23,840	195	164	7	12	378	15.9	139	149	288	12.0	1.01	1.00	22	58
thmond M.B. ..	5,534	47	53	4	2	106	19.2	40	28	68	12.1	1.08	1.08	5	47
thorn and Marske by the Sea ..	6,675	46	49	2	5	102	15.3	54	53	107	15.7	0.83	1.08	6	59
lby ..	4,901	40	33	1	—	74	15.1	30	33	63	12.4	0.82	0.84	1	14
urborough M.B. ..	40,540	249	235	25	13	522	12.9	281	345	626	15.0	0.81	1.00	25	47
elton and Brotton	12,820	112	116	1	6	235	18.3	86	86	172	13.4	1.03	1.14	17	72
ornaby-on-Tees	21,950	219	207	16	9	451	20.5	131	128	259	11.9	1.16	1.14	34	75
M.B. ..															
niby ..	11,560	87	77	2	4	170	14.7	66	70	136	11.5	0.86	0.82	4	23
AL DISTRICTS															
garth ..	149,500	1,116	1,075	56	50	2,297	15.4	944	880	1,824	12.0	0.92	0.91	113	49
dale ..	3,713	25	15	1	1	42	11.3	37	33	70	18.1	0.82	1.23	7	167
oft ..	6,475	57	43	4	6	110	17.0	40	46	86	12.7	0.90	0.94	5	45
ingwold ..	2,071	17	12	2	1	32	15.5	14	10	24	11.2	1.05	0.97	1	31
axton ..	10,570	64	63	1	5	133	12.6	84	62	146	13.6	0.89	1.00	5	38
axton ..	15,620	146	159	5	1	311	19.9	78	73	151	9.3	1.04	0.80	10	32
elmsley ..	5,119	33	35	2	—	70	13.7	27	36	63	12.0	1.00	0.99	5	71
rkby Moorside ..	4,837	33	34	2	1	70	14.5	38	25	63	12.8	0.88	0.93	8	111
eyburn ..	6,738	49	46	2	2	99	14.7	50	42	92	13.5	0.97	1.08	5	50
alton ..	5,518	22	30	3	3	58	10.5	37	31	68	12.1	0.89	0.89	3	52
asham ..	1,853	10	9	3	3	25	13.5	19	10	29	15.0	0.78	0.97	2	80
orthallerton															
ckering ..	7,528	53	52	2	1	108	14.3	40	41	81	10.4	0.93	0.80	3	27
eth ..	5,299	26	35	3	3	67	12.6	46	44	90	16.7	0.79	1.09	1	15
chmond ..	2,153	8	15	—	—	23	10.7	10	24	34	15.2	0.81	1.02	3	130
arborough ..	19,010	182	169	5	9	365	19.2	56	61	117	6.6	1.23	0.67	18	49
arborough ..	6,853	42	39	2	1	84	12.3	46	45	91	12.7	0.84	0.88	2	24
arforth ..	4,035	35	28	2	2	67	16.6	32	31	63	15.0	0.89	1.10	4	60
okesley ..	15,760	140	122	8	4	274	17.4	107	109	216	13.3	0.93	1.02	17	61
hirk ..	12,000	73	86	4	6	169	14.1	82	72	154	12.5	0.88	0.91	4	24
ath ..	2,818	25	14	1	1	41	14.5	17	9	26	9.8	0.99	0.80	2	49
haby ..	11,530	76	69	4	—	149	12.9	84	76	160	13.7	0.78	0.88	8	53

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of T

AREA.	Esti- mated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.							De un 1 y
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.		
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
YORKSHIRE, WEST RIDING	3,469,700	25,180	24,100	1060	1060	51,400	14.8	22,458	21,186	43,644	12.6	1.04	1.08	2,800	
COUNTY BORO'S:	1,966,300	14,016	13,256	646	640	28,558	14.5	13,053	12,207	25,260	13.0	1.03	1.11	1,560	
Barnsley ..	72,160	594	578	23	24	1,219	16.9	436	406	842	11.7	1.14	1.10	70	
Bradford ..	287,500	1,800	1,598	107	107	3,612	12.6	2,091	2,146	4,237	14.9	0.95	1.17	220	
Dewsbury ..	52,920	377	346	25	15	763	14.4	330	370	700	13.3	0.99	1.09	30	
Doncaster ..	72,270	514	511	35	29	1,089	15.1	426	379	805	11.1	1.14	1.05	50	
Halifax ..	97,460	656	641	29	23	1,349	13.8	736	752	1,488	15.3	0.93	1.18	80	
Huddersfield	126,600	782	753	34	37	1,606	12.7	855	914	1,769	14.0	0.97	1.12	110	
Leeds ..	497,000	3,370	3,322	198	185	7,075	14.2	3,426	3,108	6,534	13.4	1.05	1.16	400	
Rotherham ..	77,250	666	608	16	23	1,313	17.0	448	387	835	10.8	1.14	1.02	60	
Sheffield ..	522,000	4,058	3,854	132	148	8,192	15.7	3,302	2,898	6,200	12.0	1.08	1.07	380	
Wakefield ..	59,040	401	370	15	13	799	13.5	414	335	749	12.8	1.06	1.12	40	
York ..	102,100	798	675	32	36	1,541	15.1	589	512	1,101	10.9	1.03	0.93	80	
ADMIN. COUNTY	1,503,400	11,164	10,844	414	420	22,842	15.2	9,405	8,979	18,384	12.2	1.04	1.05	1,230	
*URBAN DISTRICTS	1,118,200	8,089	7,742	280	309	16,420	14.7	7,265	7,050	14,315	12.8	1.02	1.08	880	
Adwick-le-Street	19,050	184	180	3	5	372	19.5	98	72	170	9.0	1.38	1.03	20	
Aireborough ..	23,570	169	146	5	5	325	13.8	149	135	284	12.0	0.96	0.95	10	
Baildon ..	9,941	64	45	1	1	111	11.2	60	51	111	11.2	0.99	0.92	10	
Barnoldswick	10,090	53	45	1	—	99	9.8	87	66	153	15.2	0.86	1.08	10	
Batley M.B.	39,530	278	244	10	8	540	13.7	248	314	562	14.2	1.00	1.17	20	
Bentley with Arkeley	17,890	181	178	2	8	369	20.6	107	90	197	11.0	1.37	1.25	40	
Bingley ..	21,580	153	140	8	6	307	14.2	138	141	279	12.8	0.95	1.00	20	
Brighouse M.B.	29,900	201	197	12	12	422	14.1	244	228	472	15.8	0.92	1.20	10	
Castleford ..	42,860	367	326	14	11	718	16.8	262	219	481	11.3	1.22	1.14	40	
Colne Valley	22,390	133	140	3	5	281	12.6	156	194	350	15.6	0.96	1.24	20	
Conisbrough	17,040	169	143	7	6	325	19.1	92	70	162	9.7	1.22	0.98	20	
Cudworth ..	8,343	93	76	6	—	175	21.0	49	40	89	10.7	1.26	1.11	10	
Darfield ..	5,721	51	48	3	—	102	17.8	26	33	59	10.4	1.12	0.96	10	
Darton ..	13,650	145	120	3	1	269	19.1	84	74	158	11.6	1.18	1.13	10	
Dearne ..	24,130	210	218	11	7	446	18.5	123	115	238	10.0	1.33	1.10	40	
Denby Dale	9,963	66	69	4	—	139	14.0	64	54	118	11.8	0.96	0.94	10	
Denholme ..	2,479	14	11	—	2	27	10.9	17	28	45	18.1	0.88	1.32	10	
Dodworth ..	4,112	34	36	2	1	73	17.8	22	26	48	11.8	1.25	1.22	10	
Earby ..	4,625	18	18	—	—	36	7.8	35	37	72	15.6	0.80	1.15	10	
Elland ..	19,070	103	136	2	3	244	12.8	146	148	294	15.4	0.92	1.17	10	
Featherstone	13,600	118	122	—	3	243	17.9	73	65	138	10.3	1.16	0.99	10	
*Garforth ..	9,782	75	93	1	2	171	17.5	53	56	109	11.0	1.10	1.00	10	
Goole M.B.	19,690	141	158	5	7	311	15.8	130	107	237	12.2	1.06	1.07	10	
Harrogate M.B.	44,270	262	289	16	12	579	13.1	289	357	646	14.0	0.84	0.97	20	
Hebden Royd	10,410	59	43	2	1	105	10.1	75	92	167	16.0	0.85	1.12	10	
Heckmondwike	8,682	52	56	1	4	113	13.0	66	53	119	13.7	0.98	1.11	10	
Hemsworth ..	12,920	133	135	4	5	277	21.4	79	50	129	10.1	1.20	1.00	10	
Holmfirth ..	18,840	105	102	1	1	209	11.1	112	147	259	13.7	0.96	1.09	10	
Horbury ..	7,721	55	57	1	—	113	14.6	44	42	86	11.1	0.99	0.91	10	
Horsforth ..	12,220	92	74	2	6	174	14.2	71	89	160	13.1	0.95	1.03	10	
*Hoyland Nether	14,877	117	105	3	4	229	15.4	100	83	183	12.4	1.10	1.13	10	
Ilkley ..	15,620	86	73	1	3	163	10.4	97	126	223	13.7	0.95	0.96	10	
Keighley M.B.	55,430	308	313	14	13	648	11.7	398	410	808	14.5	0.95	1.14	30	
Kirkburton ..	17,220	89	89	1	3	182	10.6	115	109	224	12.7	0.90	0.94	10	
Knarborough	7,431	50	47	5	6	108	14.5	48	43	91	12.1	0.88	0.88	10	
Knottingley	9,189	78	101	—	2	181	19.7	50	66	116	12.7	1.21	1.27	10	
Malby ..	10,840	133	106	5	6	250	23.1	42	39	81	7.6	1.37	0.86	10	
Meltham ..	4,995	28	32	1	—	61	12.2	33	46	79	15.8	0.91	1.19	10	
Mexborough	18,310	145	141	3	4	293	16.0	130	99	229	12.6	1.13	1.18	10	
§Midgley ..	411	4	4	—	—	8	19.6	6	6	12	29.2	0.90	2.17	10	
Mirfield ..	11,920	71	48	1	1	121	10.2	80	82	162	13.6	0.95	1.07	10	
Morley M.B.	39,210	252	267	7	12	538	13.7	269	237	506	12.9	1.02	1.09	20	
Normanton ..	19,150	161	133	—	3	297	15.5	111	92	203	10.7	1.11	0.98	20	
Ossett M.B.	14,280	100	101	4	3	208	14.6	102	96	198	13.9	0.98	1.13	80	
Otley ..	11,010	64	78	5	3	150	13.6	73	60	133	11.9	0.98	0.96	30	
Penistone ..	5,880	51	58	3	3	115	19.6	37	40	77	13.0	0.93	1.00	30	
Pontefract M.B.	21,560	194	188	2	11	395	18.3	148	125	273	12.8	1.11	1.17	20	
Pudsey M.B.	28,100	176	166	7	5	354	12.6	188	183	371	13.2	1.00	1.09	160	
Queensbury and Sheff	8,519	50	49	4	2	105	12.3	62	62	124	14.4	0.97	1.15	10	

† Populations appropriate for calculation of death rates are shown in Table 29.

§ Area abolished 1st April, 1939.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
IRE, WEST RIDING—contd.															
—contd.															
Harsh ..	18,120	142	148	8	7	305	16.8	115	109	224	12.4	1.16	1.10	23	75
.. M.B. ...	8,499	58	67	5	6	136	16.0	62	73	135	14.8	0.97	1.10	5	37
..ندن ..	5,144	29	35	1	4	69	13.4	37	31	68	13.2	0.88	0.96	4	58
..well ..	24,540	178	146	3	2	329	13.4	140	117	257	10.5	1.10	0.95	14	42
..on ..	7,749	74	52	3	4	133	17.2	54	33	87	11.3	1.25	1.17	8	60
..eworth ..	17,320	92	104	2	6	204	11.8	121	122	243	14.1	0.91	1.06	8	39
..	10,030	74	55	6	2	137	13.7	68	64	132	13.0	0.96	1.03	1	72
..ey ..	31,000	216	198	11	11	436	14.1	199	204	403	12.9	1.02	1.09	24	55
..en ..	4,916	32	34	1	—	67	13.6	27	45	72	14.5	0.98	1.17	—	—
..on ..	12,830	84	73	1	2	160	12.5	86	91	177	13.7	0.98	1.11	9	56
..rby Bridge ..	18,813	113	107	4	13	237	12.6	142	138	280	14.8	0.93	1.14	14	59
..borough ..	36,260	254	210	5	15	484	13.3	256	231	487	13.5	0.98	1.09	18	37
..ey ..	15,900	121	104	3	5	233	14.7	105	100	205	12.9	1.13	1.20	10	43
..abridge ..	9,846	63	54	4	1	122	12.4	55	34	89	9.1	1.23	0.93	2	164
..on ..	11,600	85	99	4	2	190	16.4	74	53	127	11.1	1.12	1.03	7	37
..hill ..	2,322	18	28	—	2	48	20.7	17	16	33	14.3	0.96	1.13	—	—
..norden M.B. ..	20,750	118	77	4	3	202	9.7	152	173	325	15.8	0.86	1.12	2	10
..upon Dearne ..	13,490	123	119	8	5	255	18.9	90	74	164	12.3	1.09	1.11	14	55
..well ..	17,808	153	158	7	8	326	18.3	99	75	174	9.9	1.15	0.94	14	43
..borough ..	13,242	127	130	4	5	266	20.1	78	70	148	11.2	1.18	1.09	17	64
DISTRICTS															
..and ..	385,200	3,075	3,102	134	111	6,422	16.7	2,140	1,929	4,069	10.5	1.10	0.95	349	54
..aster ..	4,993	35	27	—	1	63	12.6	36	40	76	15.1	0.91	1.14	2	32
..	50,280	448	490	15	13	966	19.2	230	202	432	8.6	1.35	0.96	54	56
..	8,680	64	55	5	3	127	14.6	42	46	88	9.9	1.00	0.82	10	79
..sworth ..	48,680	395	483	20	21	919	18.9	365	194	459	9.5	1.20	1.01	61	66
..on (a) ..	4,447	21	23	1	1	46	10.3	22	24	56	13.0	0.88	0.95	—	—
..on Park ..	16,420	124	137	5	2	268	16.3	77	61	138	8.5	1.11	0.78	9	34
..rdsdale ..	11,210	92	87	2	6	187	16.7	72	57	129	11.0	0.90	0.82	2	11
..ldcross ..	7,563	81	60	6	3	150	19.8	48	49	97	12.8	0.98	1.04	11	73
..stone ..	6,598	52	45	2	—	99	15.0	34	36	70	10.7	0.98	0.87	4	41
..n and Pately ..	10,960	70	62	6	—	138	12.6	71	82	153	13.5	0.87	0.97	8	58
..idge ..	40,603	408	405	17	15	845	20.8	201	184	385	9.5	1.23	0.97	46	54
..erham ..	3,845	25	25	1	3	54	14.0	32	16	48	12.4	0.91	0.93	4	74
..ergh ..	5,763	45	39	6	2	92	16.0	44	44	88	14.8	0.97	1.19	8	85
..y ..	13,700	86	81	5	6	178	13.0	87	84	171	12.2	0.93	0.94	5	28
..on ..	22,340	136	135	9	—	280	12.5	144	164	308	13.5	0.92	1.03	10	36
..aster ..	25,798	187	165	3	4	359	13.9	158	148	306	11.8	1.02	0.99	27	70
..ne ..	30,790	317	276	20	16	629	20.4	169	126	295	9.6	1.38	1.09	49	77
..efield ..	18,740	133	151	4	4	292	15.6	94	102	196	10.5	1.16	1.01	17	58
..erby ..	16,920	116	109	5	6	236	13.9	114	115	229	13.1	0.93	1.01	9	38
..rfeald ..	5,530	40	42	—	1	83	15.0	27	29	56	9.9	1.08	0.88	3	36
..ley ..	31,340	200	205	2	4	411	13.1	163	126	289	9.2	1.03	0.78	10	24
WALES AND MONMOUTH															
KEY :															
..N. COUNTY ..	46,500	310	273	29	28	640	13.8	397	370	767	16.1	0.85	1.13	47	73
DISTRICTS															
..tch ..	17,470	115	98	8	8	229	13.1	138	154	292	16.4	0.87	1.18	16	69
..umaris M.B. ..	2,496	11	9	2	1	23	9.2	14	37	51	20.5	0.79	1.34	—	174
..thead ..	1,641	15	3	1	—	19	11.6	14	9	23	13.3	0.73	0.80	—	—
..ngefni ..	9,882	70	66	4	7	147	14.9	69	73	142	14.1	0.93	1.08	9	60
..nai Bridge ..	1,788	13	9	1	—	23	12.9	22	16	38	20.8	0.98	1.08	2	87
..	1,663	6	11	—	—	17	10.2	19	19	38	22.2	0.78	1.43	1	56
DISTRICTS															
..wy ..	29,030	195	175	21	20	411	14.2	259	216	475	16.0	0.83	1.10	31	75
..rcelyn ..	10,100	80	60	9	7	156	15.4	96	86	182	17.7	0.81	1.18	11	71
..ley ..	8,480	49	59	7	5	120	14.2	73	58	131	15.3	0.82	1.04	10	83
..	10,450	66	56	5	8	135	12.9	90	72	162	15.0	0.86	1.07	10	74

† Populations appropriate for calculation of death rates are shown in Table 29.
(a) Formerly Todmorton R.D.

TABLE 17—continued.

(See notes on first page of)

AREA.	Esti- mated Resident Popula- tion (Middle 1939). †	LIVE BIRTHS.						DEATHS.						D u b l e
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death Rate to National Rate.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BRECKNOCKSHIRE :														
ADMIN. COUNTY ..	52,540	360	377	14	12	763	14.5	368	317	685	12.9	0.95	1.01	3
URBAN DISTRICTS ..														
Brecknock M.B. ..	15,130	107	108	3	5	223	14.7	118	107	225	14.8	0.91	1.11	5
Brynmaur ..	5,130	43	55	—	1	99	19.3	46	37	83	16.1	0.89	1.18	—
Builth Wells ..	6,531	47	33	1	2	83	12.7	41	40	81	12.4	1.04	1.07	—
Hay ..	1,500	11	11	—	—	22	14.7	11	14	25	16.2	0.81	1.08	—
Llanwrtyd ..	1,329	6	7	1	1	15	11.3	11	12	23	17.3	0.72	1.03	—
	640	—	2	1	1	4	6.3	9	4	13	18.4	0.87	1.32	—
RURAL DISTRICTS ..														
Brecknock :—	37,410	253	269	11	7	540	14.4	250	210	460	12.2	0.97	0.98	3
Defynnock and	5,375	42	42	3	1	88	16.4	33	33	66	12.1	0.86	0.86	—
Llangorse Div.														—
Merthyr Cynog Div	1,898	14	11	1	1	27	14.2	10	9	19	9.9	0.94	0.77	—
Builth ..	3,731	21	31	1	1	54	14.5	27	21	48	12.7	0.92	0.97	—
Crickhowell ..	6,477	35	36	1	1	73	11.3	47	41	88	13.5	0.85	0.95	—
Hay ..	3,486	26	38	—	—	64	18.4	22	15	37	10.3	0.91	0.77	—
Vaynor and Penderyn	5,263	40	33	2	2	77	14.6	47	32	79	15.0	1.00	1.24	—
Ystradgynlais ..	11,180	75	78	3	1	157	14.0	64	59	123	11.0	1.20	1.09	—
CAERNARVONSHIRE :														
ADMIN. COUNTY ..	118,950	838	719	63	37	1,657	13.9	942	892	1,834	15.0	0.88	1.00	9
URBAN DISTRICTS ..														
Bangor M.B. ..	67,060	459	386	27	11	883	13.2	467	463	930	13.4	0.89	0.99	5
Bethesda ..	12,590	75	79	5	1	160	12.7	76	81	157	12.0	1.00	0.99	—
Bettws y Coed ..	4,464	33	34	1	1	69	15.5	32	27	59	13.1	0.87	0.94	—
Caernarvon M.B. ..	743	4	4	1	—	9	12.1	9	4	13	16.9	0.82	1.15	—
Conway M.B. ..	8,923	77	60	8	1	146	16.4	67	56	123	13.6	0.88	0.99	—
Criccieth ..	9,115	75	47	1	1	124	13.6	64	57	121	12.8	0.90	0.95	—
Llandudno ..	1,495	7	9	1	—	17	11.4	8	17	25	15.0	0.89	1.10	—
Llanfairfechan ..	15,170	79	72	4	4	159	10.5	99	115	214	13.7	0.83	0.94	1
Penmaenmawr ..	3,014	14	10	—	1	25	8.3	15	27	42	13.7	0.79	0.89	—
Portmadoc ..	3,867	24	27	—	1	52	13.4	32	25	57	14.0	0.85	0.98	—
Pwllheli M.B. ..	4,043	34	21	3	1	59	14.6	29	24	53	12.8	0.90	0.95	—
	3,636	37	23	3	—	63	17.3	36	30	66	17.4	0.92	1.32	—
RURAL DISTRICTS ..														
Gwyrfa ..	51,890	379	333	36	26	774	14.9	475	429	904	17.0	0.86	1.21	4
Llwyn ..	23,490	192	156	15	10	373	15.9	249	206	455	18.8	0.86	1.34	—
Nant Conway ..	17,230	116	104	15	11	246	14.3	133	136	269	15.5	0.84	1.08	—
Ogwen ..	6,212	39	36	1	3	79	12.7	61	44	105	16.4	0.93	1.26	—
	4,958	32	37	5	2	76	15.3	32	43	75	14.6	0.87	1.05	—
CARDIGANSHIRE :														
ADMIN. COUNTY ..	51,650	293	306	10	21	630	12.2	409	448	857	16.1	0.80	1.06	3
URBAN DISTRICTS ..														
Aberayron ..	16,630	84	83	1	4	172	10.3	124	146	270	15.7	0.82	1.06	—
Aberystwyth M.B. ..	1,152	4	4	—	1	9	7.8	16	12	28	23.6	0.67	1.31	—
Cardigan M.B. ..	9,011	38	44	—	1	83	9.2	62	71	133	14.0	0.85	0.98	—
Lampeter M.B. ..	3,258	25	22	1	2	50	15.3	24	29	53	16.1	0.85	1.13	—
New Quay ..	2,141	7	9	—	—	16	7.6	16	19	35	16.4	0.83	1.12	—
	1,068	10	4	—	—	14	13.1	6	15	21	19.2	0.69	1.09	—
RURAL DISTRICTS ..														
Aberayron ..	35,020	209	223	9	17	458	13.1	285	302	587	16.3	0.79	1.06	3
Aberystwyth, North	9,166	65	59	3	8	135	14.7	77	68	145	15.6	0.78	1.01	—
South ..	6,382	40	38	1	1	80	12.5	55	66	121	18.0	0.79	1.18	—
Teifi side ..	4,145	22	26	2	5	55	13.3	31	35	66	15.1	0.76	1.13	—
Tregaron ..	9,884	47	60	—	—	107	10.8	75	84	159	15.8	0.81	1.06	—
	5,443	35	40	3	3	81	14.9	47	49	96	17.3	0.82	1.17	—
CARMARTHENSHIRE :														
ADMIN. COUNTY ..	171,980	1,212	1,063	39	47	2,361	13.7	1,167	1,063	2,230	12.9	1.05	1.12	16
URBAN DISTRICTS ..														
Ammanford ..	72,360	501	442	15	16	974	13.5	472	404	876	12.1	1.05	1.05	5
Burry Port ..	6,793	43	37	—	2	82	12.1	47	33	80	11.8	1.09	1.06	—
Carmarthen M.B. ..	5,639	43	37	2	2	84	14.9	38	24	62	10.8	1.08	0.96	—
Cwmaman ..	10,940	80	63	2	2	147	13.4	75	67	142	12.8	0.98	1.04	—
	4,756	31	23	1	—	55	11.6	23	22	45	9.5	1.09	0.86	—

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Deaths under 1 year	
		Legitimate.		Illegitimate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
THESHIRE—ctd.															
<i>—contd.</i>															
elly M.B. ..	2,969	21	18	—	1	40	13.5	13	17	30	10.1	1.16	0.97	1	25
ilo ..	1,891	10	8	1	—	19	10.0	17	13	30	15.8	0.86	1.12	—	—
covery M.B. ..	1,999	14	5	—	—	20	10.0	12	10	22	11.0	0.96	0.87	—	—
ly M.B. ..	36,590	255	246	9	8	518	14.2	240	206	446	12.2	1.07	1.08	37	71
astle Emlyn ..	783	4	5	—	—	9	11.5	7	12	19	24.0	0.85	1.69	—	—
DISTRICTS ..	99,620	711	621	24	31	1,387	13.9	695	659	1,354	13.6	1.05	1.18	106	76
arthen ..	27,570	242	181	11	14	448	16.2	188	204	392	14.2	1.03	1.21	38	85
ilo ..	27,280	189	172	2	9	372	13.6	212	158	370	13.6	1.01	1.14	27	72
ly ..	36,290	227	215	7	5	454	12.5	227	214	441	12.1	1.19	1.19	35	76
astle Emlyn ..	8,480	53	53	4	3	113	13.3	68	83	151	17.7	0.82	1.20	6	53
THESHIRE :															
COUNTY ..															
..	156,920	1,105	1,029	55	45	2,234	14.2	\$1,133	1,056	\$2,189	13.7	0.92	1.04	128	57
DISTRICTS ..	70,090	466	430	27	17	940	13.4	507	509	1,016	14.1	0.85	0.99	50	53
ele ..	6,560	35	34	1	2	72	11.0	56	44	100	14.8	0.86	1.05	3	41
yn Bay M.B. ..	21,330	105	108	9	2	224	10.5	125	182	307	13.9	0.70	0.80	8	35
igh M.B. ..	7,747	60	41	3	3	107	13.8	47	53	100	12.6	0.94	0.98	6	56
ollen ..	2,875	23	28	—	—	51	17.7	19	33	52	17.4	0.79	1.14	2	39
west ..	2,503	16	20	1	—	37	14.8	25	17	42	16.6	0.85	1.17	3	79
n M.B. ..	3,205	29	21	1	2	53	16.5	19	17	36	11.0	0.90	0.82	0	66
ham M.B. ..	25,870	198	178	12	8	396	15.3	216	163	379	14.4	1.01	1.20	25	93
DISTRICTS ..	86,830	639	599	28	28	1,294	14.9	\$626	547	\$1,173	13.3	0.90	1.09	78	60
..	6,279	45	37	3	—	85	13.5	40	37	77	11.9	0.96	0.94	2	24
..	6,882	50	42	3	1	96	13.9	47	42	89	12.6	0.94	0.98	10	104
thog ..	5,433	41	44	2	5	92	16.9	44	41	85	15.4	0.88	1.12	—	—
on ..	8,546	62	50	3	—	115	13.5	73	68	141	15.8	0.88	1.15	6	52
ham ..	59,690	441	426	17	22	906	15.2	\$422	359	\$781	13.0	1.03	1.11	60	66
THESHIRE :															
COUNTY ..															
..	121,900	988	946	28	50	2,012	16.5	836	774	1,610	12.9	0.98	1.04	111	55
DISTRICTS ..	61,930	518	489	13	23	1,043	16.8	433	409	842	13.2	0.97	1.06	63	60
ey ..	7,294	66	45	—	1	112	15.4	40	47	87	11.8	1.02	0.99	5	45
h's Quay ..	6,455	60	64	—	—	127	19.7	35	27	62	9.5	1.22	0.98	6	47
M.B. ..	12,880	115	127	—	3	245	19.0	93	62	155	11.9	1.21	1.19	14	57
well ..	6,590	83	65	3	—	151	22.9	48	48	96	13.9	1.04	1.19	10	66
..	5,791	40	52	1	2	95	16.4	44	34	78	13.3	1.00	1.10	7	74
ty ..	6,980	35	27	1	—	65	9.3	60	65	125	16.8	0.71	0.99	7	106
..	15,940	119	109	8	12	248	15.6	113	126	239	14.5	0.88	1.05	14	56
DISTRICTS ..	59,970	470	457	15	27	969	16.2	403	365	768	12.5	0.99	1.02	48	49
arden ..	28,120	246	231	5	11	493	17.5	176	165	341	11.9	1.10	1.08	32	65
well ..	20,310	148	148	10	5	311	15.3	146	121	267	12.9	0.93	0.99	6	19
on ..	4,305	31	32	—	5	68	15.8	32	24	56	12.9	0.89	0.95	5	74
aph ..	7,235	45	46	—	6	97	13.4	49	55	104	13.9	0.90	1.03	5	52
THESHIRE :															
COUNTY ..															
..	1,157,640	8,791	8,536	296	266	17,889	15.5	8,272	6,872	15,144	13.0	1.08	1.16	1,074	60
ly BORO'S ..	448,140	3,397	3,192	112	120	6,821	15.2	3,097	2,725	5,822	13.0	1.06	1.14	409	60
ff ..	225,600	1,721	1,634	62	58	3,475	15.4	1,564	1,368	2,932	13.0	1.06	1.14	184	53
ayr Tydfil ..	61,440	444	413	18	27	902	14.7	495	397	892	14.5	1.01	1.21	77	85
sea ..	161,100	1,232	1,145	32	35	2,444	15.2	1,038	960	1,998	12.4	1.09	1.12	148	60
COUNTY ..	709,500	5,394	5,344	184	146	11,068	15.6	5,175	4,147	9,322	13.1	1.09	1.18	665	60
DISTRICTS ..	525,800	4,026	4,072	136	111	8,345	15.9	4,024	3,160	7,184	13.6	1.08	1.21	513	61
lare ..	42,620	283	313	10	9	615	14.4	346	301	647	15.2	1.00	1.26	31	50
M.B. ..	36,240	272	366	11	11	660	18.2	267	218	485	13.2	1.05	1.15	25	38
end ..	11,250	100	120	6	4	230	20.4	83	75	158	13.6	1.10	1.24	5	22
hilly ..	31,990	324	291	14	8	637	19.9	253	164	417	13.1	1.11	1.20	42	66
ridge M.B. ..	1,020	7	7	—	—	14	13.7	3	9	12	11.5	0.87	0.83	—	—
raer ..	36,350	329	347	5	11	692	19.0	283	191	474	13.1	1.17	1.27	50	72
orwg ..	9,473	97	71	3	3	174	18.4	68	43	111	11.8	1.23	1.20	10	57

† Populations appropriate for calculation of death rates are shown in Table 29.

In addition to these numbers 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934.

TABLE 17—continued.

(See notes on first page of

AREA.	Esti- mated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Ratio of local ad- justed death rate to National Rate.	Number.
		Legiti- mate.		Illegiti- mate.		TOTAL	Crude rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.			
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14		
GLAMORGANSHIRE—contd.															
U.D's.—contd.															
Llchwyr ..	25,440	176	187	1	5	369	14.5	153	124	277	10.8	1.18	1.05		
Maesteg ..	22,170	178	172	7	4	361	16.2	179	148	327	14.6	1.14	1.38		
Mountain Ash ..	33,080	270	260	8	5	543	16.4	261	215	476	14.5	1.06	1.27		
Neath M.B.	31,330	199	203	7	5	414	13.2	220	179	399	12.7	1.10	1.15		
Ogmore and Garw ..	23,530	190	171	8	4	373	15.2	189	120	309	13.1	1.11	1.20		
Penarth ..	16,030	94	92	4	3	193	12.0	130	95	225	13.8	0.94	1.07		
Pontypridd ..	38,240	241	286	12	7	546	14.3	300	259	559	14.6	1.05	1.27		
Porthcawl ..	7,027	48	51	3	4	106	15.1	43	49	92	12.2	0.88	0.89		
Port Talbot M.B. ..	40,410	320	324	11	4	659	16.3	257	243	500	12.3	1.19	1.21		
Rhondda ..	119,600	898	811	26	24	1,759	14.7	989	727	1,716	14.4	1.06	1.26		
RURAL DISTRICTS															
Cardiff ..	183,700	1,368	1,272	48	35	2,723	14.8	1,151	987	2,138	11.6	1.11	1.06		
Cowbridge ..	32,360	225	221	7	6	459	14.2	180	169	349	10.6	1.01	0.88		
Gower ..	14,350	108	93	3	4	208	14.5	67	66	133	9.6	1.15	0.91		
Llantwitfardre ..	10,500	69	51	3	1	124	11.8	56	57	113	10.8	0.95	0.85		
Llantrisant and	24,040	229	202	7	6	444	18.5	174	132	306	12.8	1.13	1.20		
Neath ..	40,490	322	286	9	6	623	15.4	263	226	489	12.1	1.19	1.19		
Penybont ..	28,180	230	219	9	8	466	16.5	176	154	330	11.5	1.12	1.06		
Pontardawe ..	33,780	185	200	10	4	399	11.8	235	183	418	12.4	1.15	1.18		
MERIONETHSHIRE :															
ADMIN. COUNTY ..	39,860	249	263	18	14	544	13.6	352	287	639	15.6	0.88	1.13		
URBAN DISTRICTS															
Bala ..	17,740	120	120	5	4	249	14.0	148	142	290	15.9	0.90	1.18		
Barmouth ..	1,494	14	4	—	—	18	12.0	11	6	17	11.1	0.86	0.79		
Dolgelley ..	2,099	18	15	1	—	34	16.2	16	21	37	16.5	0.82	1.12		
Ffestiniog ..	2,478	15	20	—	1	36	14.5	24	9	33	13.1	0.97	1.05		
Towyn ..	8,374	60	65	3	3	131	15.6	67	79	146	17.4	0.98	1.41		
	3,295	13	16	1	—	30	9.1	30	27	57	16.0	0.80	1.06		
RURAL DISTRICTS															
Deudraeth ..	22,120	129	143	13	10	295	13.3	204	145	349	15.4	0.87	1.11		
Dolgelley ..	7,288	39	48	3	4	94	12.9	67	48	115	15.5	0.94	1.20		
Edeirnion ..	7,055	47	45	3	2	97	13.7	63	59	122	16.6	0.84	1.15		
Penlllyn ..	4,264	21	28	1	2	52	12.2	41	22	63	14.6	0.83	1.00		
Civil Parish of Pennal administered by R. D. C. of Machynlleth (Montgomeryshire)	3,168	19	17	5	1	42	13.3	31	14	45	13.9	0.88	1.01		
MONMOUTHSHIRE															
COUNTY BORO' : ..	399,640	3,228	2,881	115	94	6,318	15.8	2,859	2,299	5,158	12.8	1.06	1.12		
Newport ..	95,920	754	679	29	21	1,483	15.5	664	573	1,237	12.9	1.09	1.16		
ADMIN. COUNTY ..	303,720	2,474	2,202	86	73	4,835	15.9	2,195	1,726	3,921	12.8	1.06	1.12		
URBAN DISTRICTS															
Abercarn ..	263,900	2,203	1,996	75	64	4,338	16.4	1,917	1,498	3,415	12.9	1.08	1.15		
Abergavenny M.B.	18,340	141	127	4	7	279	15.2	124	93	217	11.8	1.14	1.11		
Abertillery ..	7,832	62	53	3	—	118	15.1	78	66	144	17.9	0.90	1.33		
Bedwas and	27,940	238	232	13	4	487	17.4	209	167	376	13.4	1.08	1.20		
Machen ..	8,307	62	68	2	1	133	16.0	51	43	94	11.3	1.14	1.06		
Bedwellty ..	28,130	271	246	12	11	540	19.2	191	130	321	11.5	1.19	1.13		
Blaenavon ..	9,722	66	58	2	2	128	13.2	85	66	151	15.4	1.05	1.34		
Caerleon ..	3,415	26	19	—	—	45	13.2	17	18	35	10.1	0.94	0.78		
Chepstow ..	4,036	24	40	3	5	72	17.8	39	27	66	15.6	0.91	1.17		
Cwmbran ..	10,930	73	80	1	—	154	14.1	58	69	127	11.5	1.08	1.03		
Ebbw Vale ..	29,730	283	252	6	6	547	18.4	226	148	374	12.5	1.15	1.19		
Monmouth M.B.	4,799	29	30	4	1	64	13.3	48	40	88	17.5	0.92	1.33		
Mynyddialwyn ..	13,100	153	113	7	2	275	21.0	89	67	156	11.9	1.20	1.18		
Nantyglo and	11,550	82	102	3	1	188	16.3	97	79	176	15.2	1.03	1.29		
Blaina ..															
Pontypool ..	40,300	319	268	6	11	604	15.0	297	213	510	12.5	1.10	1.14		
Rhymney ..	9,260	81	57	3	1	142	15.3	63	67	130	14.0	1.09	1.26		

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1939). †	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SOUTHSHIRE—Ctd.															
...—Contd.															
... ..	14,630	102	89	1	4	196	13.4	89	93	182	12.5	1.04	1.07	15	76
... ..	20,620	177	153	5	8	343	16.6	145	97	242	11.7	1.03	1.00	14	40
... ..	1,259	14	9	—	—	23	18.3	11	15	26	19.5	0.90	1.45	—	—
... ..	39,820	271	206	11	9	497	12.5	278	228	506	12.5	0.90	0.93	20	40
... ..	8,274	44	29	2	5	80	97.0	56	47	103	12.3	0.82	0.83	5	63
... ..	8,709	70	56	1	2	129	14.8	61	43	104	11.7	0.98	0.95	4	31
... ..	11,540	73	65	3	2	143	12.4	73	73	146	12.5	0.94	0.97	6	42
... ..	5,837	43	29	1	—	73	12.5	51	34	85	14.3	0.84	0.99	2	27
... ..	5,460	41	27	4	—	72	13.2	37	31	68	12.2	0.92	0.93	3	42
... ..	44,830	321	303	18	21	663	14.8	346	318	664	14.5	0.88	1.05	49	73
... ..	16,290	101	104	6	7	218	13.4	141	135	276	16.6	0.87	1.19	19	86
... ..	1,334	12	11	—	—	24	18.0	8	15	23	16.7	0.93	1.28	2	83
... ..	2,312	9	12	—	—	21	91.0	18	25	43	18.4	0.78	1.19	2	91
... ..	1,835	8	10	—	2	20	16.9	15	16	31	16.3	0.90	1.21	1	91
... ..	831	3	8	—	—	11	13.2	6	7	13	15.3	0.82	1.04	1	91
... ..	4,687	35	27	4	2	68	14.5	49	39	88	18.3	0.87	1.32	9	132
... ..	5,291	34	36	1	3	74	14.0	45	33	78	14.5	0.91	1.09	4	53
... ..	28,540	220	199	12	14	445	15.6	205	183	388	13.4	0.88	0.97	30	67
... ..	4,870	42	40	1	3	86	17.7	40	31	71	14.2	0.85	1.00	6	69
... ..	10,790	86	79	5	7	177	16.4	89	71	160	14.7	0.87	1.06	16	90
... ..	3,287	15	14	3	1	33	10.0	25	28	53	16.0	0.80	1.06	1	29
... ..	9,593	77	66	3	3	149	15.5	51	53	104	10.6	0.94	0.82	7	47
... ..	83,270	674	664	36	30	1,404	16.9	612	630	1,242	14.8	0.94	1.15	71	50
... ..	39,980	339	343	19	13	714	17.9	301	289	590	14.7	0.97	1.18	39	55
... ..	4,835	27	32	3	2	64	13.2	32	37	69	14.1	1.01	1.18	5	77
... ..	6,579	61	56	5	7	129	19.6	49	42	91	13.6	1.00	1.12	4	31
... ..	10,360	104	105	3	2	214	20.7	63	54	117	11.4	1.26	1.19	14	65
... ..	971	6	3	1	—	10	10.3	9	8	17	27.3	0.88	1.26	3	300
... ..	2,086	17	19	1	—	37	17.7	18	20	38	18.3	0.91	1.38	3	81
... ..	11,520	105	102	5	2	214	18.6	108	97	205	18.0	0.84	1.25	10	47
... ..	3,629	19	26	1	—	46	12.7	22	31	53	13.9	0.81	0.93	—	—
... ..	43,290	335	321	17	17	690	15.9	311	341	652	15.0	0.92	1.14	32	46
... ..	8,791	63	56	2	1	122	13.9	74	77	151	17.1	0.83	1.17	9	73
... ..	19,590	163	171	9	11	354	18.1	127	139	266	13.5	0.99	1.10	16	45
... ..	9,902	78	61	4	3	146	14.7	77	94	171	17.2	0.89	1.27	3	20
... ..	5,007	31	33	2	2	68	13.6	33	31	64	12.6	0.92	0.96	4	59
... ..	19,520	133	138	9	7	287	14.7	143	138	281	14.2	0.83	0.97	14	49
... ..	5,490	29	36	1	1	67	12.2	43	36	79	13.8	0.73	0.83	2	30
... ..	1,740	10	10	—	1	21	12.1	17	15	32	18.3	0.76	1.15	—	—
... ..	2,661	14	22	1	—	37	13.9	16	17	33	11.5	0.70	0.67	2	54
... ..	1,089	5	4	—	—	9	8.3	10	4	14	12.9	0.79	0.84	—	—
... ..	14,030	104	102	8	6	220	15.7	100	102	202	14.4	0.88	1.05	12	55
... ..	1,798	11	12	—	—	23	12.8	8	17	25	13.8	0.88	1.00	—	—
... ..	3,485	26	27	3	1	57	16.4	26	17	43	12.3	0.96	0.98	5	88
... ..	2,344	19	17	2	1	39	16.6	17	19	36	15.3	0.88	1.11	1	26
... ..	1,973	15	16	1	—	32	16.2	17	21	38	10.3	0.85	1.36	2	63
... ..	4,430	33	30	2	4	69	15.6	32	28	60	13.5	0.85	0.95	4	58

† Populations appropriate for calculation of death rates are shown in Table 29.

TABLE 18. STILLBIRTHS (LEGITIMATE AND ILLEGITIMATE) (WITH RATIO PER 1,000 TOTAL BIRTHS), 1939.

{ England and Wales, Geographical Regions*
London and Metropolitan Boroughs, and
County Boroughs.
Aggregates of Urban and of Rural Districts
in each Administrative County.

Note.—Stillbirths occurring away from home have been transferred to the area of usual residence of the mother.

Rates based upon less than 20 stillbirths are distinguished by *italic type* (see note to Table 17 page 56).

Area.	Legitimate.		Illegitimate.		Total.	Stillbirths per 1000 Total Births.
	M.	F.	M.	F.		
SUMMARY.						
ENGLAND AND WALES	12,417	10,617	688	587	24,309	38
SOUTH EAST	3,417	2,908	214	181	6,720	31
Greater London	1,965	1,655	125	100	3,845	31
Remainder of South East	1,452	1,253	89	81	2,875	33
Midland Section	1,363	1,150	73	70	2,656	32
Southern Section	2,054	1,758	141	111	4,064	31
NORTH	4,546	3,920	253	189	8,908	42
North I	767	687	37	38	1,529	40
North II	439	363	33	18	853	39
North III	1,154	995	68	51	2,268	42
North IV	2,186	1,875	115	82	4,258	44
MIDLAND	2,370	2,067	114	96	4,647	38
Midland I	1,629	1,366	79	69	3,143	38
Midland II	741	701	35	27	1,504	38
EAST	516	436	29	30	1,011	36
SOUTH WEST	567	469	29	40	1,105	37
WALES	1,001	817	49	51	1,918	49
Wales I	760	607	26	27	1,420	49
Wales II	241	210	23	24	498	47
Density summary of areas outside Greater London						
COUNTY BOROUGHES	4,202	3,628	239	188	8,257	40
OTHER URBAN DISTRICTS ..	4,132	3,480	189	189	7,990	40
RURAL DISTRICTS	2,118	1,854	135	110	4,217	37

* The counties included in the several Geographical Regions are shown on the first page of Table 17.

TABLE 18—continued.

Area.	Legitimate.		Illegitimate.		Total	Still- births per 1,000 Total Births	Area.	Legitimate.		Illegitimate.		Total	Still- births per 1,000 Total Births
	M.	F.	M.	F.				M.	F.	M.	F.		
LONDON, METROPOLITAN BOROUGHES AND COUNTY BOROUGHES.													
London Ad. Co. ..	776	681	69	53	1,579	29	County Boroughs						
City of London ..	1	2	—	—	3	64	Dudley ..	26	17	2	—	45	40
Inner and Middle Temples ..	—	—	—	—	—	—	Eastbourne ..	22	21	—	1	44	70
Metropolitan Boroughs:							East Ham ..	28	28	—	—	57	30
Aberdeen ..	17	15	4	4	40	20	Exeter ..	21	15	1	—	37	38
Armspound ..	17	25	—	2	44	33	Gateshead ..	42	45	1	2	90	42
Barnet Green ..	14	18	—	—	32	27	Gloucester ..	18	12	—	—	30	30
Barnetwell ..	48	50	5	—	103	33	Great Yarmouth ..	12	10	1	1	24	31
Barnet ..	9	4	1	—	14	25	Grimsby ..	31	18	2	1	52	32
Barnet ..	24	25	—	1	50	34	Halifax ..	26	19	1	2	48	34
Barnet ..	11	5	—	—	16	23	Hastings ..	16	10	2	1	29	38
Barnet ..	21	26	4	2	53	28	Huddersfield ..	44	40	2	1	87	51
Barnet ..	17	18	1	—	36	26	Ipswich ..	21	26	1	2	50	34
Barnet ..	51	24	3	2	80	28	Kingston-upon-Hull ..	109	88	9	5	211	37
Barnet ..	25	30	4	3	62	33	Leeds ..	149	139	9	10	307	42
Barnet ..	12	10	3	1	26	26	Leicester ..	73	56	3	—	132	35
Barnet ..	3	6	2	—	11	46	Lincoln ..	13	9	3	1	26	30
Barnet ..	68	52	5	5	130	30	Liverpool ..	315	276	18	12	621	38
Barnet ..	37	22	—	6	65	31	Manchester ..	255	207	18	12	492	45
Barnet ..	39	57	2	5	103	28	Middlesbrough ..	64	64	3	3	134	49
Barnet ..	59	49	2	2	112	34	Newcastle-upon- Tyne ..	100	77	2	2	181	37
Barnet ..	27	20	3	3	53	28	Northampton ..	23	18	—	2	43	35
Barnet ..	26	23	1	2	52	25	Norwich ..	34	24	—	1	59	35
Barnet ..	12	12	7	1	32	37	Nottingham ..	67	85	5	2	159	35
Barnet ..	25	23	2	4	54	24	Oldham ..	51	34	2	3	90	55
Barnet ..	14	21	3	2	40	35	Oxford ..	21	17	2	2	42	30
Barnet ..	26	28	3	3	60	30	Plymouth ..	69	51	1	6	127	36
Barnet ..	46	29	2	2	79	31	Portsmouth ..	65	51	9	3	184	32
Barnet ..	9	6	2	—	17	25	Preston ..	38	39	3	4	85	47
Barnet ..	64	53	6	1	124	30	Reading ..	19	26	—	—	45	29
Barnet ..	18	10	3	2	33	32	Rochdale ..	30	16	2	2	50	48
Barnet ..	36	18	1	—	55	25	Rotherham ..	26	27	1	1	55	40
County Boroughs	4,354	3,747	246	193	8,540	40	St. Helens ..	44	44	—	—	88	45
Aberdeen ..	44	29	—	—	73	57	Salford ..	74	56	4	1	135	43
Aberdeen ..	26	18	—	—	46	39	Sheffield ..	167	140	7	6	320	38
Aberdeen ..	18	19	2	4	41	41	Smethwick ..	16	25	1	1	43	36
Aberdeen ..	58	50	4	6	118	47	Southampton ..	51	39	4	5	99	32
Aberdeen ..	348	277	16	12	653	36	Southend-on-Sea ..	22	26	1	1	50	31
Aberdeen ..	53	22	4	—	79	55	Southport ..	13	11	2	—	26	33
Aberdeen ..	32	23	3	2	60	42	South Shields ..	39	28	—	—	67	35
Aberdeen ..	60	57	3	—	120	49	Stockport ..	48	48	2	3	101	50
Aberdeen ..	31	28	—	2	61	38	Stoke-on-Trent ..	117	89	6	7	219	47
Aberdeen ..	21	21	2	5	49	34	Sunderland ..	62	77	1	4	144	41
Aberdeen ..	94	83	13	7	197	52	Tynemouth ..	17	12	—	1	30	26
Aberdeen ..	32	30	5	3	70	34	Wakefield ..	19	16	—	—	35	42
Aberdeen ..	133	108	8	4	253	39	Wallasey ..	27	22	3	3	55	41
Aberdeen ..	24	22	—	—	46	40	Walsall ..	49	22	2	1	74	36
Aberdeen ..	15	13	—	—	28	37	Warrington ..	22	35	6	1	64	47
Aberdeen ..	18	16	—	—	34	45	West Bromwich ..	28	32	—	—	60	38
Aberdeen ..	8	7	—	—	16	42	West Ham ..	62	48	5	4	119	31
Aberdeen ..	17	19	1	—	37	38	West Hartlepool ..	26	24	2	—	52	37
Aberdeen ..	14	17	1	1	33	45	Wigan ..	37	26	4	1	68	48
Aberdeen ..	83	89	6	5	183	42	Wolverhampton ..	42	39	4	2	87	34
Aberdeen ..	62	43	2	—	107	30	Worcester ..	14	16	1	1	32	38
Aberdeen ..	17	28	1	—	46	36	York ..	31	28	5	2	66	41
Aberdeen ..	43	43	1	4	91	45	Cardiff ..	84	78	5	2	169	46
Aberdeen ..	7	20	3	2	32	40	Merthyr Tydfil ..	33	24	—	—	57	59
Aberdeen ..	27	21	—	2	50	44	Newport, Mon. ..	39	30	1	1	71	46
Aberdeen ..	27	21	—	2	50	44	Swansea ..	58	44	2	3	107	42

TABLE 18.—continued.

Area.	Legitimate.		Illegitimate.		Total	Still-births per 1,000 Total Births	Area.	Legitimate.		Illegitimate.		Total
	M.	F.	M.	F.				M.	F.	M.	F.	

ADMINISTRATIVE COUNTIES.																
Note—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs, but excluding County Boroughs) and of Rural Districts in each Administrative County.																
Bedford	..	U.D.	51	47	2	—	100	34	Salop	..	U.D.	56	29	2	4	91
		R.D.	21	15	1	2	39	31			R.D.	31	36	3	4	74
Berks. ..		U.D.	23	17	—	1	41	36	Somerset	..	U.D.	46	36	2	4	88
		R.D.	42	35	3	2	82	35			R.D.	60	48	3	4	115
Bucks.	..	U.D.	48	43	3	4	98	37	Southants	..	U.D.	90	62	7	1	160
		R.D.	19	33	1	—	53	23			R.D.	50	60	5	3	118
Cambs ..		U.D.	15	13	1	2	31	34	Staffs.	..	U.D.	215	180	8	10	413
		R.D.	18	12	—	—	30	30			R.D.	65	66	1	5	137
Cheshire	..	U.D.	186	183	8	8	385	43	Suffolk, East	..	U.D.	24	18	—	—	42
		R.D.	51	40	3	—	94	39			R.D.	32	35	2	—	69
Cornwall	..	U.D.	61	39	3	3	106	45	Suffolk, West	..	U.D.	11	9	—	1	21
		R.D.	37	33	1	3	74	41			R.D.	12	17	2	—	31
Cumberland	..	U.D.	35	24	1	—	60	44	Surrey	..	U.D.	255	199	12	9	475
		R.D.	38	28	—	3	69	38			R.D.	22	28	2	2	54
Derby ..		U.D.	88	100	9	5	202	39	Sussex, East	..	U.D.	28	23	4	1	56
		R.D.	92	79	2	1	174	35			R.D.	31	30	3	2	66
Devon	..	U.D.	52	48	4	1	105	38	Sussex, West	..	U.D.	39	28	2	1	70
		R.D.	59	43	7	1	110	36			R.D.	26	23	2	2	51
Dorset	..	U.D.	28	26	2	6	62	27	Warwick	..	U.D.	68	70	4	2	144
		R.D.	23	24	1	2	50	36			R.D.	41	27	4	4	76
Durham	..	U.D.	244	204	12	8	468	44	Westmorland	..	U.D.	8	5	1	4	18
		R.D.	83	78	15	10	186	40			R.D.	5	8	1	2	16
Ely, I. of	..	U.D.	18	24	—	3	45	57	Wight, I. of	..	U.D.	14	13	1	—	28
		R.D.	4	1	2	—	7	14			R.D.	4	3	—	—	7
Essex ..		U.D.	318	245	14	10	587	32	Wilts...	..	U.D.	44	41	2	1	88
		R.D.	46	51	3	5	105	38			R.D.	49	46	2	5	102
Gloucester	..	U.D.	35	47	—	—	82	42	Worcester	..	U.D.	96	55	2	1	154
		R.D.	78	61	5	3	147	37			R.D.	25	30	3	1	59
Hereford	..	U.D.	13	15	—	1	29	44	Yorks, E.R.	..	U.D.	20	16	4	—	40
		R.D.	17	11	1	1	30	28			R.D.	20	20	3	1	44
Hertford	..	U.D.	106	97	5	5	213	36	Yorks, N.R.	..	U.D.	67	49	7	—	123
		R.D.	23	24	4	3	54	27			R.D.	56	42	3	—	101
Huntingdon	..	U.D.	9	1	—	—	10	23	Yorks, W.R.	..	U.D.	371	305	20	13	709
		R.D.	9	13	1	—	23	53			R.D.	149	128	7	5	289
Kent ..		U.D.	287	250	7	13	557	32	Anglesey	..	U.D.	10	9	1	2	22
		R.D.	71	58	2	2	133	31			R.D.	7	4	2	3	16
Lancs.	..	U.D.	588	511	21	19	1139	47	Brecon	..	U.D.	6	4	—	—	10
		R.D.	91	74	2	2	169	42			R.D.	14	15	1	—	30
Leicester	..	U.D.	47	48	2	2	99	42	Caernarvon	..	U.D.	12	19	1	1	33
		R.D.	43	54	4	3	104	42			R.D.	23	17	2	2	44
Lincs, Holland	..	U.D.	6	10	2	1	19	30	Cardigan	..	U.D.	5	3	—	—	9
		R.D.	22	15	1	1	39	37			R.D.	13	11	1	1	26
Lincs, Kesteven	..	U.D.	13	14	—	1	28	42	Carmarthen	..	U.D.	26	24	1	1	51
		R.D.	25	25	1	1	52	46			R.D.	36	17	1	1	55
Lincs, Lindsey	..	U.D.	40	36	2	4	82	37	Denbigh	..	U.D.	20	20	1	5	46
		R.D.	41	32	2	4	79	35			R.D.	35	30	6	2	73
Middlesex	..	U.D.	553	436	31	31	1051	32	Flint	U.D.	26	23	—	2	51
		R.D.	17	13	1	2	33	35			R.D.	27	25	—	1	53
Norfolk	..	U.D.	82	57	5	4	148	36	Glamorgan	..	U.D.	258	201	9	9	477
		R.D.	42	29	1	2	74	42			R.D.	77	54	2	1	134
Northants	..	U.D.	32	23	2	—	57	34	Merioneth	..	U.D.	5	5	2	1	12
		R.D.	116	100	3	10	229	45			R.D.	5	2	2	1	10
Northumberland	..	U.D.	21	14	—	1	36	28	Monmouth	..	U.D.	117	107	4	8	236
		R.D.	136	112	3	4	255	44			R.D.	12	9	1	1	23
Notts. ..		U.D.	37	43	2	1	83	36	Montgomery	..	U.D.	4	4	—	—	8
		R.D.	10	14	1	2	27	43			R.D.	10	11	—	2	23
Oxford ..		U.D.	35	26	—	—	61	39	Pembroke	..	U.D.	16	17	2	1	36
		R.D.	15	8	1	1	25	35			R.D.	15	8	2	—	25
Peterborough,		U.D.	3	3	—	—	6	47	Radnor	..	U.D.	2	—	—	—	2
.. Soke of		R.D.	3	2	—	—	5	86			R.D.	6	2	1	—	9
Rutland	..	U.D.	4	2	—	—	6	25								

LE 19. DEATHS BY SEX AT EACH YEAR OF AGE (WITH THE MARITAL CONDITION), 1939. } England and Wales.

Non-civilian deaths registered on and after 3rd, September are excluded.

Note.—Included in this Table are 389 cases (203 Males and 186 Females) in which the age of deceased was not definitely stated; these have been allocated to particular ages in accordance with the available information and with due regard to the circumstances and cause of death in each case. The deaths of divorced men and women are included with the deaths of widowed.

	Males.						Age last birthday.	Persons.	Males.					
	Total.	Single.	Married.	Widowed.	No Statement.				Total.	Single.	Married.	Widowed.	No Statement.	
498,968	254,945*	57,082	126,349	53,091	18,423	50-54	26,087	14,732	1,817	10,446	929	1,540		
						50	4,569	2,560	323	1,809	142	286		
39,114	22,169	22,169	—	—	—	51	4,539	2,522	310	1,785	146	281		
31,190	17,870	17,870	—	—	—	52	5,295	2,951	376	2,109	167	299		
3,607	1,941	1,941	—	—	—	53	5,501	3,138	388	2,228	207	315		
1,792	969	969	—	—	—	54	6,183	3,561	420	2,515	267	359		
1,342	723	723	—	—	—	55-59	35,651	20,478	2,439	14,367	1,834	1,838		
1,183	666	666	—	—	—	55	6,030	3,432	382	2,486	253	311		
			—	—	—	56	6,551	3,732	444	2,615	309	364		
4,197	2,361	2,361	—	—	—	57	6,834	3,971	480	2,789	344	358		
1,123	623	623	—	—	—	58	8,053	4,632	570	3,208	443	411		
930	520	520	—	—	—	59	8,183	4,711	563	3,269	485	394		
811	459	459	—	—	—	60-64	48,130	27,155	3,029	18,305	3,687	2,134		
707	414	414	—	—	—	60	8,359	4,826	588	3,296	538	404		
626	345	345	—	—	—	61	8,430	4,766	512	3,307	588	359		
			—	—	—	62	9,886	5,601	628	3,760	742	471		
3,116	1,649	1,649	—	—	—	63	10,474	5,846	660	3,881	870	435		
580	313	313	—	—	—	64	10,981	6,116	641	4,061	949	465		
578	344	344	—	—	—	65-69	58,836	31,807	3,356	19,944	6,625	1,882		
578	289	289	—	—	—	65	11,144	6,159	700	3,981	1,084	394		
650	330	330	—	—	—	66	11,022	5,985	616	3,853	1,149	367		
730	373	373	—	—	—	67	11,576	6,299	653	3,987	1,280	379		
			—	—	—	68	12,203	6,554	690	4,051	1,445	368		
6,220	3,281	2,632	11	3	635	69	12,891	6,810	697	4,072	1,667	374		
935	484	468	—	—	—	70-74	67,149	34,354	3,261	20,598	8,851	1,644		
1,036	563	448	—	—	—	70	12,957	6,760	667	4,356	1,413	324		
1,227	625	500	2	2	115	71	12,591	6,521	639	4,044	1,487	331		
1,387	730	553	3	—	116	72	13,823	7,075	669	4,251	1,801	354		
1,635	879	663	6	1	209	73	13,917	7,048	645	4,057	2,035	311		
			—	—	—	74	13,811	6,950	621	3,890	2,115	324		
7,112	3,699	2,499	242	14	944	75-79	64,781	30,698	2,560	14,828	11,931	1,379		
1,177	622	475	6	2	139	75	13,856	6,697	571	3,702	2,097	327		
1,200	610	447	16	—	147	76	13,587	6,516	556	3,333	2,316	311		
1,437	768	507	47	2	212	77	12,481	5,966	504	2,975	2,242	245		
1,540	778	513	60	2	203	78	12,710	5,943	483	2,575	2,617	268		
1,758	921	557	113	8	243	79	12,147	5,576	446	2,243	2,659	228		
			—	—	—	80-84	46,756	19,986	1,411	6,936	10,850	789		
8,670	4,394	2,161	1,176	28	1,029	80	11,061	4,866	364	1,893	2,394	215		
1,719	880	479	166	3	222	81	9,588	4,182	287	1,526	2,222	147		
1,845	945	509	191	4	241	82	9,539	4,148	318	1,417	2,243	170		
1,713	878	454	228	3	193	83	8,760	3,680	252	1,164	2,117	147		
1,677	828	357	271	6	194	84	7,808	3,110	190	936	1,874	110		
1,716	863	352	320	12	179	85-89	23,641	8,610	486	2,050	5,741	333		
			—	—	—	85	6,422	2,526	143	718	1,568	97		
9,176	4,721	1,440	2,270	56	955	86	5,562	2,045	116	509	1,338	82		
1,755	919	326	373	17	203	87	4,697	1,695	96	372	1,153	74		
1,761	884	289	396	9	190	88	3,913	1,334	75	270	936	53		
1,855	947	284	475	6	182	89	3,047	1,010	56	181	746	27		
1,871	984	275	485	13	211	90-94	6,992	2,130	117	343	1,599	71		
1,934	987	266	541	11	169	90	2,336	768	33	153	562	20		
			—	—	—	91	1,700	515	32	72	389	22		
10,892	5,841	1,320	3,419	93	1,009	92	1,257	377	25	49	287	16		
1,996	1,051	264	572	16	199	93	979	280	18	37	218	7		
2,078	1,103	273	626	14	190	94	720	190	9	32	143	6		
2,095	1,084	243	641	16	184	95-99	1,309	300	19	31	242	8		
2,401	1,369	318	797	23	231	95	501	113	10	14	84	5		
2,322	1,234	222	783	24	205	96	336	85	4	10	71	—		
			—	—	—	97	219	53	3	3	46	1		
12,981	6,805	1,090	4,530	188	997	98	148	27	1	2	23	1		
2,388	1,305	257	805	38	205	99	105	22	1	2	18	1		
2,316	1,225	215	815	24	171	100 & over	112	22	—	1	21	—		
2,743	1,408	220	916	44	228									
2,645	1,367	198	934	44	191									
2,889	1,500	200	1,060	38	202									
			—	—	—									
18,046	9,753	1,266	6,852	399	1,236									
3,041	1,607	255	1,052	55	245									
3,337	1,798	243	1,242	64	249									
3,579	1,926	233	1,392	78	223									
3,917	2,140	268	1,536	87	249									
4,172	2,282	267	1,630	115	270									

In addition to these numbers 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934. For see Table 25, page 256.

TABLE 19—continued.

TABLE 19. DEATHS BY SEX AT EACH YEAR OF AGE (WITH THE MARITAL CONDITION) 1939

Age last birth-day.	Females.					Age last birth-day.	Females.				
	Total.	Single.	Married.	Widowed.	No Statement.		Total.	Single.	Married.	Widowed.	No Statement.
All Ages	244,023	61,519	84,348	97,906	250						
0-4	16,945	16,945	—	—	—	50-54	11,355	1,989	7,567	1,786	13
0	13,320	13,320	—	—	—	50	2,009	372	1,341	292	4
1	1,666	1,666	—	—	—	51	2,017	368	1,342	306	1
2	823	823	—	—	—	52	2,344	431	1,578	332	3
3	619	619	—	—	—	53	2,363	416	1,547	400	—
4	517	517	—	—	—	54	2,622	402	1,759	456	5
5-9	1,836	1,836	—	—	—	55-59	15,173	2,450	9,339	3,370	14
5	500	500	—	—	—	55	2,598	415	1,652	530	1
6	410	410	—	—	—	56	2,819	478	1,775	560	6
7	352	352	—	—	—	57	2,863	472	1,758	632	1
8	293	293	—	—	—	58	3,421	554	2,083	781	3
9	281	281	—	—	—	59	3,472	531	2,071	867	3
10-14	1,467	1,467	—	—	—	60-64	20,975	3,150	11,684	6,126	15
10	267	267	—	—	—	60	3,533	559	2,060	910	4
11	234	234	—	—	—	61	3,664	536	2,135	991	2
12	289	289	—	—	—	62	4,285	676	2,384	1,222	3
13	320	320	—	—	—	63	4,628	693	2,532	1,400	3
14	357	357	—	—	—	64	4,865	686	2,573	1,603	3
15-19	2,939	2,795	125	1	18	65-69	27,029	3,985	12,306	10,712	26
15	451	451	—	—	—	65	4,985	745	2,552	1,680	8
16	473	465	2	—	6	66	5,037	722	2,414	1,896	5
17	602	584	14	—	4	67	5,277	780	2,407	2,086	4
18	657	619	35	1	6	68	5,649	830	2,466	2,349	4
19	756	676	74	—	2	69	6,081	908	2,467	2,701	5
20-24	3,413	2,278	1,105	11	19	70-74	32,795	4,811	11,085	16,869	30
20	555	464	88	1	2	70	6,197	919	2,420	2,851	7
21	590	439	147	1	3	71	6,070	889	2,214	2,961	6
22	669	458	207	1	3	72	6,748	983	2,328	3,428	9
23	762	460	291	4	7	73	6,763	1,004	2,139	3,616	4
24	837	457	372	4	4	74	7,017	1,016	1,984	4,013	4
25-29	4,276	1,617	2,597	56	6	75-79	34,083	5,317	7,356	21,383	27
25	839	396	435	5	3	75	7,159	1,097	1,883	4,174	5
26	900	361	530	8	1	76	7,071	1,088	1,661	4,316	6
27	835	305	518	12	—	77	6,515	1,040	1,412	4,058	5
28	849	300	535	12	2	78	6,767	1,133	1,254	4,376	4
29	853	255	579	19	—	79	6,571	959	1,146	4,459	7
30-34	4,455	1,266	3,091	90	8	80-84	26,770	4,201	3,206	19,344	19
30	836	283	533	16	4	80	6,195	1,023	953	4,210	9
31	877	225	635	15	2	81	5,406	880	692	3,833	1
32	908	266	629	13	—	82	5,391	807	636	3,948	—
33	887	226	643	17	1	83	5,080	750	521	3,807	2
34	947	266	651	29	1	84	4,698	741	404	3,546	7
35-39	5,051	1,197	3,675	170	9	85-89	15,031	2,330	814	11,867	20
35	945	248	666	29	2	85	3,896	585	275	3,028	8
36	975	238	713	24	—	86	3,517	593	207	2,714	3
37	1,011	241	737	31	2	87	3,002	438	136	2,425	3
38	1,032	219	772	37	4	88	2,579	400	128	2,045	6
39	1,088	251	787	49	1	89	2,037	314	68	1,655	—
40-44	6,176	1,313	4,479	376	8	90-94	4,862	794	114	3,951	3
40	1,083	243	792	45	3	90	1,568	254	44	1,270	—
41	1,091	232	792	66	1	91	1,185	190	36	958	1
42	1,335	279	988	67	1	92	880	147	13	719	1
43	1,278	265	926	86	1	93	699	114	8	576	1
44	1,389	294	981	112	2	94	530	89	13	428	—
45-49	8,293	1,603	5,792	886	12	95-99	1,009	161	12	833	3
45	1,434	299	998	130	7	95	388	56	5	326	1
46	1,539	319	1,058	161	1	96	251	42	2	207	—
47	1,653	325	1,162	166	—	97	166	21	1	144	—
48	1,777	324	1,255	196	2	98	121	26	4	90	1
49	1,890	336	1,319	233	2	99	83	16	—	66	1
						100 & over	90	14	1	75	—

TABLE 19A. CONSTRUCTED ANALYSIS OF 1939 DEATHS BY AGE } England and Wales
AND MARITAL CONDITION.

NOTE.—In this table the deaths of unstated marital condition in each age group (which are shown separately in Table 19) have been distributed proportionately amongst those of stated condition in the age group.

Age group	Persons.	Males.				Females.			
		Total.	Single.	Married.	Widowed.	Total.	Single.	Married.	Widowed.
All Ages	498,968	254,945	61,538	137,421	55,986	244,023	61,584	84,444	97,995
0-4	39,114	22,169	22,169	—	—	16,945	16,945	—	—
5-9	4,197	2,361	2,361	—	—	1,836	1,836	—	—
10-14	3,116	1,649	1,649	—	—	1,467	1,467	—	—
15-19	6,220	3,281	3,267	11	3	2,939	2,813	125	1
20-24	7,112	3,699	3,360	325	14	3,413	2,291	1,111	11
25-29	8,670	4,394	2,822	1,536	36	4,276	1,619	2,601	56
30-34	9,176	4,721	1,805	2,846	70	4,455	1,268	3,097	90
35-39	10,892	5,841	1,596	4,133	112	5,051	1,199	3,682	170
40-44	12,981	6,805	1,277	5,308	220	6,176	1,315	4,485	376
45-49	18,046	9,753	1,450	7,847	456	8,293	1,605	5,801	887
50-54	26,087	14,732	2,029	11,666	1,037	11,355	1,991	7,576	1,788
55-59	35,651	20,478	2,679	15,784	2,015	15,173	2,452	9,348	3,373
60-64	48,130	27,155	3,287	19,867	4,001	20,975	3,152	11,693	6,130
65-69	58,836	31,807	3,567	21,199	7,041	27,029	3,989	12,318	10,722
70-74	67,149	34,354	3,425	21,633	9,296	32,795	4,815	11,095	16,885
75-79	64,781	30,698	2,680	15,526	12,492	34,083	5,321	7,362	21,400
80-84	46,756	19,986	1,469	7,221	11,296	26,770	4,204	3,208	19,358
85-89	23,641	8,610	506	2,132	5,972	15,031	2,333	815	11,883
90-94	6,992	2,130	121	355	1,654	4,862	794	114	3,954
95-99	1,309	300	19	31	250	1,009	161	12	836
100 & over	112	22	—	1	21	90	14	1	75

* In addition to these numbers, 93 deaths were registered which occurred in the Gresford Colliery disaster in 1934. For ages see Table 25, Page 256.

TABLE 20. DEATHS AT DIFFERENT AGES, 1939. Non-Civilian deaths registered on and after 3rd September are shown for England and Wales only. They are excluded from the rest of the table.

England and Wales, Geographical Regions, London and Metropolitan Boroughs, County Boroughs. Aggregates of other Urban and of Districts in each Administrative County.

Age.	Sex.	England and Wales.		SOUTH EAST.				NORTH.				
		Total excluding Non-Civilians from 3rd Sept.	Non-Civilians from 3rd Sept.	Total.	Greater London.	Remainder.	Part formerly in Midlands.	Part formerly in South.	Total.	North I.	North II.	North III.
All ages	M	254945†	836	81054	46015	35039	26959	54095	86682	14506	8517	22458
	F	244023	—	79228	44330	34898	26276	52952	82237	12600	7960	21186
Under 1 month	M	9897	—	2732	1598	1134	1055	1677	3708	679	346	931
1-3 months	F	7504	—	2030	1177	853	808	1222	2856	525	285	708
3-6 months	M	2939	—	804	499	305	280	524	1133	229	130	257
6-12 months	F	1965	—	516	339	177	218	298	760	162	97	170
	M	2492	—	715	492	223	220	495	1005	217	118	203
	F	1858	—	493	337	156	158	335	771	158	90	150
	M	2542	—	668	444	224	229	439	985	201	115	219
	F	1993	—	532	310	222	179	353	738	128	73	167
Total under 1 year	M	17870	—	4919	3033	1886	1784	3135	6831	1326	709	1610
	F	13320	—	3571	2163	1408	1363	2208	5125	973	545	1199
1—	M	1941	—	517	286	231	193	324	731	148	99	161
	F	1666	—	381	219	162	142	239	666	113	83	174
2—	M	969	—	232	126	106	100	132	397	74	45	100
	F	823	—	181	100	81	71	110	333	79	45	76
3—	M	723	—	167	92	75	65	102	299	53	28	63
	F	619	—	152	87	65	52	100	251	50	32	58
4—	M	666	—	156	83	73	53	103	275	62	22	68
	F	517	—	122	72	50	57	65	215	55	17	57
Total under 5 years	M	22169	—	5991	3620	2371	2195	3796	8533	1663	903	2004
	F	16945	—	4407	2641	1766	1685	2722	6590	1270	722	1560
5—	M	2361	—	625	346	279	249	376	898	172	88	213
	F	1836	—	427	247	180	158	269	785	165	68	177
10—	M	1649	1	477	259	218	182	295	605	139	76	136
	F	1467	—	366	208	158	145	221	547	119	47	118
15—	M	3281	119	1024	610	414	383	641	1126	272	113	253
	F	2939	—	794	513	281	289	505	1129	233	121	252
20—	M	3699	256	1113	626	487	390	723	1243	243	132	311
	F	3413	—	1043	686	357	365	678	1235	244	117	277
25—	M	4394	161	1412	854	558	527	885	1445	288	166	343
	F	4276	—	1339	836	503	470	869	1552	253	149	409
30—	M	4721	60	1536	942	594	581	955	1614	321	155	408
	F	4455	—	1388	848	540	517	871	1573	274	144	391
35—	M	5841	69	1810	1113	697	644	1166	2057	366	204	493
	F	5051	—	1581	1002	579	583	998	1791	329	163	434
40—	M	6805	54	2073	1287	786	735	1338	2412	396	217	614
	F	6176	—	1920	1187	733	707	1213	2208	310	214	560
45—	M	9753	50	3097	1936	1161	1108	1989	3535	615	296	877
	F	8293	—	2629	1582	1047	917	1712	2921	434	243	754
50—	M	14732	41	4561	2849	1712	1520	3041	5323	860	491	1387
	F	11355	—	3639	2095	1544	1265	2374	4018	654	346	1067
55—	M	20478	16	6525	3952	2573	2120	4405	7307	1101	656	1944
	F	15173	—	4811	2761	2050	1588	3223	5440	788	494	1404
60—	M	27155	3	8665	5247	3418	2804	5861	9785	1483	845	2650
	F	20975	—	6429	3632	2797	2107	4322	7692	1145	655	1977
65—	M	31807	6	9956	5671	4285	3194	6762	11235	1795	1042	3004
	F	27029	—	8428	4730	3698	2721	5707	9790	1448	849	2594
70—	M	34354	—	10890	5952	4938	3583	7307	11685	1825	1088	3123
	F	32795	—	10347	5727	4620	3296	7051	11403	1624	1027	2981
75—	M	30698	—	10102	5280	4822	3170	6932	9716	1579	952	2613
	F	34083	—	11395	6091	5304	3649	7746	11155	1549	1083	2977
80—	M	19986	—	6907	3474	3433	2168	4739	5614	943	691	1444
	F	26770	—	9609	5042	4567	3075	6534	7754	1107	907	2047
85—	M	11062	—	4290	1997	2293	1406	2884	2549	445	402	623
	F	20992	—	8676	4502	4174	2739	5937	4654	654	611	1190

* The Counties included in the several Geographical Regions are shown on the first page of Table 17.

† In addition to this number 98 deaths were registered which occurred in the Gresford Colliery Disaster in 1934. see Table 25, page 256.

TABLE 20—continued.

Age.	Sex.	MIDLAND.			EAST.	SOUTH WEST.	WALES.			Aggregates of areas outside Greater London.		
		Total.	Midland I.	Midland II.			Total.	Wales I.	Wales II.	County Boroughs.	Other Urban Districts.	Rural Districts.
...	M	43751	28978	14773	11833	13789	17836	12666	5170*	83543	79535	45852*
	F	41353	27384	13969	11366	14375	15464	10551	4913	79756	77025	42912
...	M	1930	1324	606	381	460	686	479	207	3375	3094	1830
...	F	1433	982	451	303	346	536	396	140	2609	2362	1356
...	M	546	388	158	114	114	228	170	58	1126	860	454
...	F	420	281	139	63	61	145	103	42	747	584	295
...	M	478	338	140	74	66	154	116	38	1021	653	326
...	F	342	243	99	60	48	144	121	23	741	517	263
...	M	514	347	167	102	90	183	148	35	1033	704	361
...	F	422	311	111	67	63	171	123	48	797	595	291
...	M	3468	2397	1071	671	730	1251	913	338	6555	5311	2971
...	F	2617	1817	800	493	518	996	743	253	4894	4058	2205
...	M	355	250	105	87	82	169	137	32	684	650	321
...	F	352	238	114	52	79	136	111	25	642	527	278
...	M	187	125	62	37	41	75	52	23	370	333	140
...	F	170	114	56	30	33	76	61	15	310	281	132
...	M	143	96	47	26	27	61	47	14	276	240	115
...	F	115	81	34	23	24	54	36	18	239	194	99
...	M	129	87	42	25	27	54	41	13	246	226	111
...	F	98	67	31	24	10	48	39	9	207	160	78
...	M	4282	2955	1327	846	907	1610	1190	420	8131	6760	3658
...	F	3352	2317	1035	622	664	1310	990	320	6292	5220	2792
...	M	456	287	169	95	98	189	146	43	826	802	387
...	F	334	219	115	62	85	143	111	32	672	635	282
...	M	310	216	94	62	70	125	91	34	546	554	290
...	F	306	213	93	53	63	132	105	27	539	479	241
...	M	564	391	173	144	145	278	207	71	1034	1024	613
...	F	529	361	168	109	135	243	194	49	1109	903	414
...	M	668	474	194	178	190	307	234	73	1184	1168	721
...	F	594	416	178	127	124	290	234	56	1211	1002	514
...	M	818	530	288	198	217	304	223	81	1431	1323	786
...	F	737	478	259	160	174	314	235	79	1486	1301	653
...	M	825	533	292	197	201	348	260	88	1549	1456	774
...	F	798	545	253	172	189	335	259	76	1575	1394	638
...	M	1055	704	351	219	259	441	324	117	1976	1841	911
...	F	874	579	295	176	247	382	274	108	1708	1521	820
...	M	1254	850	404	246	331	489	365	124	2431	2054	1033
...	F	1099	702	397	253	269	427	325	102	2101	1926	962
...	M	1646	1111	535	324	437	714	554	160	3489	2964	1364
...	F	1419	951	468	339	433	552	404	148	2813	2587	1311
...	M	2522	1683	839	548	700	1078	830	248	5353	4444	2086
...	F	1880	1239	641	437	612	769	536	233	3833	3580	1847
...	M	3479	2359	1120	781	948	1438	1087	351	7362	6174	2990
...	F	2530	1665	865	656	756	980	690	290	5163	4750	2499
...	M	4493	2991	1502	1088	1254	1870	1335	535	9403	8331	4174
...	F	3566	2377	1189	854	1068	1366	954	412	7220	6672	3451
...	M	5291	3524	1767	1393	1631	2301	1656	645	10641	10039	5456
...	F	4453	2920	1533	1152	1490	1716	1175	541	9013	8636	4650
...	M	5748	3794	1954	1621	1997	2413	1664	749	10970	10913	6519
...	F	5414	3559	1855	1529	2014	2088	1376	712	10752	10480	5836
...	M	5123	3318	1805	1715	2005	2037	1316	721	9132	9803	6483
...	F	5606	3631	1975	1726	2243	1958	1282	676	10838	10915	6239
...	M	3446	2147	1299	1330	1439	1250	797	453	5458	6333	4721
...	F	4443	2910	1533	1568	1952	1444	840	604	7909	8506	5313
...	M	1771	1111	660	848	960	644	387	257	2627	3552	2886
...	F	3419	2302	1117	1371	1857	1015	567	448	5522	6518	4450

In addition to these numbers 98 deaths were registered which occurred in the Gresford Colliery Disaster in 1934. For see Table 25, page 256.

TABLE 20—*contd.*—METROPOLITAN BOROUGH.

Age.	Sex.	Total London Admin. County.	City of London.	Inner and Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.
All Ages	M	23823	52	6	882	559	538	1292	407	602	365	805	528	1113	732
	F	22554	42	—	805	446	444	1300	336	516	338	808	451	1110	659
Under 1 month	M	635	—	—	31	11	11	31	7	27	4	23	19	37	24
1-3 months	F	501	—	—	15	10	9	27	2	11	4	17	17	23	8
3-6 months	M	240	—	—	13	4	5	9	1	5	2	9	8	8	10
6-12 months	F	155	—	—	6	2	6	6	—	4	—	2	1	12	2
	M	292	—	—	17	6	16	6	3	5	3	13	4	11	18
	F	183	—	—	11	2	3	11	—	3	5	7	3	1	6
	M	230	—	—	15	7	5	11	1	10	3	8	8	10	5
	F	173	—	—	11	3	3	7	3	3	2	5	9	5	4
Total under 1 year	M	1397	—	—	76	28	37	57	12	47	12	53	39	66	57
	F	1012	—	—	43	17	21	51	5	21	11	31	30	41	20
1—	M	134	—	—	2	2	3	6	1	7	3	—	1	3	4
	F	98	—	—	2	—	2	5	1	1	2	2	1	5	1
2—	M	57	—	—	1	1	—	5	1	1	1	4	2	6	2
	F	45	—	—	3	1	2	2	1	2	1	1	—	1	1
3—	M	44	—	—	1	2	2	4	—	1	—	3	1	2	2
	F	38	—	—	1	1	—	4	—	1	—	1	—	4	1
4—	M	37	—	—	1	2	1	3	—	3	—	1	—	1	—
	F	30	—	—	1	1	1	2	1	1	1	2	—	1	1
Total under 5 years	M	1669	—	—	81	35	43	75	14	59	16	61	43	78	65
5—	F	1223	—	—	50	20	26	64	8	26	15	37	31	52	24
10—	M	143	1	—	5	9	5	10	2	2	3	2	4	5	—
	F	107	—	—	5	3	3	6	2	3	1	1	4	5	2
15—	M	109	—	—	4	6	2	11	1	2	1	1	2	4	4
	F	96	—	—	2	4	1	4	1	2	2	6	6	2	3
20—	M	307	—	—	10	6	8	23	1	4	4	10	8	24	9
	F	260	—	—	7	6	7	19	2	4	3	4	11	16	8
25—	M	289	—	—	7	8	2	12	4	11	4	9	5	14	7
	F	341	—	—	11	5	4	23	6	11	4	12	8	12	11
30—	M	422	2	—	15	14	12	21	3	13	1	19	11	16	14
	F	423	—	—	15	12	9	25	2	10	5	18	8	27	10
35—	M	457	—	—	17	13	8	18	5	15	4	26	8	23	15
	F	369	1	—	16	4	11	10	2	10	1	12	6	21	13
40—	M	572	—	—	22	10	20	29	8	14	15	16	16	31	15
	F	430	1	—	12	7	7	25	9	10	7	15	5	25	10
45—	M	627	2	1	15	20	18	30	8	16	5	24	18	29	35
	F	528	—	—	21	10	5	36	5	14	6	22	11	30	15
50—	M	966	4	—	32	22	19	54	16	22	16	30	22	40	24
	F	778	—	—	23	11	19	43	12	21	5	27	17	33	23
55—	M	1498	4	—	51	37	28	87	19	40	22	55	41	66	57
	F	1050	4	—	31	21	17	50	17	27	13	35	18	49	28
60—	M	2162	6	—	100	51	45	109	31	44	35	79	47	85	82
	F	1409	2	—	39	21	29	89	19	30	19	52	28	63	44
65—	M	2826	11	1	97	71	80	153	40	67	45	97	54	134	79
	F	1915	4	—	60	48	40	99	26	40	32	70	43	104	66
70—	M	3037	7	1	93	76	71	181	71	80	61	91	50	163	86
	F	2469	6	—	92	60	62	139	48	48	45	84	47	133	65
75—	M	3118	6	1	100	62	69	143	65	79	63	99	70	142	84
	F	3030	7	—	105	63	64	168	37	73	52	114	53	146	100
80—	M	2784	5	—	113	55	47	163	62	61	37	99	62	134	76
	F	3238	7	—	115	52	62	206	50	77	66	132	64	169	91
85—	M	1818	3	1	86	48	39	103	30	46	23	54	40	87	52
	F	2615	6	—	110	55	45	147	48	53	32	90	49	124	77
	M	1019	1	1	34	16	22	70	27	27	10	33	27	38	28
	F	2273	4	—	91	44	33	147	42	57	30	77	42	99	69

TABLE 20—*contd.*—METROPOLITAN BOROUGH.

Age.	Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
Ages	M	209	1813	931	1708	1129	754	842	524	1171	504	1043	1251	282	1846	627	852
	F	169	1672	1141	1736	1227	854	692	522	999	438	793	962	298	1923	596	740
Under month	M	5	47	37	43	22	30	17	10	30	7	21	39	8	48	13	25
1-3 months	F	2	33	26	58	35	19	16	12	19	9	25	15	5	41	10	23
	M	—	31	8	15	17	8	5	9	14	2	7	14	3	14	5	11
3-6 months	F	—	18	6	18	7	7	3	5	12	3	7	—	—	17	—	6
	M	3	28	18	13	19	17	6	5	10	3	8	14	3	18	3	17
6-12 months	F	1	21	7	16	5	6	2	2	13	4	15	11	—	15	1	8
	M	1	12	16	17	17	11	10	2	10	2	6	16	—	19	—	6
	F	—	14	11	12	7	8	4	4	6	4	4	16	—	18	1	7
total under 1 year	M	9	118	79	88	75	66	38	26	64	14	42	83	14	99	21	59
	F	3	86	50	104	54	40	25	23	50	20	51	45	5	91	12	44
1—	M	—	11	7	11	9	6	8	—	7	5	6	10	1	9	2	9
	F	—	13	4	7	7	3	6	—	3	5	6	5	—	8	3	3
2—	M	—	4	2	3	6	6	1	—	4	—	3	1	—	2	—	1
	F	—	3	1	3	2	—	1	—	—	2	1	4	—	5	3	3
3—	M	—	2	—	1	1	1	2	1	2	2	2	2	—	6	1	1
	F	—	2	1	4	1	1	1	1	3	1	4	2	—	1	1	2
4—	M	—	5	1	1	3	3	—	—	1	2	—	1	—	3	—	4
	F	—	2	1	2	2	2	1	—	1	1	1	2	1	1	—	1
total under 5 years	M	9	140	89	104	94	82	49	27	78	23	53	97	15	119	24	74
	F	3	106	57	120	66	46	34	24	57	29	63	58	6	106	19	53
5—	M	1	14	3	10	5	2	10	1	5	6	9	5	—	12	2	3
	F	1	9	3	8	4	4	4	1	1	3	8	4	2	7	2	10
10—	M	—	8	3	2	9	1	8	1	9	2	8	4	—	9	1	5
	F	—	7	3	11	5	1	3	2	4	5	3	7	1	4	2	5
15—	M	2	27	6	15	22	7	7	8	12	8	13	13	2	22	19	13
	F	—	23	10	14	15	4	7	9	7	8	12	21	1	23	10	7
20—	M	4	27	11	16	17	10	12	9	13	9	9	20	5	27	1	10
	F	2	24	14	18	18	14	17	9	21	6	11	17	6	23	8	14
25—	M	2	32	17	32	17	14	14	8	29	6	15	29	4	24	13	17
	F	2	40	18	31	29	18	14	11	14	8	11	22	9	30	8	13
30—	M	1	45	15	34	15	18	20	13	14	6	11	27	4	35	15	23
	F	3	33	18	23	22	15	12	12	16	7	15	18	3	32	11	14
35—	M	7	39	26	47	35	20	14	12	37	15	21	24	8	25	17	18
	F	2	24	19	44	23	17	19	9	19	10	10	22	5	37	16	13
40—	M	6	41	19	51	35	16	16	10	31	13	32	37	5	40	28	17
	F	6	37	27	43	21	21	18	9	36	7	11	20	5	43	14	18
45—	M	11	66	37	70	54	39	29	24	49	20	53	60	13	65	21	39
	F	7	55	34	65	49	30	27	16	39	15	21	44	8	61	30	28
50—	M	22	104	63	115	65	44	50	25	70	23	70	74	24	117	47	50
	F	13	72	34	78	57	44	34	31	71	24	36	49	12	71	45	36
55—	M	18	167	87	143	96	68	82	41	128	37	99	125	22	155	69	62
	F	17	110	67	96	74	56	51	31	49	27	61	74	27	118	42	40
60—	M	25	226	107	202	122	86	105	58	139	78	133	147	28	213	83	94
	F	17	110	95	132	100	72	53	48	96	34	68	100	22	169	44	64
65—	M	23	229	118	240	139	88	101	70	142	57	134	162	31	215	85	109
	F	19	187	131	187	107	89	80	54	101	57	99	118	31	189	61	86
70—	M	29	235	109	211	114	88	133	80	149	82	154	179	43	269	76	111
	F	21	238	164	226	156	104	89	81	139	67	111	136	30	246	85	97
75—	M	25	214	103	196	143	78	98	72	141	50	111	141	33	245	57	105
	F	23	231	169	240	176	117	106	73	149	51	95	120	45	282	79	97
80—	M	17	133	73	147	85	58	62	48	72	45	85	64	25	147	45	64
	F	18	194	139	212	156	121	76	52	100	44	81	71	42	256	71	81
85—	M	7	66	45	73	62	35	32	17	53	24	36	39	15	107	24	30
	F	15	172	139	188	149	81	48	50	80	36	77	61	43	226	49	64

TABLE 20—*contd.*—COUNTY BOROUGH.

Age.	Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Sheffield.
All Ages	M	436	492	458	983	6135	824	951	1248	480	797	2091	1062	2576	6135
	F	406	412	596	821	5828	914	1052	1250	415	1015	2146	1175	2578	6135
Under 1 month	M	27	19	19	41	266	24	24	64	25	21	67	30	79	266
1-3 months	F	18	22	19	26	196	25	25	38	26	16	53	24	70	196
3-6 months	M	7	8	6	8	109	4	7	16	10	10	15	8	30	109
6-12 months	F	2	5	1	3	90	3	2	9	3	4	20	4	17	90
	M	3	3	2	16	122	4	6	14	10	4	16	6	22	122
	F	4	5	—	12	80	7	2	7	10	2	14	7	15	80
	M	3	10	2	17	91	7	7	11	10	6	21	6	18	91
	F	7	5	5	16	77	4	3	11	6	4	15	5	10	77
Total under 1 year	M	40	40	29	82	588	39	44	105	55	41	119	50	149	588
	F	31	37	25	57	443	39	32	65	45	26	102	40	112	443
1—	M	3	7	3	11	50	5	5	11	3	1	10	4	17	50
	F	6	7	3	4	52	5	4	9	2	3	8	9	16	52
2—	M	3	—	—	7	32	3	4	7	6	3	3	2	8	32
	F	3	—	1	3	27	—	1	2	1	5	9	2	12	27
3—	M	—	—	2	4	21	2	2	2	5	—	7	—	12	21
	F	3	5	1	3	18	2	2	4	1	—	4	2	5	18
4—	M	2	2	1	2	12	3	2	5	4	—	4	1	4	12
	F	3	3	—	4	12	4	—	4	—	2	4	—	4	12
Total under 5 years	M	48	49	35	106	703	52	57	130	73	45	143	57	190	703
	F	46	52	30	71	552	50	39	84	49	36	127	53	149	552
5—	M	6	3	2	13	43	8	7	13	6	5	26	7	22	43
	F	2	1	1	10	39	5	11	7	9	3	14	6	13	39
10—	M	5	1	2	7	30	4	4	7	2	2	12	4	21	30
	F	4	—	1	4	49	1	6	5	11	2	8	5	17	49
15—	M	13	6	3	15	81	6	7	17	3	3	18	4	30	81
	F	6	5	6	14	80	7	10	14	8	2	21	7	21	80
20—	M	5	6	5	23	97	14	7	15	12	7	24	7	36	97
	F	8	6	5	18	98	12	17	11	12	7	22	9	23	98
25—	M	4	10	10	24	119	8	9	20	8	8	19	13	54	119
	F	12	13	7	14	109	12	15	17	10	8	40	14	28	109
30—	M	12	12	6	23	109	10	12	23	4	9	32	13	48	109
	F	12	8	6	11	117	16	15	24	3	12	41	27	51	117
35—	M	12	14	12	26	160	17	15	26	13	15	43	19	49	160
	F	13	11	8	16	125	22	14	33	10	7	26	20	59	125
40—	M	9	20	7	25	194	19	28	30	15	9	70	26	70	194
	F	13	9	5	32	149	21	25	41	9	14	50	19	66	149
45—	M	23	23	13	43	257	30	42	56	19	20	101	39	95	257
	F	12	13	15	27	224	36	39	41	18	23	88	40	86	224
50—	M	24	38	17	76	387	47	57	81	30	38	130	49	161	387
	F	20	18	27	40	277	44	39	69	29	28	100	69	129	277
55—	M	55	44	36	95	524	83	92	114	48	53	189	70	235	524
	F	22	24	28	55	405	61	74	84	28	48	139	66	158	405
60—	M	49	59	42	108	712	92	115	144	50	74	241	107	296	712
	F	36	43	36	81	513	94	122	127	43	85	220	92	232	513
65—	M	46	74	45	94	760	131	130	154	66	103	274	130	324	760
	F	47	51	47	85	631	109	149	159	40	123	278	115	277	631
70—	M	51	53	81	123	757	125	146	178	56	125	340	162	336	757
	F	51	49	95	110	752	137	173	199	50	124	308	169	358	752
75—	M	43	42	60	97	638	116	127	142	38	137	251	165	295	638
	F	50	58	101	92	694	149	156	177	37	211	337	173	385	694
80—	M	26	25	43	64	387	50	70	75	25	84	119	128	198	387
	F	33	34	79	81	572	104	89	111	32	145	201	164	281	572
85—	M	5	13	39	21	177	12	26	23	12	60	59	62	116	177
	F	19	17	99	60	442	34	59	47	17	137	126	127	245	442

TABLE 20—*contd.*—COUNTY BOROUGH.

Age.	Sex.	Burton-on-Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
1 Ages ..	M	326	430	163	403	328	1184	1228	497	885	330	426	400	314	752	424	781	370
	F	282	464	166	412	283	1025	1329	447	782	370	379	295	445	648	484	712	377
Under 1 month	M	14	17	3	19	15	61	45	27	30	14	18	20	8	25	14	36	15
1-3 months	F	7	6	—	23	12	53	33	17	25	8	17	19	8	15	9	31	14
3-6 months	M	8	1	—	10	5	26	8	9	4	5	7	7	1	9	4	13	6
6-12 months	F	4	2	—	5	3	20	9	1	7	3	7	2	2	4	2	7	1
	M	—	3	—	3	2	14	8	4	7	2	2	8	3	7	3	13	5
	F	2	2	—	5	11	16	10	5	4	1	3	2	—	2	2	7	1
	M	2	1	1	6	2	17	12	4	4	1	4	12	4	8	2	12	2
	F	—	4	1	—	4	20	6	4	4	4	1	7	—	6	4	4	2
total under 1 year	M	23	22	4	38	24	118	73	44	45	22	31	47	16	49	23	74	28
	F	14	14	1	33	30	109	58	27	40	16	28	30	10	27	17	49	18
1—	M	1	2	3	3	4	14	7	5	8	2	3	5	2	2	3	10	4
	F	2	6	1	4	13	4	2	9	3	1	4	3	2	4	—	7	2
2—	M	2	1	—	2	3	7	5	3	3	—	5	—	—	1	—	6	3
	F	1	2	—	3	1	1	4	2	—	—	2	—	1	3	3	1	1
3—	M	1	3	—	—	2	2	3	3	—	—	2	2	2	1	—	2	—
	F	1	1	—	—	2	4	1	—	4	2	5	2	—	2	1	1	1
4—	M	4	1	1	4	3	4	4	1	4	1	2	—	—	2	—	2	—
	F	—	2	—	1	1	4	1	1	5	2	1	1	—	4	1	4	2
total under 5 years	M	31	29	8	44	36	145	92	56	60	25	43	54	20	55	26	94	35
	F	18	25	2	41	38	131	68	32	58	23	37	37	14	38	26	62	24
5—	M	3	4	2	3	8	10	4	7	7	9	8	2	2	10	5	10	3
	F	1	3	—	2	4	12	14	3	6	—	6	3	1	5	1	5	2
10—	M	3	2	1	2	4	6	7	6	3	2	2	2	2	3	—	4	2
	F	2	4	3	—	10	8	4	5	3	2	4	4	2	1	2	10	4
15—	M	3	—	1	5	3	20	14	7	13	3	7	5	2	10	4	16	4
	F	2	1	2	4	3	15	10	8	10	4	5	1	4	13	3	17	9
20—	M	6	6	1	3	6	35	16	8	14	6	4	8	1	9	8	13	5
	F	4	3	1	2	3	25	17	1	10	3	3	3	4	14	5	19	4
25—	M	4	9	4	11	5	36	26	6	17	2	6	10	—	21	3	18	4
	F	1	4	1	9	6	24	18	7	12	14	7	7	3	15	3	19	3
30—	M	5	3	5	3	2	20	21	10	13	6	7	9	2	20	8	30	10
	F	—	5	6	10	6	20	18	7	13	4	11	5	2	13	11	19	6
35—	M	6	11	3	7	4	24	21	9	25	9	10	15	2	17	8	30	13
	F	4	13	2	3	6	32	31	10	19	7	8	13	8	15	7	16	7
40—	M	9	16	4	11	3	45	34	15	26	11	16	21	7	19	8	17	16
	F	4	7	3	9	4	37	32	7	28	12	14	10	7	11	13	21	9
45—	M	15	14	4	15	14	51	51	17	40	18	27	18	7	29	12	34	10
	F	9	16	1	18	8	50	38	7	22	11	21	8	10	25	15	19	17
50—	M	17	31	6	27	26	76	81	27	56	18	24	24	18	40	31	48	18
	F	12	28	7	15	11	52	50	27	31	28	21	13	11	38	21	36	16
55—	M	24	45	11	36	30	108	95	43	74	29	45	36	21	64	43	63	35
	F	21	39	8	25	20	67	93	35	56	19	28	14	34	34	33	46	25
60—	M	44	52	12	41	43	123	119	57	90	34	38	39	36	72	32	76	29
	F	24	49	15	30	22	96	104	48	84	39	33	21	37	53	26	71	30
65—	M	37	70	24	51	43	153	146	68	111	52	56	32	44	106	48	105	45
	F	37	70	9	55	35	102	132	41	67	48	41	29	47	85	46	88	31
70—	M	46	63	19	59	36	141	178	58	116	50	41	45	49	107	56	74	49
	F	53	65	26	47	26	88	169	76	122	48	49	27	68	90	66	90	42
75—	M	41	44	22	40	33	110	139	52	114	38	38	41	44	95	59	83	41
	F	32	68	30	56	42	115	198	57	102	55	41	39	71	66	68	81	55
80—	M	23	24	23	29	24	55	108	33	69	21	32	24	39	46	35	50	33
	F	28	45	26	53	30	87	155	43	68	33	33	42	62	73	77	54	52
85—	M	9	7	13	16	8	26	70	21	37	6	21	9	18	29	38	16	18
	F	30	19	24	33	20	62	174	34	69	19	17	19	60	59	61	39	41

TABLE 20—contd.—COUNTY BOROUGH.

Age.	Sex.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston-upon-Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle-upon-Tyne.	Northampton.	Norwich.	Nottingham.
All Ages	M	362	612	736	482	855	543	2043	3426	1531	428	5466	4839	1023	1977	588	745	187
	F	357	492	752	636	914	574	1765	3108	1497	426	5218	4566	805	1682	568	770	178
Under 1 month	M	12	12	29	8	53	23	68	130	52	10	283	190	51	85	21	12	8
1-3 months	F	8	23	17	6	37	26	79	83	47	10	206	131	20	65	13	10	5
3-6 months	M	2	7	5	1	4	1	42	43	12	6	116	72	17	35	3	5	3
6-12 months	F	2	8	4	2	6	1	28	23	13	5	76	42	18	18	2	3	1
	M	1	8	5	1	4	5	40	30	16	3	123	55	24	25	3	3	4
	F	2	4	8	—	5	2	29	20	9	1	85	47	14	24	3	5	1
	M	3	11	7	1	3	7	34	42	21	6	121	50	27	23	2	4	3
	F	2	10	6	3	3	5	19	29	10	—	94	47	23	14	5	3	1
Total under 1 year	M	18	38	46	11	64	36	184	245	101	25	643	367	119	168	29	24	18
	F	14	45	35	11	51	34	155	155	79	16	461	267	75	121	23	21	10
1—	M	1	6	3	—	3	3	19	21	10	2	65	35	26	18	3	5	1
	F	1	4	1	1	5	—	17	33	11	2	55	34	21	12	2	4	1
2—	M	1	5	1	—	5	1	5	18	5	—	23	19	10	7	3	3	1
	F	—	1	2	2	2	1	11	10	1	—	33	18	12	10	2	—	1
3—	M	1	6	4	—	1	2	6	12	—	2	25	13	10	3	—	—	—
	F	1	3	2	2	1	1	5	5	2	—	15	7	9	7	—	1	—
4—	M	1	4	1	—	5	1	7	9	5	—	17	12	5	8	—	1	—
	F	—	3	—	—	2	1	4	7	6	1	14	11	8	6	1	1	—
Total under 5 years	M	22	59	55	11	78	43	221	305	121	29	773	446	170	204	35	33	22
	F	16	56	40	16	61	37	192	210	99	19	578	337	125	156	28	27	14
5—	M	3	6	7	—	1	—	18	27	21	2	69	53	18	8	3	7	1
	F	3	5	8	2	5	3	21	25	8	2	67	30	19	9	5	5	—
10—	M	2	5	2	1	3	3	19	12	12	5	52	30	7	17	3	3	—
	F	2	3	1	1	4	2	12	10	12	3	52	32	14	11	4	3	1
15—	M	2	10	2	1	7	6	23	39	14	2	85	69	15	22	7	11	1
	F	2	13	6	5	5	5	29	34	17	3	98	78	21	31	5	9	2
20—	M	3	10	3	2	9	3	24	43	13	—	75	74	21	44	8	15	2
	F	7	5	13	2	6	11	31	39	16	8	109	93	13	34	8	11	1
25—	M	4	16	6	3	12	6	45	52	29	2	104	72	15	48	10	20	3
	F	7	15	14	5	15	14	29	65	27	5	118	110	26	19	10	13	3
30—	M	5	12	20	4	12	12	44	57	30	4	101	84	27	44	6	7	3
	F	2	11	12	4	20	10	43	69	29	5	103	102	14	41	10	17	2
35—	M	3	10	12	9	14	16	53	82	45	9	155	131	37	29	13	10	4
	F	3	13	19	5	24	13	43	79	34	10	111	98	24	51	9	14	3
40—	M	14	14	18	7	16	15	51	92	40	12	169	170	28	59	14	13	7
	F	8	11	10	10	29	12	59	85	37	7	149	132	31	31	10	26	4
45—	M	15	27	34	16	33	13	98	139	54	19	251	221	38	74	17	31	7
	F	6	15	24	14	38	21	56	124	52	12	182	179	30	62	20	24	6
50—	M	15	46	52	19	58	26	137	211	102	27	356	341	78	143	36	37	11
	F	10	27	29	21	49	18	90	149	80	18	257	242	34	90	24	32	9
55—	M	32	55	61	35	83	47	194	314	121	33	505	481	86	168	49	61	16
	F	31	38	52	34	61	25	115	217	81	34	343	313	42	92	33	39	11
60—	M	30	73	88	53	126	56	234	419	143	34	599	608	92	224	74	76	20
	F	32	37	69	48	89	45	156	285	119	40	462	434	70	161	53	45	15
65—	M	41	77	126	81	132	61	256	487	202	53	634	628	126	260	78	100	20
	F	27	45	87	48	93	74	185	415	166	56	593	572	81	201	58	75	20
70—	M	45	69	116	82	131	91	249	457	226	59	624	626	113	241	77	96	25
	F	47	73	121	99	140	68	215	416	202	45	687	619	95	201	72	95	22
75—	M	53	65	71	67	85	76	192	387	165	62	506	469	81	225	83	104	21
	F	55	54	104	109	144	80	190	434	215	68	621	568	91	231	87	123	26
80—	M	49	34	44	54	40	45	123	219	125	50	292	232	52	111	49	80	11
	F	51	38	95	105	86	79	190	296	172	63	410	390	48	147	79	118	17
85—	M	24	24	19	36	15	24	62	84	68	26	116	104	19	56	26	41	5
	F	48	33	48	108	45	57	109	156	131	28	278	237	27	114	53	94	13

TABLE 20—*contd.*—COUNTY BOROUGH.

Age.	Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.	Stockport.
All Ages	M F	1009 929	421 485	1394 1309	1560 1498	757 778	680 647	654 668	448 387	655 583	1356 1342	3302 2898	400 425	1166 1022	781 927	606 732	780 650	921 912
Under 1 month	M F	36 24	12 4	58 25	38 31	30 22	32 11	16 18	22 18	37 35	55 41	128 102	18 19	47 33	13 23	12 12	35 23	41 46
1-3 months	M F	10 7	4 2	18 10	23 15	11 3	5 6	5 2	12 4	10 13	22 10	27 20	2 5	15 4	4 1	5 2	10 13	12 6
3-6 months	M F	6 4	3 2	10 5	19 14	13 6	7 4	8 2	4 4	12 11	18 18	30 14	1 6	15 10	3 2	6 1	14 8	7 8
6-12 months	M F	4 4	1 3	10 9	16 13	8 7	5 9	1 3	3 2	22 8	30 14	40 26	6 6	13 13	4 1	2 1	11 6	5 9
Total under 1 year	M F	56 39	20 11	96 49	116 81	62 38	49 30	30 25	41 28	81 67	125 83	225 162	27 36	90 57	24 33	25 16	70 50	65 69
1—	M F	3 11	3 3	10 8	10 9	5 3	2 3	2 3	2 3	8 8	10 10	25 23	3 2	11 8	4 1	2 6	8 8	4 2
2—	M F	5 3	2 2	7 5	3 4	3 3	1 3	1 1	2 3	9 3	4 3	15 7	1 1	4 3	2 2	— 1	4 9	6 1
3—	M F	3 2	1 1	4 6	5 3	— 2	4 3	2 1	2 1	3 —	7 4	10 3	1 5	1 3	1 2	1 —	5 8	3 2
4—	M F	2 1	1 1	6 2	4 2	— 2	1 2	1 1	1 2	5 1	3 2	6 7	1 —	1 3	2 2	3 —	4 7	2 1
Total under 5 years	M F	69 56	26 18	123 70	138 99	70 47	57 41	37 31	48 36	106 83	149 101	281 202	33 44	107 74	34 39	31 23	91 82	80 75
5—	M F	6 5	8 5	15 12	13 10	5 4	2 4	7 6	5 4	10 18	9 8	30 27	5 7	9 11	4 2	8 1	16 14	9 6
10—	M F	7 4	8 3	9 7	15 3	2 4	10 —	1 2	3 3	4 2	6 25	29 1	1 —	5 5	1 2	9 3	4 13	4 6
15—	M F	18 13	3 6	22 22	19 18	10 8	10 10	5 6	4 2	9 9	26 23	34 53	4 3	9 13	12 8	3 5	19 14	12 17
20—	M F	8 19	6 6	21 16	31 26	8 8	11 7	8 8	17 17	25 25	42 42	5 5	13 13	13 13	3 3	10 10	7 7	—
25—	M F	9 14	6 5	32 23	24 27	15 18	11 15	10 10	14 12	18 35	60 62	7 7	16 21	11 13	7 11	22 19	13 13	—
30—	M F	25 13	9 7	33 32	28 23	14 20	12 10	6 8	10 6	14 9	29 37	70 50	7 11	21 23	13 12	11 8	19 17	18 9
35—	M F	26 18	6 3	35 30	44 25	17 18	16 14	9 11	12 12	35 24	40 42	8 8	11 8	30 30	14 10	18 10	20 24	—
40—	M F	33 26	8 11	38 37	35 40	18 26	10 19	26 16	18 16	25 4	39 41	85 75	9 12	29 21	17 14	10 24	24 26	—
45—	M F	39 32	24 16	53 45	65 57	39 30	16 17	28 25	19 13	29 18	66 46	113 87	13 18	44 37	34 30	22 20	35 24	—
50—	M F	46 47	27 20	95 66	92 73	34 35	34 28	45 31	36 17	46 34	105 59	230 133	24 21	67 53	45 42	36 32	73 40	—
55—	M F	91 71	30 28	120 77	139 114	65 51	45 29	70 48	30 28	43 42	117 104	310 202	37 20	87 56	65 50	61 45	73 54	—
60—	M F	138 111	46 30	149 111	145 103	75 72	81 49	51 83	79 42	68 70	169 177	409 275	47 49	143 163	99 104	68 76	117 85	—
65—	M F	152 115	49 47	157 142	189 120	97 100	71 64	103 102	65 44	70 60	176 189	445 345	48 45	163 109	104 101	76 79	120 113	—
70—	M F	149 170	47 62	174 164	207 202	116 116	71 94	92 96	59 60	71 72	174 190	441 415	63 58	160 156	113 93	95 76	121 108	—
75—	M F	106 98	47 81	158 180	186 212	85 117	105 104	77 92	62 42	134 70	370 170	43 414	39 52	107 146	108 157	105 118	55 68	—
80—	M F	63 85	42 71	103 150	107 181	72 70	40 76	42 54	29 39	42 38	93 93	282 282	39 39	107 107	108 108	105 105	55 55	—
85—	M F	24 32	29 60	57 125	83 165	25 34	47 62	9 40	7 12	18 22	21 57	77 167	12 26	49 110	41 106	34 72	14 30	19 46

TABLE 20—contd.—COUNTY BOROUGH.

Age.	Sex.	Stoke-on-Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.).	Swansea.
All Ages	M	1716	1272	455	414	603	659	460	513	1517	469	522	840	386	589	1564	495	664	103
	F	1590	1181	339	335	666	604	404	441	1261	413	547	762	351	512	1368	397	573	96
Under 1 month	M	87	52	23	17	23	33	18	26	53	25	30	38	12	28	57	25	23	4
1-3 months	F	61	58	15	13	20	26	13	27	37	19	24	28	3	18	38	15	27	4
3-6 months	M	17	33	9	5	4	14	6	7	13	5	9	8	3	10	20	9	8	1
6-12 months	F	20	16	5	2	1	4	5	4	9	11	4	13	2	2	9	4	7	1
	M	18	35	7	2	4	11	10	7	17	7	9	11	2	6	14	5	6	1
	F	8	21	6	5	1	7	6	3	8	7	5	7	4	3	14	7	5	1
	M	30	24	5	—	5	8	7	6	18	11	9	13	3	8	21	7	3	1
	F	28	23	6	2	5	10	4	7	9	9	9	9	2	5	11	5	1	1
Total under 1 year	M	152	144	44	24	36	66	41	46	101	48	57	70	20	52	112	46	40	7
	F	117	118	32	22	27	47	28	41	63	46	42	57	11	28	72	31	40	7
1—	M	15	18	4	3	6	8	2	13	12	8	7	6	—	3	16	5	4	1
	F	12	18	2	3	2	6	7	9	11	6	6	8	1	3	13	7	3	1
2—	M	5	10	3	1	4	1	3	9	7	5	2	7	—	2	6	2	2	—
	F	6	10	—	1	1	3	2	8	4	7	3	1	1	1	3	2	4	—
3—	M	6	6	2	—	4	2	1	6	3	2	3	4	1	3	6	1	3	—
	F	6	11	2	2	3	2	1	4	1	2	2	4	—	—	6	3	—	—
4—	M	10	11	1	—	5	3	4	3	3	1	1	3	3	1	3	2	1	—
	F	1	5	2	3	—	3	2	2	2	3	—	2	—	1	6	1	4	—
Total under 5 years	M	188	189	54	28	55	80	51	77	126	64	70	90	24	61	143	56	50	98
	F	142	162	38	31	33	61	40	64	81	64	53	72	13	33	100	44	51	84
5—	M	25	23	5	8	1	8	1	21	13	2	7	9	4	5	14	5	14	6
	F	20	31	1	5	—	8	5	6	3	7	11	6	1	3	16	3	3	5
10—	M	17	13	4	1	5	4	3	7	14	5	2	11	3	1	7	—	3	11
	F	16	10	1	4	4	6	7	4	10	1	5	7	1	2	12	4	5	6
15—	M	37	22	10	5	5	6	6	8	20	6	4	7	5	1	22	10	10	19
	F	30	28	6	4	9	9	8	10	15	10	12	17	4	1	20	7	10	18
20—	M	15	20	11	7	5	11	11	12	25	8	7	11	4	10	27	12	12	19
	F	31	18	11	6	4	11	11	4	31	7	18	10	6	7	20	14	10	19
25—	M	27	21	7	7	8	13	5	11	28	3	8	12	7	15	28	10	12	13
	F	30	24	5	4	11	17	7	8	24	9	8	16	6	15	33	6	10	26
30—	M	31	27	13	3	7	14	10	11	26	14	12	16	7	10	30	13	11	19
	F	54	20	10	9	14	23	9	8	23	6	14	12	5	6	35	10	15	31
35—	M	38	27	13	9	12	13	9	19	34	16	8	24	7	9	37	12	19	25
	F	41	23	9	9	12	14	10	11	32	6	13	20	2	10	32	11	8	22
40—	M	54	37	19	12	14	21	26	25	49	17	14	25	12	23	56	22	18	28
	F	63	27	8	6	24	18	12	12	32	11	9	20	7	19	48	12	12	25
45—	M	75	60	20	18	22	29	26	27	63	20	23	42	13	28	76	21	30	46
	F	75	48	13	10	23	18	16	16	45	20	30	23	8	13	51	17	24	38
50—	M	109	84	29	33	31	40	31	34	101	25	25	55	22	37	118	29	44	76
	F	75	68	20	12	25	27	21	20	52	21	25	37	9	17	67	15	25	54
55—	M	191	85	33	40	46	57	40	36	125	40	56	66	28	50	137	44	56	105
	F	114	56	21	21	42	44	34	21	80	16	32	42	18	37	88	30	29	66
60—	M	224	106	62	59	80	72	53	37	174	48	54	78	38	65	156	51	79	127
	F	167	103	24	26	70	58	38	42	118	33	54	55	31	47	113	40	44	89
65—	M	204	161	53	50	70	81	66	60	169	48	69	113	42	70	172	77	78	136
	F	191	115	44	42	84	46	53	58	140	43	52	91	40	48	108	39	80	115
70—	M	229	151	50	55	86	86	49	51	203	58	85	102	60	69	224	55	87	131
	F	186	137	52	46	87	79	47	56	180	52	79	101	49	71	195	54	77	113
75—	M	142	122	32	44	77	69	39	45	177	51	48	86	56	72	173	43	81	95
	F	175	149	33	55	85	78	49	41	150	55	67	119	62	80	191	44	85	132
80—	M	73	78	27	22	50	47	25	23	109	32	24	56	37	44	98	23	48	58
	F	116	105	29	31	81	62	23	33	128	37	45	71	46	59	134	27	50	62
85—	M	37	46	13	13	29	8	9	9	61	12	6	37	17	19	46	12	12	30
	F	64	57	14	14	58	25	14	27	117	15	20	43	43	44	105	20	35	55

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Bedfordshire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	998	504	485	917	883	877	409	447	3538	968	1238	995	535	800	2036	1644
	F	1019	477	536	824	806	867	447	523	3575	885	1350	1033	569	764	1915	1526
Under 1 month	M	37	19	16	33	28	24	12	13	156	39	42	43	23	32	105	66
1-3 months	F	32	14	13	16	33	25	8	10	112	31	30	30	22	25	55	59
3-6 months	M	10	1	5	12	5	7	5	4	32	4	17	9	7	11	21	17
6-12 months	F	4	2	1	3	10	3	1	2	20	5	6	3	4	6	15	25
	M	5	2	1	5	9	8	1	3	18	9	8	6	5	6	10	12
	F	7	7	1	2	4	5	1	3	22	9	4	4	6	6	12	12
	M	9	4	1	5	7	7	3	1	14	5	12	6	4	7	13	18
	F	7	2	2	5	4	9	4	2	22	4	6	5	4	5	13	15
Total under 1 year	M	61	26	23	55	49	46	21	21	220	57	79	64	39	56	149	113
	F	50	25	17	26	51	42	14	17	176	46	46	42	36	42	95	111
1—	M	7	4	—	9	10	9	1	1	20	6	8	6	5	5	17	16
	F	7	1	3	1	7	8	—	—	21	9	8	9	1	7	20	13
2—	M	4	1	1	1	5	4	—	1	15	1	5	7	3	2	9	4
	F	4	—	—	2	2	1	1	3	11	2	2	1	—	2	12	7
3—	M	4	2	1	1	5	5	—	—	12	3	5	4	2	2	14	10
	F	1	1	2	2	1	—	1	—	13	6	—	1	2	4	1	3
4—	M	3	—	1	3	4	1	—	—	10	1	3	—	1	—	10	6
	F	2	—	—	—	2	2	—	2	10	—	1	—	—	1	3	2
Total under 5 years	M	79	33	26	69	73	65	22	23	277	68	100	81	50	65	199	149
	F	64	27	22	31	63	53	16	22	231	66	57	53	39	56	131	136
5—	M	8	5	6	7	7	3	1	1	45	15	10	5	3	12	31	17
	F	7	1	5	2	7	4	6	3	26	9	12	4	5	5	25	15
10—	M	10	1	3	6	8	4	1	2	27	5	9	5	8	6	11	11
	F	7	3	2	4	3	4	—	1	22	3	6	5	3	4	14	9
15—	M	13	10	6	6	13	12	4	6	39	9	13	14	16	9	21	29
	F	13	4	3	7	9	6	2	5	30	9	11	15	15	16	17	13
20—	M	16	13	7	12	15	10	7	5	47	16	19	16	9	11	29	27
	F	15	2	4	7	12	7	1	3	36	7	16	6	16	20	29	20
25—	M	19	7	6	15	15	14	4	8	55	15	18	21	7	16	33	33
	F	20	14	7	13	19	15	6	3	42	11	13	12	13	14	37	26
30—	M	23	16	14	8	18	14	8	4	65	13	18	19	7	14	39	39
	F	23	7	4	13	20	4	9	5	62	22	18	14	9	13	36	30
35—	M	20	12	10	13	32	21	7	14	82	23	27	24	17	19	44	23
	F	25	6	10	17	13	11	6	3	84	17	23	21	6	17	31	36
40—	M	22	7	17	18	25	16	10	6	80	24	33	20	5	20	37	38
	F	21	12	13	17	22	13	7	7	107	20	30	19	17	17	55	55
45—	M	37	13	10	28	36	22	17	9	157	24	40	36	21	15	82	56
	F	34	10	15	22	35	20	16	14	148	36	39	30	20	22	67	45
50—	M	63	18	26	52	43	34	28	16	195	46	63	36	29	39	106	90
	F	49	22	14	38	24	34	22	20	146	38	60	39	27	30	100	61
55—	M	88	30	51	73	70	57	30	20	283	60	85	61	41	56	154	111
	F	61	30	26	65	48	41	31	23	246	49	63	56	41	38	123	101
60—	M	91	37	48	76	81	80	40	39	425	97	102	93	57	70	236	175
	F	88	29	37	75	62	88	35	42	309	73	105	77	41	50	181	131
65—	M	115	50	55	110	105	102	59	63	452	135	161	119	63	109	275	194
	F	87	53	60	93	96	93	48	68	403	89	145	120	53	84	235	155
70—	M	117	89	63	130	114	134	59	63	482	145	161	129	72	113	272	246
	F	131	70	66	101	86	100	58	70	525	128	196	161	75	118	266	230
75—	M	136	66	63	136	95	133	46	73	435	132	188	150	66	98	242	187
	F	144	63	71	110	113	146	66	68	543	135	203	161	81	117	245	217
80—	M	91	53	39	104	78	94	49	50	258	85	119	110	33	82	160	147
	F	116	65	92	95	92	144	62	73	352	98	190	112	65	91	204	146
85—	M	50	44	35	54	55	62	17	45	134	56	72	56	31	46	65	72
	F	114	59	85	114	82	84	56	93	263	75	163	128	43	52	119	100

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Devonshire.		Dorsetshire.		Durham.		Ely, Isle of.		Essex.		Gloucester-shire.		Herefordshire.		Hertfordshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	1648	1498	923	675	3975	1714	317	212	5915	1254	801	1533	315	458	1928	685
	F	1877	1458	1023	646	3403	1476	275	165	5443	1172	878	1475	316	443	1903	690
Under 1 month	M	35	58	31	22	182	96	10	9	229	35	28	65	16	13	85	20
1-3 months	F	31	30	22	20	134	81	8	4	154	30	19	46	7	12	51	24
3-6 months	M	10	10	3	4	58	29	6	2	53	9	2	16	4	3	31	23
6-12 months	F	5	4	6	4	49	21	—	—	42	6	5	8	2	2	10	4
	M	3	6	4	1	48	29	2	—	44	4	6	10	4	1	16	8
	F	6	2	7	4	43	22	3	—	33	6	3	6	1	1	6	1
	M	9	6	5	6	63	23	3	1	48	2	6	12	1	2	14	5
	F	2	6	4	2	38	13	1	3	35	6	6	11	—	2	12	3
Total under 1 year	M	57	80	43	33	351	177	21	12	374	50	42	103	25	19	146	36
	F	44	42	39	30	264	137	12	7	264	48	33	71	10	17	79	32
1—	M	9	11	5	1	33	20	4	2	49	9	5	5	4	1	12	4
	F	9	7	7	6	38	12	5	2	35	3	7	9	1	2	9	2
2—	M	3	2	3	2	16	10	1	1	24	2	3	5	3	1	11	2
	F	3	1	4	2	25	8	2	—	17	2	3	5	1	3	5	5
3—	M	1	2	—	—	18	5	—	—	14	3	3	2	2	—	2	1
	F	1	2	—	1	7	9	—	—	9	1	1	3	—	—	6	2
4—	M	1	2	2	3	18	9	—	—	10	2	5	1	—	2	8	2
	F	2	1	—	—	9	10	1	—	13	3	2	2	1	4	2	1
Total under 5 years	M	71	97	53	39	436	221	26	15	471	66	58	116	34	23	179	45
	F	59	53	50	39	343	176	20	9	338	57	46	90	13	26	101	42
5—	M	10	8	7	4	53	25	3	3	63	13	8	6	2	5	17	4
	F	9	2	12	2	46	19	1	3	33	5	3	6	2	1	12	8
10—	M	6	3	6	2	36	23	2	4	46	3	4	9	1	4	8	4
	F	4	5	4	4	36	9	3	2	33	4	4	9	4	2	7	7
15—	M	9	12	12	6	82	50	1	2	95	16	11	23	4	1	23	7
	F	19	10	7	4	63	27	3	2	79	7	12	11	3	5	21	5
20—	M	17	11	9	7	59	27	3	3	82	18	15	25	1	13	30	12
	F	18	7	9	7	75	32	6	1	77	9	13	20	4	7	21	9
25—	M	23	20	13	9	70	38	1	2	100	16	15	23	7	8	43	21
	F	21	18	18	7	69	23	5	—	76	19	8	32	2	3	25	13
30—	M	16	22	11	6	78	41	6	2	130	19	15	21	5	8	51	10
	F	19	13	14	6	74	38	3	—	115	17	14	21	3	4	31	16
35—	M	24	17	13	12	112	49	6	4	148	24	10	32	6	11	49	12
	F	27	42	13	9	103	40	7	2	129	18	14	25	3	7	28	18
40—	M	30	42	30	9	101	49	6	1	187	28	15	48	6	7	46	9
	F	32	27	10	18	97	30	7	6	186	16	14	23	7	8	50	22
45—	M	55	49	26	12	183	75	9	6	279	32	17	51	6	11	70	28
	F	43	46	21	32	117	69	13	3	216	34	29	46	18	13	67	20
50—	M	86	63	50	22	247	88	13	9	356	49	40	77	21	23	95	30
	F	75	63	43	27	177	71	8	8	276	51	31	63	10	18	94	30
55—	M	118	83	75	40	311	109	24	7	458	72	62	96	20	33	140	60
	F	103	69	53	30	228	109	15	11	330	74	54	92	16	26	131	36
60—	M	152	132	77	50	404	146	31	24	617	115	69	144	26	37	197	41
	F	151	133	64	35	293	123	19	12	433	92	69	125	19	34	175	49
65—	M	219	169	122	92	491	186	47	24	703	165	102	188	41	50	222	76
	F	198	160	93	67	389	185	25	12	581	114	96	159	38	46	200	72
70—	M	250	230	126	126	507	221	49	35	777	187	119	238	42	73	270	107
	F	259	205	146	86	444	182	31	29	670	168	127	218	50	59	235	83
75—	M	235	244	149	106	444	193	41	32	668	201	125	196	48	73	215	89
	F	297	229	176	85	401	175	40	22	752	169	118	191	49	64	295	99
80—	M	189	182	89	81	253	115	32	24	447	128	60	161	27	56	152	76
	F	285	198	136	89	295	124	31	22	597	158	110	172	41	70	208	88
85—	M	138	114	55	52	108	58	17	15	288	102	56	79	18	22	121	54
	F	258	178	154	99	153	44	38	21	522	160	116	172	34	50	202	73

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Huntingdon-shire.		Kent.		Lancashire.		Leicester-shire.		Lincolnshire: Parts of Holland.		Lincolnshire: Parts of Kesteven.		Lincolnshire: Parts of Lindsey.		Middlesex.
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U
All Ages	M	190	226	6298	1837	10949	1495	781	922	233	315	294	434	799	910	9583
	F	171	208	6113	1593	10975	1425	779	866	190	327	255	422	772	851	9712
Under 1 month	M	5	7	225	64	448	84	41	36	6	16	7	14	33	37	446
	F	4	3	136	53	354	48	25	22	3	13	7	14	25	26	348
	M	—	2	60	13	120	17	10	9	3	7	2	4	7	13	126
	F	1	1	21	6	84	15	5	4	1	3	1	3	3	11	108
	M	1	—	44	10	97	11	6	6	3	3	3	3	8	5	90
	F	—	—	34	6	80	10	6	4	1	2	—	5	6	5	72
3-6 months	M	3	2	43	14	88	10	15	11	1	6	—	3	8	11	99
	F	1	—	36	12	75	8	7	5	3	5	2	4	3	8	73
6-12 months	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total under 1 year	M	9	11	372	101	753	122	72	62	13	32	12	24	56	66	761
	F	6	4	227	77	593	81	43	35	8	23	10	26	37	50	601
1—	M	2	2	53	16	83	12	8	5	4	2	3	2	14	7	60
	F	2	2	33	5	67	6	6	5	2	4	2	2	2	5	48
2—	M	1	1	17	5	41	7	5	4	1	1	3	1	3	2	34
	F	—	1	10	3	34	3	3	8	—	—	1	3	2	3	23
3—	M	—	—	10	4	41	9	4	4	2	1	—	2	5	1	22
	F	—	—	17	3	25	4	4	1	1	3	—	2	3	—	25
4—	M	2	—	16	3	28	5	—	2	1	2	—	1	1	3	15
	F	1	—	9	3	22	1	2	2	—	1	1	—	2	3	20
Total under 5 years	M	14	14	468	129	946	155	89	77	21	38	18	30	79	79	892
	F	9	7	296	91	741	95	58	51	11	31	14	33	46	61	717
5—	M	1	2	51	14	98	14	23	7	8	5	3	4	4	6	85
	F	1	1	32	10	112	14	10	8	—	2	1	2	5	4	62
10—	M	—	1	36	22	62	7	7	2	—	—	1	4	6	4	67
	F	2	2	25	11	67	6	4	6	3	1	1	3	3	5	57
15—	M	2	1	89	23	110	8	8	13	2	5	1	12	13	16	132
	F	1	1	61	12	121	15	11	7	3	2	—	3	10	12	91
20—	M	4	8	112	31	147	17	8	12	3	4	4	14	11	17	134
	F	—	5	72	21	124	19	14	12	4	4	1	4	11	9	146
25—	M	2	8	95	30	162	20	18	13	7	10	11	10	11	22	214
	F	1	3	88	20	200	24	11	14	5	5	6	10	10	8	205
30—	M	2	2	104	35	196	28	18	16	6	4	5	6	16	20	220
	F	5	3	124	23	200	32	15	17	1	4	2	3	18	16	218
35—	M	2	3	132	31	258	30	16	20	4	8	6	9	21	15	245
	F	6	3	134	20	209	33	20	21	2	7	3	6	14	17	248
40—	M	6	1	157	41	311	29	20	31	6	4	5	9	23	14	288
	F	3	3	157	34	305	29	21	31	7	9	8	8	21	17	282
45—	M	11	4	251	60	444	57	24	28	5	3	13	6	24	19	413
	F	4	2	180	51	404	50	31	29	2	14	8	8	25	29	334
50—	M	8	10	340	81	644	86	54	39	9	19	21	16	48	33	579
	F	9	2	269	68	526	70	35	33	6	16	9	19	32	36	496
55—	M	14	13	446	124	897	121	56	74	24	23	24	23	74	44	799
	F	9	14	369	93	758	95	46	64	14	22	13	19	42	40	599
60—	M	15	16	686	161	1290	154	76	74	18	32	35	38	75	76	1081
	F	15	16	475	143	1094	141	70	61	10	24	22	23	71	62	756
65—	M	31	27	751	219	1495	189	80	114	25	28	30	49	92	107	1116
	F	23	26	634	187	1330	180	89	101	20	30	26	43	79	85	967
70—	M	19	37	841	246	1640	206	89	114	23	39	39	71	90	105	1194
	F	18	26	829	195	1593	198	91	87	25	39	31	59	106	113	1172
75—	M	24	42	796	274	1293	200	105	125	24	34	37	54	108	145	1036
	F	31	41	900	247	1586	209	110	120	34	35	36	72	111	125	1260
80—	M	21	21	581	180	683	116	52	113	22	25	30	53	68	115	677
	F	15	25	746	193	1032	144	90	114	16	39	40	63	99	119	1103
85—	M	14	16	362	136	273	58	38	45	24	34	11	26	36	73	411
	F	19	28	722	174	573	71	53	90	27	43	34	44	69	93	999

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Norfolk.		Northampton-shire.		Northumber-land.		Nottingham-shire.		Oxfordshire.		Peterborough, Soke of.		Rutlandshire.		Shropshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	395	1738	711	723	1960	626	1919	802	250	611	286	68	15	101	864	806
	F	463	1588	617	707	1750	547	1843	772	267	599	264	48	28	83	820	736
Under 1 month	M	13	61	19	17	92	26	85	38	5	24	14	2	—	3	27	31
1-3 months	F	10	40	25	19	64	18	66	29	7	11	8	2	1	3	28	26
3-6 months	M	3	15	5	8	23	5	26	10	2	3	3	—	—	1	7	6
6-12 months	F	3	7	5	8	20	1	22	8	3	7	6	—	—	—	5	4
	M	5	7	2	3	27	8	24	8	1	3	1	1	—	1	5	4
	F	1	13	4	4	14	1	18	6	—	3	—	—	—	—	4	4
	M	4	12	5	4	19	6	30	7	3	—	3	—	—	—	9	6
	F	1	9	3	6	7	4	20	4	1	5	5	1	—	—	5	6
Total under 1 year	M	25	95	31	32	161	45	165	63	11	30	21	3	—	5	48	51
	F	15	69	37	37	105	24	126	47	11	26	19	3	1	3	42	41
1—	M	2	8	3	3	19	5	12	2	4	4	3	—	—	—	11	4
	F	1	6	4	5	7	1	16	7	1	4	—	—	—	—	6	4
2—	M	1	4	3	—	8	2	12	—	—	1	—	1	—	—	3	3
	F	2	5	2	1	5	2	5	1	—	1	3	—	—	—	3	1
3—	M	—	2	—	1	7	—	4	4	—	1	—	—	—	—	—	2
	F	1	3	—	1	3	—	11	1	1	—	—	—	—	—	3	3
4—	M	1	5	1	2	5	2	4	1	—	—	—	—	1	—	2	3
	F	—	3	—	2	8	—	1	2	1	2	—	—	—	—	2	1
Total under 5 years	M	29	114	38	38	200	54	197	70	15	36	24	4	1	5	64	62
	F	19	86	43	46	128	27	159	58	14	33	22	3	1	3	56	51
5—	M	3	15	5	7	25	1	19	8	2	7	1	2	1	—	7	6
	F	—	7	6	2	25	5	13	9	3	1	—	1	—	—	6	8
10—	M	6	2	5	4	16	6	15	6	1	1	1	1	—	—	6	8
	F	1	6	3	2	20	4	15	4	1	3	2	—	—	—	6	8
15—	M	4	18	8	8	31	7	26	13	6	11	—	2	1	4	6	13
	F	2	13	3	4	26	3	39	12	4	8	2	2	—	1	5	7
20—	M	7	24	5	8	33	7	28	12	6	7	3	4	—	3	14	12
	F	4	12	8	5	27	10	24	11	1	2	2	3	—	3	10	8
25—	M	7	21	15	9	44	11	42	23	1	11	8	1	1	2	10	14
	F	7	20	12	11	55	10	41	14	1	8	5	1	—	—	20	6
30—	M	10	27	10	11	33	12	41	22	7	5	5	3	—	2	11	6
	F	7	20	14	10	35	7	39	10	4	7	5	—	2	1	17	12
35—	M	7	26	25	15	53	13	55	14	3	11	7	2	—	1	28	16
	F	6	16	15	15	48	5	41	9	5	12	8	1	—	2	13	17
40—	M	7	33	24	17	55	10	47	27	7	7	10	—	—	5	23	18
	F	3	38	19	9	52	13	61	13	6	9	7	3	1	2	20	20
45—	M	4	35	23	20	81	16	75	19	13	15	14	4	—	3	31	23
	F	11	47	24	10	58	7	70	28	10	21	9	—	1	1	25	15
50—	M	16	63	31	36	90	21	122	39	13	27	10	5	1	1	37	33
	F	14	44	24	29	79	25	87	34	9	28	9	3	2	3	26	35
55—	M	16	91	43	41	150	38	162	54	19	43	18	3	1	2	60	51
	F	31	85	33	38	108	31	112	42	13	25	15	2	2	6	45	36
60—	M	35	152	65	68	200	67	202	67	20	53	25	4	1	7	94	71
	F	36	116	47	51	174	55	154	56	22	32	21	4	—	9	65	46
65—	M	35	177	83	83	255	83	221	84	40	72	33	5	3	12	109	97
	F	40	153	61	68	217	65	219	84	29	56	24	1	1	11	83	74
70—	M	57	241	102	101	274	95	219	96	36	88	41	5	3	21	115	111
	F	80	224	76	113	228	79	229	97	38	81	38	8	1	9	121	108
75—	M	66	312	101	111	226	82	213	105	20	99	31	12	1	10	129	130
	F	70	238	97	108	208	91	243	122	41	113	33	7	7	13	132	100
80—	M	41	233	84	94	127	69	154	92	25	75	36	5	1	14	71	90
	F	70	249	77	104	155	63	176	91	41	83	33	5	3	9	103	93
85—	M	45	154	44	52	67	34	81	51	16	43	19	6	—	9	49	45
	F	62	214	55	82	107	47	121	78	25	77	29	4	7	10	67	92

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Somersetshire.		Southampton.		Staffordshire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	1236	1331	1686	1329	3397	1101	578	797	269	464	5202	737	1059	892	960	814
	F	1309	1388	1550	1202	3015	1023	594	680	263	442	5249	683	1353	874	1152	741
Under 1 month	M	39	31	58	45	210	71	15	31	6	14	213	26	19	29	24	26
1-3 months	F	27	42	50	32	134	44	12	18	10	7	159	22	18	13	14	18
3-6 months	M	13	10	16	18	44	9	9	4	4	2	54	7	6	8	5	6
6-12 months	F	8	5	13	10	28	12	3	1	2	1	27	2	2	4	5	5
	M	6	5	19	8	38	11	2	4	1	2	27	6	2	3	6	6
	F	3	5	8	5	36	5	2	2	—	2	31	3	4	3	3	5
	M	9	7	17	11	46	18	2	8	—	3	30	5	6	5	3	4
	F	2	6	17	7	55	9	—	1	—	—	32	3	4	1	3	2
Total under 1 year	M	67	53	110	82	338	109	28	47	11	21	324	44	33	45	38	42
	F	40	58	88	54	253	70	17	22	12	10	249	30	28	21	25	30
1—	M	6	6	11	4	47	10	4	7	2	3	31	4	6	6	3	5
	F	3	5	11	5	34	10	3	1	—	2	27	3	2	2	2	3
2—	M	4	5	14	2	12	3	1	3	1	1	9	2	—	3	1	1
	F	3	3	3	2	15	6	2	1	1	1	12	1	2	2	3	—
3—	M	—	3	8	1	12	2	2	—	—	—	12	—	—	2	1	—
	F	1	2	2	4	10	1	1	2	—	—	9	2	3	1	2	—
4—	M	1	3	5	1	11	2	1	—	—	—	11	1	3	4	1	4
	F	—	1	2	2	11	3	3	—	—	1	5	—	2	1	—	1
total under 5 years	M	78	70	148	90	420	126	36	57	14	25	387	51	42	60	44	54
	F	47	69	106	67	323	90	26	26	13	14	302	36	37	27	32	34
5—	M	8	8	17	7	50	4	6	9	2	—	48	3	6	6	10	5
	F	6	6	7	6	30	19	—	6	—	2	29	3	6	3	4	3
10—	M	6	11	10	10	35	7	1	5	2	1	31	1	7	5	2	4
	F	5	7	6	5	25	7	3	1	1	1	27	3	3	2	3	2
15—	M	7	22	30	17	64	14	8	7	—	6	55	5	8	14	9	8
	F	8	11	9	8	54	11	7	8	1	1	51	3	4	3	5	4
20—	M	20	22	28	25	67	20	6	15	—	9	78	9	14	6	3	11
	F	8	15	13	17	54	13	6	5	2	4	71	5	8	9	8	8
25—	M	22	16	33	19	59	18	6	6	4	4	81	14	16	15	10	16
	F	19	13	26	17	70	17	6	6	1	7	102	8	13	14	17	12
30—	M	18	25	25	29	78	27	11	13	8	5	101	14	13	9	16	10
	F	15	12	34	10	71	11	5	13	3	7	96	9	15	15	15	5
35—	M	24	31	33	27	86	19	9	14	6	9	102	11	16	17	19	20
	F	19	16	25	19	61	20	10	3	5	5	139	10	14	14	8	10
40—	M	36	23	32	36	101	28	12	9	9	12	146	12	31	16	19	18
	F	20	21	33	22	63	34	9	14	7	12	144	18	32	17	13	12
45—	M	48	34	52	37	122	43	15	20	7	9	192	20	26	28	26	19
	F	44	38	44	26	109	22	19	22	8	14	209	22	29	29	27	23
50—	M	64	72	85	46	200	48	25	29	12	20	296	32	54	30	41	33
	F	56	55	78	63	134	48	32	24	6	20	235	34	50	33	46	34
55—	M	79	81	130	94	291	76	42	36	20	25	413	52	72	64	70	54
	F	76	66	94	75	180	48	29	34	13	36	294	41	72	45	67	46
60—	M	119	134	148	99	318	91	59	64	25	37	520	54	110	92	124	80
	F	94	106	144	95	284	76	48	45	14	36	396	54	83	75	103	70
65—	M	138	140	194	158	377	143	71	96	39	46	648	96	143	108	119	105
	F	146	128	169	134	310	104	57	60	32	36	559	89	161	105	142	87
70—	M	170	215	237	193	427	139	76	122	38	74	687	105	158	123	146	110
	F	179	194	181	151	374	149	78	106	37	61	662	95	196	110	169	102
75—	M	180	184	223	216	374	137	79	117	34	76	656	124	155	131	143	119
	F	207	232	226	173	388	143	108	101	45	83	702	93	223	127	187	108
80—	M	138	130	155	144	216	100	71	108	27	67	476	79	122	99	96	88
	F	193	192	172	168	294	121	72	105	39	68	630	86	220	137	174	98
85—	M	81	113	106	82	112	61	45	70	22	36	285	55	66	69	63	60
	F	167	207	183	146	191	90	79	101	36	37	601	74	187	109	132	83

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Warwickshire.		Westmorland.		Wight, Isle of.		Wiltshire.		Worcestershire.		Yorkshire, East Riding.		Yorkshire, North Riding.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	1381	870	184	201	485	119	971	998	1366	581	583	567	1234	944
	F	1374	799	205	225	482	113	935	967	1326	621	612	505	1218	880
Under 1 month	M	60	47	10	14	11	1	30	38	59	24	19	22	46	42
1-3 months	F	37	29	4	9	6	1	31	30	58	18	23	12	33	35
3-6 months	M	13	13	4	3	2	1	7	3	29	6	8	4	14	10
6-12 months	F	13	5	—	1	1	—	4	3	13	2	5	9	16	5
	M	13	6	3	—	3	—	7	5	17	2	9	5	16	7
	F	14	5	3	—	—	—	4	2	8	4	2	7	14	4
	M	21	3	—	1	—	1	7	9	12	3	3	10	18	5
	F	13	7	1	—	2	—	5	7	14	5	1	1	14	5
Total under 1 year	M	107	69	17	18	16	3	51	55	117	35	39	41	94	64
	F	77	46	8	10	9	1	44	42	93	29	31	29	77	49
1—	M	13	7	—	2	2	—	6	8	5	2	9	4	18	8
	F	11	9	1	2	3	—	3	7	11	6	5	4	14	7
2—	M	4	7	—	—	1	—	3	—	3	3	6	3	10	4
	F	4	5	—	—	—	1	2	3	4	2	3	2	7	5
3—	M	2	4	—	1	1	—	2	4	8	1	1	2	3	1
	F	2	1	—	1	1	—	4	4	2	3	1	1	5	4
4—	M	5	3	—	—	1	—	2	3	6	1	1	2	1	4
	F	5	1	—	—	—	—	2	—	3	1	—	—	2	1
Total under 5 years	M	131	90	17	21	21	3	64	70	139	42	56	52	126	81
	F	99	62	9	13	13	2	55	56	113	41	40	36	105	66
5—	M	11	10	2	2	2	—	6	10	11	6	5	8	10	7
	F	8	6	1	—	1	—	11	7	6	6	2	1	9	3
10—	M	8	12	2	1	2	—	3	8	12	3	7	2	10	12
	F	9	5	1	1	3	—	8	5	10	4	—	8	3	1
15—	M	16	9	2	2	1	—	8	13	12	8	5	11	10	15
	F	21	9	4	1	3	1	7	12	18	4	4	5	17	5
20—	M	11	18	2	4	8	3	15	20	24	11	10	11	14	23
	F	23	10	1	3	2	2	4	8	21	9	10	3	11	7
25—	M	23	13	3	3	8	—	14	16	25	11	7	13	24	22
	F	27	12	3	2	5	2	8	12	19	6	9	9	15	20
30—	M	27	13	1	4	5	—	11	8	27	8	12	6	25	12
	F	21	19	2	2	12	2	15	14	34	6	9	6	24	12
35—	M	34	18	2	2	10	—	25	7	44	21	12	7	31	17
	F	30	11	4	2	4	2	14	18	32	10	8	12	28	16
40—	M	41	20	8	4	6	1	30	25	32	10	15	15	35	25
	F	39	11	2	7	6	2	19	18	42	14	11	10	30	21
45—	M	60	34	8	4	10	2	31	28	52	16	11	15	46	25
	F	40	27	4	4	18	2	36	29	38	17	21	17	34	17
50—	M	81	49	7	9	18	5	56	45	78	29	33	21	74	37
	F	72	37	12	8	20	2	36	44	55	22	32	18	50	30
55—	M	95	55	9	11	38	6	67	60	106	37	34	25	99	65
	F	82	41	15	19	38	7	49	53	65	31	42	32	82	43
60—	M	148	80	17	16	57	10	90	82	131	43	62	58	125	73
	F	104	71	12	22	37	8	71	59	119	47	46	40	107	81
65—	M	172	95	24	21	50	18	114	107	178	73	63	66	145	118
	F	149	88	28	26	42	9	104	94	140	55	64	50	118	105
70—	M	188	126	34	30	79	18	138	141	178	73	79	58	150	131
	F	157	98	27	29	66	23	132	131	167	82	87	78	154	102
75—	M	163	100	19	24	66	25	139	153	154	82	78	98	137	119
	F	200	99	35	33	65	22	150	154	205	95	79	78	170	153
80—	M	115	83	20	25	58	20	95	125	112	67	62	59	105	101
	F	161	102	25	35	69	18	118	133	135	79	85	60	153	102
85—	M	57	45	7	18	46	8	65	80	51	41	32	42	68	61
	F	132	91	20	18	78	9	98	120	107	93	63	42	108	96

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Yorkshire, West Riding.		Anglesey.		Brecknock- shire.		Caernarvon- shire.		Cardiganshire.		Carmarthen- shire.		Denbighshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	7265	2140	138	259	118	250	467	475	124	285	472	695	507	*626
	F	7050	1929	154	216	107	210	463	429	146	302	404	659	509	547
Under 1 month	M	291	107	5	14	2	8	16	14	3	12	17	24	20	35
1-3 months	F	235	89	6	3	3	7	11	9	1	8	17	32	14	18
3-6 months	M	77	40	—	4	—	4	10	4	—	5	4	8	5	2
6-12 months	F	57	20	1	2	2	3	7	8	2	—	4	5	4	1
	M	70	29	—	1	—	2	1	7	—	1	4	8	1	5
	F	43	26	2	2	1	—	2	1	—	—	—	12	—	5
	M	70	17	—	2	—	5	1	1	2	3	4	11	2	6
	F	46	21	2	3	—	2	3	4	—	1	7	6	4	6
Total under 1 year	M	508	193	5	21	2	19	28	26	5	21	29	51	28	48
	F	381	156	11	10	6	12	23	22	3	9	28	55	22	30
1—	M	57	26	—	—	—	—	4	4	—	1	4	3	5	6
	F	53	32	—	—	1	1	2	4	—	1	1	4	2	1
2—	M	38	7	2	—	—	2	2	2	1	2	3	3	4	3
	F	24	12	1	—	—	1	2	1	—	—	2	3	3	1
3—	M	18	6	—	3	—	1	2	—	—	—	3	1	—	2
	F	25	6	2	—	1	—	2	4	—	—	—	4	3	1
4—	M	25	11	1	2	—	1	—	2	—	—	1	—	4	1
	F	17	8	—	2	—	—	2	—	—	—	—	2	—	2
Total under 5 years	M	646	243	8	26	2	23	36	34	6	24	40	55	41	60
	F	500	214	14	12	8	14	31	31	3	10	31	68	30	35
5—	M	61	28	4	2	2	3	3	4	1	1	11	5	3	4
	F	57	21	—	—	1	—	6	4	1	—	3	4	3	5
10—	M	52	12	—	2	1	—	2	4	2	1	3	2	2	4
	F	33	17	2	—	1	1	1	1	—	—	2	6	1	7
15—	M	97	25	1	1	1	2	10	8	1	2	8	6	8	12
	F	82	29	1	3	3	2	3	8	3	—	3	8	6	3
20—	M	110	32	2	3	3	4	7	8	3	5	7	14	6	9
	F	89	31	1	4	2	7	3	7	—	3	4	8	9	6
25—	M	114	39	2	6	—	1	5	7	—	2	7	14	4	12
	F	112	40	1	2	—	4	10	11	2	5	7	10	11	7
30—	M	128	41	9	2	4	4	4	4	4	6	8	14	6	11
	F	115	36	5	2	1	4	7	7	1	4	12	15	10	8
35—	M	152	55	4	4	2	4	14	12	3	4	8	23	12	9
	F	131	59	1	8	1	6	12	12	3	6	5	19	10	12
40—	M	181	65	4	6	3	8	12	10	1	6	19	15	10	17
	F	195	48	2	8	3	7	10	8	2	7	16	22	8	9
45—	M	257	67	6	9	2	15	19	14	3	13	16	21	15	18
	F	249	66	5	4	3	10	12	10	5	10	19	16	10	22
50—	M	422	112	6	9	4	14	25	18	4	11	30	43	20	36
	F	401	91	8	12	2	7	21	12	5	15	17	36	17	27
55—	M	568	174	14	15	13	21	30	27	9	17	41	44	40	44
	F	448	124	12	10	5	17	30	29	11	16	21	48	23	43
60—	M	857	214	8	21	14	16	48	58	9	31	48	83	56	62
	F	651	167	15	13	7	19	39	37	16	28	40	57	44	43
65—	M	953	243	11	25	19	34	59	58	18	33	64	93	73	84
	F	897	205	12	23	9	24	44	60	11	31	53	77	77	69
70—	M	1026	289	18	35	14	45	70	83	26	39	63	110	78	95
	F	1036	227	15	28	25	27	74	59	19	42	56	90	81	87
75—	M	913	258	15	38	14	25	74	70	25	39	47	82	71	75
	F	968	250	26	29	12	24	60	55	29	44	50	76	70	68
80—	M	513	156	15	31	13	25	31	37	5	29	36	47	39	54
	F	696	165	19	33	15	21	48	49	16	46	33	56	51	61
85—	M	215	87	11	24	7	6	18	19	4	22	16	24	23	20
	F	390	139	15	25	9	16	52	29	19	34	32	43	48	35

• In addition to this number, 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934. For ages see Table 25, page 256.

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Flintshire.		Glamorgan-shire.		Merioneth-shire.		Monmouth-shire.		Montgomery-shire.		Pembroke-shire.		Radnorshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	433	403	4024	1151	148	204	1917	278	141	205	301	311	43	100
	F	409	365	3160	987	142	145	1498	228	135	183	289	341	36	102
Under 1 month	M	20	19	143	49	1	7	75	9	8	10	8	10	—	5
1-3 months	F	13	13	128	33	6	3	48	5	2	8	8	14	1	2
3-6 months	M	7	7	52	15	1	2	31	2	3	2	4	1	1	—
6-12 months	F	3	1	29	10	2	—	19	1	3	3	4	1	—	—
	M	8	2	32	13	2	3	27	1	1	2	2	1	—	1
	F	5	1	42	8	1	1	21	1	—	—	3	—	—	—
	M	3	2	48	13	2	1	27	—	1	2	4	2	—	1
	F	4	3	39	11	2	—	32	1	1	3	6	3	—	3
Total under 1 year	M	38	30	275	90	6	13	160	12	13	16	18	14	1	7
	F	25	18	238	62	11	4	120	8	6	14	21	18	1	5
1—	M	2	2	44	18	1	—	27	1	—	4	3	—	—	—
	F	4	2	33	12	—	1	27	1	1	1	—	5	1	—
2—	M	1	2	21	3	—	—	9	1	1	—	—	3	—	—
	F	3	1	30	4	—	1	10	—	1	—	1	—	—	—
3—	M	2	—	13	6	3	1	9	1	—	—	—	—	1	—
	F	1	—	12	1	1	—	7	—	1	1	1	1	—	—
4—	M	—	2	17	4	—	—	12	—	1	—	—	—	—	—
	F	—	1	8	2	1	—	14	1	1	—	—	—	—	—
Total under 5 years	M	43	36	370	121	10	14	217	15	15	20	21	17	2	7
	F	33	22	321	81	13	6	178	10	10	16	23	24	2	5
5—	M	4	3	43	13	1	—	24	6	2	1	7	—	2	1
	F	3	—	38	12	1	—	25	1	2	1	4	—	—	2
10—	M	3	4	44	6	1	1	11	3	4	1	—	2	—	1
	F	3	6	34	6	1	—	24	4	—	2	—	2	—	—
15—	M	4	2	68	20	1	3	40	5	3	4	4	7	—	—
	F	7	4	73	14	1	—	34	2	1	3	2	4	—	—
20—	M	6	5	78	17	2	1	40	1	—	6	6	3	—	1
	F	2	8	92	20	1	3	35	3	1	—	3	4	—	1
25—	M	9	10	76	20	1	3	41	1	1	5	8	4	—	2
	F	9	7	82	23	1	5	31	3	—	—	1	3	1	3
30—	M	8	10	82	31	1	4	41	3	1	2	12	4	—	—
	F	8	3	82	20	5	2	34	—	1	4	4	3	1	1
35—	M	16	7	109	28	4	5	52	5	4	3	5	10	1	—
	F	5	7	97	26	2	3	39	8	2	5	10	9	—	1
40—	M	10	18	114	23	4	7	52	7	1	5	5	5	1	2
	F	14	7	95	42	1	3	37	6	2	4	4	11	—	2
45—	M	17	8	199	53	5	9	64	11	1	2	7	12	—	2
	F	7	17	112	43	3	5	66	5	5	5	10	12	—	6
50—	M	25	21	275	74	11	12	110	13	5	5	23	13	1	3
	F	21	33	174	48	7	7	83	8	5	7	16	16	2	2
55—	M	30	32	342	105	16	10	158	21	13	10	20	13	1	10
	F	18	15	215	60	9	10	100	11	6	9	19	22	—	8
60—	M	43	39	420	122	17	26	181	38	14	19	34	31	8	11
	F	45	27	281	96	12	6	148	20	11	11	24	29	3	9
65—	M	56	45	562	136	14	26	250	35	18	32	35	41	8	9
	F	38	37	345	131	13	19	171	23	18	19	29	31	4	6
70—	M	60	56	506	133	17	29	264	32	19	23	31	51	7	12
	F	55	59	414	127	22	22	167	31	20	26	39	43	3	18
75—	M	45	58	399	131	21	27	191	35	24	36	37	45	2	19
	F	55	44	349	115	15	25	168	36	23	27	35	52	2	17
80—	M	39	33	232	65	15	18	123	29	8	21	26	29	8	15
	F	53	40	236	78	19	20	99	29	12	24	42	46	12	13
85—	M	15	16	105	53	7	9	58	18	8	10	20	24	2	5
	F	33	29	120	45	16	9	59	28	16	20	24	30	6	8

TABLE 21.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1939 in England and Wales. Non-civilian deaths registered on and after 3rd September are excluded from this table but shown separately in Table 21A see page 139.

NOTE.—The sequence of causes of death followed in this table is that of the full detailed International List of Causes of Death (Fourth revision, 1929). The relation of the full detailed International List to the Intermediate International List will be found in the first column of Table 6. Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the list numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International List number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus 5, Undulant fever, 50, 50, 30, 40, 50, 50 denotes that the deaths of two males in age-groups 50-55 and four females in age groups 30-35, 40-45 and 50-55 are assigned to this cause. A dash (—) indicates that no deaths are assigned.

Causes of Death.	All Causes.		1. 1-44 Infectious and Parasitic Diseases.		1 and 2 Typhoid and paratyphoid fevers.		1 Typhoid fever.		2 Paratyphoid fevers.		3, 4, 5, 6* 7 Measles.		8 Scarlet fever.		9 Whooping Cough.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.																
All Ages	254945	244023	24017	19297	56	57	47	44	9	13	159	150	105	111	566	707
0—	17870	13320	987	842	—	1	—	1	—	—	49	40	3	3	342	371
1—	4299	3625	1468	1404	—	1	—	1	—	—	86	77	41	37	207	312
5—	2361	1836	874	779	1	3	—	2	1	—	22	28	19	28	13	20
10—	1649	1467	405	496	2	—	2	—	—	—	1	1	11	9	—	2
15—	3281	2939	1102	1499	3	4	3	2	—	2	—	—	9	12	2	—
20—	3699	3413	1344	1711	5	6	5	6	—	—	—	—	3	4	—	—
25—	4394	4276	1614	1782	9	3	9	3	—	—	—	1	5	3	—	—
30—	4721	4455	1540	1361	10	5	8	3	2	—	1	1	1	1	—	1
35—	5841	5051	1693	1179	5	5	5	4	—	1	—	—	4	4	—	—
40—	6805	6176	1612	986	3	5	1	3	2	2	—	—	4	—	—	—
45—	9753	8293	1891	916	6	3	6	2	—	1	—	—	2	5	—	—
50—	14732	11355	2096	897	3	7	2	6	1	1	—	—	1	2	2	—
55—	20478	15173	2143	852	3	5	3	5	—	—	—	—	1	1	—	—
60—	27155	20975	1817	949	3	2	2	1	1	1	—	1	—	2	—	1
65—	31807	27029	1359	865	2	4	1	3	1	1	—	—	1	—	—	—
70—	34354	32795	903	887	1	2	—	1	1	1	—	—	—	—	—	—
75—	30698	34083	643	825	—	—	—	—	—	—	—	—	—	—	—	—
80—	31048	47762	526	1067	—	1	—	1	—	—	—	—	—	—	—	—

* 3, Typhus fever —; 4, Relapsing fever ("Spirillum Obermeieri") —; 5, Undulant fever 50, 50, 30, 40, 50, 50; 6, Small-pox —.

Causes of Death.	10 Diphtheria.		11 Influenza.		11 (a) With respiratory complications.		11 (a) (1) With pneumonic complications.		11 (a) (2) With other respiratory complications.		11 (b) Without respiratory complications.		11 (b) (1) With non-respiratory complications.		11 (b) (2) Without stated complications.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1122	1049	4313	4720	2951	3048	1918	1838	1033	1210	1362	1672	1007	1240	355	432
0—	29	22	145	83	96	44	60	35	36	9	49	39	38	32	11	7
1—	421	365	91	74	48	38	45	34	3	4	43	36	40	34	3	2
5—	481	440	32	15	17	7	16	6	1	1	15	8	14	8	1	—
10—	129	126	17	41	8	29	7	25	1	4	9	12	7	11	2	1
15—	28	36	69	58	50	43	44	40	6	3	19	15	14	13	5	2
20—	8	11	61	53	40	45	35	42	5	3	21	8	18	8	3	—
25—	5	11	78	99	52	72	41	61	11	11	26	27	23	23	3	4
30—	8	10	92	106	70	81	64	64	6	17	22	25	17	22	5	3
35—	4	5	154	131	109	94	91	77	18	17	45	37	36	28	9	9
40—	2	2	178	155	138	118	109	94	29	24	40	37	30	30	10	7
45—	1	7	265	174	199	114	151	82	48	32	66	60	51	53	15	7
50—	1	4	345	253	271	184	199	145	72	39	74	69	60	59	14	10
55—	3	3	408	290	306	178	195	117	111	61	102	112	80	91	22	21
60—	—	4	462	407	324	273	203	178	121	95	138	134	110	107	28	27
65—	1	2	481	498	331	313	199	174	132	139	150	185	123	155	27	30
70—	1	—	508	624	320	374	191	200	129	174	188	250	128	192	60	58
75—	—	—	460	684	290	438	143	199	147	239	170	246	116	176	54	70
80—	—	1	467	975	282	603	125	265	157	338	185	372	102	198	83	174

† In addition to these numbers, 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934. For ages see Table 25, page 256.

TABLE 21—*contd.*

Causes of Death.	12*		13 (a) Amoebic.		13 (b) Bacillary.		13 (c) Other or unspecified.		14*		16 Acute poliomyelitis.		16 (1) Acute poliomyelitis.		16 (2) Acute polioencephalitis.	
	13 Dysentery.								15 Erysipelas.							
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	70	41	10	3	37	32	23	6	160	158	82	60	52	42	30	18
0—	5	3	—	—	3	3	2	—	19	6	8	3	5	1	3	2
1—	5	5	—	—	3	4	2	1	3	2	15	13	6	8	9	5
5—	2	1	—	—	—	1	2	—	—	1	21	9	13	7	8	2
10—	—	—	—	—	—	—	—	—	1	3	12	11	9	8	3	3
15—	2	—	—	—	2	—	—	—	2	2	10	6	8	4	2	2
20—	1	1	—	—	1	1	—	—	4	3	7	2	6	2	1	—
25—	3	1	—	—	3	1	—	—	4	4	1	8	1	6	—	2
30—	3	2	—	—	2	2	1	—	3	2	3	3	2	3	1	—
35—	6	4	1	2	4	2	1	—	7	6	1	3	—	2	1	1
40—	8	—	2	—	3	—	3	—	—	6	1	—	1	—	—	—
45—	5	4	2	—	2	3	1	1	6	5	1	1	—	1	1	—
50—	7	2	2	—	2	1	3	1	8	10	—	1	—	—	—	1
55—	5	3	1	1	3	2	1	—	15	13	1	—	1	—	—	—
60—	7	4	1	—	3	4	3	—	15	24	1	—	—	—	1	—
65—	3	4	—	—	2	3	1	1	14	12	—	—	—	—	—	—
70—	3	4	—	—	1	2	2	2	28	22	—	—	—	—	—	—
75—	5	—	1	—	3	—	1	—	16	14	—	—	—	—	—	—
80—	—	3	—	—	—	3	—	—	15	23	—	—	—	—	—	—

* 12, Cholera —; 14, Plague —.

Causes of Death.	17 Encephalitis lethargica.		18 Cerebro-spinal fever.		19, 20, 21*		Tuberculosis.									
					22 Tetanus.		23-32 All forms.		23 Respiratory system.		24, Central nervous system.		25 Intestines and peritoneum.		26 Vertebral column.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	391	340	287	214	68	23	15300	10950	13124	9055	824	798	279	278	208	143
0—	1	1	75	49	1	2	180	139	29	15	86	73	23	12	—	—
1—	6	5	59	61	4	1	499	416	54	43	316	275	42	33	4	3
5—	3	3	19	18	10	5	229	195	24	32	128	105	21	16	7	1
10—	2	5	14	13	12	—	186	276	54	131	78	98	11	13	9	4
15—	16	8	31	13	4	—	909	1335	667	1092	83	107	32	37	17	17
20—	23	16	21	6	3	3	1188	1585	1041	1455	27	45	22	19	20	6
25—	31	26	9	10	2	1	1439	1583	1287	1460	40	22	24	29	27	15
30—	44	28	10	6	4	2	1326	1178	1223	1063	13	25	21	28	9	12
35—	27	27	13	8	3	2	1419	939	1308	859	15	14	15	16	21	11
40—	23	27	6	7	4	1	1319	737	1234	674	10	9	13	19	13	10
45—	32	25	8	5	1	1	1447	611	1371	548	10	11	10	13	8	13
50—	32	31	5	4	4	1	1532	522	1444	469	6	6	16	10	15	11
55—	39	31	8	8	—	1	1463	437	1383	382	3	4	11	12	11	11
60—	49	43	5	4	7	—	1092	401	1028	355	6	3	11	7	15	6
65—	34	25	2	1	3	2	672	270	621	233	1	1	2	5	22	6
70—	17	22	2	1	4	—	267	182	244	141	1	—	1	7	8	8
75—	11	13	—	—	2	1	105	99	91	78	—	—	4	2	1	6
80—	1	4	—	—	—	—	28	45	21	25	1	—	—	—	1	3

* 19, Glanders —; 20, Anthrax 35, 40, 50, 55, 55, 65, 50, 75; 21, Rabies —.

TABLE 21—*contd.*

Causes of Death.	Tuberculosis— <i>continued.</i>															
	27 Other bones and joints.		28 Skin and sub- cutaneous tissues.		29 Lymphatic system (abdom- inal and bronchial glands exceptd).		30 Genito- urinary system.		31 Other organs.		31 (1) Adrenals.		31 (2) Other sites included under 31.		32 Dissem- inated tuber- culosis.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	107	81	15	20	15	26	158	90	11	17	8	8	3	9	559	442
0—	1	—	—	—	2	1	—	—	1	—	1	—	—	—	38	38
1—	1	1	—	—	1	3	2	—	—	—	—	—	—	—	79	58
5—	1	1	—	—	3	—	2	—	—	—	—	—	—	—	43	40
10—	5	3	—	—	—	1	3	2	—	—	—	—	—	—	26	24
15—	16	5	—	—	2	1	17	6	3	—	1	—	2	—	72	70
20—	10	4	—	1	—	—	13	7	1	3	—	1	1	2	54	45
25—	6	4	—	—	1	—	16	12	1	3	1	1	—	2	37	38
30—	5	4	1	—	—	—	12	17	1	—	1	—	—	—	41	29
35—	9	2	4	1	—	2	16	14	1	1	1	—	—	1	30	19
40—	7	6	1	—	—	—	19	4	1	1	1	1	—	—	21	14
45—	3	2	—	1	—	1	18	6	1	1	1	1	—	—	26	15
50—	7	4	—	—	—	—	12	4	—	1	—	—	—	1	32	16
55—	12	6	1	2	1	1	9	7	1	2	1	1	—	1	31	10
60—	5	7	4	4	1	1	8	7	—	3	—	3	—	—	14	8
65—	7	11	2	1	3	3	4	1	—	1	—	—	—	1	10	8
70—	4	7	—	7	1	5	4	1	—	1	—	—	—	1	4	5
75—	5	6	—	2	—	3	3	—	—	—	—	—	—	—	1	2
80—	3	8	2	1	—	3	—	2	—	—	—	—	—	—	—	3

Causes of Death.	Tuberculosis— <i>continued.</i>										33*		34 (a) Congenital syphilis.		34 (b) & (c) Acquired or unspecified.		35 Other venereal diseases.		35 (1) Gonorrhoeal or purulent ophthalmia.	
	32 (a) Acute.		32 (b) Chronic.		32 (c) Not distinguished as acute or chronic.		34 Syphilis.		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	M.	F.	M.	F.	M.	F.	M.	F.												
All Ages	294	235	2	2	263	205	862	388	82	84	780	304	26	12	4	8				
0—	30	27	—	—	8	11	61	58	61	58	—	—	4	9	4	8				
1—	58	35	—	1	21	22	5	3	5	3	—	—	—	—	—	—				
5—	24	28	—	—	19	12	2	1	2	1	—	—	—	—	—	—				
10—	16	19	—	—	10	5	4	1	4	1	—	—	—	—	—	—				
15—	39	42	—	—	33	28	4	8	3	4	1	4	—	1	—	—				
20—	25	25	—	—	29	20	5	7	3	3	2	4	1	—	—	—				
25—	21	17	—	—	16	21	9	19	2	2	7	17	1	—	—	—				
30—	15	11	—	—	26	18	11	5	1	—	10	5	—	1	—	—				
35—	11	5	—	—	19	14	27	24	—	2	27	22	1	1	—	—				
40—	10	5	—	—	11	9	38	34	—	2	38	32	1	—	—	—				
45—	11	7	—	—	15	8	82	54	1	3	81	51	3	—	—	—				
50—	9	6	—	1	23	9	114	47	—	3	114	44	6	—	—	—				
55—	16	3	—	—	15	7	154	41	—	1	154	40	2	—	—	—				
60—	5	1	2	—	7	7	146	33	—	—	146	33	2	—	—	—				
65—	2	1	—	—	8	7	102	35	—	1	102	34	5	—	—	—				
70—	2	1	—	—	2	4	60	11	—	—	60	11	—	—	—	—				
75—	—	—	—	—	1	2	33	6	—	—	33	6	—	—	—	—				
80—	—	2	—	—	—	1	5	1	—	—	5	1	—	—	—	—				

TABLE 21—continued.

Causes of Death.	35 (2) Other diseases included under 35.		36 Purulent infection, septicaemia.		36 (a) Septicaemia.		36 (b) Pyæmia.		36 (c) Gas gangrene.		37* 38 Malaria.		39, 40* 41 Hydatid cysts.		41 (a) Liver.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	22	4	275	183	224	158	49	24	2	1	21	—	9	19	6	12
0—	—	1	32	19	26	15	6	4	—	—	—	—	—	—	—	—
1—	—	—	12	9	10	7	2	2	—	—	—	—	—	—	—	—
5—	—	—	12	5	9	4	3	1	—	—	—	—	—	1	—	1
10—	—	—	12	6	11	6	1	—	—	—	—	—	—	—	—	—
15—	—	1	11	11	7	8	4	3	—	—	—	—	—	—	—	—
20—	1	—	7	11	6	10	1	1	—	—	—	—	1	—	—	—
25—	1	—	8	6	6	6	2	—	—	—	1	—	—	1	—	1
30—	—	1	13	6	12	4	1	2	—	—	2	—	2	—	1	—
35—	1	1	14	11	8	10	5	1	1	—	—	—	—	3	—	2
40—	1	—	11	6	8	5	3	1	—	—	2	—	1	2	1	2
45—	3	—	21	18	19	16	2	2	—	—	2	—	—	1	—	—
50—	6	—	20	7	18	6	2	1	—	—	3	—	1	—	—	—
55—	2	—	30	15	26	14	4	1	—	—	2	—	2	2	2	1
60—	2	—	20	17	14	14	6	3	—	—	3	—	—	4	—	1
65—	5	—	29	7	24	6	5	—	—	1	5	—	—	3	—	2
70—	—	—	8	13	7	12	1	1	—	—	—	—	—	1	—	1
75—	—	—	7	6	5	6	1	—	1	—	1	—	1	—	1	—
80—	—	—	8	10	8	9	—	1	—	—	—	—	1	1	1	1

* 37, Yellow fever —; 39, Other dis. due to protozoa 25, 25, 30, 35, 35, 35, 40, 45, 45, 50, 50, 50, 50, 55, 60, 60, 75, 65, 70; 40, Ankylostomiasis —;

Causes of Death.	41 (b) Other organs.		42* 43 Mycoses.		43 (1) Actino-mycosis.		43 (2) Other mycoses.		44 Other infectious or parasitic diseases.		44 (1) Vaccinia.		44 (2) Other sequelæ of vaccination.		44 (3) German measles.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	7	60	40	44	27	16	13	59	63	1	—	†4	—	2	3
0—	—	—	5	4	—	—	5	4	28	29	—	—	1	—	2	—
1—	—	—	—	—	—	—	—	—	14	23	—	—	—	—	—	2
5—	—	—	1	—	1	—	—	—	7	5	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	2	2	—	—	1	—	—	1
15—	—	—	2	4	2	4	—	—	—	1	—	—	—	—	—	—
20—	1	—	5	3	5	3	—	—	1	—	1	—	—	—	—	—
25—	—	—	7	6	6	6	1	—	—	—	—	—	—	—	—	—
30—	1	—	5	3	5	3	—	—	1	—	—	—	1	—	—	—
35—	—	1	4	4	4	3	—	1	—	2	—	—	—	—	—	—
40—	—	—	6	3	6	2	—	1	2	—	—	—	1	—	—	—
45—	—	1	6	2	5	1	1	1	1	—	—	—	—	—	—	—
50—	1	—	5	2	1	2	4	—	—	—	—	—	—	—	—	—
55—	—	1	3	1	1	1	2	—	1	—	—	—	—	—	—	—
60—	—	3	2	2	2	1	—	1	1	—	—	—	—	—	—	—
65—	—	1	4	1	3	—	1	1	—	—	—	—	—	—	—	—
70—	—	—	4	2	2	—	2	2	—	—	—	—	—	—	—	—
75—	—	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—
80—	—	—	—	2	—	1	—	1	1	1	—	—	—	—	—	—

* 42, Other dis. due to helminths 5, 50, 70, 70.

† 1 Death at age-group 10-15 following preventive inoculation against Scarlet Fever; and

1 Death at age-group 40-45 following preventive inoculation against Tetanus.

TABLE 21—continued.

Causes of death.	44 (4) Varicella.		44 (5) Mumps.		44 (6-1) Pink disease.		44 (6-2) Other diseases included under 44.		II. 45-55 Cancer and other Tumours.		Cancer, Malignant Disease.							
	45-53 Total.		45 Buccal cavity and pharynx.		46 Digestive organs and peritoneum.													
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	16	12	4	5	27	42	5	1	33932	37677	32821	36160	2538	585	19433	17369		
0—	7	4	—	1	18	24	—	—	23	31	11	17	—	1	1	3		
1—	5	3	—	2	9	16	—	—	75	63	51	43	—	1	9	2		
5—	3	4	4	1	—	—	—	—	57	51	33	25	2	—	4	3		
10—	1	—	—	—	—	1	—	—	48	45	26	21	2	1	3	1		
15—	—	—	—	—	—	1	—	—	92	89	64	52	4	4	9	6		
20—	—	—	—	—	—	—	—	—	127	103	102	72	7	2	29	19		
25—	—	—	—	—	—	—	—	—	223	211	176	167	9	2	69	63		
30—	—	—	—	—	—	—	—	—	353	453	297	395	6	6	130	136		
35—	—	—	—	1	—	—	—	1	576	902	503	788	13	11	240	222		
40—	—	—	—	—	—	—	1	—	873	1611	801	1482	24	22	405	404		
45—	—	—	—	—	—	—	1	—	1534	2506	1430	2310	41	30	759	733		
50—	—	—	—	—	—	—	—	—	2596	3496	2490	3297	116	47	1363	1146		
55—	—	—	—	—	—	—	1	—	3921	4375	3788	4216	218	70	2192	1702		
60—	—	—	—	—	—	—	1	—	5458	5032	5327	4903	445	75	3215	2351		
65—	—	—	—	—	—	—	—	—	6154	5539	6067	5423	534	113	3794	2879		
70—	—	—	—	—	—	—	—	—	5617	5314	5539	5234	507	75	3492	3115		
75—	—	—	—	—	—	—	—	—	3911	4315	3863	4241	369	64	2406	2568		
80—	—	1	—	—	—	—	1	—	2294	3541	2253	3474	241	61	1313	2016		

Causes of Death.	Cancer, Malignant Disease—contd.												54 Non-malignant tumours.		54 (a) Female genital organs.
	47 Respiratory organs.		48 Uterus.	49 Other female genital organs.	50 Breast.		51 Male genito-urinary organs.	52 Skin.		53 Other or unspecified organs.					
	M.	F.	F.	F.	M.	F.	M.	M.	F.	M.	F.	M.	F.	F.	
All Ages	4758	1456	4504	2207	59	7410	3921	650	473	1462	2156	475	905	525	
0—	—	—	—	—	—	—	5	—	—	5	13	6	9	1	
1—	1	—	—	1	—	—	25	—	1	16	38	11	9	—	
5—	1	—	1	—	—	—	4	—	—	22	21	10	11	—	
10—	1	—	—	1	—	—	3	—	—	17	18	9	11	1	
15—	6	5	—	9	1	—	5	2	—	37	28	9	17	3	
20—	7	7	4	10	—	2	12	2	2	45	26	9	17	2	
25—	32	12	15	16	—	15	28	1	8	37	36	18	24	11	
30—	73	23	57	34	1	79	40	5	3	42	57	21	35	16	
35—	142	37	159	84	—	215	45	8	8	55	52	38	77	40	
40—	236	82	320	130	—	424	54	9	13	73	87	32	78	56	
45—	403	86	483	189	5	662	106	18	15	98	112	45	138	105	
50—	613	165	597	281	3	845	204	24	27	167	189	47	122	78	
55—	835	208	660	313	8	991	322	40	23	173	249	44	73	36	
60—	829	235	631	293	9	1008	579	69	32	181	278	44	70	41	
65—	754	232	603	259	6	984	732	83	47	164	306	38	67	40	
70—	480	183	459	240	13	834	755	126	65	166	263	36	54	33	
75—	240	122	305	207	8	705	617	115	73	108	197	28	48	33	
80—	105	59	210	140	5	646	385	148	156	56	186	30	45	29	

TABLE 21—*contd.*

Causes of Death.	54 (b) Other sites.		55 Tumours of undetermined nature.		55 (a) Female genital organs.	55 (b) Other sites.		III. 56-69 Rheumatism, Diseases of Nutrition and of Endocrine Glands and other General Diseases.		56 Rheumatic fever.		57 Chronic rheumatism, osteo-arthritis.	
Ages at Death.	M.	F.	M.	F.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	475	380	636	612	14	636	598	5083	9860	446	571	1037	2485
0—	6	8	6	5	—	6	5	105	70	—	—	—	—
1—	11	9	13	11	—	13	11	70	52	19	16	1	2
5—	10	11	14	15	—	14	15	87	92	66	66	—	—
10—	9	10	13	13	—	13	13	95	133	58	98	—	—
15—	9	14	19	20	—	19	20	104	131	70	65	—	1
20—	9	15	16	14	1	16	13	78	93	28	38	2	—
25—	18	13	29	20	—	29	20	82	110	31	29	2	5
30—	21	19	35	23	—	35	23	90	159	27	34	9	13
35—	38	37	35	37	—	35	37	101	189	22	36	10	20
40—	32	22	40	51	—	40	51	108	251	12	38	11	22
45—	45	33	59	58	2	59	56	168	384	23	33	28	47
50—	47	44	59	77	1	59	76	239	602	20	31	46	95
55—	44	37	89	86	1	89	85	398	826	16	28	80	156
60—	44	29	87	59	2	87	57	630	1304	21	19	140	278
65—	38	27	49	49	—	49	49	812	1661	15	18	174	397
70—	36	21	42	26	—	42	26	845	1635	13	13	211	491
75—	28	15	20	26	3	20	23	635	1251	4	3	172	487
80—	30	16	11	22	4	11	18	436	917	1	6	151	471

Causes of Death.	57 (1) Chronic rheumatism.		57 (2) Rheumatoid arthritis, osteo-arthritis.		58 Gout.		59 Diabetes.		60, 61, 62*		63 (1) Rickets.		63 (2) Spinal curvatures of undetermined nature.		64* 65 Diseases of the pituitary gland.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	36	80	1001	2405	117	24	2882	4745	88	57	73	42	15	15	25	31
0—	—	—	—	—	—	—	—	—	41	22	41	22	—	—	—	—
1—	—	—	1	2	—	—	4	9	27	13	26	13	1	—	—	—
5—	—	—	—	—	—	—	10	16	2	3	2	2	—	1	1	2
10—	—	—	—	—	—	—	25	26	3	2	1	—	2	2	1	—
15—	—	—	—	1	—	—	23	37	2	1	1	1	1	—	—	1
20—	—	—	2	—	—	—	30	25	4	—	1	—	3	—	2	2
25—	—	—	2	5	—	—	34	39	—	1	—	—	—	1	1	—
30—	—	—	9	13	—	—	35	48	1	1	—	—	1	1	—	1
35—	—	—	10	20	—	—	52	50	1	2	—	—	1	2	3	3
40—	—	—	11	22	—	—	49	59	1	3	1	2	—	1	3	2
45—	1	4	27	43	1	—	73	115	—	1	—	—	—	1	3	5
50—	2	2	44	93	4	1	120	219	1	1	—	—	1	1	2	5
55—	3	5	77	151	7	2	233	405	2	—	—	—	2	—	1	2
60—	1	6	139	272	14	2	395	739	2	4	—	2	2	2	3	1
65—	3	8	171	389	24	2	551	961	1	—	—	—	1	—	4	6
70—	12	15	199	476	22	3	568	956	—	2	—	—	—	2	1	1
75—	9	16	163	471	21	6	425	654	—	1	—	—	—	1	—	—
80—	5	24	146	447	24	8	255	387	—	—	—	—	—	—	—	—

* 60, Scurvy 0, 1, 10 55, 0, 1, 1, 1, 55; 61, Beri-beri 25, 50, 60; 62, Pellagra 55, 15, 20, 40, 45, 45, 45, 50, 50, 60; 64, Osteomalacia 15, 40, 45, 50, 55, 60, 65.

TABLE 21—*contd.*

Causes of death.	65 (1) Infantilism.		65 (2) Other diseases of the pituitary gland.		66 Diseases of the thyroid and parathyroid glands.		66 (a) Simple goitre.		66 (b) Exophthalmic goitre.		66 (c) Myxoedema, cretinism.		66 (d) Tetany.		66 (e) Other diseases included under 66.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	1	23	30	260	1690	19	105	201	1378	29	194	8	5	3	8
0—	—	—	—	—	8	9	—	1	—	—	2	2	6	5	—	1
1—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—
5—	—	—	1	2	2	1	1	—	1	—	—	1	—	—	—	—
10—	1	—	—	—	1	2	—	—	—	2	1	—	—	—	—	—
15—	—	1	—	—	2	20	—	—	2	20	—	—	—	—	—	—
20—	1	—	1	2	2	24	1	—	1	24	—	—	—	—	—	—
25—	—	—	1	—	4	26	—	1	4	25	—	—	—	—	—	—
30—	—	—	—	1	12	50	2	3	9	45	—	2	—	—	1	—
35—	—	—	3	3	9	71	—	7	9	62	—	2	—	—	—	—
40—	—	—	3	2	19	107	—	2	18	95	—	9	1	—	—	1
45—	—	—	3	5	29	156	1	9	26	136	1	9	—	—	1	2
50—	—	—	2	5	32	220	1	9	27	203	4	8	—	—	—	—
55—	—	—	1	2	39	214	2	8	37	177	—	29	—	—	—	—
60—	—	—	3	1	36	241	3	12	26	207	6	22	—	—	1	—
65—	—	—	4	6	31	255	2	16	22	210	7	28	—	—	—	1
70—	—	—	1	1	19	161	4	20	11	102	4	37	—	—	—	2
75—	—	—	—	—	9	90	1	8	5	50	3	31	—	—	—	1
80—	—	—	—	—	5	42	1	9	3	20	1	13	—	—	—	—

Causes of Death.	67 Diseases of the thymus.		68 Diseases of the adrenals.		69 Other general diseases.		69 (1) Amyloid disease of unstated origin.		69 (2) Other diseases included under 69.		IV. 70-74 Diseases of the Blood and Blood-forming organs.		70 Hæmorrhagic conditions.		70 (a) Purpura.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	75	48	94	126	50	62	5	5	45	57	2275	2794	190	186	74	134
0—	51	37	—	1	4	—	—	—	4	—	126	85	101	67	17	16
1—	13	4	1	—	3	4	—	—	3	4	75	45	13	9	11	9
5—	2	1	1	—	3	3	—	—	3	3	62	49	9	7	4	7
10—	4	4	—	—	2	1	—	—	2	1	46	37	4	8	4	8
15—	3	—	2	2	1	3	—	—	1	3	67	49	7	9	2	9
20—	1	—	6	3	3	—	—	—	3	—	67	72	3	5	2	4
25—	1	—	6	7	2	3	1	1	1	2	74	81	5	4	2	4
30—	—	—	4	11	2	1	—	—	2	1	91	101	5	6	1	6
35—	—	—	4	7	—	—	—	—	—	—	90	107	6	5	5	5
40—	—	1	10	14	3	3	—	—	3	3	91	96	2	5	—	5
45—	—	—	10	17	1	5	—	—	1	5	105	166	4	9	—	9
50—	—	—	6	21	7	6	—	—	7	6	116	178	8	12	4	12
55—	—	—	13	8	5	9	1	1	4	8	210	240	6	10	4	10
60—	—	—	13	10	5	8	1	2	4	6	258	341	9	6	8	6
65—	—	1	5	14	7	6	1	—	6	6	310	361	4	8	3	8
70—	—	—	11	4	—	4	—	1	—	3	255	369	2	5	2	5
75—	—	—	2	5	2	5	1	—	1	5	157	279	1	6	1	6
80—	—	—	—	2	—	1	—	—	—	1	75	138	1	5	1	5

TABLE 21—continued.

Causes of Death.	70 (b) Hemophilia.		71 Anemia chlorosis.		71 (a) Pernicious anemia.		71 (b) Other anemias and chlorosis.		71 (b) (1) Splenic anemia.		71 (b) (2) Other diseases included under 71 (b)		72 Leukemia, aleukemia.		72 (a) Leukemia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	116	52	1103	1788	985	1605	118	183	71	104	47	79	913	746	554	51
0—	84	51	16	12	8	9	8	3	2	1	6	2	7	6	7	2
1—	2	—	11	6	2	4	9	2	5	1	4	1	51	30	49	2
5—	5	—	6	11	5	7	1	4	1	4	—	—	47	29	30	2
10—	—	—	6	8	4	7	2	1	2	1	—	—	35	17	23	1
15—	5	—	9	13	4	10	5	3	4	1	1	2	49	26	29	1
20—	1	1	13	20	8	13	5	7	4	3	1	4	46	46	23	2
25—	3	—	17	41	10	31	7	10	5	6	2	4	47	33	23	2
30—	4	—	17	41	12	32	5	9	5	4	—	5	67	50	30	2
35—	1	—	23	54	17	43	6	11	6	5	—	6	58	44	22	2
40—	2	—	28	42	20	38	8	4	7	3	1	1	53	42	24	2
45—	4	—	34	100	30	84	4	16	3	9	1	7	61	49	35	3
50—	1	—	52	101	46	89	6	12	6	10	—	2	52	55	32	3
55—	2	—	107	150	96	136	11	14	6	13	5	1	87	69	56	4
60—	1	—	154	253	146	229	8	24	4	18	4	6	88	73	60	5
65—	1	—	209	281	199	257	10	24	5	13	5	11	90	68	66	5
70—	—	—	203	310	192	293	11	17	5	5	6	12	45	49	28	3
75—	—	—	133	227	127	215	6	12	1	7	5	5	22	46	12	2
80—	—	—	65	118	59	108	6	10	—	—	6	10	8	14	5	—

Causes of Death.	72 (b) Aleukemia.		72 (b) (1) Aleukemia (lymphadenoma).		72 (b) (2) Aleukemia (agranulocytosis).		73 Diseases of the spleen.		73 (1) Banti's disease.		73 (2) Other diseases of the spleen.		74 Other diseases of the blood and blood-forming organs		V. 75-77 Chronic Poisoning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	359	234	336	205	23	29	47	54	32	45	15	9	22	20	69	3
0—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—
1—	2	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
5—	17	3	15	3	2	—	—	2	—	1	—	1	—	—	—	—
10—	12	3	12	3	—	—	1	4	—	4	1	—	—	—	—	—
15—	20	8	20	7	—	1	1	1	1	1	—	—	1	—	—	—
20—	23	22	20	20	3	2	5	1	4	—	1	1	—	—	—	—
25—	24	12	23	11	1	1	4	2	3	2	1	—	1	1	—	—
30—	37	25	36	22	1	3	2	3	1	2	1	1	—	1	4	—
35—	36	23	32	21	4	2	3	4	3	3	—	1	—	—	7	—
40—	29	13	28	12	1	1	8	6	5	6	3	—	—	1	8	—
45—	26	17	24	16	2	1	4	5	3	4	1	1	2	3	9	—
50—	20	17	19	14	1	3	2	5	2	3	—	2	2	5	5	—
55—	31	20	29	16	2	4	4	6	3	6	1	—	6	5	11	—
60—	28	19	26	13	2	6	3	7	2	7	1	—	4	2	9	—
65—	24	16	23	15	1	1	7	3	4	3	3	—	—	1	10	—
70—	17	13	17	11	—	2	1	4	1	3	—	1	4	1	2	—
75—	10	17	9	16	1	1	1	—	—	—	1	—	—	—	3	—
80—	3	5	2	4	1	1	—	1	—	—	—	1	1	—	1	—

TABLE 21—continued.

Causes of Death.	76* 75 Alcoholism (acute or chronic).		77 Chronic poisoning by mineral substances.		77 (2)* 77 (1) Occupational lead poisoning.		VI. 78-89 Diseases of the Nervous System and Sense Organs.		78 Enceph- alitis.		78 (a) Cerebral abscess.		78 (b) Other diseases included under 78.		79 Meningitis.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages	51	29	14	1	13	—	19291	21810	151	105	91	44	60	61	450	339
0—	—	—	—	—	—	—	797	549	8	13	1	4	7	9	120	95
1—	—	—	—	—	—	—	292	222	17	10	5	—	12	10	100	63
5—	—	—	—	—	—	—	153	107	10	6	3	3	7	3	42	27
0—	—	—	—	—	—	—	132	134	5	8	3	5	2	3	20	28
5—	—	—	—	—	—	—	226	165	13	7	11	4	2	3	23	13
20—	—	—	—	—	—	—	216	159	10	7	8	3	2	4	18	9
25—	—	—	—	—	1	—	238	179	11	5	9	3	2	2	18	10
30—	3	—	—	—	—	—	249	270	5	10	4	5	1	5	11	10
35—	6	2	1	—	1	—	380	328	14	4	11	2	3	2	17	18
40—	6	2	1	—	1	—	517	468	10	6	9	4	1	2	17	8
45—	9	1	—	—	—	—	702	729	14	8	9	2	5	6	17	14
50—	4	7	1	—	1	—	1023	1125	14	6	9	3	5	3	14	14
55—	5	4	6	—	6	—	1625	1702	10	7	4	2	6	5	13	13
60—	7	3	2	—	2	—	2267	2339	5	4	3	—	2	4	9	5
65—	8	4	1	—	1	—	2860	2973	—	1	—	1	—	—	5	4
70—	2	2	—	—	—	—	3107	3496	4	1	2	1	2	—	4	3
75—	1	4	1	—	1	—	2581	3249	1	—	—	—	1	—	—	4
80—	—	—	1	—	—	—	1926	3616	—	2	—	2	—	—	2	1

76, Chronic poisoning by other organic substances 30, 40, 65, 75, 35, 40, 45, 65, 65.

77 (2), Other chronic poisoning by mineral substances 80, 25.

Causes of Death.	80 Tabes dorsalis (locomotor ataxy).		81 Other diseases of the spinal cord.		81 (1) Progressive muscular atrophy.		81 (2) Subacute combined sclerosis.		81 (3) Myelitis of un- stated origin.		81 (4) Other diseases included under 81.		82 Cerebral haemorrhage, apoplexy, etc.		82 (a) Cerebral haemorrhage.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages	441	89	585	498	325	244	44	63	93	86	123	105	12658	16317	8219	10810
0—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
1—	—	—	—	2	—	—	—	—	—	—	—	2	—	4	—	1
5—	—	—	3	—	2	—	—	—	—	—	1	—	2	3	2	3
10—	—	—	10	2	5	1	—	—	—	—	5	1	3	3	2	3
15—	—	—	17	5	9	1	—	—	3	2	5	2	4	5	2	4
20—	—	1	8	11	1	4	—	—	2	2	5	5	10	6	9	4
25—	—	1	8	16	3	7	—	—	2	4	3	5	29	16	28	15
30—	1	1	13	7	4	4	—	—	5	1	4	2	35	46	30	39
35—	1	3	18	18	8	2	—	2	5	6	5	8	78	79	63	63
40—	21	5	27	17	14	7	—	2	4	4	9	4	140	195	115	151
45—	22	8	29	32	18	10	1	7	3	8	7	7	290	405	248	334
50—	43	15	47	43	22	25	2	4	15	4	8	10	601	725	446	570
55—	87	10	75	68	47	33	8	12	9	16	11	7	1075	1255	791	977
60—	97	14	93	74	50	37	11	9	12	11	20	17	1613	1840	1110	1333
65—	84	15	92	75	53	46	10	12	14	8	15	9	2241	2473	1460	1705
70—	56	10	75	65	46	36	7	7	8	15	14	7	2549	3006	1573	1938
75—	24	4	44	41	27	21	4	7	8	2	5	11	2242	2886	1358	1779
80—	5	2	26	22	16	10	1	1	3	3	6	8	1745	3370	981	1891

TABLE 21—contd.

Causes of Death.	82 (a) (1) Cerebral hæmorrhage so returned.		82 (a) (2) Apoplexy (lesion unstated).		82 (b) Cerebral embolism and thrombosis.		82 (b) (1) Cerebral embolism.		82 (b) (2) Cerebral thrombosis.		82 (b) (3) Cerebral softening.		82 (c) Hemiplegia and other paralyses of unstated origin.		82 (c) (1) Hemiplegia	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7922	10449	297	361	3969	4950	168	233	3711	4610	90	107	470	557	440	544
0—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	1	—	—	—	3	—	—	—	3	—	—	—	—	—	—
5—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	2	3	—	—	1	—	—	—	1	—	—	—	—	—	—	—
15—	2	4	—	—	—	1	—	—	—	1	—	—	2	—	—	—
20—	9	4	—	—	—	1	—	—	—	1	—	—	1	1	—	1
25—	28	15	—	—	1	—	—	—	1	—	—	—	—	1	—	—
30—	30	37	—	2	3	7	1	2	2	5	—	—	2	—	1	—
35—	61	62	2	1	13	13	6	3	7	10	—	—	2	3	—	3
40—	112	141	3	10	22	42	3	9	17	33	2	—	3	2	2	1
45—	245	328	3	6	40	67	2	6	34	60	4	1	2	4	2	4
50—	429	559	17	11	136	137	11	11	125	124	—	2	19	18	19	16
55—	774	959	17	18	256	256	19	18	236	233	1	5	28	22	27	21
60—	1064	1296	46	37	453	460	18	26	428	425	7	9	50	47	45	46
65—	1410	1644	50	61	707	691	29	33	664	643	14	15	74	77	72	75
70—	1510	1871	63	67	876	965	20	43	838	897	18	25	100	103	97	102
75—	1296	1721	62	58	786	987	33	36	732	937	21	14	98	120	94	119
80—	947	1801	34	90	675	1320	26	46	626	1238	23	36	89	159	81	155

Causes of Death.	82 (c) (2) Other paralyses of unstated origin.		83 General paralysis of the insane.		84 Other forms of insanity.		84 (a) Dementia præcox.		84 (b) Other conditions included under 84.		85 Epilepsy.		86 Infantile convulsions (age under 5 years).		87 Other diseases of the nervous system.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	30	13	622	208	446	637	50	32	396	605	1110	1000	478	323	1633	1769
0—	—	—	—	—	—	—	—	—	—	—	15	10	428	278	23	23
1—	—	—	—	—	—	—	—	—	—	—	32	27	50	45	32	23
5—	—	—	2	—	—	—	—	—	—	—	27	17	—	—	18	16
10—	—	—	1	2	—	—	—	—	—	—	35	32	—	—	17	19
15—	2	—	6	8	5	8	3	2	2	6	94	53	—	—	20	31
20—	1	—	7	2	14	13	6	5	8	8	93	66	—	—	18	22
25—	—	—	5	5	11	14	3	2	8	12	89	64	—	—	29	29
30—	1	—	17	1	19	25	9	6	10	19	79	88	—	—	40	60
35—	2	—	47	21	32	33	13	2	19	31	93	68	—	—	46	61
40—	1	1	76	33	35	47	9	4	26	43	101	68	—	—	52	74
45—	—	—	135	37	35	54	2	1	33	53	50	74	—	—	82	84
50—	—	2	107	37	40	77	2	3	38	74	61	62	—	—	61	125
55—	1	1	86	32	65	112	1	1	64	111	74	69	—	—	125	118
60—	5	1	81	20	69	88	1	1	68	87	70	81	—	—	207	198
65—	2	2	33	7	60	76	—	—	60	76	86	68	—	—	243	233
70—	3	1	13	1	30	39	—	3	30	36	61	69	—	—	302	282
75—	4	1	4	1	23	31	—	1	23	30	25	41	—	—	211	228
80—	8	4	2	1	8	20	1	1	7	19	25	43	—	—	107	143

TABLE 21—continued.

Causes of Death.	87 (a) Chorea.		87 (b) Neuritis, neuralgia.		87 (c) Paralysis agitans.		87 (d) Dissem- inated sclerosis.		87 (e) Other diseases included under 87.		88 Diseases of the eye and annexa.		89 Diseases of the ear and mastoid sinus.		89 (a) Otitis and other diseases of the ear.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7	30	42	56	926	886	447	565	211	232	30	45	687	480	394	264
0—	—	—	—	—	—	—	—	—	23	23	5	5	197	125	119	69
1—	—	—	—	—	—	—	—	—	32	23	1	2	60	46	28	24
5—	2	2	—	—	—	—	—	—	16	14	—	—	49	38	19	12
10—	1	10	—	—	—	—	1	—	15	9	2	—	39	40	20	19
15—	1	8	—	1	—	—	3	5	16	17	—	—	44	35	23	23
20—	—	4	—	1	—	—	7	8	11	9	2	—	36	22	20	16
25—	1	—	2	—	1	1	18	21	7	7	—	1	38	18	28	9
30—	—	2	1	3	4	3	30	46	5	6	1	1	28	21	13	9
35—	1	1	2	—	1	4	38	46	4	10	—	1	34	22	24	14
40—	1	—	—	4	6	4	40	57	5	9	1	1	37	14	24	8
45—	—	1	11	4	11	6	48	60	12	13	—	—	28	13	16	8
50—	—	1	2	6	16	20	37	81	6	17	2	1	33	20	19	9
55—	—	1	5	4	47	35	57	66	16	12	1	3	14	15	8	7
60—	—	—	6	11	119	98	58	67	24	22	3	2	20	13	16	11
65—	—	—	7	4	175	165	54	48	7	16	2	3	14	18	6	13
70—	—	—	4	8	260	224	32	37	6	13	3	9	10	11	7	5
75—	—	—	2	5	185	198	19	18	5	7	4	8	3	5	2	5
80—	—	—	—	5	101	128	5	5	1	5	3	8	3	4	2	3

Causes of Death.	89 (b) Diseases of the mastoid sinus.		VII. 90-103 Diseases of the Circulatory System.		90-95 Heart diseases.		90 Peri- carditis.		91 Acute endo- carditis.		91 (1) Malignant endo- carditis.		91 (2) Other acute endo- carditis.		92 Chronic endocarditis, valvular disease.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	293	216	85157	86116	68945	70287	166	102	573	592	529	541	44	51	8768	10830
0—	78	56	12	10	5	2	3	2	—	—	—	—	—	—	—	—
1—	32	22	30	20	23	13	4	1	5	6	4	3	1	3	10	4
5—	30	26	91	66	84	65	6	4	25	16	22	12	3	4	44	41
10—	19	21	145	164	140	159	1	2	23	33	21	27	2	6	101	108
15—	21	12	250	299	233	281	3	3	39	76	34	72	5	4	147	166
20—	16	6	216	322	197	307	3	5	41	76	37	73	4	3	108	180
25—	10	9	349	459	302	439	8	—	61	85	56	82	5	3	150	274
30—	15	12	462	571	416	538	5	8	60	59	59	56	1	3	209	323
35—	10	8	689	754	617	690	6	5	59	52	52	48	7	4	242	391
40—	13	6	1150	1166	1029	1058	9	3	49	32	48	31	1	1	315	571
45—	12	5	2084	1688	1832	1439	11	3	57	35	53	32	4	3	448	587
50—	14	11	4001	2647	3438	2158	16	9	41	28	37	26	4	2	702	690
55—	6	8	6426	4244	5429	3491	14	8	38	29	37	26	1	3	940	869
60—	4	2	9828	7144	8063	5787	21	8	33	24	32	17	1	7	1109	1120
65—	8	5	13169	10894	10561	8778	27	12	29	15	26	14	3	1	1306	1427
70—	3	6	15751	14962	12505	11996	15	10	10	20	10	17	—	3	1280	1503
75—	1	—	14860	16682	11718	13526	8	14	2	4	—	3	2	1	973	1356
80—	1	1	15644	24024	12353	19560	6	5	1	2	1	2	—	—	684	1220

TABLE 21—*contd.*

Causes of Death.	92 (1) Aortic valve disease.		92 (2) Mitral valve disease.		92 (3) Aortic and mitral valve disease.		92 (4) Endocarditis, not returned as acute or chronic.		92 (5) Other or unspecified valve disease.		93 Diseases of the myocardium.		93 (a) Acute myocarditis		93 (b) Myocardial degeneration.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1822	916	3136	5163	452	461	363	545	2995	3745	43595	48436	181	135	37051	41994
0—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
1—	—	—	4	3	—	—	3	—	3	1	2	—	1	—	—	—
5—	1	2	19	17	2	4	1	4	21	14	7	3	3	—	4	2
10—	4	4	39	53	9	7	2	10	47	34	14	10	1	—	12	9
15—	8	4	72	97	13	5	3	7	51	53	34	25	1	—	28	19
20—	8	2	47	111	7	15	2	4	44	48	38	33	3	4	28	20
25—	16	5	74	161	12	14	2	4	46	90	58	60	1	2	38	42
30—	28	8	99	199	18	17	4	9	60	90	89	110	3	3	60	75
35—	30	13	120	243	22	23	7	10	63	102	161	167	5	7	106	110
40—	68	37	117	342	26	31	6	15	98	146	345	325	7	4	256	247
45—	85	35	176	312	25	26	15	31	147	183	698	586	13	7	506	446
50—	168	50	241	340	35	25	41	43	217	232	1449	1037	18	7	1069	790
55—	220	76	330	417	45	40	40	34	305	302	2537	1844	27	13	1920	1430
60—	269	106	373	494	59	40	45	66	363	414	4276	3377	23	15	3349	2670
65—	294	153	445	644	65	50	55	60	447	520	6335	5534	23	19	5205	4542
70—	290	153	421	634	49	55	60	92	460	569	8415	8508	27	17	7201	7260
75—	210	140	332	602	44	56	42	76	345	482	8783	10316	14	21	7767	9109
80—	123	128	227	494	21	53	35	80	278	465	10352	16501	11	16	9502	15223

Causes of Death.	93 (b) (1) Fatty heart.		93 (b) (2) Cardio-vascular degeneration.		93 (b) (3) Other diseases included under 93 (b).		93 (c) Myocarditis not distinguished as acute or chronic.		94 Diseases of the coronary arteries, angina pectoris.		95 Other diseases of the heart.		95 (a) Disordered action of heart.		95 (b) Other diseases included under 95.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	771	1109	10805	10768	25475	30117	6363	6307	12959	6537	2884	3790	1252	2099	1632	1691
0—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	1	—	—	—	2	2	—	—	2	2
5—	—	—	—	—	4	2	—	1	—	—	2	1	—	—	2	1
10—	—	—	—	—	12	9	1	1	—	—	1	6	—	—	1	6
15—	2	1	—	—	26	18	5	6	—	1	10	10	1	4	9	6
20—	5	2	—	—	23	18	7	9	3	3	4	10	1	3	3	7
25—	3	5	—	—	35	37	19	16	12	5	13	15	4	8	9	7
30—	4	10	4	3	52	62	26	32	34	9	19	29	7	13	12	16
35—	14	20	7	5	85	85	50	50	105	39	44	36	25	22	19	14
40—	33	31	20	10	203	206	82	74	271	58	40	69	14	45	26	24
45—	39	81	58	42	409	323	179	133	526	118	92	110	38	61	54	49
50—	86	93	166	121	817	576	362	240	1073	234	157	160	67	103	90	57
55—	112	144	387	262	1421	1024	590	401	1666	491	234	250	97	151	137	99
60—	128	191	876	661	2345	1818	904	692	2233	862	391	396	183	236	208	160
65—	148	196	1624	1163	3433	3183	1107	973	2416	1242	448	548	202	317	246	231
70—	102	161	2365	2038	4734	5061	1187	1231	2276	1306	509	649	240	380	269	269
75—	68	116	2553	2496	5146	6497	1002	1186	1447	1160	505	676	212	369	293	307
80—	27	58	2745	3967	6730	11198	839	1262	897	1009	413	823	161	387	252	436

TABLE 21—contd.

Causes of Death.	95 (b) (1) Dilatation of heart (cause unspecified).		95 (b) (2) Heart disease (undefined).		96 Aneurysm.		97 Arterio- sclerosis.		97 (1) Arterio- sclerosis, with cerebral hæmorrhage.		97 (2) Arterio- sclerosis with record of other cerebral vascular lesion.		97 (3) Arterio- sclerosis without record of cerebral vascular lesion.		98 Gangrene.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	154	113	1478	1578	1010	554	13711	13738	4670	5230	3127	3500	5914	5008	324	300
0—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	1	1
1—	—	—	2	2	3	2	—	—	—	—	—	—	—	—	2	1
5—	—	—	2	1	6	1	—	—	—	—	—	—	—	—	—	—
10—	—	—	1	6	5	4	—	—	—	—	—	—	—	—	—	—
15—	—	—	9	6	17	12	—	—	—	—	—	—	—	—	—	1
20—	—	—	3	7	11	12	—	—	—	—	—	—	—	—	—	—
25—	2	1	7	6	27	11	1	—	—	—	—	—	1	—	1	—
30—	6	4	6	12	33	16	1	1	—	—	—	—	1	1	—	2
35—	2	2	17	12	35	22	18	13	8	7	2	2	8	4	—	—
40—	3	3	23	21	38	22	40	36	21	21	7	3	12	12	—	1
45—	12	2	42	47	57	40	119	143	58	94	19	24	42	25	1	1
50—	13	2	77	55	125	63	339	329	202	206	53	67	84	56	5	3
55—	21	8	116	91	151	60	693	587	336	351	143	125	214	111	7	4
60—	20	20	188	140	147	73	1417	1097	612	569	316	285	489	243	16	11
65—	26	14	220	217	160	70	2220	1823	886	833	571	465	763	525	29	21
70—	21	20	248	249	107	68	2914	2647	993	1105	718	708	1203	834	65	38
75—	17	15	276	292	66	41	2871	2895	857	982	690	793	1324	1120	77	75
80—	11	22	241	414	20	36	3078	4167	697	1062	608	1028	1773	2077	120	141

Causes of Death.	98 (a) Senile gangrene.		98 (b) Other gangrene.		99 Other diseases of the arteries.		100 Diseases of the veins (varix, hæmorrhoids, phlebitis, etc.).		100 (1) Varix.		100 (2) Other diseases of the veins.		101 Diseases of the lymphatic system (lymphangitis, etc.).		103* 102 Abnor- malities of blood- pressure.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	297	281	27	19	156	110	293	478	133	236	160	242	21	25	695	622
0—	—	—	1	1	—	—	—	—	—	—	—	—	4	6	—	—
1—	—	—	2	1	—	—	—	—	—	—	—	—	2	4	—	—
5—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
15—	—	—	—	1	—	3	—	1	—	—	—	1	—	—	—	1
20—	—	—	—	—	1	—	1	—	1	—	—	—	—	1	5	2
25—	—	—	1	—	7	—	4	6	2	3	2	3	—	2	7	1
30—	—	—	—	2	3	2	2	3	2	2	—	1	—	—	7	9
35—	—	—	—	—	7	4	5	13	3	6	2	7	—	—	7	12
40—	—	—	—	1	7	6	11	20	3	8	8	12	2	1	22	22
45—	—	—	1	1	13	2	13	38	5	13	8	25	—	1	49	24
50—	—	—	5	3	8	8	32	42	9	21	23	21	1	—	53	44
55—	1	1	6	3	16	10	36	34	16	17	20	17	—	—	94	58
60—	15	10	1	1	29	12	46	77	19	36	27	41	2	2	108	85
65—	26	21	3	—	12	15	60	80	21	44	39	36	2	2	125	105
70—	61	36	4	2	25	17	40	84	25	42	15	42	5	2	90	108
75—	74	73	3	2	17	15	26	49	16	26	10	23	3	—	82	81
80—	120	140	—	1	11	16	16	31	11	18	5	13	—	3	46	70

*103, Other dis. of the circulatory system 20, 40, 70, 70.

TABLE 21—continued.

Causes of Death.	VIII. 104-114 Diseases of the Respiratory System.		104 Diseases of the nasal fossæ and annexa.		104 (1) Diseases of the nose.		104 (2) Diseases of the accessory nasal sinuses.		105 Diseases of the larynx.		105 (1) Laryngismus stridulus.		105 (2) Laryngitis.		105 (3) Other diseases of the larynx.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	23466	18493	128	68	16	9	112	59	95	68	18	12	77	53	—	3
0—	3114	2338	6	6	3	2	3	4	24	9	8	5	16	4	—	—
1—	1084	947	4	2	1	—	3	2	31	26	7	7	24	19	—	—
5—	168	156	2	2	—	—	2	2	13	8	3	—	10	7	—	1
10—	105	116	4	5	—	—	4	5	4	1	—	—	4	1	—	—
15—	219	164	15	7	—	—	15	7	2	1	—	—	2	1	—	—
20—	209	172	12	2	2	—	10	2	—	1	—	—	—	1	—	—
25—	238	242	13	7	4	—	9	7	2	1	—	—	2	1	—	—
30—	374	275	6	8	—	1	6	7	—	2	—	—	—	2	—	—
35—	513	315	15	6	2	1	13	5	1	1	—	—	1	1	—	—
40—	690	359	10	5	1	—	9	5	5	—	—	—	5	—	—	—
45—	1020	461	12	2	1	1	11	1	2	1	—	—	2	1	—	—
50—	1690	629	7	1	—	—	7	1	4	1	—	—	4	1	—	—
55—	2055	868	8	2	—	1	8	1	1	3	—	—	1	2	—	1
60—	2356	1215	7	3	—	1	7	2	2	2	—	—	2	2	—	—
65—	2355	1623	2	3	—	2	2	1	1	3	—	—	1	3	—	—
70—	2435	2084	2	4	—	—	2	4	1	4	—	—	1	4	—	—
75—	2209	2461	1	2	1	—	—	2	1	1	—	—	1	—	—	1
80—	2632	4068	2	1	1	—	1	1	1	3	—	—	1	3	—	—

Causes of Death.	106 Bronchitis.		106 (a) Acute bronchitis.		106 (b) Chronic bronchitis.		106 (c) Bronchitis, not distinguished as acute or chronic.		107-109 Pneumonia (all forms).		107 Broncho-pneumonia.		108 Lobar pneumonia.		109 Pneumonia (not otherwise defined).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	8460	7003	1812	2195	4508	2588	2140	2220	12501	9706	6995	6174	4269	2611	1237	921
0—	488	413	289	266	8	4	191	143	2571	1890	2186	1616	173	136	212	138
1—	121	123	75	70	7	7	39	46	898	767	685	595	144	100	69	72
5—	16	19	8	9	6	7	2	3	130	118	74	73	35	36	21	9
10—	20	15	6	3	9	10	5	2	68	85	26	35	39	42	3	8
15—	38	24	6	1	29	21	3	2	150	116	44	47	78	53	28	16
20—	52	26	8	2	42	22	2	2	113	116	29	40	64	64	20	12
25—	51	33	8	5	36	25	7	3	137	159	43	58	72	77	22	24
30—	54	32	4	9	41	17	9	6	253	180	71	63	160	101	22	16
35—	84	61	11	12	60	38	13	11	325	201	94	73	195	100	36	28
40—	167	64	24	15	116	41	27	8	409	240	135	105	215	110	59	25
45—	278	115	27	29	192	66	59	20	561	272	197	114	311	137	53	21
50—	538	135	78	32	370	82	90	21	905	380	349	171	465	175	91	34
55—	742	239	86	52	512	136	144	51	1034	514	433	222	498	228	103	64
60—	874	429	117	106	572	234	185	89	1167	641	510	335	534	252	123	54
65—	977	647	154	189	609	285	214	173	1128	784	522	451	470	261	136	72
70—	1174	962	234	287	663	414	277	261	1021	942	555	573	365	280	101	89
75—	1148	1280	269	365	579	501	300	414	860	993	518	661	265	233	77	99
80—	1638	2386	408	743	657	678	573	965	771	1308	524	942	186	226	61	140

TABLE 21—continued.

Causes of Death.	110 Pleurisy.		110 (1) Empyema.		110 (2) Other pleurisy.		111 Congestion and hæmorrhagic infarct of lung, etc.		111 (1) Hypostatic congestion of lungs.		111 (2) Other diseases included under 111.		112 Asthma.		113 Pulmonary emphysema	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	414	198	204	73	210	125	459	609	387	551	72	58	908	724	72	10
0—	5	5	5	4	—	1	7	9	7	9	—	—	3	3	—	—
1—	17	11	15	11	2	—	3	1	3	1	—	—	9	14	—	—
5—	1	4	1	3	—	1	—	—	—	—	—	—	5	2	—	—
10—	2	5	1	1	1	4	2	—	2	—	—	—	5	4	—	—
15—	12	7	8	5	4	2	—	—	—	—	—	—	2	7	—	—
20—	18	6	13	4	5	2	2	—	2	—	—	—	8	17	—	—
25—	17	8	13	5	4	3	1	4	1	3	—	1	11	27	—	—
30—	15	15	10	5	5	10	2	4	2	1	—	3	25	25	1	—
35—	25	4	18	2	7	2	4	2	3	2	1	—	37	35	2	—
40—	26	5	16	—	10	5	5	2	3	1	2	1	39	31	3	—
45—	33	11	20	9	13	2	7	12	2	8	5	4	71	38	3	2
50—	43	19	19	7	24	12	22	13	13	4	9	9	109	70	7	—
55—	44	15	20	8	24	7	14	9	8	8	6	1	131	78	12	—
60—	40	20	17	5	23	15	30	22	18	15	12	7	140	83	11	3
65—	43	16	12	3	31	13	48	54	39	38	9	16	107	107	11	2
70—	28	13	13	1	15	12	69	71	56	67	13	4	102	79	11	1
75—	16	15	—	—	16	15	100	114	89	110	11	4	62	49	8	1
80—	29	19	3	—	26	19	143	292	139	284	4	8	42	55	3	1

Causes of Death.	114 Other diseases of the respiratory system.		114 (a) Chronic interstitial pneumonia, including occupational diseases of the lung.		114 (b) Other diseases included under 114.		114 (b) (1) Gangrene of the lung.		114 (b) (2) Other diseases included under 114 (b).		IX. 115-129 Diseases of the Digestive System.		115 Diseases of the buccal cavity, pharynx, etc.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	429	107	320	53	109	54	6	3	103	51	12968	10062	579	555
0—	10	3	—	—	10	3	—	—	10	3	1849	1249	30	31
1—	1	3	—	—	1	3	—	—	1	3	424	312	69	38
5—	1	3	1	—	—	3	—	—	—	3	201	191	48	58
10—	—	1	—	—	—	1	—	—	—	1	155	127	25	29
15—	—	2	—	—	—	2	—	—	—	2	228	147	23	23
20—	4	4	—	1	4	3	—	1	4	2	198	150	14	18
25—	6	3	2	—	4	3	—	—	4	3	266	205	21	21
30—	18	9	10	6	8	3	—	—	8	3	332	250	31	25
35—	20	5	14	1	6	4	—	—	6	4	512	310	42	36
40—	26	12	13	8	13	4	2	1	11	3	589	371	17	33
45—	53	8	41	6	12	2	2	—	10	2	787	489	26	30
50—	55	10	44	6	11	4	1	—	10	4	1059	645	34	20
55—	69	8	56	5	13	3	—	1	13	2	1317	768	37	34
60—	85	12	75	9	10	3	—	—	10	3	1383	1012	41	29
65—	38	7	30	3	8	4	—	—	8	4	1262	1060	34	28
70—	27	8	22	6	5	2	1	—	4	2	1055	1067	32	33
75—	13	6	10	2	3	4	—	—	3	4	790	858	32	32
80—	3	3	2	—	1	3	—	—	1	3	561	851	23	37

TABLE 21—*contd.*

Causes of Death.	115 (1) Diseases of the teeth and gums.		115 (2) Ludwig's angina.		115 (3) Diseases of the tonsils.		115 (4) Other diseases included under 115.		116 Diseases of the oesophagus.		117 Ulcer of the stomach or duodenum.		117 (a) Ulcer of the stomach.		117 (b) Ulcer of the duodenum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	140	99	39	23	283	307	117	126	37	19	3806	1059	2530	826	1276	233
0—	6	5	3	1	6	7	15	18	3	—	1	—	—	—	1	—
1—	11	2	—	1	49	30	9	5	—	—	—	—	—	—	—	—
5—	5	2	1	—	37	52	5	4	—	—	—	—	—	—	—	—
10—	1	3	2	—	19	22	3	4	—	—	—	1	—	1	—	—
15—	1	1	3	2	18	19	1	1	—	—	17	4	10	2	7	2
20—	3	5	1	1	9	12	1	—	—	—	40	5	19	4	21	1
25—	6	6	2	—	11	12	2	3	—	—	69	9	52	8	17	1
30—	10	8	1	—	19	16	1	1	1	—	108	17	73	12	35	5
35—	12	7	5	1	21	24	4	4	—	1	243	40	145	29	98	11
40—	8	10	2	2	6	17	1	4	1	1	304	46	206	34	98	12
45—	4	9	5	3	13	12	4	6	1	2	386	76	270	58	116	18
50—	6	7	2	2	18	9	8	2	2	1	505	114	341	92	164	22
55—	12	5	1	3	11	17	13	9	4	3	604	124	420	94	184	30
60—	17	5	2	—	16	13	6	11	4	1	526	160	350	123	176	37
65—	13	7	1	1	10	13	10	7	3	2	443	155	284	122	159	33
70—	13	2	3	3	10	16	6	12	8	4	287	130	179	97	108	33
75—	7	8	5	3	7	8	13	13	5	1	171	105	114	88	57	17
80—	5	7	—	—	3	8	15	22	5	3	102	73	67	62	35	11

Causes of Death.	118 Other diseases of the stomach.		118 (1) Inflammation of the stomach.		118 (2) Other diseases included under 118.		119 & 120 Diarrhoea and enteritis.		119 & 120 (a) (1) Colitis.		119 & 120 (a) (2) Other diarrhoea and enteritis.		119 & 120 (b) Ulceration of the intestines.		121 Appendicitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	327	302	237	252	90	50	2256	1916	88	147	1914	1477	254	292	1435	1138
0—	76	45	66	41	10	4	1517	1062	15	13	1494	1045	8	4	3	3
1—	18	12	16	10	2	2	175	156	6	3	168	151	1	2	75	46
5—	2	2	2	2	—	—	28	17	4	1	23	16	1	—	84	79
10—	1	—	1	—	—	—	11	14	—	—	8	6	3	8	89	58
15—	—	—	—	—	—	—	14	23	1	1	2	5	11	17	118	73
20—	—	—	—	—	—	—	18	27	2	2	4	3	12	22	83	52
25—	1	1	1	1	—	—	30	46	3	5	3	8	24	33	68	54
30—	4	1	1	—	3	1	33	44	2	4	6	5	25	35	71	56
35—	8	7	4	5	4	2	25	41	1	7	4	7	20	27	74	60
40—	11	7	3	4	8	3	32	38	5	5	9	6	18	27	80	45
45—	15	11	6	9	9	2	28	33	3	8	11	6	14	19	95	69
50—	23	9	18	6	5	3	34	52	4	7	12	18	18	27	101	85
55—	19	15	10	8	9	7	66	45	5	10	20	17	41	18	106	83
60—	26	19	16	17	10	2	54	58	9	12	30	28	15	18	125	109
65—	29	38	17	32	12	6	50	59	6	15	25	29	19	15	101	92
70—	26	35	18	32	8	3	52	59	6	19	34	31	12	9	84	82
75—	32	43	28	35	4	8	39	64	2	19	30	36	7	9	48	49
80—	36	57	30	50	6	7	50	78	14	16	31	60	5	2	30	43

TABLE 21—contd.

Causes of Death.	122 Hernia, intestinal obstruction.		122 (a) Hernia.		122 (a) (1) Strangulated hernia.		122 (a) (2) Hernia not returned as strangulated.		122 (b) Intestinal obstruction.		123 Other diseases of the intestines.		123 (1) Constipation, intestinal stasis.		123 (2) Diverticulitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2318	2159	1025	1056	764	846	261	210	1293	1103	394	394	32	57	285	280
0—	184	88	41	4	17	—	24	4	143	84	8	3	5	3	2	—
1—	64	27	19	2	4	1	15	1	45	25	3	4	2	2	1	1
5—	27	14	—	4	—	1	—	3	27	10	2	2	—	—	2	1
10—	12	15	—	3	—	2	—	1	12	12	3	—	—	—	3	—
15—	43	9	2	—	2	—	—	—	41	9	3	—	—	—	3	—
20—	29	18	3	1	1	1	2	—	26	17	4	1	—	1	4	—
25—	46	34	13	2	9	2	4	—	33	32	5	2	1	—	2	—
30—	47	51	6	7	5	5	1	2	41	44	6	2	1	—	3	1
35—	65	51	11	5	4	5	7	—	54	46	6	5	—	—	5	4
40—	60	95	15	33	9	26	6	7	45	62	15	7	—	1	14	4
45—	115	105	39	46	29	33	10	13	76	59	24	22	—	1	19	15
50—	156	130	59	67	32	59	27	8	97	63	41	35	—	3	30	29
55—	196	148	75	81	59	63	16	18	121	67	58	36	2	1	46	28
60—	255	227	129	141	101	110	28	31	126	86	62	61	3	6	49	48
65—	278	304	152	186	129	150	23	36	126	118	46	53	2	4	32	40
70—	280	315	161	187	134	155	27	32	119	128	46	72	6	9	29	54
75—	250	251	156	146	122	122	34	24	94	105	43	51	4	10	32	37
80—	211	277	144	141	107	111	37	30	67	136	19	38	6	16	9	18

Causes of Death.	123 (3) Other diseases included under 123.		124 Cirrhosis of the liver.		124 (a) Returned as alcoholic.		124 (b) Not returned as alcoholic.		125 Other diseases of the liver.		125 (1) Acute yellow atrophy.		125 (2) Other diseases included under 125.		126 Biliary calculi.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	77	57	760	435	111	50	649	385	105	137	28	75	77	62	302	756
0—	1	—	3	—	—	—	3	—	7	3	2	—	5	3	—	—
1—	—	1	—	—	—	—	—	—	4	3	1	2	3	1	—	—
5—	—	1	3	1	—	—	3	1	2	2	—	1	2	1	—	—
10—	—	—	3	4	—	—	3	4	3	—	3	—	—	—	—	—
15—	—	—	2	4	—	—	2	4	2	6	—	4	2	2	—	—
20—	—	—	—	4	—	—	—	4	2	11	1	11	1	—	—	2
25—	2	2	5	3	—	—	5	3	9	13	5	12	4	1	1	5
30—	2	1	9	7	2	—	7	7	8	17	1	13	7	4	6	7
35—	1	1	17	8	3	1	14	7	6	13	—	10	6	3	6	22
40—	1	2	34	14	6	1	28	13	8	13	3	6	5	7	5	21
45—	5	6	47	39	10	10	37	29	7	6	2	2	5	4	6	38
50—	11	3	84	45	14	6	70	39	13	9	3	3	10	6	18	66
55—	10	7	123	65	18	5	105	60	9	5	3	3	6	2	35	93
60—	10	7	146	79	26	13	120	66	4	8	—	3	4	5	51	100
65—	12	9	120	64	16	7	104	57	10	11	3	3	7	8	57	98
70—	11	9	93	54	13	6	80	48	8	8	1	1	7	7	54	124
75—	7	4	57	28	3	—	54	28	2	6	—	1	2	5	40	99
80—	4	4	14	16	—	1	14	15	1	3	—	—	1	3	23	81

TABLE 21—continued.

Causes of Death.	126 (1) With cholecystitis.		126 (2) Without mention of cholecystitis.		127 Other diseases of the gall bladder and ducts.		127 (1) Cholecystitis, without record of biliary calculi.		127 (2) Other diseases included under 127.		128 Diseases of the pancreas.		129 Peritonitis, without stated cause.		X. 130-139 Non-venereal Diseases of the Genito-urinary System and Annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	80	256	222	500	339	816	292	769	47	47	213	244	97	132	13307	8039
0—	—	—	—	—	1	1	—	—	1	1	—	—	16	13	92	54
1—	—	—	—	—	5	2	—	—	5	2	3	1	8	23	48	41
5—	—	—	—	—	3	—	—	—	3	—	1	—	1	16	46	43
10—	—	—	—	—	1	1	—	—	1	1	—	—	7	5	44	45
15—	—	—	—	—	—	—	—	—	—	—	1	—	5	5	105	84
20—	—	—	—	2	1	1	—	1	1	—	3	4	4	7	137	136
25—	1	1	—	4	2	6	1	3	1	3	6	7	3	4	178	177
30—	1	2	5	5	1	9	1	6	—	3	7	7	—	7	195	225
35—	—	5	6	17	7	11	7	10	—	1	8	8	5	7	242	294
40—	1	7	4	14	9	23	7	21	2	2	9	12	4	16	259	366
45—	—	15	5	23	17	30	14	30	3	—	16	21	4	7	404	477
50—	4	17	14	49	18	50	16	45	2	5	25	27	5	2	681	623
55—	8	31	27	62	22	76	22	74	—	2	26	37	12	4	938	687
60—	10	34	41	66	56	122	51	120	5	2	30	36	3	3	1481	889
65—	14	27	43	71	51	118	42	114	9	4	32	32	8	6	1989	1027
70—	18	46	36	78	53	121	46	116	7	5	27	28	5	2	2359	1032
75—	15	40	25	59	55	118	50	112	5	6	12	8	4	3	2104	898
80—	7	31	16	50	37	127	35	117	2	10	7	16	3	2	2005	941

Causes of Death.	130-132 Nephritis.		130 Acute nephritis.		131 Chronic nephritis.		132 Nephritis, not stated to be acute or chronic.		133 Other diseases of the kidney and annexa.		133 (a) Pyelitis.		133 (b) Other diseases included under 133.		134 Calculi of the urinary passages.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6568	6521	479	398	5456	5474	633	649	583	650	414	486	169	164	269	166
0—	23	14	23	14	—	—	—	—	56	38	42	31	14	7	—	—
1—	36	31	25	20	8	8	3	3	10	10	5	7	5	3	1	—
5—	39	34	16	17	21	14	2	3	5	6	2	5	3	1	1	1
10—	38	40	20	11	15	22	3	7	5	4	1	3	4	1	1	—
15—	85	76	25	14	52	58	8	4	17	5	10	3	7	2	2	2
20—	118	101	27	19	79	74	12	8	9	10	4	7	5	3	7	5
25—	151	125	27	22	112	90	12	13	12	18	7	12	5	6	9	5
30—	157	163	31	24	108	129	18	10	14	19	7	13	7	6	12	9
35—	194	215	30	16	147	181	17	18	22	30	13	20	9	10	14	11
40—	206	264	24	24	160	212	22	28	21	41	13	23	8	18	13	16
45—	313	354	33	30	254	292	26	32	33	38	14	28	19	10	24	20
50—	534	510	45	36	438	428	51	46	41	49	21	29	20	20	32	17
55—	604	559	39	35	515	461	50	63	44	61	32	48	12	13	27	14
60—	811	747	37	31	690	639	84	77	78	62	61	46	17	16	28	21
65—	921	874	24	30	808	755	89	89	67	72	50	59	17	13	51	14
70—	984	877	26	22	869	767	89	88	61	71	55	57	6	14	19	14
75—	747	781	17	14	656	684	74	83	56	57	50	47	6	10	13	5
80—	607	756	10	19	524	660	73	77	32	59	27	48	5	11	15	12

TABLE 21—continued.

Causes of Death.	134 (a) Calculi of kidney and ureter.		134 (b) Calculi of the bladder.		134 (c) Calculi of unstated site.		135 Diseases of the bladder.		135 (a) Cystitis.		135 (b) Other diseases of the bladder.		136 Diseases of the urethra, urinary abscess, etc.		136 (a) Stricture of the urethra.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	182	145	81	20	6	1	506	331	434	307	72	24	313	3	295	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—
10—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	2	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—
20—	7	3	—	2	—	—	2	1	2	1	—	—	—	—	—	—
25—	7	4	2	1	—	—	2	3	2	2	—	1	1	—	1	—
30—	11	9	—	—	1	—	5	8	5	5	—	3	5	—	4	—
35—	10	11	4	—	—	—	5	3	4	3	1	—	4	—	2	—
40—	12	14	1	2	—	—	3	2	3	1	—	1	6	—	6	—
45—	20	19	4	1	—	—	9	10	6	7	3	3	14	—	14	—
50—	22	15	10	1	—	1	19	12	16	10	3	2	18	—	17	—
55—	18	13	6	1	3	—	33	22	28	18	5	4	38	—	35	—
60—	23	20	5	1	—	—	52	24	43	24	9	—	67	1	64	—
65—	30	12	21	2	—	—	65	44	55	43	10	1	65	2	62	—
70—	6	9	12	5	1	—	92	57	77	54	15	3	49	—	46	—
75—	7	5	5	—	1	—	97	44	82	42	15	2	31	—	30	—
80—	5	8	10	4	—	—	122	100	111	96	11	4	14	—	14	—

Causes of Death.	136 (b) Other diseases of the urethra, etc.		137 Diseases of the prostate.	138 Diseases of the male genital organs.	139 Diseases of the female genital organs.	139 (a) Diseases of the ovary, Fallopian tube and parametrium.	139 (a) (1)* 139 (a) (2) Diseases of the Fallopian tube.	139 (a) (3) Diseases of the parametrium.
	M.	F.	M.	M.	F.	F.	F.	F.
All Ages	18	3	5010	58	368	135	101	27
0—	—	—	—	13	2	—	—	—
1—	—	—	—	1	—	—	—	—
5—	—	—	—	1	1	—	—	—
10—	—	—	—	—	1	1	—	1
15—	1	—	—	—	1	—	—	—
20—	—	—	—	1	19	16	7	8
25—	—	—	2	1	26	17	17	—
30—	1	—	1	1	26	14	12	2
35—	2	—	1	2	35	21	16	4
40—	—	—	7	3	43	19	14	4
45—	—	—	7	4	55	21	14	3
50—	1	—	34	3	35	10	8	2
55—	3	—	189	3	31	3	2	1
60—	3	1	441	4	34	6	5	1
65—	3	2	810	10	21	4	3	1
70—	3	—	1149	5	13	3	3	—
75—	1	—	1156	4	11	—	—	—
80—	—	—	1213	2	14	—	—	—

*139 (a) (1) Diseases of the ovary, 20, 35, 40, 45, 45, 45.

TABLE 21—*contd.*

Causes of Death.	139 (c)* 139 (b) Diseases of the uterus.	139 (d) Other diseases of the female genital organs.	XI. 140-150. Diseases of Pregnancy Childbirth and the Puerperal State.	140 & 145 Puerperal sepsis.	140 Post-abortive sepsis.	141 Abortion not returned as septic.	141 (1) Hæmorrhage following abortion.	141 (2) Without record of hæmorrhage.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	201	21	1815	476	168	59	49	10
0—	—	1	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	1	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	1	—	64	19	7	1	1	—
20—	2	1	241	61	15	7	6	1
25—	8	—	514	132	48	13	12	1
30—	12	—	483	140	50	18	16	2
35—	13	1	349	95	36	13	8	5
40—	22	2	148	27	11	7	6	1
45—	31	2	14	1	—	—	—	—
50—	23	1	2	1	1	—	—	—
55—	25	1	—	—	—	—	—	—
60—	21	5	—	—	—	—	—	—
65—	15	1	—	—	—	—	—	—
70—	7	1	—	—	—	—	—	—
75—	8	3	—	—	—	—	—	—
80—	13	1	—	—	—	—	—	—

* 139c, Diseases of the breast 0, 25, 45, 50, 55, 55, 60, 60, 65, 70, 70.

Causes of Death.	142 Ectopic gestation.	143* 144 Puerperal hæmorrhage.	144 (a) Placenta prævia.	144 (b) Other puerperal hæmorrhage.	145 Puerperal sepsis not returned as post-abortive.	145 (b)* 145 (a) Puerperal septicaemia and pyæmia.	146 Puerperal albuminuria and convulsions.	147 Other toxæmias of pregnancy.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	59	268	82	186	308	307	309	156
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	1	3	1	2	12	12	21	5
20—	6	29	6	23	46	46	50	28
25—	13	80	19	61	84	84	93	35
30—	15	66	17	49	90	90	73	39
35—	19	53	19	34	59	58	48	31
40—	3	34	17	17	16	16	23	16
45—	2	3	3	—	1	1	1	2
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—

* 143, Other accidents of pregnancy 15, 15, 25, 25, 25, 25, 30, 30, 35, 50; 145 (b), Puerperal tetanus 35.

TABLE 21—*contd.*

Causes of Death.	148 Puerperal phlegmasia alba dolens, embolism and sudden death.	148 (a) Puerperal phlegmasia alba dolens not returned as septic.	148 (b) Puerperal embolism and sudden death.	149 Other accidents of childbirth.	150 Other or unspecified conditions of the puer- peral state.	150 (1) Puerperal insanity.	150 (2) Puerperal diseases of the breast.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.
All Ages	140	53	87	306	32	6	6
0—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—
15—	2	—	2	9	1	—	—
20—	13	2	11	44	3	—	3
25—	37	9	28	96	11	3	1
30—	43	19	24	80	7	1	1
35—	28	13	15	55	6	2	—
40—	15	9	6	19	4	—	1
45—	2	1	1	3	—	—	—
50—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—

Causes of Death.	150 (3) Childbirth (unqualified).	XII. 151-153 Diseases of the Skin and Cellular Tissue.		151 Carbuncle, boil.		152 Cellulitis, acute abscess.		152 (1) Cellulitis.		152 (2) Acute abscess.		153 Other diseases of the skin and its annexa.	
Ages at Death.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	20	863	685	311	190	275	220	230	162	45	58	277	275
0—	—	123	87	5	3	30	31	12	18	18	13	88	53
1—	—	12	18	—	2	5	7	4	5	1	2	7	9
5—	—	5	3	2	—	2	2	2	1	—	1	1	1
10—	—	13	16	8	8	4	5	4	4	—	1	1	3
15—	1	22	16	10	9	10	7	5	4	5	3	2	—
20—	—	24	7	15	6	5	1	4	1	1	—	4	—
25—	7	24	12	16	7	7	3	6	3	1	—	1	2
30—	5	31	21	18	11	10	6	10	3	—	3	3	4
35—	4	36	14	21	5	12	7	11	3	1	4	3	2
40—	3	30	18	18	12	10	2	8	1	2	1	2	4
45—	—	37	31	12	15	15	10	13	7	2	3	10	6
50—	—	43	33	19	15	16	10	16	5	—	5	8	8
55—	—	51	51	23	24	20	14	15	12	5	2	8	13
60—	—	86	50	33	14	28	15	28	11	—	4	25	21
65—	—	89	74	37	13	32	24	28	21	4	3	20	37
70—	—	83	72	35	17	23	30	20	25	3	5	25	25
75—	—	80	67	22	11	25	22	24	16	1	6	33	34
80—	—	74	95	17	18	21	24	20	22	1	2	36	53

TABLE 21—continued.

Causes of Death.	157 (e) (5) Congenital malformation, unspecified.		XV. 158-161 Diseases of Early Infancy.		158 Congenital debility.		159 Premature birth.		160 Injury at birth.		160 (a) With mention of Cæsarean section.		160 (b) Without mention of Cæsarean section.		161 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	18	21	8176	5998	640	409	5307	4136	1066	583	3	3	1063	580	1163	870
0—	18	21	8176	5998	640	409	5307	4136	1066	583	3	3	1063	580	1163	870
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of death.	161 (a) Atelectasis.		161 (b) Icterus neonatorum		161 (c) Other diseases included under 161.		161 (c) (1) Diseases of the umbilicus.		161 (c) (2) Pemphigus neonatorum		161 (c) (3) Other diseases included under 161 (c).		XVI. 162 Old Age.		162 (a) Senile dementia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	717	529	215	112	231	229	37	32	19	17	175	180	6884	10444	301	444
0—	717	529	215	112	231	229	37	32	19	17	175	180	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	1	1
55—	—	—	—	—	—	—	—	—	—	—	—	—	4	10	1	4
60—	—	—	—	—	—	—	—	—	—	—	—	—	45	44	12	15
65—	—	—	—	—	—	—	—	—	—	—	—	—	179	196	26	41
70—	—	—	—	—	—	—	—	—	—	—	—	—	831	1014	75	82
75—	—	—	—	—	—	—	—	—	—	—	—	—	1788	2229	90	118
80—	—	—	—	—	—	—	—	—	—	—	—	—	4035	6949	96	183

TABLE 21—*contd.*

Causes of Death.	162 (b) Other forms of senile decay.		XVII. 163-198 Deaths from Violence.		Suicide.												167 By firearms.	
	M.	F.	M.	F.	163-171 Total.		163 By solid or liquid poisons and corrosive substances.		164 By poisonous gas.		165 By hanging or strangulation.		166 By drowning.					
Ages at Death.					M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6583	10000	*16180	8329	3307	1747	276	243	1164	817	562	144	475	312	237	11		
0—	—	—	412	328	—	—	—	—	—	—	—	—	—	—	—	—		
1—	—	—	593	362	—	—	—	—	—	—	—	—	—	—	—	—		
5—	—	—	554	245	—	—	—	—	—	—	—	—	—	—	—	—		
10—	—	—	369	107	2	1	—	—	—	1	2	—	—	—	—	—		
15—	—	—	794	207	62	21	8	3	17	9	15	1	1	3	10	2		
20—	—	—	1045	217	122	59	9	11	49	27	17	1	15	9	17	1		
25—	—	—	1078	273	149	109	13	14	61	46	25	4	18	14	18	3		
30—	—	—	962	262	215	145	17	25	97	58	34	9	26	25	16	1		
35—	—	—	968	296	258	157	19	23	92	65	42	7	29	25	35	—		
40—	—	—	849	308	211	166	17	21	93	87	31	13	16	22	14	3		
45—	—	—	976	398	296	207	25	32	118	106	35	24	34	30	24	—		
50—	1	1	1133	433	343	222	34	35	110	96	62	24	56	48	25	1		
55—	3	6	1291	494	453	204	40	19	146	104	71	18	74	47	26	—		
60—	33	29	1421	594	458	173	38	24	146	77	100	16	80	37	19	—		
65—	153	155	1139	670	337	133	26	14	107	69	62	12	58	26	18	—		
70—	756	932	989	786	221	80	14	10	77	35	36	8	42	16	8	—		
75—	1698	2111	829	883	125	48	12	10	34	26	16	6	21	4	5	—		
80—	3939	6766	778	1466	55	22	4	2	17	11	14	1	5	6	2	—		

Causes of Death.	Suicide—continued.								Homicide.								176-194 Accidental deaths.	
	168 By cutting or piercing instruments		169 By jumping from high places.		170 By crushing.		171 By other means.		172-175 Total.		172* By firearms.		174 By cutting or piercing instruments		175 By other means.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Ages	363	59	84	61	137	33	9	67	90	117	5	16	9	13	76	88	†11940	6163
0—	—	—	—	—	—	—	—	—	25	18	—	—	2	1	23	17	369	290
1—	—	—	—	—	—	—	—	—	9	16	1	—	2	—	6	16	575	342
5—	—	—	—	—	—	—	—	—	8	8	—	1	1	—	7	7	532	234
10—	—	—	—	—	—	—	—	—	5	5	1	1	—	2	4	2	356	98
15—	1	—	1	1	9	—	—	2	8	5	—	2	—	—	8	3	703	173
20—	1	2	4	2	8	—	2	6	3	11	1	—	1	1	1	10	878	131
25—	5	1	3	6	6	5	—	16	4	13	—	2	2	2	2	9	877	127
30—	13	7	4	2	7	5	1	13	2	2	—	—	—	—	2	2	699	92
35—	21	5	8	10	11	5	1	17	1	11	—	4	—	1	1	6	652	101
40—	25	4	4	4	11	4	—	8	2	4	—	1	—	—	2	3	557	118
45—	34	6	10	5	13	2	3	2	4	6	—	2	—	—	4	4	599	154
50—	31	11	14	5	10	2	1	—	4	4	—	2	—	1	4	1	700	186
55—	69	10	7	4	20	1	—	1	5	3	1	—	—	1	4	2	735	262
60—	47	6	7	7	20	6	1	—	3	5	—	1	1	3	2	1	865	395
65—	46	3	12	6	8	2	—	1	5	2	1	—	—	1	4	1	727	518
70—	31	4	5	5	8	1	—	1	—	—	—	—	—	—	—	—	740	686
75—	31	—	1	2	5	—	—	—	1	1	—	—	—	—	1	1	667	821
80—	8	—	4	2	1	—	—	—	1	3	—	—	—	—	1	3	709	1435

† In addition to these numbers, 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934. For ages see Table 25, page 256.

*172, Infanticide. Deaths from this cause are included under Nos. 173-175.

TABLE 21—contd.

Causes of Death.	176*		178		179		180		181		182		183		185*	
	177 Food poisoning.		Accidental absorption of irrespirable or poisonous gas.		Other acute accidental poisoning (not by gas).		Conflagration.		Accidental burns (conflagration excepted).		Accidental mechanical suffocation.		Accidental drowning.		184 Accidental injury by firearms.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	15	15	119	84	31	41	48	55	520	727	305	184	703	110	84	6
0—	1	1	2	—	1	—	1	4	34	34	230	154	6	2	—	—
1—	1	1	2	5	8	6	6	9	220	158	10	11	85	22	1	—
5—	1	—	2	3	—	—	2	2	21	54	6	—	128	18	2	—
10—	—	1	—	—	1	—	1	—	4	20	12	1	71	2	7	1
15—	1	—	7	1	—	—	1	2	20	28	2	—	72	5	17	2
20—	—	—	6	2	—	—	2	3	13	14	3	—	37	4	10	1
25—	2	1	8	4	2	1	6	1	20	19	1	1	42	5	9	1
30—	—	1	7	1	3	3	1	1	11	16	3	—	39	4	7	—
35—	1	1	8	5	3	—	1	—	10	13	2	1	40	5	5	—
40—	1	—	8	2	—	4	1	—	12	19	5	1	25	3	2	—
45—	1	—	10	4	—	5	5	3	18	26	2	2	22	3	8	1
50—	2	2	11	7	2	6	2	2	12	22	5	2	27	7	2	—
55—	1	2	8	5	5	4	3	4	9	26	5	3	26	5	4	—
60—	2	3	7	7	1	3	3	3	25	29	6	4	39	8	3	—
65—	—	2	5	9	1	4	1	3	17	47	4	—	17	7	4	—
70—	—	—	9	9	2	1	4	7	25	53	2	4	15	1	—	—
75—	1	—	7	8	1	4	4	7	27	65	4	—	7	5	3	—
80—	—	—	12	12	1	—	4	4	22	84	3	—	5	4	—	—

* 176, Attack by venomous animals, 5, 35, 40, 50, 60, 30, 45, 45, 65, 65.

185, Accidental injury by cutting or piercing instruments 0, 0, 1, 5, 10, 15, 15, 20, 25, 40, 45, 60, 60, 60, 10.

Causes of Death.	186		187*		189*		191*		193		194		194 (1)		194 (2)	
	Accidental injury by fall, crushing, etc.		188. Injury by animals (poisoning by venomous animals excepted)		190 Excessive cold.		192 Lightning.		Electricity (lightning excepted).		Other and unstated forms of accidental violence.		Inattention at birth.		Other causes included under 194.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9592	4746	36	4	14	9	20	4	79	12	†338	153	69	78	†269	75
0—	14	13	—	—	—	—	—	—	—	—	77	82	69	78	8	4
1—	220	118	—	—	—	—	—	—	6	1	12	10	—	—	12	10
5—	346	145	1	—	—	—	2	—	5	—	14	12	—	—	14	12
10—	235	68	1	—	—	—	—	—	1	1	22	3	—	—	22	3
15—	544	132	2	—	—	—	1	—	12	2	22	1	—	—	22	1
20—	770	103	—	—	1	—	1	—	12	3	22	1	—	—	22	1
25—	752	90	—	—	—	—	4	1	14	1	15	2	—	—	15	2
30—	595	60	2	—	—	—	1	1	9	2	21	2	—	—	21	2
35—	555	66	1	—	—	—	2	1	6	2	16	7	—	—	16	7
40—	477	85	—	—	—	—	1	—	6	—	17	4	—	—	17	4
45—	511	105	3	—	—	—	—	—	1	—	17	3	—	—	17	3
50—	597	133	6	—	1	1	2	1	1	—	25	2	—	—	25	2
55—	642	204	4	—	1	3	2	—	1	—	22	5	—	—	22	5
60—	748	330	4	—	4	—	—	—	3	—	13	7	—	—	13	7
65—	659	435	3	1	4	3	2	—	—	—	10	4	—	—	10	4
70—	673	606	3	1	1	1	1	—	1	—	4	2	—	—	4	2
75—	600	726	5	2	1	—	—	—	—	—	6	3	—	—	6	3
80—	654	1327	1	—	1	1	1	—	1	—	3	3	—	—	3	3

* 187 Cataclysm—

189, Hunger or thirst 60, 60, 60, 75, 80, 50, 70, 75.

191, Excessive heat 0, 1, 1, 1, 25, 35, 50, 50, 50, 50, 55, 55, 1, 55, 60, 65.

† In addition to these numbers, 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934. For ages see Table 25, page 256.

TABLE 21—continued.

Causes of Death.	195 Violent deaths of unstated nature (i.e., accidental, suicidal, etc.).		197, 198* 196 Wounds of war.		XVIII. 199-200 Ill-defined Diseases.		199 Sudden death.		200 Cause of death un- stated or ill-defined.		200 (1) Heart failure.		200 (2) Other ill-defined causes.		200 (3) Cause not specified.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	765	302	73	—	541	382	103	78	438	304	361	254	31	20	46	30
0—	18	20	—	—	16	11	2	—	14	11	—	—	2	3	12	8
1—	9	4	—	—	5	5	—	—	5	5	—	—	5	5	—	—
5—	14	3	—	—	3	—	1	—	2	—	—	—	2	—	—	—
10—	6	3	—	—	—	1	—	—	—	1	—	—	—	—	—	1
15—	19	8	1	—	1	1	1	1	—	—	—	—	—	—	—	—
20—	40	16	2	—	1	3	—	1	1	2	—	2	1	—	—	—
25—	43	24	4	—	2	4	—	—	2	4	1	3	—	—	1	1
30—	41	23	4	—	7	5	3	—	4	5	1	1	1	2	2	2
35—	52	27	4	—	20	2	4	—	16	2	9	1	—	1	7	—
40—	62	20	16	—	9	9	2	5	7	4	4	4	—	—	3	—
45—	62	31	15	—	18	17	6	5	12	12	6	10	2	1	4	1
50—	73	21	13	—	26	14	5	4	21	10	19	9	2	—	—	1
55—	88	25	10	—	56	35	6	9	50	26	47	23	1	1	2	2
60—	92	21	3	—	72	35	17	7	55	28	48	23	4	3	3	2
65—	69	17	1	—	82	54	14	10	68	44	61	39	5	1	2	4
70—	28	20	—	—	92	46	20	10	72	36	62	32	6	—	4	4
75—	36	13	—	—	82	68	16	11	66	57	61	54	—	1	5	2
80—	13	6	—	—	49	72	6	15	43	57	42	53	—	2	1	2

* 197, Execution of civilians by belligerent armies —.

198, Execution 15, 25, 30, 35, 40.

TABLE 21A. CAUSES OF DEATH OF NON-CIVILIAN MALES AT DIFFERENT AGE PERIODS REGISTERED ON AND AFTER 3RD SEPTEMBER, 1939, CLASSIFIED ACCORDING TO (A) THE DETAILED INTERNATIONAL LIST (SEE PAGE 9) AND (B) THE ABRIDGED LIST (SEE PAGE 161).

England and Wales

(A)

Inter- national List No.	Causes of Death.	All Ages	15-	20-	25-	30-	35-	40-	45-	50-	55 & up
	All Causes	836	120	256	161	60	69	54	50	41	25
	Diphtheria	3	1	1	—	—	1	—	—	—	—
1a: 1	Influenza with pneumonic complications	1	—	1	—	—	—	—	—	—	—
1a: 2	Influenza with other respiratory complications	1	—	—	—	—	—	—	—	1	—
7	Encephalitis lethargica	2	—	—	—	—	—	—	—	1	—
3	Cerebro-spinal fever	13	2	10	1	—	—	—	—	—	—
3	Tuberculosis of the respiratory system	20	1	3	8	1	1	1	3	1	1
4	Tuberculosis of the central nervous system	4	1	3	—	—	—	—	—	—	—
2a	Disseminated tuberculosis: acute	2	2	—	—	—	—	—	—	—	—
4b, c	Syphilis: acquired or unspecified	4	—	—	—	—	1	—	3	—	—
5: 2	Other diseases included under 35	1	—	—	—	—	1	—	—	—	—
6a	Septicæmia	2	2	—	—	—	—	—	—	—	—
4: 2	Other sequelæ of vaccination	1	—	—	—	—	1	—	—	—	—
5	Cancer of the buccal cavity and pharynx	1	—	—	—	—	—	1	—	—	—
5	Cancer of the digestive organs and peritoneum	9	1	1	—	1	—	2	2	1	1
7	Cancer of the respiratory organs	4	—	—	—	—	—	2	—	1	—
1	Cancer of the male genito-urinary organs	5	1	—	1	1	—	1	1	—	—
3	Cancer of other or unspecified organs	1	—	—	—	—	—	—	—	—	1
4b	Non-malignant tumours	1	—	—	—	—	1	—	—	—	—
5b	Tumours of undetermined nature	5	1	—	—	—	1	—	—	1	2
5	Rheumatic fever	1	—	—	—	—	1	—	—	—	—
9	Diabetes	1	—	1	—	—	—	—	—	—	—
5b	Exophthalmic goitre	1	—	—	—	—	—	—	1	—	—
7	Diseases of the thymus	1	1	—	—	—	—	—	—	—	—
2a	Leukæmia	1	—	1	—	—	—	—	—	—	—
2b: 1	Aleukæmia (Lymphadenoma)	1	—	—	—	—	—	—	1	—	—
3: 2	Other diseases of the spleen	1	—	—	—	—	—	—	—	—	—
9	Meningitis	2	—	2	—	—	—	—	—	—	—
1: 3	Myelitis of unstated origin	1	1	—	—	—	—	—	—	—	—
2a: 1	Cerebral hæmorrhage so returned	5	—	—	—	1	1	—	2	—	1
2b: 2	Cerebral thrombosis	1	—	—	—	—	—	—	—	1	—
3	General paralysis of the insane	2	—	—	—	1	—	1	—	—	—
4a	Dementia præcox	1	—	—	1	—	—	—	—	—	—
4b	Other forms of insanity	1	1	—	—	—	—	—	—	—	—
5	Epilepsy	1	—	—	—	1	—	—	—	—	—
7d	Disseminated sclerosis	1	—	—	—	1	—	—	—	—	—
7e	Other diseases included under 87	1	—	—	—	—	—	—	1	—	—
9a	Otitis and other diseases of the ear	1	—	1	—	—	—	—	—	—	—
9b	Diseases of the mastoid sinus	1	1	—	—	—	—	—	—	—	—
1: 1	Malignant endocarditis	9	1	4	—	2	—	2	—	—	—
2: 1	Aortic valve disease	2	—	—	—	1	—	—	—	1	—
2: 2	Mitral valve disease	4	—	1	—	1	—	—	1	1	—
2: 3	Aortic and mitral valve disease	1	—	—	—	—	—	—	—	—	1
2: 5	Other or unspecified valve disease	2	—	—	1	—	—	1	—	—	—
3a	Acute myocarditis	1	—	—	—	1	—	—	—	—	—
3b: 1	Fatty heart	2	—	—	—	1	—	—	1	—	—
3b: 2	Cardio-vascular degeneration	3	—	—	—	—	—	1	—	—	2
3b: 3	Other diseases included under 93b	7	—	—	—	—	—	1	—	4	2
9c	Myocarditis not distinguished as acute or chronic	3	—	—	—	—	—	—	1	2	—
4	Diseases of the coronary arteries, angina pectoris	12	—	—	—	—	2	3	3	3	1
5a	Disordered action of heart	2	—	—	—	—	—	1	1	—	—
5b: 2	Heart disease undefined	2	—	—	—	—	1	—	—	1	—
5	Aneurysm	3	1	—	1	—	—	1	—	—	—
7: 3	Arterio-sclerosis without record of cerebral vascular lesion	3	—	—	—	—	1	—	—	1	1
9	Other diseases of the arteries	2	—	1	—	—	—	1	—	—	—
102	Abnormalities of blood pressure	2	—	—	—	—	—	—	1	—	1
106a	Acute bronchitis	5	—	—	—	—	1	1	2	1	—
106b	Chronic bronchitis	2	—	—	—	—	—	1	—	—	1
107	Broncho-pneumonia	15	1	1	3	3	1	2	3	1	—
108	Lobar pneumonia	17	—	8	1	—	2	—	2	2	2
109	Pneumonia (not otherwise defined)	2	—	—	1	—	—	—	—	—	1
110: 1	Empyema	1	—	—	1	—	—	—	—	—	—
111: 1	Hypostatic congestion of lungs	1	—	1	—	—	—	—	—	—	—
112	Asthma	2	—	—	—	—	1	—	—	—	1
115: 1	Diseases of the teeth and gums	1	—	1	—	—	—	—	—	—	—
115: 3	Diseases of the tonsils	1	—	1	—	—	—	—	—	—	—
17a	Ulcer of the stomach	13	1	—	1	3	5	2	—	1	—
17b	Ulcer of the duodenum	4	—	—	—	—	2	—	1	—	1
19 & 20a: 2	Other diarrhoea and enteritis	2	—	—	—	—	1	—	1	—	—
19 & 20b	Ulceration of the intestines	1	—	1	—	—	—	—	—	—	—
21	Appendicitis	13	4	6	1	1	—	1	—	—	—
22a: 2	Hernia not returned as strangulated	1	—	—	—	—	—	—	—	—	—
22b	Intestinal obstruction	10	1	1	4	1	1	1	—	1	—

TABLE 21A—continued.

Inter- national List No.	Causes of Death.	All Ages	15-	20-	25-	30-	35-	40-	45-	50-	55 & up
123 : 2	Diverticulitis	1	—	—	—	—	—	—	1	—	—
125 : 1	Acute yellow atrophy	1	—	—	1	—	—	—	—	—	—
128	Diseases of the pancreas	2	—	—	1	—	—	—	1	—	—
129	Peritonitis without stated cause	1	—	—	—	—	—	—	—	—	—
130	Acute nephritis	7	4	—	1	1	—	1	—	—	—
131	Chronic nephritis	3	—	1	1	—	—	—	1	—	—
133a	Pyelitis	1	—	—	1	—	—	—	—	—	—
133b	Other diseases included under 133	2	—	1	—	—	—	1	—	—	—
151	Carbuncle, boil	1	—	1	—	—	—	—	—	—	—
153	Other diseases of the skin and its annexa	1	—	—	—	—	—	1	—	—	—
157c	Congenital malformation of heart	1	1	—	—	—	—	—	—	—	—
157e : 4	Other stated congenital malformations	1	—	1	—	—	—	—	—	—	—
163	Suicide by solid or liquid poisons and corrosive substances	3	—	—	—	—	2	—	—	—	1
164	" " poisonous gas	9	—	1	4	1	—	2	—	1	—
165	" " hanging or strangulation	3	—	1	1	—	1	—	—	—	—
166	" " drowning	2	—	2	—	—	—	—	—	—	—
167	" " firearms	14	—	5	1	3	1	2	2	—	—
168	" " cutting or piercing instruments	2	—	—	—	—	—	1	1	—	—
170	" " crushing	5	1	1	3	—	—	—	—	—	—
175	Homicide by other means	1	—	—	—	1	—	—	—	—	—
177	Food poisoning	1	—	—	1	—	—	—	—	—	—
178	Accidental absorption of irrespirable or poisonous gas	2	—	1	—	—	—	—	—	1	—
180	Conflagration	1	—	—	—	1	—	—	—	—	—
181	Accidental burns (conflagration excepted)	1	1	—	—	—	—	—	—	—	—
182	Accidental mechanical suffocation	3	1	1	1	—	—	—	—	—	—
183	" drowning	18	1	6	2	1	3	2	2	1	—
184	" injury by firearms	15	6	2	3	3	1	—	—	—	—
186	" fall, crushing, etc.	391	61	158	86	21	26	15	10	11	3
194 : 2	Other causes included under 194	3	—	1	1	1	—	—	—	—	—
195	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.)	12	2	2	3	1	3	—	1	—	—
196	Wounds of war	69	16	20	22	4	3	3	—	1	—
198	Execution	2	—	—	2	—	—	—	—	—	—
199	Sudden death	1	1	—	—	—	—	—	—	—	—

(B)

Causes of Death.	All Ages	5-	15-	25-	35-	45-	55-	65-
All Causes	836	1	375	221	123	91	19	6
1 Typhoid and paratyphoid fevers	—	—	—	—	—	—	—	—
2 Measles	—	—	—	—	—	—	—	—
3 Scarlet fever	—	—	—	—	—	—	—	—
4 Whooping Cough	—	—	—	—	—	—	—	—
5 Diphtheria	3	—	2	—	1	—	—	—
6 Influenza	2	—	1	—	—	1	—	—
7 Encephalitis lethargica	2	—	—	1	—	1	—	—
8 Cerebro-spinal fever	13	—	12	1	—	—	—	—
9 Tuberculosis of respiratory system	20	—	4	9	2	4	1	—
10 Other tuberculous diseases	6	—	6	—	—	—	—	—
11 Syphilis	4	—	—	—	1	3	—	—
12 General paralysis of insane, tabes dorsalis	2	—	—	1	1	—	—	—
13 Cancer, malignant disease	20	—	3	3	6	5	2	1
14 Diabetes	1	—	1	—	—	—	—	—
15 Cerebral hemorrhage	6	—	—	1	1	3	—	1
16 Heart disease	50	—	6	6	13	19	4	2
17 Aneurysm	3	—	1	1	1	—	—	—
18 Other circulatory diseases	7	—	1	—	2	2	2	—
19 Bronchitis	7	—	—	—	3	3	1	—
20 Pneumonia (all forms)	34	—	10	8	5	8	2	1
21 Other respiratory diseases	4	—	1	1	1	—	1	—
22 Peptic ulcer	17	—	1	4	9	2	1	—
23 Diarrhea, etc.	3	—	1	—	1	1	—	—
24 Appendicitis	13	—	10	2	1	—	—	—
25 Cirrhosis of liver	—	—	—	—	—	—	—	—
26 Other diseases of liver, etc.	1	—	—	1	—	—	—	—
27 Other digestive diseases	17	1	3	8	—	3	—	—
28 Nephritis	10	—	5	3	1	1	—	—
31 Congenital malformations	2	—	2	—	—	—	—	—
32 Senility	—	—	—	—	—	—	—	—
33 Suicide	38	—	11	13	9	4	1	—
34 Other violence	519	—	279	154	56	27	2	1
35 Other defined causes	31	—	14	4	7	4	2	—
36 Ill-defined causes	1	—	1	—	—	—	—	—

† Includes 175 deaths due to Flying accidents which are assigned to 196c in the revised classification, See Appendix BII.

TABLE 22.—CAUSES OF DEATH OF CHILDREN UNDER FIVE } { ENGLAND AND WALES.
AT DIFFERENT AGE-PERIODS, 1939.

Inter- national List Number	Causes of Death.	Total under 5 years	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year	2 years	3 years	4-5 years
	ALL CAUSES {M F	22,169 16,945	9,897 7,504	2,939 1,965	2,492 1,858	2,542 1,993	1,941 1,666	969 823	723 619	666 517
7	Measles {M F	135 117	— 1	5 2	10 4	34 33	40 32	30 22	4 13	12 10
8	Scarlet fever {M F	44 40	— —	— —	1 —	2 3	8 7	12 6	7 16	14 8
9	Whooping cough {M F	549 683	8 7	80 99	96 106	158 159	127 196	36 61	29 32	15 23
10	Diphtheria {M F	450 387	4 2	4 6	5 2	16 12	49 37	110 85	144 120	118 123
11	Influenza {M F	236 157	8 8	39 18	42 19	56 38	40 40	26 15	13 8	12 11
15	Erysipelas {M F	22 8	7 2	9 2	1 —	2 2	1 2	1 —	— —	1 —
16	Acute poliomyelitis {M F	23 16	— —	2 —	2 1	4 2	7 1	3 5	2 2	3 5
	1. Acute poliomyelitis {M F	11 9	— —	1 —	1 —	3 1	2 1	2 2	1 2	1 3
	2. Acute polioencephalitis {M F	12 7	— —	1 —	1 1	1 1	5 —	1 3	1 —	2 2
17	Encephalitis lethargica {M F	7 6	— —	— —	— —	1 1	3 1	— —	2 3	1 1
18	Cerebro-spinal fever {M F	134 110	1 —	12 6	25 17	37 26	29 33	18 14	6 10	6 4
23-32	Tuberculosis, all forms {M F	679 555	4 2	8 2	48 34	120 101	216 180	128 105	82 79	73 52
23	Tuberculosis, respiratory system {M F	83 58	— 1	2 —	7 2	20 12	30 21	9 10	7 7	8 5
24	Tuberculosis, central nervous system {M F	402 348	— —	4 1	23 14	59 58	136 117	85 70	50 54	45 34
25	Tuberculosis, intestines and peritoneum {M F	65 45	1 —	1 —	7 3	14 9	19 15	4 10	11 4	8 4
26-31	Tuberculosis, other organs {M F	12 8	1 —	— —	— 1	3 —	3 2	3 4	— 1	2 —
32	Disseminated tuberculosis {M F	117 96	2 1	1 1	11 14	24 22	28 25	27 11	14 13	10 9
	(a) Acute {M F	88 62	2 —	1 1	10 11	17 15	21 17	18 7	11 4	8 7
	(b) and (c) Others included under 32 {M F	29 34	— 1	— —	1 3	7 7	7 8	9 4	3 9	2 2
34	(a) Congenital syphilis {M F	66 61	18 25	25 20	14 10	4 3	3 2	1 —	1 1	— —
35	1. Gonorrhoeal or purulent ophthalmia {M F	4 8	3 3	3 4	— 1	— —	— —	— —	— —	— —
36	Purulent infection, septicaemia {M F	44 28	6 4	9 5	9 4	8 6	3 1	3 4	4 3	2 1
44	1. Vaccinia {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —
	2. Other sequelae of vaccina- tion {M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —
	3. German measles {M F	2 2	— —	— —	— —	2 —	— —	— —	2 —	— —
	4. Varicella {M F	12 7	— —	— —	1 1	6 3	4 1	1 —	— 1	— 1

TABLE 22—continued.

Inter- national List Number	Causes of Death.	Total under 5 years	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year	2 years	3 years	4-5 years
44	5. Mumps { F	— 3	—	—	—	1	—	1	—	1
45-53	Cancer, malignant disease .. { F	62 60	1 5	3 3	3 3	4 6	12 10	17 16	12 7	10 10
56	Rheumatic fever { F	19 16	—	—	—	—	1 2	2 2	4 7	13 6
60	Scurvy { F	2 4	—	1 —	—	1	1 2	1	—	—
63	1. Rickets { F	67 35	—	2 —	15 8	24 14	19 12	4 1	2 —	1 —
67	Diseases of the thymus .. { F	64 41	10 8	15 6	21 15	5 8	5 2	3 2	2 —	3 —
70	(a) Purpura { F	28 25	9 8	5 1	2 4	1 3	3 3	2 4	3 1	3 1
	(b) Hæmophilia { F	86 51	81 50	2 1	—	1	—	2	—	—
72	(a) Leukæmia { F	56 35	—	2 1	3 3	2 2	14 4	9 10	12 8	14 7
79	Meningitis { F	220 158	13 13	16 12	36 34	55 36	54 28	25 15	8 9	13 11
85	Epilepsy { F	47 37	5 4	3 2	2 —	5 4	11 4	8 11	6 5	7 7
86	Infantile convulsions .. { F	478 323	229 132	94 46	54 49	51 51	36 36	12 4	1 2	1 3
87	Other diseases of the nervous system { F	55 46	10 9	— 3	2 6	11 5	15 6	4 8	8 3	5 6
89	Diseases of the ear and mastoid sinus { F	257 171	4 3	27 24	87 50	79 48	29 20	10 12	11 8	10 6
	(a) Otitis and other diseases of the ear { F	147 93	3 3	18 14	49 23	49 29	13 10	6 7	5 6	4 1
	(b) Diseases of the mastoid sinus { F	110 78	1 —	9 10	38 27	30 19	16 10	4 5	6 2	6 5
90-95	Heart disease { F	28 15	2 —	1 —	— 1	2 1	4 4	5 —	5 4	9 5
105	1. Laryngismus stridulus .. { F	15 12	1 —	1 2	3 1	3 2	4 6	1 —	2 1	— —
	2. Laryngitis { F	40 23	3 —	1 —	5 1	7 3	11 9	4 5	4 4	5 1
106	Bronchitis { F	609 536	62 55	143 131	168 142	115 85	72 77	27 23	14 13	8 10
107-109	Pneumonia (all forms) .. { F	3,469 2,657	340 226	631 455	734 542	866 667	559 472	174 166	100 82	65 47
107	Broncho-pneumonia .. { F	2,871 2,211	276 185	553 400	627 464	730 567	446 375	121 125	72 59	46 36
108	Lobar pneumonia { F	317 236	25 19	28 27	46 39	74 51	78 52	36 27	18 17	12 4
109	Pneumonia (not otherwise defined) { F	281 210	39 22	50 28	61 39	62 49	35 45	17 14	10 6	7 7
110	Pleurisy { F	22 16	1 2	1 —	1 1	2 2	8 3	3 4	2 2	4 2
	1. Empyema { F	20 15	1 2	1 —	1 1	2 1	7 3	3 4	2 2	3 2
	2. Other pleurisy { F	2 1	—	—	—	1	1	—	—	1
111	Congestion and hæmorrhagic infarct of lung, etc. .. { F	10 10	1 5	2 2	1 2	3 —	1 1	—	1 —	1 —

TABLE 22—continued.

Inter- national List Number	Causes of Death.	Total under 5 years	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year	2 years	3 years	4-5 years
104, 105 (3) 112- 114	Other respiratory diseases .. {M F	33 31	2 2	3 4	11 1	3 5	7 8	2 3	1 2	4 6
115	1. Diseases of the teeth and gums {M F	17 7	1 —	3 1	— 2	2 2	5 1	1 —	1 —	4 1
	3. Diseases of the tonsils .. {M F	55 37	— 1	— —	2 1	4 5	17 9	8 5	12 10	12 6
118	1. Inflammation of the stomach {M F	82 51	11 6	18 16	29 10	8 9	9 6	5 1	1 2	1 1
119-120	Diarrhoea and enteritis .. {M F	1,692 1,218	138 101	433 274	523 376	423 311	117 116	35 23	14 11	9 6
121	Appendicitis {M F	78 49	— 2	1 —	— —	2 1	11 10	20 11	20 11	24 14
122	Hernia, intestinal obstruction.. {M F	248 115	17 10	25 8	70 30	72 40	39 12	8 10	8 4	9 1
	(a) Hernia {M F	60 6	6 3	13 1	14 —	8 —	14 1	2 1	— —	3 —
	(b) Intestinal obstruction .. {M F	188 109	11 7	12 7	56 30	64 40	25 11	6 9	8 4	6 1
129	Peritonitis, without stated cause {M F	24 36	6 2	2 3	4 3	4 5	3 3	2 8	2 5	1 7
130-132	Nephritis {M F	59 45	6 —	4 3	2 1	11 10	9 12	11 8	7 8	9 3
133	(a) Pyelitis {M F	47 38	12 4	13 1	10 11	7 15	3 5	1 1	— 1	1 —
152	Cellulitis, acute abscess .. {M F	35 38	13 12	11 12	2 2	4 5	2 2	2 1	1 2	— 2
	1. Cellulitis {M F	16 23	8 7	2 8	1 1	1 2	1 1	2 —	1 2	— 2
	2. Acute abscess {M F	19 15	5 5	9 4	1 1	3 3	1 1	— 1	— —	— —
151, 153	Other diseases of the skin .. {M F	100 67	12 4	15 11	29 21	37 20	5 6	1 3	1 1	— 1
154	Acute infective osteomyelitis and periostitis .. {M F	35 25	1 2	9 5	2 1	3 3	3 3	5 2	5 6	7 3
157	Congenital malformation .. {M F	2,117 1,771	1,238 1,068	494 329	169 147	117 110	56 60	26 35	10 12	7 10
	(a) Congenital hydro- cephalus {M F	138 118	49 48	21 13	20 16	26 23	10 6	6 6	4 5	2 1
	(b) Spina bifida and meningocele {M F	475 694	313 452	99 147	29 58	20 30	10 6	3 1	1 —	— —
	(c) Congenital malformation of heart {M F	779 522	543 292	90 80	55 43	47 39	24 36	13 20	4 4	3 8
	(d) Monstrosities {M F	35 64	35 63	— —	— —	— —	1 —	— —	— —	— —
	(e) Other congenital mal- formations {M F	690 373	298 213	284 89	65 30	24 18	12 11	4 8	1 3	2 1
	1. Congenital pyloric stenosis {M F	279 66	31 11	209 42	38 12	1 —	— —	— 1	— —	— —
	2. Cleft palate, harelip .. {M F	68 59	21 32	22 17	11 4	7 2	4 2	1 2	— —	— 2
	3. Imperforate anus .. {M F	51 14	43 11	6 3	— —	— —	— —	— —	— —	— —
	4. Other stated congenital malformations .. {M F	274 213	187 140	46 26	13 14	16 15	8 9	3 5	1 3	— 1
	5. Congenital malforma- tion, unspecified .. {M F	18 21	16 19	1 1	1 —	— 1	— —	— —	— —	— —

TABLE 22—continued.

Inter- national List Number	Causes of Death.	Total under 5 years	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year	2 years	3 years	4-5 years
158	Congenital debility {M F	640 409	375 270	178 84	63 46	24 9	— —	— —	— —	— —
159	Premature birth {M F	5,307 4,136	4,916 3,870	351 230	36 34	4 2	— —	— —	— —	— —
160	Injury at birth {M F	1,066 583	1,036 561	25 12	3 8	2 2	— —	— —	— —	— —
	(a) With mention of Caesarean section {M F	3 3	2 3	1 —	— —	— —	— —	— —	— —	— —
	(b) Without mention of Caesarean section {M F	1,063 580	1,034 558	24 12	3 8	2 2	— —	— —	— —	— —
161	Other diseases peculiar to early infancy {M F	1,163 870	1,085 835	78 35	— —	— —	— —	— —	— —	— —
	(a) Atelectasis {M F	717 529	693 512	24 17	— —	— —	— —	— —	— —	— —
	(b) Icterus neonatorum .. {M F	215 112	186 107	29 5	— —	— —	— —	— —	— —	— —
	(c) Other diseases under 161 {M F	231 229	206 216	25 13	— —	— —	— —	— —	— —	— —
	1. Diseases of the umbilicus {M F	37 32	32 27	5 5	— —	— —	— —	— —	— —	— —
	2. Pemphigus neonatorum {M F	19 17	14 14	5 3	— —	— —	— —	— —	— —	— —
	3. Other diseases under 161 (c) {M F	175 180	160 175	15 5	— —	— —	— —	— —	— —	— —
163-198	Violent deaths {M F	1,005 690	150 141	89 59	102 70	71 58	208 128	130 83	122 78	133 73
173-175	Homicide* {M F	34 34	15 9	3 4	6 3	1 2	1 2	3 5	2 4	3 5
181	Accidental burns (conflagration excepted) {M F	254 192	3 2	1 2	4 8	26 22	122 73	52 38	26 26	20 21
	1. By clothing {M F	12 29	— —	1 1	— 1	1 3	2 3	4 6	2 10	3 8
	2. Otherwise (or not stated how) {M F	38 32	2 1	1 —	1 4	4 8	15 7	9 5	4 4	2 3
	3. Scalds {M F	204 131	1 1	— 1	3 3	21 14	105 63	39 27	20 12	15 10
182	Accidental mechanical suffocation {M F	240 165	48 36	79 49	80 50	23 19	8 7	2 2	— 1	— 1
	1. In bed or not stated how {M F	183 119	42 30	66 41	58 37	13 8	3 2	1 —	— —	— 1
	2. Otherwise than in 1 .. {M F	57 46	6 6	13 8	22 13	10 11	5 5	1 2	— 1	— —
183	Accidental drowning {M F	91 24	1 2	1 —	1 —	3 —	22 8	25 4	15 4	23 6
186	Accidental injury by fall, crushing, etc. {M F	234 131	— —	1 —	3 3	10 10	42 25	37 22	65 39	76 32
	1. Road vehicles {M F	176 95	— —	— —	1 5	2 5	24 12	27 14	57 34	65 30
	2. Otherwise {M F	58 36	— —	1 —	2 3	8 5	18 13	10 8	8 5	11 2
	Other violence, including in- attention at birth .. {M F	152 144	83 92	4 4	8 6	8 5	13 13	11 12	14 4	11 8
	Other causes {M F	324 270	47 39	43 25	43 33	58 53	59 52	31 27	27 20	16 21

* 172 Infanticide. Deaths from this cause are included under Nos. 173-175.

TABLE 23.—DEATHS BY MONTH OF OCCURRENCE AND CAUSE, } { England and Wales.
1938-1939. Non-civilian deaths registered on and after }
3rd September, 1939 are excluded.

NOTE.—(a) The figures for the last three months of 1939 are shown in Appendix C., page 335.
(b) Totals for any period made up from this table will differ from the corresponding figures shown in other tables which are tabulated according to date of registration.
(c) The relation of the detailed International List of Causes of Death to the Intermediate International List will be found in the first column of Table 6.

Inter- national List No.	Causes of Death.	1938.			1939.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	ALL CAUSES {M	18749	19140	23790	27586	24435	25375	22777	20615	18201	17834	17329	17961
 {F	18071	18129	22477	27266	24553	24307	21636	19384	17342	16938	16644	16802
1-44.	I.—Infectious & Parasitic Diseases {M	1649	1611	1921	2091	2930	2973	2391	1924	1616	1473	1333	1386
 {F	1263	1265	1507	2475	2697	2485	1826	1475	1249	1090	1056	1099
1 & 2	Typhoid and paratyphoid {M	9	12	7	9	2	6	3	6	2	3	6	6
 {F	6	5	5	5	5	4	3	2	5	4	5	5
1	Typhoid fever {M	7	10	7	9	2	6	3	6	1	2	5	4
 {F	5	4	3	5	4	4	3	2	4	4	4	3
2	Paratyphoid fevers {M	2	2	—	—	—	—	—	—	1	1	1	2
 {F	1	1	2	—	1	—	—	—	1	—	1	2
3	Typhus fever {M	—	—	—	—	—	—	—	—	—	—	—	—
 {F	—	—	—	—	—	—	—	—	—	—	—	—
4	Relapsing fever ("Spirillum obermeieri") {M	—	—	—	—	—	—	—	—	—	—	—	—
 {F	—	—	—	—	—	—	—	—	—	—	—	—
5	Undulant fever {M	—	2	1	1	—	—	—	—	—	—	1	—
 {F	1	—	1	—	—	2	1	—	—	—	1	—
6	Small-pox {M	—	—	1	—	—	—	—	—	—	—	—	—
 {F	—	—	—	—	—	—	—	—	—	—	—	—
7	Measles {M	8	7	13	11	19	23	26	11	14	16	11	3
 {F	5	5	16	12	8	14	24	12	16	15	10	7
8	Scarlet fever {M	8	10	14	9	10	11	13	12	4	7	3	9
 {F	9	7	18	13	10	5	11	14	6	13	8	7
9	Whooping cough {M	12	29	35	50	61	83	66	71	52	42	38	41
 {F	22	48	51	72	75	102	94	83	65	52	42	41
10	Diphtheria {M	119	98	132	141	115	100	96	75	60	80	59	86
 {F	106	125	125	146	115	95	74	69	62	66	64	82
11	Influenza {M	117	116	212	862	1126	919	519	220	96	48	57	49
 {F	91	123	245	1054	1374	1003	511	173	51	46	42	46
	(a) With respiratory complications {M	67	69	130	629	797	639	358	142	52	21	34	31
 {F	53	70	146	729	951	683	298	91	25	22	15	24
	(1) With pneumonic complications {M	43	56	94	424	513	388	235	89	34	15	27	22
 {F	32	42	101	452	596	382	164	55	15	14	12	20
	(2) With other respiratory complications {M	24	13	36	205	284	251	123	53	18	6	7	9
 {F	21	28	45	277	355	301	134	36	10	8	3	4
	(b) Without respiratory complications {M	50	47	82	233	329	280	161	78	44	27	23	18
 {F	38	53	99	325	423	320	213	82	26	24	27	22
	(1) With non-respiratory complications {M	41	35	64	166	236	195	119	64	43	22	20	18
 {F	35	45	65	241	288	222	168	71	20	22	21	19
	(2) Without stated complications {M	9	12	18	67	93	85	42	14	1	5	3	—
 {F	3	8	34	84	135	98	45	11	6	2	6	3
12	Cholera {M	—	—	—	—	—	—	—	—	—	—	—	—
 {F	—	—	—	—	—	—	—	—	—	—	—	—
13	Dysentery {M	6	5	6	2	8	3	4	12	2	4	5	3
 {F	2	4	2	6	2	3	—	3	1	3	3	1
	(a) Amoebic {M	—	—	1	—	1	1	1	3	—	1	2	—
 {F	—	1	—	1	—	—	—	—	—	1	—	—
	(b) Bacillary {M	2	3	1	1	3	—	3	2	1	2	2	—
 {F	2	1	3	5	2	2	—	3	1	1	3	2
	(c) Other or unspecified {M	3	2	2	1	4	2	—	7	1	1	1	1
 {F	—	2	1	—	—	1	—	—	—	1	—	1

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1938.			1939.											
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.			
14	Plague { F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(a) Bubonic { F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(b) Pneumonic { F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(c) Septicæmic { F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(d) Not otherwise defined { F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15	Erysipelas { F	15 9	6 10	19 29	20 18	24 15	17 22	20 15	13 18	11 18	7 7	12 6	1	—	—	—
16	Acute poliomyelitis { F	27 17	15 13	12 12	11 6	9 5	4 4	1 1	4 3	4 4	5 5	10 6	1	—	—	—
	(1) Acute poliomyelitis { F	20 12	12 7	9 8	9 6	6 4	3 3	1 —	1 1	1 2	2 2	5 3	—	—	—	—
	(2) Acute polioencephalitis { F	7 5	3 6	3 4	2 —	3 1	1 1	— 1	3 2	3 2	3 3	5 3	—	—	—	—
17	Encephalitis lethargica { F	27 21	29 17	21 19	39 39	37 21	40 32	30 37	30 34	28 29	21 16	25 17	30 2	—	—	—
18	Cerebro-spinal fever { F	20 9	18 8	24 16	26 25	33 21	38 32	38 25	21 24	19 20	24 5	12 8	1	—	—	—
19	Glanders { F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20	Anthrax { F	1 —	—	1 1	1 —	— 1	—	1 1	—	—	1 —	—	—	—	—	—
21	Rabies { F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Tetanus { F	2 1	7 3	3 —	8 —	5 3	4 —	10 2	2 2	4 7	5 1	4 1	8 —	—	—	—
23-32	Tuberculosis (all forms) { F	1152 918	1147 838	1284 916	1581 1015	1364 974	1595 1107	1447 953	1333 970	1223 908	1108 813	992 794	1013 816	—	—	—
23	Respiratory system { F	993 760	993 704	1112 766	1358 829	1188 824	1381 937	1245 776	1118 785	1023 738	925 656	837 667	867 663	—	—	—
24	Central nervous system { F	55 61	60 49	62 58	97 82	62 68	80 78	76 81	82 82	78 73	67 56	64 44	52 59	—	—	—
25	Intestines and peritoneum { F	23 20	18 19	23 27	27 22	24 17	29 18	35 23	25 34	24 23	17 15	19 23	14 28	—	—	—
26	Vertebral column { F	19 17	16 8	17 11	24 15	23 11	22 20	21 9	14 8	18 6	17 13	12 10	12 11	—	—	—
27	Other bones and joints { F	7 5	12 11	8 5	5 7	10 8	4 9	6 9	11 6	13 7	12 8	7 5	8 5	—	—	—
28	Skin and subcutaneous tissues { F	—	2 2	— 3	— 2	1 —	2 —	2 4	3 4	1 1	— 1	— 2	2 1	—	—	—
29	Lymphatic system (abdom- inal and bronchial glands excepted) { F	1 1	— 3	—	1 2	— 1	1 1	2 1	4 1	1 1	2 7	2 1	1 2	—	—	—
30	Genito-urinary system { F	12 11	13 12	10 8	18 11	7 9	14 8	13 12	14 6	19 7	14 5	7 5	12 4	—	—	—
31	Other organs { F	1 2	1 3	4 3	2 1	— 2	2 —	—	4 2	1 1	— 2	— 1	1 4	—	—	—
	(1) Adrenals { F	1 —	— 3	3 3	2 1	— 1	2 —	—	3 2	1 —	— 2	—	—	—	—	—
	(2) Other sites included under 31 { F	— 1	1 —	1 —	—	— 1	—	—	1 —	— 1	—	— 1	1 4	—	—	—

International Classification No.	Causes of Death:	1938.			1939.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
2	Disseminated tuberculosis .. {M F	41 41	32 27	48 35	49 44	49 34	60 36	47 38	58 42	45 51	54 40	44 36	44 37
	(a) Acute {M F	23 23	11 13	29 22	31 17	31 24	35 22	25 25	34 22	22 24	28 23	17 21	20 15
	(b) Chronic {M F	— 1	— 1	— 1	— —	— —	— —	1 —	— 2	— —	1 —	— —	— —
	(c) Not distinguished as acute or chronic .. {M F	18 17	21 13	19 12	18 27	18 10	25 14	21 13	24 18	23 27	25 17	27 15	24 22
3	Leprosy {M F	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
4	Syphilis {M F	81 26	81 39	90 24	75 37	79 39	95 31	80 40	74 33	57 25	66 22	59 33	63 17
	(a) Congenital syphilis .. {M F	12 3	9 6	11 7	13 12	10 6	12 5	5 9	6 6	6 7	3 1	10 10	3 2
	(b & c) Acquired or unspecified .. {M F	69 23	72 33	79 17	62 25	69 33	83 26	75 31	68 27	51 18	63 21	49 23	60 15
5	Other venereal diseases .. {M F	6 1	2 2	2 4	2 1	3 2	1 1	2 2	5 1	2 1	2 2	4 —	2 1
	(1) Gonorrhoeal or purulent ophthalmia .. {M F	1 —	— 1	— 3	— —	— 1	— 1	— 1	3 1	1 —	— 2	— —	— 1
	(2) Other diseases included under 35 .. {M F	5 1	2 1	2 1	2 1	3 1	1 —	2 1	2 1	1 —	2 —	4 —	2 —
6	Purulent infection, septicaemia {M F	26 11	20 14	24 16	25 14	22 14	24 18	15 14	18 23	19 22	24 11	20 10	25 9
	(a) Septicaemia {M F	20 5	14 12	20 14	18 12	20 14	18 13	11 11	13 17	14 19	20 10	18 10	23 9
	(b) Pyaemia {M F	4 6	6 2	4 2	7 2	2 —	6 4	4 3	5 6	4 3	4 1	2 —	2 —
	(c) Gas gangrene {M F	2 —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —
7	Yellow fever {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
8	Malaria {M F	2 —	1 —	3 —	3 —	— 1	1 —	1 —	2 —	1 —	1 —	3 —	2 —
9	Other diseases due to protozoa {M F	1 —	— —	2 —	— 1	— —	— —	— 1	1 —	3 —	1 —	3 —	3 —
40	Ankylostomiasis {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
41	Hydatid cysts {M F	2 4	— 1	1 1	1 1	— 6	— —	1 4	2 1	1 1	1 1	2 1	— 2
	(a) Liver {M F	— 3	— 1	1 —	— —	— 4	— —	1 —	1 1	1 —	— 1	2 1	— 2
	(b) Other organs {M F	2 1	— —	— —	1 1	— 2	— —	— 4	1 —	— —	1 —	— —	— —
42	Other diseases due to helminths {M F	— —	— —	2 —	— —	— —	1 —	2 —	— —	— —	— —	— —	— —
43	Mycoses {M F	2 1	2 1	4 1	5 4	5 3	6 3	7 6	7 3	9 6	6 2	4 2	1 2
	(1) Actinomycosis {M F	2 1	2 1	2 1	4 3	4 1	4 1	6 2	6 2	4 5	5 2	3 2	1 1
	(2) Other mycoses {M F	— —	— —	2 —	1 1	1 2	2 2	1 4	1 1	5 1	1 —	1 —	— 1
44	Other infectious or parasitic diseases {M F	6 3	3 2	5 8	9 6	8 4	3 6	11 5	5 7	4 2	1 6	3 3	6 8
	(1) Vaccinia {M F	— —	1 —	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —

TABLE 23—continued.

International List No.	Causes of Death.	1938.			1939.									
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
44	(2) Other sequelæ of vac- cination {M {F	—	—	—	1	1	—	1	—	—	—	—	—	
	(3) German measles {M {F	—	—	—	1	2	—	—	1	1	—	—	—	
	(4) Varicella {M {F	1	—	1	4	2	—	2	—	2	1	—	—	
	(5) Mumps {M {F	1	—	—	2	1	—	—	1	2	—	—	1	
	(6.1) Pink disease {M {F	3	2	6	1	4	3	5	2	1	—	3	5	
	(6.2) Other diseases in- cluded under 44 {M {F	1	—	—	—	—	—	3	1	1	—	—	—	
45-53	II.—Cancer and other Tumours {M {F	2844 3244	2797 3104	2982 3335	2959 3209	2658 2908	2798 3214	2874 3059	2843 3096	2819 3042	2834 3238	2919 3228	2717 3161	
45-53	Cancer, malignant disease .. {M {F	2780 3130	2708 2976	2887 3193	2872 3090	2555 2801	2704 3084	2772 2941	2771 2975	2741 2920	2726 3104	2828 3092	2631 3022	
45	Buccal cavity and pharynx {M {F	226 45	229 58	208 44	229 52	213 58	189 43	222 40	198 46	220 48	224 42	192 65	204 49	
46	Digestive organs and peri- toneum {M {F	1665 1492	1589 1396	1736 1555	1659 1499	1519 1338	1648 1498	1653 1374	1666 1462	1619 1429	1617 1499	1677 1463	1570 1456	
47	Respiratory organs {M {F	392 107	388 124	403 121	435 119	364 91	403 123	385 138	431 107	377 116	373 120	455 127	348 131	
48	Uterus F	403	398	377	359	347	367	371	373	361	406	372	397	
49	Other female genital organs F	213	207	214	166	171	209	178	174	168	180	200	185	
50	Breast {M {F	5 632	6 596	6 631	4 669	3 594	4 607	6 607	7 612	3 588	8 642	6 623	6 583	
51	Male genito-urinary organs M	313	335	360	352	298	283	326	328	338	332	311	324	
52	Skin {M {F	56 46	46 48	54 52	68 41	50 32	62 45	56 39	38 37	48 40	41 35	62 53	54 42	
53	Other or unspecified organs {M {F	123 192	115 149	120 199	125 185	108 170	115 192	124 194	103 164	136 170	131 180	125 189	125 179	
54	Non-malignant tumours .. {M {F	45 79	46 86	51 87	38 73	56 63	45 79	56 80	40 79	36 63	35 85	35 79	28 71	
	(a) Female genital organs F	47	54	47	41	30	42	47	50	36	55	38	38	
	(b) Other sites {M {F	45 32	46 32	51 40	38 32	56 33	45 37	56 33	40 29	36 27	35 30	35 41	28 33	
55	Tumours of undetermined nature {M {F	39 35	43 42	44 55	49 46	47 44	49 51	46 38	52 42	42 59	73 49	56 57	58 68	
	(a) Female genital organs .. F	2	2	2	1	1	1	1	—	—	—	1	3	
	(b) Other sites {M {F	39 33	43 40	44 53	49 45	47 43	49 50	46 37	52 42	42 59	73 49	56 56	58 65	
56-69	III.—Rheumatism, Dis- eases of Nutrition and of Endocrine Glands and other General Diseases {M {F	381 750	399 747	457 895	555 1019	456 922	528 916	456 897	435 810	352 734	326 736	346 726	341 684	
56	Rheumatic fever {M {F	31 42	36 47	36 51	41 60	35 57	56 52	32 50	49 46	42 54	34 43	27 43	29 45	
57	Chronic rheumatism, osteo- arthritis {M {F	81 186	83 170	87 220	120 268	105 240	104 225	91 241	97 211	73 189	57 180	65 158	72 168	
	(1) Chronic rheumatism .. {M {F	1 3	2 1	5 4	6 7	1 7	2 8	— 8	3 9	8 4	2 7	2 6	6 4	
	(2) Rheumatoid arthritis, osteo-arthritis {M {F	80 183	81 169	82 216	114 261	104 233	102 217	91 233	94 202	65 185	55 173	63 152	66 164	
58	Gout {M {F	11 —	11 1	13 1	14 1	10 3	12 4	12 3	7 3	9 1	12 —	8 —	5 2	

TABLE 23—continued.

International List No.	Causes of Death.	1938.			1939.									
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
59	Diabetes {M F	204 351	224 385	273 453	314 499	263 450	286 435	263 423	232 369	183 336	190 350	194 367	192 331	
60	Scurvy {M F	— 1	1 —	— 2	— —	— —	1 1	2 1	— —	— —	— —	— —	— 2	
61	Beri-beri {M F	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	
62	Pellagra {M F	1 2	— 2	— —	— —	1 —	— —	— —	— —	1 1	— 1	— 2	— 2	
63	Rickets {M F	6 4	6 3	9 3	6 7	6 4	14 8	16 5	9 9	7 4	3 4	5 3	8 —	
	(1) Rickets {M F	5 4	5 2	8 3	5 4	6 2	13 6	12 4	7 9	6 3	3 2	3 2	8 —	
	(2) Spinal curvatures of un- determined nature .. {M F	1 —	1 1	1 —	1 3	— 2	1 2	4 1	2 —	1 1	— 2	2 1	— —	
64	Osteomalacia {M F	— —	— 1	— —	— 1	— —	— —	— 1	— 1	— 1	— —	— 1	1 —	
65	Diseases of the pituitary gland {M F	1 6	1 4	4 1	3 5	3 4	4 1	3 1	3 5	2 5	1 2	— 3	1 1	
	(1) Infantilism {M F	— 1	— —	— —	— 1	— —	— —	1 —	— —	1 —	— —	— —	— —	
	(2) Other diseases of the pituitary gland {M F	1 5	1 4	4 1	3 4	3 4	4 1	2 1	3 5	1 5	1 2	— 3	1 1	
66	Diseases of the thyroid and parathyroid glands .. {M F	27 137	19 121	20 143	35 154	18 145	28 159	18 159	24 144	23 126	14 139	22 135	18 111	
	(a) Simple goitre {M F	2 13	1 8	3 14	1 12	2 10	2 14	2 8	2 7	2 9	— 12	1 4	2 7	
	(b) Exophthalmic goitre .. {M F	22 112	17 98	14 108	27 124	15 111	20 125	13 135	19 120	19 103	13 113	20 118	15 83	
	(c) Myxœdema, cretinism {M F	2 12	1 15	3 20	4 18	1 22	6 18	2 15	2 14	2 12	— 14	— 13	— 20	
	(d) Tetany {M F	1 —	— —	— —	2 —	— 1	— —	— —	1 1	— 1	1 —	1 —	1 —	
	(e) Other diseases included under 66 {M F	— —	— —	— 1	1 —	— 1	— 2	1 1	— 2	— 1	— —	— —	— 1	
67	Diseases of the thymus .. {M F	8 1	7 3	6 3	8 1	4 5	8 7	7 4	6 3	5 4	4 3	7 2	3 2	
68	Diseases of the adrenals .. {M F	5 14	8 8	7 15	11 15	10 7	6 12	7 8	4 13	4 8	7 11	10 11	4 11	
69	Other general diseases .. {M F	6 6	3 2	1 3	3 8	2 6	9 12	4 1	4 6	3 5	4 3	7 2	7 9	
	(1) Amyloid disease of un- stated origin {M F	— —	1 —	— 1	— —	— —	1 1	— 1	— —	1 1	— —	1 —	— 2	
	(2) Other diseases included under 69 {M F	6 6	2 2	1 2	3 8	2 6	8 11	4 —	4 6	2 4	4 3	6 2	7 7	
70-74	IV.—Diseases of the Blood and Blood-forming Organs {M F	213 218	168 224	189 230	203 262	196 245	212 239	184 226	195 240	169 236	178 205	184 228	183 199	
70	Hæmorrhagic conditions .. {M F	22 9	11 15	11 16	13 18	18 14	23 19	19 16	14 18	16 16	13 8	21 12	13 9	
	(a) Purpura {M F	11 5	4 9	3 11	4 12	5 10	11 15	8 12	8 12	8 13	5 6	6 7	6 7	
	(b) Hæmophilia {M F	11 4	7 6	8 5	9 6	13 4	12 4	11 4	6 6	8 3	8 2	15 5	7 2	
71	Anæmia, chlorosis {M F	88 138	77 132	73 146	97 171	102 166	108 159	97 154	92 146	73 142	80 113	74 135	86 128	
	(a) Pernicious anæmia .. {M F	83 111	73 122	66 130	87 147	94 143	101 149	86 137	82 136	67 122	70 98	65 121	73 121	

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1938.			1939.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.
71	(b) Other anæmias and chlorosis	{M 5 F 27	{M 4 F 10	{M 7 F 16	{M 10 F 24	{M 8 F 23	{M 7 F 10	{M 11 F 17	{M 10 F 10	{M 6 F 20	{M 10 F 15	{M 9 F 14	{M 13 F 20
	(1) Splenic anæmia	{M 3 F 19	{M 2 F 6	{M 6 F 10	{M 7 F 15	{M 5 F 15	{M 3 F 8	{M 8 F 11	{M 5 F 5	{M 3 F 7	{M 6 F 6	{M 8 F 9	{M 7 F 4
	(2) Other diseases in- cluded under 71b	{M 2 F 8	{M 2 F 4	{M 1 F 6	{M 3 F 9	{M 3 F 8	{M 4 F 2	{M 3 F 6	{M 5 F 5	{M 3 F 13	{M 4 F 9	{M 1 F 5	{M 6 F 3
72	Leukæmia, aleukæmia	{M 97 F 62	{M 73 F 72	{M 97 F 61	{M 87 F 64	{M 63 F 57	{M 71 F 54	{M 64 F 50	{M 84 F 71	{M 76 F 68	{M 79 F 75	{M 84 F 75	{M 81 F 58
	(a) Leukæmia	{M 58 F 35	{M 51 F 47	{M 66 F 43	{M 52 F 43	{M 31 F 39	{M 44 F 38	{M 39 F 35	{M 53 F 47	{M 42 F 49	{M 52 F 59	{M 58 F 45	{M 46 F 35
	(b) Aleukæmia	{M 39 F 27	{M 22 F 25	{M 31 F 18	{M 35 F 21	{M 32 F 18	{M 27 F 16	{M 25 F 15	{M 31 F 24	{M 34 F 19	{M 27 F 20	{M 26 F 30	{M 35 F 23
	(1) Aleukæmia (lymphadenoma)	{M 38 F 25	{M 21 F 23	{M 28 F 12	{M 33 F 20	{M 29 F 17	{M 25 F 15	{M 23 F 15	{M 26 F 21	{M 32 F 16	{M 26 F 16	{M 25 F 26	{M 33 F 20
	(2) Aleukæmia (agranulocytosis)	{M 1 F 2	{M 2 F 2	{M 3 F 6	{M 2 F 1	{M 3 F 1	{M 2 F 1	{M 2 F 3	{M 5 F 3	{M 2 F 3	{M 1 F 4	{M 1 F 4	{M 2 F 3
73	Diseases of the spleen	{M 4 F 5	{M 6 F 5	{M 5 F 6	{M 5 F 4	{M 8 F 6	{M 7 F 4	{M 4 F 4	{M 4 F 3	{M 3 F 8	{M 4 F 5	{M 4 F 5	{M 2 F 4
	(1) Banti's disease	{M 3 F 2	{M 5 F 4	{M 5 F 3	{M 4 F 2	{M 7 F 6	{M 4 F 3	{M 3 F 3	{M 1 F 3	{M 3 F 7	{M 3 F 5	{M 2 F 4	{M 1 F 3
	(2) Other diseases of the spleen	{M 1 F 3	{M 1 F 1	{M 1 F 3	{M 1 F 2	{M 1 F 1	{M 3 F 1	{M 1 F 1	{M 3 F 1	—	{M 1 F 1	{M 2 F 1	{M 1 F 1
74	Other diseases of the blood and blood-forming organs	{M 2 F 4	{M 1 F 4	{M 3 F 1	{M 1 F 5	{M 5 F 2	{M 3 F 3	—	{M 1 F 2	{M 1 F 2	—	{M 1 F 1	{M 1 F 1
75-77	V.—Chronic Poisoning	{M 2 F 4	{M 2 F 4	{M 11 F 6	{M 7 F 9	{M 8 F 9	{M 8 F 3	{M 4 F 5	{M 1 F 4	{M 7 F 1	{M 7 F 2	{M 5 F 4	{M 5 F 1
75	Alcoholism (acute or chronic)	{M 1 F 4	{M 1 F 4	{M 8 F 5	{M 5 F 9	{M 6 F 9	{M 7 F 3	{M 3 F 5	—	{M 4 F 1	{M 6 F 2	{M 4 F 2	{M 4 F 1
76	Chronic poisoning by other organic substances	—	—	—	—	—	—	—	{M 1 F 1	{M 1 F 1	—	—	{M 1 F 1
77	Chronic poisoning by mineral substances	{M 2 F 1	{M 1 F 1	{M 3 F 1	{M 2 F 1	{M 2 F 1	{M 1 F 1	{M 1 F 1	—	{M 2 F 1	{M 1 F 1	{M 1 F 1	{M 1 F 1
	(1) Occupational lead poisoning	{M 2 F 1	{M 1 F 1	{M 3 F 1	{M 2 F 1	{M 1 F 1	—	{M 1 F 1	—	{M 2 F 1	{M 1 F 1	—	{M 1 F 1
	(2) Other chronic poisoning by mineral substances	—	—	—	—	{M 1 F 1	—	—	—	—	—	{M 1 F 1	—
78-89	VI.—Diseases of the Ner- vous System and Sense Organs	{M 1449 F 1669	{M 1400 F 1624	{M 1853 F 2059	{M 1961 F 2133	{M 1819 F 1904	{M 1877 F 2062	{M 1623 F 1907	{M 1595 F 1759	{M 1339 F 1657	{M 1391 F 1615	{M 1398 F 1547	{M 1417 F 1625
78	Encephalitis	{M 12 F 12	{M 14 F 9	{M 15 F 15	{M 14 F 5	{M 11 F 5	{M 14 F 13	{M 16 F 6	{M 18 F 7	{M 7 F 10	{M 12 F 8	{M 12 F 11	{M 10 F 12
	(a) Cerebral abscess	{M 7 F 6	{M 8 F 5	{M 7 F 7	{M 9 F 4	{M 7 F 3	{M 9 F 6	{M 11 F 1	{M 11 F 5	{M 3 F 4	{M 10 F 4	{M 9 F 3	{M 4 F 3
	(b) Other diseases included under 78	{M 5 F 6	{M 6 F 4	{M 8 F 8	{M 5 F 1	{M 4 F 2	{M 5 F 7	{M 5 F 5	{M 7 F 2	{M 4 F 6	{M 2 F 4	{M 3 F 8	{M 6 F 9
79	Meningitis	{M 37 F 19	{M 26 F 29	{M 35 F 24	{M 43 F 47	{M 41 F 23	{M 57 F 27	{M 49 F 42	{M 51 F 35	{M 38 F 31	{M 30 F 26	{M 28 F 25	{M 37 F 16
80	Tabes dorsalis (locomotor ataxy)	{M 38 F 7	{M 44 F 9	{M 48 F 8	{M 44 F 11	{M 29 F 14	{M 54 F 11	{M 38 F 8	{M 37 F 2	{M 32 F 3	{M 30 F 3	{M 31 F 6	{M 33 F 7
81	Other diseases of the spinal cord	{M 61 F 45	{M 49 F 39	{M 61 F 46	{M 61 F 45	{M 58 F 47	{M 54 F 45	{M 47 F 45	{M 33 F 42	{M 43 F 44	{M 36 F 32	{M 57 F 33	{M 47 F 31
	(1) Progressive muscular atrophy	{M 27 F 24	{M 22 F 25	{M 25 F 25	{M 26 F 22	{M 29 F 24	{M 31 F 23	{M 31 F 20	{M 18 F 16	{M 24 F 27	{M 19 F 12	{M 31 F 19	{M 28 F 16
	(2) Subacute combined sclerosis	{M 5 F 7	{M 4 F 4	{M 7 F 3	{M 2 F 1	{M 2 F 3	{M 2 F 7	{M 3 F 7	{M 5 F 6	{M 3 F 8	{M 2 F 4	{M 4 F 4	{M 6 F 5
	(3) Myelitis of unstated origin	{M 9 F 4	{M 9 F 3	{M 9 F 9	{M 17 F 6	{M 12 F 11	{M 7 F 6	{M 8 F 7	{M 4 F 10	{M 6 F 4	{M 8 F 10	{M 12 F 8	{M 5 F 5
	(4) Other diseases included under 81	{M 20 F 10	{M 14 F 7	{M 20 F 9	{M 16 F 16	{M 15 F 9	{M 14 F 9	{M 5 F 11	{M 6 F 10	{M 10 F 5	{M 7 F 6	{M 10 F 2	{M 6 F 5

TABLE 23—continued.

International List No.	Causes of Death.	1938.			1939.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
82	Cerebral hæmorrhage, apoplexy, etc.	$\begin{cases} M \\ F \end{cases}$ 933 1245	$\begin{cases} M \\ F \end{cases}$ 896 1230	$\begin{cases} M \\ F \end{cases}$ 1208 1570	$\begin{cases} M \\ F \end{cases}$ 1282 1591	$\begin{cases} M \\ F \end{cases}$ 1172 1406	$\begin{cases} M \\ F \end{cases}$ 1237 1494	$\begin{cases} M \\ F \end{cases}$ 1049 1454	$\begin{cases} M \\ F \end{cases}$ 1059 1297	$\begin{cases} M \\ F \end{cases}$ 880 1234	$\begin{cases} M \\ F \end{cases}$ 923 1222	$\begin{cases} M \\ F \end{cases}$ 891 1168	$\begin{cases} M \\ F \end{cases}$ 912 1209
	(a) Cerebral hæmorrhage	$\begin{cases} M \\ F \end{cases}$ 636 842	$\begin{cases} M \\ F \end{cases}$ 604 810	$\begin{cases} M \\ F \end{cases}$ 829 1073	$\begin{cases} M \\ F \end{cases}$ 820 1043	$\begin{cases} M \\ F \end{cases}$ 779 919	$\begin{cases} M \\ F \end{cases}$ 820 1003	$\begin{cases} M \\ F \end{cases}$ 677 878	$\begin{cases} M \\ F \end{cases}$ 664 878	$\begin{cases} M \\ F \end{cases}$ 583 799	$\begin{cases} M \\ F \end{cases}$ 589 814	$\begin{cases} M \\ F \end{cases}$ 576 764	$\begin{cases} M \\ F \end{cases}$ 592 798
	(1) Cerebral hæmorrhage so returned	$\begin{cases} M \\ F \end{cases}$ 612 802	$\begin{cases} M \\ F \end{cases}$ 582 785	$\begin{cases} M \\ F \end{cases}$ 807 1027	$\begin{cases} M \\ F \end{cases}$ 790 1008	$\begin{cases} M \\ F \end{cases}$ 761 883	$\begin{cases} M \\ F \end{cases}$ 789 975	$\begin{cases} M \\ F \end{cases}$ 638 924	$\begin{cases} M \\ F \end{cases}$ 645 850	$\begin{cases} M \\ F \end{cases}$ 558 772	$\begin{cases} M \\ F \end{cases}$ 564 788	$\begin{cases} M \\ F \end{cases}$ 551 740	$\begin{cases} M \\ F \end{cases}$ 577 772
	(2) Apoplexy (lesion un- stated)	$\begin{cases} M \\ F \end{cases}$ 24 40	$\begin{cases} M \\ F \end{cases}$ 22 25	$\begin{cases} M \\ F \end{cases}$ 22 46	$\begin{cases} M \\ F \end{cases}$ 30 35	$\begin{cases} M \\ F \end{cases}$ 18 36	$\begin{cases} M \\ F \end{cases}$ 31 28	$\begin{cases} M \\ F \end{cases}$ 39 33	$\begin{cases} M \\ F \end{cases}$ 19 28	$\begin{cases} M \\ F \end{cases}$ 25 27	$\begin{cases} M \\ F \end{cases}$ 25 26	$\begin{cases} M \\ F \end{cases}$ 25 24	$\begin{cases} M \\ F \end{cases}$ 15 26
	(b) Cerebral embolism and thrombosis	$\begin{cases} M \\ F \end{cases}$ 259 359	$\begin{cases} M \\ F \end{cases}$ 258 374	$\begin{cases} M \\ F \end{cases}$ 342 447	$\begin{cases} M \\ F \end{cases}$ 422 497	$\begin{cases} M \\ F \end{cases}$ 343 436	$\begin{cases} M \\ F \end{cases}$ 381 441	$\begin{cases} M \\ F \end{cases}$ 328 446	$\begin{cases} M \\ F \end{cases}$ 357 381	$\begin{cases} M \\ F \end{cases}$ 276 399	$\begin{cases} M \\ F \end{cases}$ 298 372	$\begin{cases} M \\ F \end{cases}$ 291 360	$\begin{cases} M \\ F \end{cases}$ 287 361
	(1) Cerebral embolism	$\begin{cases} M \\ F \end{cases}$ 15 20	$\begin{cases} M \\ F \end{cases}$ 7 9	$\begin{cases} M \\ F \end{cases}$ 17 20	$\begin{cases} M \\ F \end{cases}$ 19 27	$\begin{cases} M \\ F \end{cases}$ 15 20	$\begin{cases} M \\ F \end{cases}$ 12 28	$\begin{cases} M \\ F \end{cases}$ 8 19	$\begin{cases} M \\ F \end{cases}$ 11 20	$\begin{cases} M \\ F \end{cases}$ 13 9	$\begin{cases} M \\ F \end{cases}$ 18 1	$\begin{cases} M \\ F \end{cases}$ 12 27	$\begin{cases} M \\ F \end{cases}$ 11 21
	(2) Cerebral thrombosis	$\begin{cases} M \\ F \end{cases}$ 241 331	$\begin{cases} M \\ F \end{cases}$ 245 359	$\begin{cases} M \\ F \end{cases}$ 321 419	$\begin{cases} M \\ F \end{cases}$ 393 458	$\begin{cases} M \\ F \end{cases}$ 321 404	$\begin{cases} M \\ F \end{cases}$ 355 404	$\begin{cases} M \\ F \end{cases}$ 313 425	$\begin{cases} M \\ F \end{cases}$ 340 352	$\begin{cases} M \\ F \end{cases}$ 259 379	$\begin{cases} M \\ F \end{cases}$ 273 345	$\begin{cases} M \\ F \end{cases}$ 269 322	$\begin{cases} M \\ F \end{cases}$ 268 335
	(3) Cerebral softening	$\begin{cases} M \\ F \end{cases}$ 3 8	$\begin{cases} M \\ F \end{cases}$ 2 10	$\begin{cases} M \\ F \end{cases}$ 4 8	$\begin{cases} M \\ F \end{cases}$ 10 12	$\begin{cases} M \\ F \end{cases}$ 7 12	$\begin{cases} M \\ F \end{cases}$ 14 9	$\begin{cases} M \\ F \end{cases}$ 7 2	$\begin{cases} M \\ F \end{cases}$ 6 9	$\begin{cases} M \\ F \end{cases}$ 4 11	$\begin{cases} M \\ F \end{cases}$ 6 9	$\begin{cases} M \\ F \end{cases}$ 10 11	$\begin{cases} M \\ F \end{cases}$ 8 5
	(c) Hemiplegia and other paralyses of unstated origin	$\begin{cases} M \\ F \end{cases}$ 38 44	$\begin{cases} M \\ F \end{cases}$ 38 42	$\begin{cases} M \\ F \end{cases}$ 37 50	$\begin{cases} M \\ F \end{cases}$ 40 51	$\begin{cases} M \\ F \end{cases}$ 50 51	$\begin{cases} M \\ F \end{cases}$ 36 50	$\begin{cases} M \\ F \end{cases}$ 44 51	$\begin{cases} M \\ F \end{cases}$ 38 38	$\begin{cases} M \\ F \end{cases}$ 21 36	$\begin{cases} M \\ F \end{cases}$ 36 36	$\begin{cases} M \\ F \end{cases}$ 24 44	$\begin{cases} M \\ F \end{cases}$ 33 50
	(1) Hemiplegia	$\begin{cases} M \\ F \end{cases}$ 35 41	$\begin{cases} M \\ F \end{cases}$ 37 38	$\begin{cases} M \\ F \end{cases}$ 35 49	$\begin{cases} M \\ F \end{cases}$ 38 50	$\begin{cases} M \\ F \end{cases}$ 46 50	$\begin{cases} M \\ F \end{cases}$ 34 48	$\begin{cases} M \\ F \end{cases}$ 41 47	$\begin{cases} M \\ F \end{cases}$ 37 38	$\begin{cases} M \\ F \end{cases}$ 21 34	$\begin{cases} M \\ F \end{cases}$ 32 36	$\begin{cases} M \\ F \end{cases}$ 23 44	$\begin{cases} M \\ F \end{cases}$ 33 49
	(2) Other paralyses of un- stated origin	$\begin{cases} M \\ F \end{cases}$ 3 3	$\begin{cases} M \\ F \end{cases}$ 4 1	$\begin{cases} M \\ F \end{cases}$ 2 1	$\begin{cases} M \\ F \end{cases}$ 2 1	$\begin{cases} M \\ F \end{cases}$ 4 1	$\begin{cases} M \\ F \end{cases}$ 2 2	$\begin{cases} M \\ F \end{cases}$ 3 4	$\begin{cases} M \\ F \end{cases}$ 1 —	$\begin{cases} M \\ F \end{cases}$ — 2	$\begin{cases} M \\ F \end{cases}$ 4 —	$\begin{cases} M \\ F \end{cases}$ 1 —	$\begin{cases} M \\ F \end{cases}$ — 1
83	General paralysis of the insane	$\begin{cases} M \\ F \end{cases}$ 55 11	$\begin{cases} M \\ F \end{cases}$ 53 18	$\begin{cases} M \\ F \end{cases}$ 65 28	$\begin{cases} M \\ F \end{cases}$ 57 24	$\begin{cases} M \\ F \end{cases}$ 74 16	$\begin{cases} M \\ F \end{cases}$ 47 20	$\begin{cases} M \\ F \end{cases}$ 54 19	$\begin{cases} M \\ F \end{cases}$ 53 17	$\begin{cases} M \\ F \end{cases}$ 40 16	$\begin{cases} M \\ F \end{cases}$ 40 11	$\begin{cases} M \\ F \end{cases}$ 39 14	$\begin{cases} M \\ F \end{cases}$ 59 16
84	Other forms of insanity	$\begin{cases} M \\ F \end{cases}$ 39 51	$\begin{cases} M \\ F \end{cases}$ 22 45	$\begin{cases} M \\ F \end{cases}$ 43 55	$\begin{cases} M \\ F \end{cases}$ 42 45	$\begin{cases} M \\ F \end{cases}$ 39 59	$\begin{cases} M \\ F \end{cases}$ 33 56	$\begin{cases} M \\ F \end{cases}$ 34 57	$\begin{cases} M \\ F \end{cases}$ 35 63	$\begin{cases} M \\ F \end{cases}$ 32 45	$\begin{cases} M \\ F \end{cases}$ 28 40	$\begin{cases} M \\ F \end{cases}$ 41 39	$\begin{cases} M \\ F \end{cases}$ 47 61
	(a) Dementia præcox	$\begin{cases} M \\ F \end{cases}$ 2 3	$\begin{cases} M \\ F \end{cases}$ 4 3	$\begin{cases} M \\ F \end{cases}$ 3 3	$\begin{cases} M \\ F \end{cases}$ 3 3	$\begin{cases} M \\ F \end{cases}$ 8 1	$\begin{cases} M \\ F \end{cases}$ 3 5	$\begin{cases} M \\ F \end{cases}$ 6 2	$\begin{cases} M \\ F \end{cases}$ 6 4	$\begin{cases} M \\ F \end{cases}$ 3 3	$\begin{cases} M \\ F \end{cases}$ 2 3	$\begin{cases} M \\ F \end{cases}$ 4 1	$\begin{cases} M \\ F \end{cases}$ 3 3
	(b) Other conditions included under 84	$\begin{cases} M \\ F \end{cases}$ 37 48	$\begin{cases} M \\ F \end{cases}$ 18 42	$\begin{cases} M \\ F \end{cases}$ 40 52	$\begin{cases} M \\ F \end{cases}$ 39 42	$\begin{cases} M \\ F \end{cases}$ 31 58	$\begin{cases} M \\ F \end{cases}$ 30 51	$\begin{cases} M \\ F \end{cases}$ 28 55	$\begin{cases} M \\ F \end{cases}$ 29 59	$\begin{cases} M \\ F \end{cases}$ 29 42	$\begin{cases} M \\ F \end{cases}$ 26 37	$\begin{cases} M \\ F \end{cases}$ 37 38	$\begin{cases} M \\ F \end{cases}$ 44 58
85	Epilepsy	$\begin{cases} M \\ F \end{cases}$ 78 81	$\begin{cases} M \\ F \end{cases}$ 74 54	$\begin{cases} M \\ F \end{cases}$ 110 91	$\begin{cases} M \\ F \end{cases}$ 120 83	$\begin{cases} M \\ F \end{cases}$ 98 84	$\begin{cases} M \\ F \end{cases}$ 101 101	$\begin{cases} M \\ F \end{cases}$ 88 70	$\begin{cases} M \\ F \end{cases}$ 82 86	$\begin{cases} M \\ F \end{cases}$ 79 74	$\begin{cases} M \\ F \end{cases}$ 80 68	$\begin{cases} M \\ F \end{cases}$ 82 82	$\begin{cases} M \\ F \end{cases}$ 82 95
86	Infantile convulsions (under 5 years of age)	$\begin{cases} M \\ F \end{cases}$ 34 24	$\begin{cases} M \\ F \end{cases}$ 38 26	$\begin{cases} M \\ F \end{cases}$ 50 46	$\begin{cases} M \\ F \end{cases}$ 62 31	$\begin{cases} M \\ F \end{cases}$ 47 32	$\begin{cases} M \\ F \end{cases}$ 51 38	$\begin{cases} M \\ F \end{cases}$ 31 32	$\begin{cases} M \\ F \end{cases}$ 35 26	$\begin{cases} M \\ F \end{cases}$ 39 24	$\begin{cases} M \\ F \end{cases}$ 31 24	$\begin{cases} M \\ F \end{cases}$ 30 18	$\begin{cases} M \\ F \end{cases}$ 27 26
87	Other diseases of the nervous system	$\begin{cases} M \\ F \end{cases}$ 112 129	$\begin{cases} M \\ F \end{cases}$ 131 119	$\begin{cases} M \\ F \end{cases}$ 145 135	$\begin{cases} M \\ F \end{cases}$ 176 203	$\begin{cases} M \\ F \end{cases}$ 163 162	$\begin{cases} M \\ F \end{cases}$ 151 203	$\begin{cases} M \\ F \end{cases}$ 136 128	$\begin{cases} M \\ F \end{cases}$ 116 134	$\begin{cases} M \\ F \end{cases}$ 99 129	$\begin{cases} M \\ F \end{cases}$ 127 143	$\begin{cases} M \\ F \end{cases}$ 135 119	$\begin{cases} M \\ F \end{cases}$ 117 121
	(a) Chorea	$\begin{cases} M \\ F \end{cases}$ — 1	$\begin{cases} M \\ F \end{cases}$ 3 4	$\begin{cases} M \\ F \end{cases}$ 1 4	$\begin{cases} M \\ F \end{cases}$ — 4	$\begin{cases} M \\ F \end{cases}$ 1 2	$\begin{cases} M \\ F \end{cases}$ — 5	$\begin{cases} M \\ F \end{cases}$ — 1	$\begin{cases} M \\ F \end{cases}$ — 2	$\begin{cases} M \\ F \end{cases}$ 2 3	$\begin{cases} M \\ F \end{cases}$ 2 5	$\begin{cases} M \\ F \end{cases}$ — —	$\begin{cases} M \\ F \end{cases}$ — 2
	(b) Neuritis, neuralgia	$\begin{cases} M \\ F \end{cases}$ 2 4	$\begin{cases} M \\ F \end{cases}$ 4 3	$\begin{cases} M \\ F \end{cases}$ 3 2	$\begin{cases} M \\ F \end{cases}$ 5 9	$\begin{cases} M \\ F \end{cases}$ 3 4	$\begin{cases} M \\ F \end{cases}$ 5 5	$\begin{cases} M \\ F \end{cases}$ 4 2	$\begin{cases} M \\ F \end{cases}$ 2 7	$\begin{cases} M \\ F \end{cases}$ 4 3	$\begin{cases} M \\ F \end{cases}$ 1 5	$\begin{cases} M \\ F \end{cases}$ 4 3	$\begin{cases} M \\ F \end{cases}$ 5 3
	(c) Paralysis agitans	$\begin{cases} M \\ F \end{cases}$ 55 61	$\begin{cases} M \\ F \end{cases}$ 71 63	$\begin{cases} M \\ F \end{cases}$ 83 74	$\begin{cases} M \\ F \end{cases}$ 122 104	$\begin{cases} M \\ F \end{cases}$ 84 83	$\begin{cases} M \\ F \end{cases}$ 91 99	$\begin{cases} M \\ F \end{cases}$ 71 58	$\begin{cases} M \\ F \end{cases}$ 53 52	$\begin{cases} M \\ F \end{cases}$ 52 77	$\begin{cases} M \\ F \end{cases}$ 75 73	$\begin{cases} M \\ F \end{cases}$ 81 72	$\begin{cases} M \\ F \end{cases}$ 60 54
	(d) Disseminated sclerosis	$\begin{cases} M \\ F \end{cases}$ 37 35	$\begin{cases} M \\ F \end{cases}$ 34 32	$\begin{cases} M \\ F \end{cases}$ 36 41	$\begin{cases} M \\ F \end{cases}$ 32 68	$\begin{cases} M \\ F \end{cases}$ 53 58	$\begin{cases} M \\ F \end{cases}$ 38 69	$\begin{cases} M \\ F \end{cases}$ 45 47	$\begin{cases} M \\ F \end{cases}$ 37 46	$\begin{cases} M \\ F \end{cases}$ 29 24	$\begin{cases} M \\ F \end{cases}$ 31 44	$\begin{cases} M \\ F \end{cases}$ 34 25	$\begin{cases} M \\ F \end{cases}$ 33 44
	(e) Other diseases included under 87	$\begin{cases} M \\ F \end{cases}$ 20 26	$\begin{cases} M \\ F \end{cases}$ 19 17	$\begin{cases} M \\ F \end{cases}$ 22 14	$\begin{cases} M \\ F \end{cases}$ 17 18	$\begin{cases} M \\ F \end{cases}$ 22 15	$\begin{cases} M \\ F \end{cases}$ 25 17	$\begin{cases} M \\ F \end{cases}$ 16 20	$\begin{cases} M \\ F \end{cases}$ 24 27	$\begin{cases} M \\ F \end{cases}$ 12 22	$\begin{cases} M \\ F \end{cases}$ 18 16	$\begin{cases} M \\ F \end{cases}$ 16 19	$\begin{cases} M \\ F \end{cases}$ 19 18
88	Diseases of the eye and annexa	$\begin{cases} M \\ F \end{cases}$ 7 7	$\begin{cases} M \\ F \end{cases}$ 3 3	$\begin{cases} M \\ F \end{cases}$ 8 2	$\begin{cases} M \\ F \end{cases}$ 3 4	$\begin{cases} M \\ F \end{cases}$ 3 5	$\begin{cases} M \\ F \end{cases}$ 2 2	$\begin{cases} M \\ F \end{cases}$ 1 4	$\begin{cases} M \\ F \end{cases}$ 2 3	$\begin{cases} M \\ F \end{cases}$ 2 3	$\begin{cases} M \\ F \end{cases}$ 2 6	$\begin{cases} M \\ F \end{cases}$ 2 5	$\begin{cases} M \\ F \end{cases}$ 4 2
89	Diseases of the ear and mas- toid sinus	$\begin{cases} M \\ F \end{cases}$ 43 43	$\begin{cases} M \\ F \end{cases}$ 50 43	$\begin{cases} M \\ F \end{cases}$ 67 39	$\begin{cases} M \\ F \end{cases}$ 57 44	$\begin{cases} M \\ F \end{cases}$ 84 51	$\begin{cases} M \\ F \end{cases}$ 76 59	$\begin{cases} M \\ F \end{cases}$ 73 42	$\begin{cases} M \\ F \end{cases}$ 74 47	$\begin{cases} M \\ F \end{cases}$ 48 44	$\begin{cases} M \\ F \end{cases}$ 52 32	$\begin{cases} M \\ F \end{cases}$ 50 27	$\begin{cases} M \\ F \end{cases}$ 42 29
	(a) Otitis and other diseases of the ear	$\begin{cases} M \\ F \end{cases}$ 24 22	$\begin{cases} M \\ F \end{cases}$ 33 26	$\begin{cases} M \\ F \end{cases}$ 43 24	$\begin{cases} M \\ F \end{cases}$ 35 28	$\begin{cases} M \\ F \end{cases}$ 42 34	$\begin{cases} M \\ F \end{cases}$ 42 24	$\begin{cases} M \\ F \end{cases}$ 40 22	$\begin{cases} M \\ F \end{cases}$ 41 24	$\begin{cases} M \\ F \end{cases}$ 27 24	$\begin{cases} M \\ F \end{cases}$ 31 17	$\begin{cases} M \\ F \end{cases}$ 30 16	$\begin{cases} M \\ F \end{cases}$ 24 20
	(b) Diseases of the mastoid sinus	$\begin{cases} M \\ F \end{cases}$ 19 16	$\begin{cases} M \\ F \end{cases}$ 17 17	$\begin{cases} M \\ F \end{cases}$ 24 15	$\begin{cases} M \\ F \end{cases}$ 22 16	$\begin{cases} M \\ F \end{cases}$ 42 17	$\begin{cases} M \\ F \end{cases}$ 34 35	$\begin{cases} M \\ F \end{cases}$ 33 20	$\begin{cases} M \\ F \end{cases}$ 33 23	$\begin{cases} M \\ F \end{cases}$ 21 20	$\begin{cases} M \\ F \end{cases}$ 21 15	$\begin{cases} M \\ F \end{cases}$ 20 11	$\begin{cases} M \\ F \end{cases}$ 18 9

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1938.			1939.									
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
90-103	VII.—Diseases of the Cir- culatory System.	{M 6082 F 6003}	{M 6254 F 6184}	{M 8220 F 8130}	{M 9208 F 9937}	{M 7967 F 8745}	{M 8440 F 8626}	{M 7751 F 7610}	{M 6904 F 6978}	{M 6025 F 5967}	{M 5888 F 5790}	{M 5519 F 5625}	{M 5482 F 5384}	
90-95	Heart diseases	{M 4910 F 4843}	{M 5003 F 4949}	{M 6695 F 6557}	{M 7523 F 8288}	{M 6493 F 7215}	{M 6883 F 7119}	{M 6297 F 6275}	{M 5637 F 5655}	{M 4897 F 4832}	{M 4695 F 4571}	{M 4387 F 4579}	{M 4547 F 4497}	
90	Pericarditis	{M 12 F 16}	{M 16 F 12}	{M 27 F 12}	{M 15 F 12}	{M 17 F 6}	{M 12 F 14}	{M 15 F 5}	{M 17 F 8}	{M 17 F 4}	{M 9 F 5}	{M 13 F 14}		
91	Acute endocarditis	{M 52 F 56}	{M 52 F 44}	{M 69 F 64}	{M 48 F 47}	{M 55 F 45}	{M 48 F 45}	{M 36 F 50}	{M 44 F 58}	{M 51 F 55}	{M 47 F 38}	{M 55 F 61}	{M 48 F 48}	
	(1) Malignant endocarditis {M 48 F 54	{M 48 F 54}	{M 46 F 39}	{M 41 F 66}	{M 40 F 43}	{M 54 F 41}	{M 42 F 36}	{M 32 F 43}	{M 41 F 55}	{M 51 F 53}	{M 43 F 34}	{M 54 F 61}	{M 43 F 42}	
	(2) Other acute endocarditis {M 4 F 2	{M 4 F 2}	{M 6 F 5}	{M 3 F 3}	{M 8 F 4}	{M 1 F 4}	{M 6 F 9}	{M 4 F 7}	{M 3 F 3}	— 2	{M 4 F 4}	1 —	5 6	
92	Chronic endocarditis, valvular disease	{M 673 F 835}	{M 681 F 857}	{M 889 F 1031}	{M 929 F 1208}	{M 762 F 1030}	{M 916 F 1061}	{M 785 F 914}	{M 726 F 921}	{M 656 F 767}	{M 569 F 712}	{M 549 F 709}	{M 573 F 722}	
	(1) Aortic valve disease	{M 144 F 75}	{M 148 F 67}	{M 208 F 81}	{M 207 F 100}	{M 166 F 90}	{M 199 F 93}	{M 157 F 85}	{M 159 F 79}	{M 122 F 59}	{M 113 F 59}	{M 107 F 53}	{M 105 F 62}	
	(2) Mitral valve disease	{M 248 F 422}	{M 236 F 393}	{M 288 F 456}	{M 320 F 606}	{M 285 F 501}	{M 309 F 500}	{M 261 F 425}	{M 269 F 425}	{M 247 F 364}	{M 204 F 353}	{M 190 F 339}	{M 207 F 330}	
	(3) Aortic and mitral valve disease	{M 43 F 31}	{M 37 F 43}	{M 44 F 48}	{M 56 F 50}	{M 29 F 42}	{M 48 F 44}	{M 35 F 40}	{M 31 F 52}	{M 30 F 32}	{M 32 F 26}	{M 32 F 32}	{M 32 F 24}	
	(4) Endocarditis, not re- turned as acute or chronic {M 39 F 28	{M 39 F 28}	{M 30 F 39}	{M 41 F 46}	{M 36 F 55}	{M 24 F 46}	{M 40 F 59}	{M 39 F 48}	{M 25 F 52}	{M 38 F 49}	{M 19 F 34}	{M 28 F 31}	{M 20 F 38}	
	(5) Other or unspecified valve disease	{M 199 F 279}	{M 230 F 315}	{M 308 F 400}	{M 310 F 397}	{M 258 F 351}	{M 320 F 365}	{M 293 F 316}	{M 242 F 313}	{M 219 F 263}	{M 201 F 240}	{M 192 F 254}	{M 209 F 268}	
93	Diseases of the myocardium {M 2970 F 3194	{M 2970 F 3194}	{M 3104 F 3262}	{M 4198 F 4439}	{M 4949 F 5885}	{M 4303 F 5164}	{M 4448 F 5022}	{M 4121 F 4391}	{M 3568 F 3857}	{M 3000 F 3323}	{M 2830 F 3067}	{M 2679 F 3086}	{M 2769 F 3021}	
	(a) Acute myocarditis	{M 13 F 5}	{M 13 F 5}	{M 16 F 7}	{M 22 F 22}	{M 17 F 13}	{M 23 F 21}	{M 12 F 5}	{M 9 F 9}	{M 8 F 5}	{M 10 F 9}	{M 9 F 9}	{M 19 F 11}	
	(b) Myocardial degeneration {M 2509 F 2754	{M 2509 F 2754}	{M 2653 F 2799}	{M 3586 F 3868}	{M 4131 F 4994}	{M 3647 F 4457}	{M 3776 F 4321}	{M 3505 F 3810}	{M 3071 F 3340}	{M 2578 F 2924}	{M 2460 F 2717}	{M 2307 F 2748}	{M 2365 F 2630}	
	(1) Fatty heart	{M 59 F 58}	{M 55 F 82}	{M 62 F 97}	{M 90 F 162}	{M 59 F 91}	{M 67 F 106}	{M 69 F 80}	{M 64 F 83}	{M 57 F 83}	{M 49 F 91}	{M 61 F 80}	{M 53 F 73}	
	(2) Cardiovascular degeneration	{M 759 F 751}	{M 846 F 754}	{M 1078 F 1027}	{M 1141 F 1231}	{M 1001 F 1072}	{M 1064 F 1081}	{M 1000 F 949}	{M 976 F 896}	{M 782 F 805}	{M 798 F 715}	{M 685 F 772}	{M 715 F 704}	
	(3) Other diseases included under 93 (b)	{M 1691 F 1945}	{M 1752 F 1963}	{M 2446 F 2744}	{M 2900 F 3601}	{M 2587 F 3294}	{M 2645 F 3134}	{M 2436 F 2781}	{M 2031 F 2361}	{M 1739 F 2036}	{M 1613 F 1911}	{M 1561 F 1896}	{M 1597 F 1853}	
	(c) Myocarditis, not dis- tinguished as acute or chronic	{M 448 F 435}	{M 438 F 458}	{M 596 F 564}	{M 796 F 869}	{M 639 F 694}	{M 649 F 680}	{M 604 F 576}	{M 488 F 508}	{M 414 F 394}	{M 360 F 341}	{M 363 F 329}	{M 385 F 380}	
94	Diseases of the coronary arteries, angina pectoris	{M 971 F 505}	{M 969 F 467}	{M 1222 F 645}	{M 1262 F 664}	{M 1076 F 583}	{M 1181 F 609}	{M 1096 F 570}	{M 1055 F 525}	{M 974 F 440}	{M 1040 F 488}	{M 928 F 477}	{M 954 F 445}	
95	Other diseases of the heart	{M 232 F 237}	{M 181 F 307}	{M 315 F 361}	{M 320 F 472}	{M 280 F 387}	{M 278 F 368}	{M 244 F 345}	{M 227 F 286}	{M 199 F 243}	{M 200 F 261}	{M 163 F 232}	{M 195 F 254}	
	(a) Disordered action of heart	{M 103 F 129}	{M 77 F 151}	{M 136 F 179}	{M 139 F 267}	{M 123 F 211}	{M 121 F 196}	{M 99 F 188}	{M 106 F 147}	{M 81 F 138}	{M 84 F 161}	{M 70 F 130}	{M 77 F 141}	
	(b) Other diseases included under 95	{M 129 F 108}	{M 104 F 156}	{M 179 F 182}	{M 181 F 205}	{M 157 F 176}	{M 157 F 172}	{M 145 F 157}	{M 121 F 139}	{M 118 F 105}	{M 116 F 100}	{M 93 F 102}	{M 118 F 113}	
	(1) Dilatation of heart (cause unspecified)	{M 12 F 4}	{M 18 F 15}	{M 24 F 7}	{M 23 F 25}	{M 22 F 17}	{M 10 F 8}	{M 11 F 7}	{M 13 F 10}	{M 7 F 1}	{M 12 F 6}	{M 8 F 2}	{M 10 F 8}	
	(2) Heart disease (unde- fined)	{M 117 F 104}	{M 86 F 141}	{M 155 F 175}	{M 158 F 180}	{M 135 F 159}	{M 147 F 164}	{M 134 F 150}	{M 108 F 129}	{M 111 F 104}	{M 104 F 94}	{M 85 F 100}	{M 108 F 105}	
96	Aneurysm	{M 80 F 34}	{M 91 F 65}	{M 107 F 58}	{M 101 F 66}	{M 78 F 59}	{M 98 F 60}	{M 91 F 44}	{M 83 F 52}	{M 83 F 26}	{M 86 F 49}	{M 62 F 31}	{M 72 F 35}	
97	Arterio-sclerosis	{M 968 F 1012}	{M 1042 F 1049}	{M 1274 F 1380}	{M 1434 F 1426}	{M 1263 F 1325}	{M 1318 F 1305}	{M 1219 F 1160}	{M 1085 F 1129}	{M 944 F 985}	{M 990 F 1052}	{M 956 F 934}	{M 946 F 944}	

TABLE 23—continued.

Personal No.	Causes of Death.	1938.			1939.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	(1) With cerebral hemorrhage ..	{M 352 F 381	360 415	440 539	428 522	397 448	468 495	374 451	378 424	335 391	378 411	362 339	328 379
	(2) With record of other cerebral vascular lesion ..	{M 221 F 277	255 263	299 323	317 346	281 348	275 312	286 275	246 305	215 253	243 268	232 257	231 262
	(3) Without record of cerebral vascular lesion ..	{M 395 F 354	427 271	535 518	689 558	585 529	575 498	559 434	461 400	394 341	369 373	362 338	387 303
	Gangrene ..	{M 27 F 22	34 30	22 34	26 27	38 27	37 32	35 28	21 39	20 28	19 18	15 15	25 21
	(a) Senile gangrene ..	{M 24 F 21	30 30	22 31	25 25	37 25	32 29	33 27	18 35	19 17	18 18	14 13	22 20
	(b) Other gangrene ..	{M 3 F 1	4 —	— 3	1 2	1 2	5 3	2 1	3 4	1 1	1 —	1 2	3 1
	Other diseases of the arteries ..	{M 19 F 12	13 12	23 8	18 9	14 7	13 7	10 9	10 12	9 10	15 15	8 5	12 8
	Diseases of the veins (varix, hemorrhoids, phlebitis, etc.) ..	{M 26 F 38	27 37	32 41	33 44	22 43	23 50	24 36	18 38	25 38	19 35	31 29	33 34
	(1) Varix ..	{M 10 F 16	12 22	13 21	16 25	10 18	10 26	9 10	9 23	10 13	9 16	14 16	15 16
	(2) Other diseases of the veins ..	{M 16 F 22	15 15	19 20	17 19	12 25	13 24	15 26	9 15	15 25	10 19	17 13	18 18
	Diseases of the lymphatic system (lymphangitis, etc.) ..	{M 1 F 1	4 3	— 2	2 1	— 3	3 1	4 4	— 3	2 2	1 2	1 1	1 3
	Abnormalities of blood pressure ..	{M 51 F 41	42 39	66 50	71 75	59 66	65 52	70 54	50 50	43 47	63 48	59 31	46 44
	Other diseases of the circulatory system ..	{M — F —	— —	1 —	— 1	— —	— —	1 —	— —	1 —	— —	— —	— —
	VIII.—Diseases of the Respiratory System ..	{M 1411 F 1057	1678 1213	2491 1878	3832 3391	3219 2902	2929 2419	2417 1859	1601 1216	1277 836	1062 712	943 659	1004 696
	Diseases of the nasal fossae and annexa ..	{M 13 F 10	14 11	13 8	12 14	16 5	10 7	15 5	5 4	13 5	11 2	9 7	11 1
	(1) Diseases of the nose ..	{M 3 F 2	5 2	1 —	2 3	2 2	— —	1 1	— —	3 —	1 —	2 1	2 —
	(2) Diseases of the accessory nasal sinuses ..	{M 10 F 8	9 9	12 8	10 11	14 3	10 7	14 4	5 4	10 5	10 2	7 6	9 1
	Diseases of the larynx ..	{M 6 F 2	9 1	6 8	9 6	6 6	8 5	10 4	14 7	4 4	7 4	6 2	7 1
	(1) Laryngismus stridulus ..	{M 1 F —	2 —	— 1	1 —	2 2	3 —	2 —	4 4	— —	— 1	1 1	1 —
	(2) Laryngitis ..	{M 5 F 1	7 1	6 7	8 5	4 7	5 5	8 4	10 3	4 3	7 3	5 1	6 1
	(3) Other diseases of the larynx ..	{M — F 1	— —	— —	— 1	— —	— —	— —	— —	1 —	— —	— —	— —
	Bronchitis ..	{M 446 F 335	567 408	870 686	1452 1392	1201 1170	1121 946	823 671	536 420	422 270	354 219	299 196	323 187
	(a) Acute bronchitis ..	{M 90 F 76	108 137	205 248	370 536	289 387	246 293	187 208	109 124	74 67	52 39	51 42	48 46
	(b) Chronic bronchitis ..	{M 241 F 154	312 252	449 236	696 417	579 392	585 315	407 280	256 177	260 123	219 119	181 109	207 87
	(c) Bronchitis, not distinguished as acute or chronic ..	{M 115 F 105	147 119	216 202	386 439	340 384	290 338	229 207	147 119	88 80	83 61	67 45	68 54
	Pneumonia (all forms) ..	{M 797 F 589	917 675	1353 1034	2072 1730	1764 1520	1539 1303	1338 1029	886 653	714 463	538 398	511 368	558 382
	Broncho-pneumonia ..	{M 374 F 367	522 442	769 631	1212 1106	1053 972	948 863	738 686	445 383	364 293	278 242	256 221	280 237
	Lobar pneumonia ..	{M 329 F 172	305 176	460 323	677 469	545 403	464 325	453 252	338 208	261 123	216 109	205 110	219 109

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1938.			1939.											
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
109	Pneumonia (not otherwise defined) .. {M F	94 50	90 57	124 80	183 155	166 145	127 115	147 91	103 62	89 47	44 47	50 37	59 36			
110	Pleurisy .. {M F	33 21	22 18	42 20	37 36	34 26	48 17	41 22	35 16	28 17	37 11	27 7				
	(1) Empyema .. {M F	16 6	10 4	24 3	17 10	17 11	25 5	17 9	20 5	13 9	19 6	11 1	11 3			
	(2) Other pleurisy .. {M F	17 15	12 14	18 17	20 26	17 15	23 12	24 13	15 11	15 8	18 5	16 6	7 6			
111	Congestion and hæmorrhagic infarct of lung, etc. {M F	34 38	39 37	50 56	64 87	48 71	48 52	44 59	32 51	20 35	32 32	18 37	29 42			
	(1) Hypostatic congestion of lungs .. {M F	30 35	33 35	45 45	58 82	44 68	38 47	35 55	23 44	17 33	23 24	16 32	24 35			
	(2) Other diseases included under 111 .. {M F	4 3	6 2	5 11	6 5	4 3	10 5	9 4	9 7	3 2	9 8	2 5	5 7			
112	Asthma .. {M F	59 54	67 51	101 79	131 112	103 88	106 81	85 58	59 55	36 34	40 37	44 34	38 65			
113	Pulmonary emphysema .. {M F	2 2	3 1	7 1	5 1	2 —	7 1	14 —	5 1	3 1	11 2	3 2	2 2			
114	Other diseases of the respiratory system. {M F	21 6	40 11	49 6	50 13	45 13	42 7	47 11	29 9	37 7	32 8	26 6	18 7			
	(a) Chronic interstitial pneumonia, including occupational diseases of the lung .. {M F	19 1	31 5	37 4	43 7	37 6	33 4	36 7	17 4	27 4	18 3	19 2	12 3			
	(b) Other diseases included under 114 .. {M F	2 5	9 6	12 2	7 6	8 7	9 3	11 4	12 5	10 3	14 5	7 4	6 3			
	(1) Gangrene of the lung {M F	— 1	— 1	1 —	1 —	— —	1 —	1 —	— —	— —	1 —	1 —	1 —			
	(2) Other diseases included under 114 (b) .. {M F	2 4	9 5	11 2	6 6	8 7	8 3	10 4	12 5	10 3	13 4	6 4	6 3			
115-129	IX.—Diseases of the Digestive System .. {M F	1059 896	1063 877	1194 928	1311 955	1169 818	1176 920	1079 838	1059 841	1003 760	947 784	1051 865	1059 825			
115	Diseases of the buccal cavity, pharynx, etc. {M F	48 42	57 49	54 40	60 52	47 49	42 58	53 53	60 48	52 51	39 35	40 61	39 31			
	(1) Diseases of the teeth and gums .. {M F	13 7	14 8	19 6	20 7	10 11	11 12	15 6	16 12	8 9	10 4	6 12	10 4			
	(2) Ludwig's angina .. {M F	3 1	2 2	2 1	3 3	— 2	5 3	3 —	6 3	6 4	2 —	1 2	3 3			
	(3) Diseases of the tonsils .. {M F	27 29	30 29	24 21	24 28	27 26	14 31	23 35	27 22	24 27	22 25	27 36	18 19			
	(4) Other diseases included under 115 .. {M F	5 5	12 10	9 12	13 14	10 10	12 12	12 12	11 11	14 11	2 9	6 11	8 5			
116	Diseases of the œsophagus .. {M F	2 2	2 1	2 2	4 1	2 1	5 1	3 1	5 2	5 —	3 2	2 1	1 4			
117	Ulcer of the stomach or duodenum .. {M F	272 70	280 91	357 107	409 123	343 90	329 106	305 86	307 66	287 82	264 68	291 84	331 86			
	(a) Ulcer of the stomach {M F	173 59	166 71	231 88	270 96	217 64	222 86	198 64	197 49	196 67	174 60	199 68	227 64			
	(b) Ulcer of the duodenum {M F	99 11	114 20	126 19	139 27	126 26	107 20	107 22	110 17	91 15	90 8	92 16	104 22			
118	Other diseases of the stomach {M F	22 47	25 32	42 36	22 20	34 37	28 24	25 26	25 21	19 22	26 17	28 23	22 28			
	(1) Inflammation of the stomach .. {M F	17 39	16 25	30 31	14 13	22 29	20 20	17 22	16 17	15 19	19 15	19 21	18 27			
	(2) Other diseases included under 118 .. {M F	5 8	9 7	12 5	8 7	12 8	8 4	8 4	9 4	4 3	7 2	9 2	4 1			

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1938.			1939.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
119 & 120	Diarrhoea and enteritis .. {M F	240 175	187 162	195 162	222 163	201 126	214 160	185 160	190 155	164 133	164 155	172 163	239 241
	(a) { (1) Colitis {M F	10 9	5 17	9 12	12 11	8 14	6 9	2 7	6 17	7 9	4 8	2 10	9 13
	(2) Other diarrhoea and enteritis .. {M F	208 140	158 116	172 136	186 129	160 97	180 131	167 126	161 118	132 94	143 121	155 122	211 203
	(b) Ulceration of intestines {M F	22 26	24 29	14 14	24 23	33 15	28 20	16 27	23 20	25 30	17 26	15 31	19 25
121	Appendicitis {M F	130 112	126 87	137 112	146 91	119 91	118 109	122 79	117 117	120 79	126 98	113 107	117 81
122	Hernia, intestinal obstruction {M F	173 173	190 193	225 212	253 219	260 186	230 187	184 188	177 190	150 161	173 169	208 167	151 159
	(a) Hernia {M F	64 73	75 80	95 122	106 108	98 99	94 97	91 97	73 91	70 83	77 81	94 71	66 70
	(1) Strangulated hernia {M F	49 62	51 59	83 100	84 97	79 77	69 80	68 78	54 71	51 59	50 61	71 59	51 57
	(2) Hernia not returned as strangulated .. {M F	15 11	24 21	12 22	22 11	19 22	25 17	23 19	19 20	19 24	27 20	23 12	15 13
	(b) Intestinal obstruction .. {M F	109 100	115 113	130 90	147 111	108 87	136 90	93 91	104 99	80 78	96 88	114 96	85 89
123	Other diseases of the intestines {M F	247 47	30 28	27 35	41 37	43 30	43 39	29 35	39 29	34 33	23 37	28 37	29 31
	(1) Constipation, intestinal stasis {M F	1 10	1 4	3 2	2 8	2 7	5 4	6 6	1 1	3 3	1 3	— 5	2 1
	(2) Diverticulitis {M F	19 31	21 18	15 28	30 22	29 17	32 31	18 26	29 23	22 28	15 25	25 26	23 23
	(3) Other diseases included under 123 .. {M F	4 6	8 6	9 5	9 7	12 6	6 4	5 3	9 5	9 2	7 9	3 6	4 7
124	Cirrhosis of the liver .. {M F	65 38	66 45	66 40	66 48	68 34	67 34	75 28	56 43	71 27	55 29	76 42	54 36
	(a) Returned as alcoholic .. {M F	13 2	7 5	10 8	11 3	9 4	15 2	7 4	7 11	15 3	9 1	12 5	4 4
	(b) Not returned as alcoholic {M F	52 36	59 40	56 32	55 45	59 30	52 32	68 24	49 32	56 24	46 28	64 37	49 32
125	Other diseases of the liver .. {M F	10 13	7 13	10 12	7 13	8 6	8 9	8 14	13 6	12 12	4 13	17 17	5 13
	(1) Acute yellow atrophy .. {M F	3 5	1 9	1 7	1 3	2 4	1 3	2 10	4 5	4 9	2 9	4 10	1 9
	(2) Other diseases included under 125 .. {M F	7 8	6 4	9 5	6 10	6 2	7 6	6 4	9 1	8 3	2 4	13 7	4 4
126	Biliary calculi {M F	23 62	27 70	24 71	16 78	33 59	27 70	28 60	20 72	31 55	25 68	26 65	25 45
	(1) With cholecystitis .. {M F	8 15	11 30	9 23	1 28	6 18	9 22	5 25	10 21	12 19	6 27	10 30	8 12
	(2) Without mention of cholecystitis .. {M F	15 47	16 40	15 48	15 50	27 41	18 48	23 35	10 51	19 36	19 41	16 35	17 33
127	Other diseases of the gall bladder and ducts .. {M F	32 77	39 66	28 68	39 71	35 69	35 76	32 82	25 63	28 72	22 64	26 76	29 51
	(1) Cholecystitis, without record of biliary calculi .. {M F	28 74	36 63	26 65	35 68	31 63	26 71	30 81	22 57	24 67	21 62	25 70	24 48
	(2) Other diseases included under 127 .. {M F	4 3	3 3	2 3	4 4	4 6	9 5	2 1	3 6	4 5	1 2	1 6	5 3
128	Diseases of the pancreas .. {M F	7 25	24 26	22 17	14 25	21 27	18 25	20 18	21 18	22 23	18 19	16 14	15 15
129	Peritonitis, without stated cause {M F	11 13	3 14	5 14	12 14	9 13	12 22	10 8	4 11	8 10	5 10	8 8	2 4

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1938.			1939.											
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.			
130-139	X.—Non-venereal Diseases of the Genito-urinary System and Annexa	M 1028 F 652	M 1079 F 637	M 1248 F 754	M 1352 F 856	M 1189 F 679	M 1294 F 758	M 1111 F 706	M 1134 F 634	M 977 F 617	M 1037 F 604	M 945 F 592	M 1005 F 581			
130-132	Nephritis	M 505 F 509	M 550 F 513	M 645 F 587	M 645 F 701	M 593 F 572	M 645 F 646	M 563 F 571	M 584 F 493	M 463 F 497	M 499 F 469	M 461 F 460	M 489 F 469			
130	Acute nephritis	M 31 F 30	M 54 F 36	M 44 F 37	M 55 F 44	M 45 F 34	M 42 F 34	M 42 F 32	M 42 F 38	M 32 F 28	M 29 F 30	M 35 F 23	M 32 F 26			
131	Chronic nephritis	M 416 F 427	M 440 F 418	M 521 F 498	M 523 F 589	M 496 F 473	M 542 F 541	M 453 F 490	M 491 F 410	M 386 F 415	M 423 F 396	M 384 F 397	M 406 F 390			
132	Nephritis not stated to be acute or chronic	M 58 F 52	M 56 F 59	M 80 F 52	M 67 F 68	M 52 F 65	M 61 F 71	M 68 F 49	M 51 F 45	M 45 F 54	M 47 F 43	M 42 F 40	M 51 F 53			
133	Other diseases of the kidney and annexa	M 34 F 57	M 37 F 45	M 47 F 68	M 50 F 56	M 49 F 44	M 55 F 46	M 61 F 62	M 45 F 65	M 49 F 46	M 44 F 58	M 46 F 53	M 58 F 56			
	(a) Pyelitis	M 21 F 45	M 27 F 37	M 32 F 44	M 41 F 37	M 34 F 32	M 42 F 35	M 38 F 48	M 26 F 43	M 34 F 31	M 36 F 41	M 32 F 44	M 38 F 43			
	(b) Other diseases included under 133	M 13 F 12	M 10 F 8	M 15 F 24	M 9 F 19	M 15 F 12	M 13 F 11	M 23 F 14	M 19 F 22	M 15 F 15	M 8 F 17	M 14 F 9	M 20 F 13			
134	Calculi of the urinary passages	M 10 F 15	M 26 F 15	M 24 F 18	M 39 F 15	M 26 F 14	M 17 F 11	M 19 F 12	M 20 F 9	M 21 F 16	M 20 F 14	M 19 F 16	M 29 F 15			
	(a) Calculi of kidney and ureter	M 6 F 11	M 16 F 13	M 11 F 16	M 25 F 11	M 22 F 11	M 11 F 11	M 6 F 11	M 13 F 9	M 15 F 13	M 16 F 14	M 14 F 13	M 19 F 13			
	(b) Calculi of the bladder	M 4 F 4	M 7 F 2	M 12 F 2	M 13 F 4	M 3 F 3	M 5 F —	M 13 F 1	M 7 F —	M 6 F 3	M 4 F —	M 5 F 2	M 8 F 2			
	(c) Calculi of unstated site	M — F —	M 3 F —	M 1 F —	M 1 F —	M 1 F —	M 1 F —	M — F —	M — F —	M — F —	M — F —	M 1 F —	M 2 F —			
135	Diseases of the bladder	M 46 F 46	M 38 F 24	M 54 F 39	M 54 F 50	M 51 F 21	M 58 F 25	M 36 F 32	M 45 F 30	M 37 F 33	M 36 F 22	M 38 F 30	M 37 F 14			
	(a) Cystitis	M 38 F 36	M 27 F 21	M 47 F 38	M 45 F 47	M 47 F 16	M 46 F 22	M 30 F 31	M 41 F 28	M 36 F 31	M 29 F 22	M 36 F 28	M 28 F 11			
	(b) Other diseases of the bladder	M 8 F 10	M 11 F 3	M 7 F 1	M 9 F 3	M 4 F 5	M 12 F 3	M 6 F 1	M 4 F 2	M 1 F 2	M 7 F —	M 2 F 2	M 9 F 3			
136	Diseases of the urethra, urinary abscess, etc.	M 26 F —	M 25 F —	M 31 F 2	M 31 F —	M 27 F —	M 30 F —	M 31 F 1	M 29 F —	M 23 F 1	M 36 F —	M 21 F —	M 19 F —			
	(a) Stricture of the urethra	M 24 F —	M 23 F —	M 30 F —	M 31 F —	M 26 F —	M 28 F —	M 30 F —	M 28 F —	M 22 F —	M 30 F —	M 20 F —	M 18 F —			
	(b) Other diseases of the urethra, etc.	M 2 F —	M 2 F —	M 1 F 2	M — F —	M 1 F —	M 2 F —	M 1 F 1	M 1 F —	M 1 F 1	M 6 F —	M 1 F —	M 1 F —			
137	Diseases of the prostate	M 401	M 399	M 438	M 529	M 437	M 483	M 394	M 403	M 383	M 394	M 354	M 370			
138	Diseases of the male genital organs	M 6	M 4	M 9	M 4	M 6	M 6	M 7	M 8	M 1	M 8	M 6	M 3			
139	Diseases of the female genital organs	F 25	F 40	F 40	F 34	F 28	F 30	F 28	F 37	F 24	F 41	F 33	F 27			
	(a) Diseases of the ovary, Fallopian tube and parametrium	F 10	F 16	F 18	F 10	F 7	F 8	F 15	F 10	F 11	F 13	F 8	F 15			
	(1) Diseases of the ovary	F —	F —	F 1	F —	F 1	F —	F 2	F 1	F —	F 2	F —	F 1			
	(2) Diseases of the Fallopian tube	F 8	F 13	F 11	F 10	F 5	F 7	F 10	F 7	F 9	F 8	F 7	F 9			
	(3) Diseases of the parametrium	F 2	F 3	F 6	F —	F 1	F 1	F 3	F 2	F 2	F 3	F 1	F 5			
	(b) Diseases of the uterus	F 15	F 24	F 17	F 22	F 17	F 22	F 13	F 24	F 11	F 23	F 16	F 11			
	(c) Diseases of the breast	F —	F —	F 2	F —	F 2	F —	F —	F 2	F —	F 3	F 2	F —			
	(d) Other diseases of the female genital organs	F —	F —	F 3	F 2	F 2	F —	F —	F 1	F 2	F 2	F 7	F 1			

TABLE 23—continued.

International List No.	Causes of Death.		1938.			1939.									
			Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
140-150	XI.—Diseases of Pregnancy, Childbirth and the Puerperal State	F	153	153	121	162	132	156	157	146	171	160	152	142	
140 & 145	Puerperal sepsis	F	36	34	39	44	33	45	47	31	46	40	42	37	
140	Post-abortive sepsis	F	15	13	11	13	10	14	17	13	16	13	14	13	
141	Abortion not returned as septic	F	4	3	4	7	4	4	7	8	4	6	1	4	
	(1) Hæmorrhage following abortion	F	4	1	4	4	4	4	6	7	4	6	1	2	
	(2) Without record of hæmorrhage	F	—	2	—	3	—	—	1	1	—	—	—	2	
142	Ectopic gestation	F	7	4	6	8	5	4	7	2	7	6	4	1	
143	Other accidents of pregnancy	F	3	—	—	—	1	1	1	—	—	1	—	1	
144	Puerperal hæmorrhage ..	F	20	26	12	17	22	16	19	21	29	24	25	22	
	(a) Placenta prævia ..	F	8	7	1	6	8	9	3	7	6	11	5	9	
	(b) Other puerperal hæmorrhage	F	12	19	11	11	14	7	16	14	23	13	20	13	
145	Puerperal sepsis not returned as post-abortive ..	F	21	21	28	31	23	31	30	18	30	27	28	24	
	(a) Puerperal septicæmia and pyæmia	F	21	21	28	30	23	31	30	18	30	27	28	24	
	(b) Puerperal tetanus ..	F	—	—	—	1	—	—	—	—	—	—	—	—	
146	Puerperal albuminuria and convulsions	F	27	27	21	31	27	32	24	20	25	24	22	22	
147	Other toxæmias of pregnancy	F	20	19	11	16	11	15	19	20	13	9	9	12	
148	Puerperal phlegmasia alba dolens, embolism and sudden death	F	8	10	10	12	10	12	12	9	12	11	11	16	
	(a) Puerperal phlegmasia alba dolens not returned as septic	F	1	3	5	2	4	4	4	4	5	4	6	7	
	(b) Puerperal embolism and sudden death	F	7	7	5	10	6	8	8	5	7	7	5	9	
149	Other accidents of childbirth	F	25	28	14	24	16	22	19	32	33	37	35	26	
150	Other or unspecified conditions of the puerperal state	F	3	2	4	3	3	5	2	3	2	2	3	1	
	(1) Puerperal insanity ..	F	1	1	1	—	—	—	—	2	—	1	3	—	
	(2) Puerperal diseases of the breast	F	—	—	—	—	—	1	1	—	—	1	—	—	
	(3) Childbirth (unqualified)	F	2	1	3	3	3	4	1	1	2	—	—	1	
151-153	XII.—Diseases of the Skin and Cellular Tissue ..	{M F	77 67	70 66	84 53	96 61	86 72	74 46	58 67	78 63	69 60	73 48	67 51	57 51	
151	Carbuncle, boil	{M F	38 16	24 18	23 17	35 15	26 19	20 11	16 18	29 17	23 17	33 15	28 17	25 16	
152	Cellulitis, acute abscess ..	{M F	26 24	24 22	32 13	34 20	28 23	30 15	12 21	29 26	20 21	17 13	20 14	14 15	
	(1) Cellulitis	{M F	19 21	20 17	27 10	29 10	25 22	25 13	10 17	27 19	16 15	16 9	16 11	11 11	
	(2) Acute abscess	{M F	7 3	4 5	5 3	5 10	3 1	5 2	2 4	2 7	4 6	1 4	4 3	3 4	
153	Other diseases of the skin and its annexa ..	{M F	13 27	22 26	29 23	27 26	32 30	24 20	30 28	20 20	26 22	23 20	19 20	18 20	
154-156	XIII.—Diseases of the Bones and Organs of Locomotion	{M F	32 26	38 19	37 26	38 32	35 33	52 25	45 20	53 23	36 20	46 20	44 24	27 22	
154	Acute infective osteomyelitis and periostitis ..	{M F	19 12	20 10	25 11	19 15	19 11	32 10	24 7	22 9	23 4	27 6	24 7	11 10	

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1938.			1939.									
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
155	Other diseases of the bones {M F	7 8	8 3	5 5	7 6	8 9	10 7	16 8	18 3	6 5	10 6	11 12	12 7	
156	Diseases of the joints and other organs of locomotion {M F	6 6	10 6	7 10	12 11	8 13	10 8	5 5	13 11	7 11	9 8	9 5	4 5	
	(a) Diseases of the joints {M F	2 4	4 1	4 8	6 4	4 8	8 6	4 3	8 5	4 4	5 5	6 2	1 1	
	(b) Diseases of other organs of locomotion {M F	4 2	6 5	3 2	6 7	4 5	2 2	1 2	5 6	3 7	4 3	3 3	3 4	
157	XIV.—Congenital Malformations {M F	195 165	195 148	211 175	207 186	172 163	211 170	197 162	201 147	177 163	189 157	190 125	180 151	
	(a) Congenital hydrocephalus {M F	11 10	11 11	12 11	8 14	9 14	15 8	16 8	14 9	10 11	15 14	10 11	11 12	
	(b) Spina bifida and meningocele {M F	35 63	38 51	45 61	40 61	38 58	32 70	38 54	54 55	44 63	47 56	38 50	43 54	
	(c) Congenital malformation of heart {M F	75 54	77 50	88 69	84 65	62 48	87 56	79 52	72 49	72 53	70 50	74 32	72 48	
	(d) Monstrosities {M F	6 1	4 6	2 3	3 6	4 9	4 5	4 3	3 6	1 4	2 7	7 3	1 2	
	(e) Other congenital malformations {M F	68 37	65 30	64 31	72 40	59 34	73 31	60 45	58 28	50 32	55 30	61 29	53 35	
	(1) Congenital pyloric stenosis {M F	27 4	25 7	22 5	31 11	25 5	29 5	23 9	26 6	20 5	15 2	21 4	28 6	
	(2) Cleft palate, harelip {M F	4 6	7 6	8 4	9 8	6 7	6 6	9 6	8 4	4 5	5 8	3 3	3 4	
	(3) Imperforate anus {M F	7 4	4 2	5 2	8 1	1 2	5 1	10 —	3 1	2 2	4 —	7 3	2 2	
	(4) Other stated congenital malformations {M F	26 22	27 12	29 17	20 20	25 18	30 18	17 29	21 14	22 18	31 17	29 17	18 20	
	(5) Congenital malformation unspecified {M F	4 1	2 3	— 3	4 —	2 2	3 1	1 1	— 3	2 2	— 3	1 2	2 3	
158-161	XV.—Diseases of Early Infancy {M F	597 492	615 458	730 557	817 628	744 502	815 541	740 594	708 500	606 474	664 494	578 439	586 435	
158	Congenital debility {M F	32 39	42 33	75 39	67 46	81 46	70 48	65 34	65 31	31 23	34 33	34 24	40 31	
159	Premature birth {M F	401 342	412 324	470 373	548 460	521 348	520 379	483 409	444 323	402 322	443 328	346 297	366 302	
160	Injury at birth {M F	70 50	87 34	80 57	88 38	83 39	113 41	96 62	98 60	83 58	100 63	93 50	81 36	
	(a) With mention of Cæsarean section {M F	— 1	2 —	— —	— —	— —	— 1	— —	1 1	— —	2 1	— —	— —	
	(b) Without mention of Cæsarean section {M F	70 49	85 34	80 57	88 38	83 39	113 40	96 62	97 59	83 58	98 62	93 50	81 36	
161	Other diseases peculiar to early infancy {M F	94 61	74 67	105 88	114 84	79 69	112 73	96 89	101 86	90 71	87 70	105 68	99 66	
	(a) Atelectasis {M F	63 34	48 29	64 58	64 56	43 41	71 36	58 50	59 48	55 50	55 39	66 40	70 45	
	(b) Icterus neonatorum {M F	13 12	13 17	21 12	22 8	21 9	17 9	20 14	19 15	14 9	16 10	22 9	16 8	
	(c) Other diseases included under 161 {M F	18 15	13 21	20 18	28 20	15 19	24 28	18 25	23 23	21 12	16 21	17 19	13 13	
	(1) Diseases of the umbilicus {M F	1 —	2 4	3 2	9 2	2 1	5 3	— 7	7 4	2 2	1 1	3 3	2 2	

TABLE 23—continued.

International List No.	Causes of Death.	1938.			1939.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
161	(2) Pemphigus neonatorum {M F	2 3	3 —	3 2	4 5	2 —	1 2	1 3	1 3	2 —	1 —	— 1	1 1
	(3) Other diseases in- cluded under 161 (c) {M F	15 12	8 17	14 14	15 13	11 18	18 23	17 15	15 16	17 10	14 20	14 15	10 10
162	XVI.—Old Age {M F	459 701	475 691	683 927	824 1095	640 1106	730 1002	614 979	552 786	471 744	424 682	446 696	463 776
	(a) Senile dementia {M F	22 44	22 29	25 37	38 42	29 52	32 55	30 40	19 27	12 37	24 29	23 32	20 34
	(b) Other forms of senile decay {M F	437 657	453 662	658 890	786 1053	611 1054	698 947	584 939	533 759	459 707	400 653	423 664	443 742
63-198	XVII.—Deaths from Violence {M F	1194 665	1235 670	1393 812	1264 814	1085 685	1201 702	1198 690	1261 641	1217 579	1254 580	1326 605	1815 734
63-171	Suicide {M F	261 151	262 163	278 153	280 143	255 123	307 149	306 182	332 165	298 145	287 131	293 150	314 171
163	By solid or liquid poisons and corrosive substances {M F	16 31	27 23	29 13	24 19	22 23	27 17	31 24	28 21	16 16	21 24	21 21	35 26
164	By poisonous gas {M F	107 64	100 74	103 74	106 67	82 49	107 79	101 90	129 79	105 66	99 49	98 71	113 87
165	By hanging or strangulation {M F	58 10	36 10	39 13	44 9	35 13	46 12	54 15	60 13	47 15	52 14	51 14	51 13
166	By drowning {M F	33 28	35 35	33 23	48 33	38 26	51 23	48 32	44 29	42 28	40 25	47 18	36 21
167	By firearms {M F	15 1	22 1	18 3	21 2	22 —	18 —	23 1	12 2	35 2	18 1	15 —	22 1
168	By cutting or piercing in- struments {M F	23 6	17 3	33 11	24 3	35 2	39 3	27 10	30 4	31 5	42 8	31 5	38 8
169	By jumping from high places {M F	2 1	9 4	9 7	3 1	9 4	7 2	7 8	13 7	8 6	6 4	7 7	10 6
170	By crushing {M F	7 4	15 7	14 6	10 3	12 1	12 4	14 1	16 2	12 1	9 1	19 5	9 4
171	By other means {M F	— 6	1 6	— 3	— 6	— 5	— 9	1 1	— 8	2 6	— 5	4 9	— 5
72-175	Homicide {M F	10 11	7 10	7 7	7 12	5 5	4 15	11 7	7 7	6 10	5 13	13 11	9 15
173	By firearms {M F	1 —	1 1	1 —	1 —	— 2	— —	— 1	— 1	— 1	— 3	1 1	2 3
174	By cutting or piercing in- struments {M F	— —	— 2	1 —	— 1	2 1	2 2	— 1	— 1	— —	— —	1 3	4 —
175	By other means {M F	9 11	6 7	5 1	6 11	3 2	4 13	11 5	7 5	6 9	5 10	11 7	3 12
76-194	Accidental deaths {M F	855 464	900 474	1052 633	911 627	764 531	821 514	815 478	864 443	850 395	875 413	967 422	1420 526
176	Attack by venomous animals {M F	3 1	— 1	1 —	— —	1 —	1 1	— —	— —	1 —	1 1	1 2	— —
177	Food poisoning {M F	4 1	— 3	— —	— —	— —	— —	— —	1 1	2 2	3 —	4 5	5 5
178	Accidental absorption of irrespirable or poisonous gas {M F	8 4	12 7	25 11	13 10	8 12	10 5	3 5	6 4	9 5	4 1	3 6	12 4
179	Other acute accidental poi- soning (not by gas) {M F	8 1	9 3	5 2	1 5	2 5	2 3	3 3	5 4	— 2	5 —	3 3	3 2

172 Infanticide. Deaths are included in headings 173-175.

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1938.			1939.											
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.			
180	Conflagration {M F	1 —	4 5	7 12	15 5	7 7	7 8	3 5	— 1	— 3	1 3	1 2	4 4			
181	Accidental burns (conflagra- tion excepted) {M F	45 43	38 64	56 86	48 89	49 59	40 71	34 55	42 52	29 37	42 44	36 35	48 51			
182	Accidental mechanical suffo- cation {M F	16 17	28 16	43 30	29 24	33 19	23 18	25 14	24 16	21 13	10 10	21 7	20 11			
183	Accidental drowning .. {M F	35 4	17 8	21 8	35 4	30 3	25 7	51 7	63 7	70 12	69 9	124 16	92 11			
184	Accidental injury by fire— arms .. {M F	7 —	6 —	2 —	10 —	6 —	2 —	5 —	5 —	2 —	6 1	11 1	17 1			
185	Accidental injury by cutting or piercing instruments {M F	1 —	— —	1 —	1 —	1 —	— —	— —	1 —	4 1	2 —	1 —	1 —			
186	Accidental injury by fall, crushing, etc. .. {M F	694 383	737 355	844 459	707 470	599 413	679 386	659 371	672 340	661 301	694 331	718 330	1166 429			
187	Cataclysm {M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
188	Injury by animals (poison- ing by venomous animals excepted) .. {M F	4 —	3 —	2 —	3 —	3 —	4 1	3 —	3 —	2 —	2 —	2 —	7 —			
189	Hunger or thirst {M F	— —	1 —	1 1	— —	— —	2 1	— —	— —	— —	— —	— —	— —			
190	Excessive cold {M F	— —	— —	12 5	6 2	1 —	1 1	— —	— —	— —	— —	— —	2 —			
191	Excessive heat {M F	— —	— —	1 —	— —	— —	— —	— —	1 1	6 2	2 —	3 1	— —			
192	Lightning {M F	— —	— —	— —	— —	— —	— —	— —	— —	1 —	3 1	14 3	2 —			
193	Electricity (lightning excepted) {M F	9 —	11 —	3 2	10 2	1 1	3 —	6 —	6 2	6 3	6 —	6 1	10 —			
194	Other and unstated forms of accidental violence .. {M F	19 10	34 12	28 17	33 16	23 12	23 12	23 18	36 15	36 14	25 12	19 10	31 8			
	(1) Inattention at birth .. {M F	3 5	7 6	4 5	14 9	10 8	5 9	4 10	5 7	7 7	4 4	1 3	5 4			
	(2) Other causes included under 194 .. {M F	16 5	27 6	24 12	19 7	13 4	18 3	19 8	31 8	29 7	21 8	18 7	26 4			
195	Violent deaths of unstated nature, (i.e., accidental, suicidal, etc.) {M F	56 39	58 23	53 25	63 32	58 26	63 24	61 23	53 26	57 29	81 23	48 22	67 22			
196	Wounds of war {M F	12 —	7 —	3 —	3 —	2 —	4 —	5 —	5 —	5 —	6 —	5 —	5 —			
197	Execution of civilians by belligerent armies .. {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			
198	Execution {M F	— —	1 —	— —	— —	1 —	2 —	— —	— —	1 —	— —	— —	— —			
199-200	XVIII.—Ill-defined Dis- eases .. {M F	57 46	59 45	84 64	61 42	42 40	57 23	35 34	51 25	41 32	41 21	35 22	34 34			
199	Sudden death {M F	12 9	15 13	18 12	7 7	10 8	11 8	8 8	9 5	9 8	5 3	7 2	6 5			
200	Cause of death unstated or ill-defined .. {M F	45 37	44 32	66 52	54 35	32 32	46 15	27 26	42 20	32 24	36 18	28 20	28 29			
	(1) Heart failure {M F	42 31	36 30	59 47	47 33	27 29	37 12	23 20	38 16	26 19	28 14	21 18	24 22			
	(2) Other ill-defined causes {M F	2 3	3 —	1 2	4 1	3 2	2 —	3 3	2 —	3 3	3 2	4 1	— 4			
	(3) Cause not specified .. {M F	1 3	5 2	6 3	3 1	2 1	7 3	1 3	2 4	3 2	5 2	3 1	4 3			

TABLE 24.—CAUSES OF DEATH,
1939, classified in accordance
with the Abridged List (*see*
statement below) AT DIFFERENT
PERIODS OF LIFE.

{ England and Wales, Geographical
Regions†, London and Metropolitan
Boroughs, County Boroughs, Aggre-
gates of other Urban and of Rural
Districts in each Administrative
County.

(Non-civilian deaths registered on and after 3rd September are excluded.
See Table 21A).

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar-General
in consultation with the Ministry of Health, and its relation to the detailed
International List.

NOTE.—The relation of the full detailed International List to the Intermediate International List will be found
in the first column of Table 6.

No.	Registrar-General's Abridged List.	Corresponding number in the Detailed International List.
1.	Typhoid and paratyphoid fevers	1 and 2.
2.	Measles	7.
3.	Scarlet fever.	8.
4.	Whooping cough	9.
5.	Diphtheria	10.
6.	Influenza	11.
7.	Encephalitis lethargica	17.
8.	Cerebro-spinal fever	18.
9.	Tuberculosis of respiratory system	23.
10.	Other tuberculous diseases	24-32.
11.	Syphilis	34.
12.	General paralysis of the insane, tabes dorsalis	80 and 83.
13.	Cancer, malignant disease	45-53.
14.	Diabetes	59.
15.	Cerebral hæmorrhage, etc.	82.
16.	Heart disease	90-95.
17.	Aneurysm	96.
18.	Other circulatory diseases	97-103.
19.	Bronchitis	106.
20.	Pneumonia (all forms)	107-109.
21.	Other respiratory diseases	104, 105 and 110-114.
22.	Peptic ulcer	117.
23.	Diarrhœa, etc.	119.
24.	Appendicitis.	121.
25.	Cirrhosis of liver	124.
26.	Other diseases of liver, etc.	125-127.
27.	Other digestive diseases	115, 116, 118, 120,* 122, 123, 128 and 129.
28.	Acute and chronic nephritis	130-132.
29.	Puerperal sepsis	140 and 145.
30.	Other puerperal causes	141-144 and 146-150.
31.	Congenital debility, premature birth, malforma- tions, etc.	157-161.
32.	Senility	162.
33.	Suicide	163-171.
34.	Other violence†	172-198.
35.	Other defined causes†	All numbers not included in other headings.
36.	Causes ill-defined, or unknown	199 and 200.

* In tables of deaths by ages this heading (No. 120 of the detailed list) is included under No. 23 of the
abridged list.

† Deaths from Wounds of War and Smallpox, if any, are shown in footnotes to lines 34 and 35 respectively.

‡ The Counties included in the several Geographical Regions are shown on the first page of Table 17.

TABLE 24—*contd.* Civilian Deaths Registered in England and Wales.

Causes of Death See first page of Table.		All Ages	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All causes	M F	254,945 244,023	17,870 13,320	1,941 1,666	2,358 1,959	4,010 3,303	6,980 6,352	9,115 8,731	12,646 11,227	24,485 19,648	47,633 36,148	66,161 59,824	61,746 81,845
1 Typhoid fever, etc.	M F	56 57	— 1	— —	— 1	3 3	8 10	19 8	8 10	9 10	6 7	3 6	— 1
2 Measles	M F	159 150	49 40	40 32	46 45	23 29	— —	1 2	— —	— —	— 2	— —	— —
3 Scarlet fever	M F	105 111	3 3	8 7	33 30	30 37	12 16	6 4	8 4	3 7	1 3	1 —	— —
4 Whooping cough	M F	566 707	342 371	127 196	80 116	13 22	2 —	— 1	— —	2 —	— 1	— —	— —
5 Diphtheria	M F	1,122 1,049	29 22	49 37	372 328	610 566	36 47	13 21	6 7	2 11	3 7	2 2	— 1
6 Influenza	M F	4,313 4,720	145 83	40 40	51 34	49 56	130 111	170 205	332 286	610 427	870 697	989 1,122	927 1,659
7 Encephalitis lethargica	M F	391 340	1 1	3 1	3 4	5 8	39 24	75 54	50 54	64 56	88 74	51 47	12 17
8 Cerebro-spinal fever	M F	287 214	75 49	29 33	30 28	33 31	52 19	19 16	19 15	13 9	13 12	4 2	— —
9 Respiratory tuberculosis	M F	13,124 9,055	29 15	30 21	24 22	78 163	1,708 2,547	2,510 2,523	2,542 1,533	2,815 1,017	2,411 737	865 374	112 103
10 Other tuberculosis	M F	2,176 1,895	151 124	186 159	259 214	337 308	389 373	255 238	196 143	164 116	144 101	74 78	21 41
11 Syphilis	M F	862 388	61 58	3 2	2 1	6 2	9 15	20 24	65 58	196 101	300 74	162 46	38 7
12 Gen. paralysis of insane, etc.	M F	1,063 297	— —	— —	— —	3 2	13 11	23 8	145 62	307 97	351 76	186 33	35 8
13 Cancer	M F	32,821 36,160	11 17	12 10	39 33	59 46	166 124	473 562	1,304 2,270	3,920 5,607	9,115 9,119	11,606 10,657	6,116 7,715
14 Diabetes	M F	2,882 4,745	— —	2 5	2 4	35 42	53 62	69 87	101 109	193 334	628 1,144	1,119 1,917	680 1,041
15 Cerebral hæmorrhage	M F	12,658 16,317	1 —	— 3	— 1	5 6	14 11	64 62	218 274	891 1,130	2,688 3,095	4,790 5,479	3,987 6,256
16 Heart disease	M F	68,945 70,287	5 2	4 4	19 9	224 224	430 588	718 977	1,646 1,748	5,270 3,597	13,492 9,278	23,066 20,774	24,071 33,086
17 Aneurysm	M F	1,010 554	2 1	3 —	— 2	11 5	28 24	60 27	73 120	182 103	298 133	267 138	86 77
18 Other circulatory	M F	15,202 15,275	5 7	1 3	3 2	1 1	8 9	33 26	44 128	633 635	2,464 1,977	5,587 4,944	6,347 7,543
19 Bronchitis	M F	8,460 7,003	488 413	72 77	49 46	36 34	90 50	105 65	251 125	816 250	1,616 668	2,151 1,609	2,786 3,666
20 Pneumonia	M F	12,501 9,706	2,571 1,890	559 472	339 295	198 203	263 232	390 339	734 441	1,466 652	2,201 1,155	2,149 1,726	1,631 2,301
21 Other respiratory	M F	2,505 1,784	55 35	31 27	34 30	39 35	75 54	117 113	218 108	428 188	594 260	490 372	424 562
22 Peptic ulcer	M F	3,806 1,059	— 1	— —	— —	— 1	57 26	177 26	547 86	891 190	1,130 284	730 285	273 178
23 Diarrhœa	M F	2,256 1,916	1,517 1,062	117 116	58 40	39 31	32 50	63 90	57 79	62 85	120 103	102 118	89 142
24 Appendicitis	M F	1,435 1,138	3 3	11 10	64 36	173 137	201 125	139 110	154 105	196 154	231 192	185 174	78 92
25 Cirrhosis of liver	M F	760 435	3 —	— —	— —	6 5	2 8	14 10	51 22	131 84	269 144	213 118	71 44
26 Other liver diseases	M F	746 1,709	8 4	5 1	4 4	3 3	5 20	27 57	41 103	79 199	177 404	233 480	158 434
27 Other digestive	M F	3,965 3,805	317 180	79 35	86 70	129 141	129 85	178 162	251 286	487 422	773 653	854 952	682 819
28 Nephritis	M F	6,568 6,521	23 14	9 12	27 19	77 74	203 177	308 288	400 479	847 864	1,415 1,306	1,905 1,751	1,354 1,537
29 Puerperal sepsis	F	476	—	—	—	—	80	272	122	2	—	—	—
30 Other puerperal	F	1,339	—	—	—	—	225	725	375	14	—	—	—
31 Congenital causes, etc.	M F	10,426 7,900	10,194 7,652	56 60	43 57	45 53	38 30	25 23	12 5	8 16	5 3	— 1	— —
32 Senility	M F	6,884 10,444	— —	— —	— —	— —	— —	— —	— —	— 2	49 54	1,010 1,210	5,823 9,178
33 Suicide	M F	3,307 1,747	— —	— —	— —	2 1	184 80	364 254	469 323	639 429	911 377	558 213	180 70
34 Other violence†	M F	12,873 6,582	412 328	208 128	385 234	921 351	1,655 344	1,676 281	1,348 281	1,470 402	1,801 711	1,570 1,243	1,427 2,279
35 Other defined causes	M F	20,170 17,756	1,353 934	253 171	305 253	808 682	947 788	995 1,062	1,251 1,531	1,645 2,407	3,341 3,227	5,065 3,853	4,207 2,848
36 Ill-defined causes	M F	541 382	16 11	4 4	1 1	3 1	2 2	9 9	29 11	44 31	128 70	174 100	131 140

† Including Wounds of War

• In addition to these numbers 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934. For ages see Table 25, page 256.

TABLE 24—*contd.* Geographical Regions.

Causes of Death <i>See first page of Table.</i>		South East (including London).							Greater London.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	81,054	4,919	1,072	1,102	8,968	22,848	42,145	46,015	3,033	587	605	5,432	13,984	22,374
	F	79,228	3,571	836	793	8,065	17,508	48,455	44,330	2,163	478	455	5,072	10,070	26,092
1 Typhoid fever, etc.	M	27	—	—	2	15	7	3	13	—	—	1	8	3	1
	F	18	—	—	2	8	5	3	13	—	—	—	7	4	2
2 Measles	M	3	1	1	1	—	—	—	2	—	1	—	—	—	—
	F	7	2	3	1	—	1	—	5	2	3	—	—	—	—
3 Scarlet fever	M	23	—	7	6	7	2	1	9	—	3	3	2	1	—
	F	15	—	5	5	3	2	—	7	—	1	5	1	—	—
4 Whooping cough	M	162	101	56	2	2	1	—	105	69	35	1	—	—	—
	F	199	116	78	3	1	1	—	127	70	54	3	—	—	—
5 Diphtheria	M	197	5	67	106	17	2	—	119	4	41	65	8	1	—
	F	164	5	52	88	17	2	—	100	5	34	54	6	1	—
6 Influenza	M	1,223	42	27	14	174	395	571	653	23	19	8	96	212	295
	F	1,465	23	23	13	174	326	906	830	15	13	7	112	177	506
7 Encephalitis lethargica	M	79	—	—	3	35	28	13	51	—	—	2	25	17	7
	F	67	1	—	2	26	21	17	45	1	—	1	19	16	8
8 Cerebro-spinal fever	M	79	26	18	9	17	9	—	46	18	10	6	9	3	—
	F	45	12	13	7	8	5	—	29	7	9	3	6	4	—
9 Respiratory tuberculosis	M	4,534	10	21	15	2,300	1,792	396	3,058	7	16	9	1,525	1,208	293
	F	2,899	5	16	40	2,060	595	182	1,870	4	9	31	1,363	350	113
10 Other tuberculosis	M	605	36	127	80	243	89	30	337	16	64	43	149	49	16
	F	520	33	94	81	204	68	40	316	21	55	45	139	31	25
11 Syphilis	M	294	21	2	—	29	164	78	184	10	2	—	15	109	48
	F	108	16	1	—	23	45	23	74	11	1	—	17	32	13
12 Gen. paralysis of insane, etc.	M	374	—	—	2	53	230	89	266	—	—	1	41	166	58
	F	93	—	—	—	26	54	13	70	—	—	—	21	40	9
13 Cancer	M	11,500	4	15	24	666	4,466	6,325	6,705	4	7	13	439	2,791	3,451
	F	12,905	7	20	13	1,041	5,149	6,675	7,310	6	14	7	670	3,039	3,574
14 Diabetes	M	966	—	3	12	53	262	636	500	—	3	3	32	146	316
	F	1,475	—	3	12	71	433	956	790	—	2	2	38	238	510
15 Cerebral hæmorrhage	M	3,360	—	—	—	86	908	2,366	1,621	—	—	—	48	514	1,059
	F	4,762	—	2	2	107	1,148	3,503	2,252	—	2	1	51	558	1,640
16 Heart disease	M	22,487	—	8	63	800	5,730	15,886	12,540	—	5	35	506	3,405	8,589
	F	23,755	—	3	57	923	3,687	19,085	13,459	—	2	35	613	2,109	10,700
17 Aneurysm	M	471	1	1	4	67	226	172	314	1	1	3	42	160	107
	F	280	—	—	2	40	107	131	189	—	—	2	26	72	89
18 Other circulatory	M	4,586	1	2	—	49	996	3,538	2,413	—	—	—	29	606	1,778
	F	5,112	1	2	1	65	848	4,195	2,700	—	1	—	42	508	2,149
19 Bronchitis	M	2,533	90	28	12	113	762	1,528	1,620	58	16	3	79	568	896
	F	2,093	82	32	9	63	243	1,664	1,211	49	13	5	43	166	935
20 Pneumonia	M	4,074	688	197	60	373	1,205	1,551	2,685	464	106	28	229	839	1,019
	F	3,388	452	164	43	319	705	1,705	2,160	275	99	24	207	449	1,106
21 Other respiratory	M	734	9	16	15	124	285	285	401	5	9	9	79	159	140
	F	577	9	10	9	85	135	329	307	6	2	7	50	79	163
22 Peptic ulcer	M	1,422	1	—	—	221	749	451	856	1	—	—	132	453	270
	F	417	—	—	—	49	171	197	246	—	—	—	30	102	114
23 Diarrhœa	M	716	501	54	5	54	45	57	494	372	30	1	32	27	32
	F	651	366	40	9	84	73	79	435	272	23	3	61	36	40
24 Appendicitis	M	523	—	29	47	167	163	117	280	—	12	27	89	95	57
	F	408	3	16	38	101	125	125	248	2	9	24	63	68	82
25 Cirrhosis of liver	M	293	1	—	4	25	156	107	161	1	—	1	13	94	52
	F	196	—	—	3	13	95	85	108	—	—	1	8	59	40
26 Other liver diseases	M	226	2	3	6	22	76	117	137	2	2	2	15	41	75
	F	487	2	1	2	55	163	264	260	1	1	1	30	83	142
27 Other digestive	M	1,339	84	44	41	205	415	550	746	54	28	16	123	244	281
	F	1,324	45	22	33	173	354	697	737	28	13	20	91	210	375
28 Nephritis	M	1,883	8	9	21	254	625	966	964	7	5	14	151	332	455
	F	1,853	5	4	16	260	531	1,037	1,001	4	3	10	164	300	520
29 Puerperal sepsis	F	135	—	—	—	135	—	—	80	—	—	—	80	—	—
30 Other puerperal	F	366	—	—	—	362	4	—	203	—	—	—	200	3	—
31 Congenital causes, etc.	M	2,926	2,845	30	17	28	6	—	1,699	1,659	14	8	13	5	—
	F	2,123	2,046	30	15	21	11	—	1,208	1,168	15	7	9	6	—
32 Senility	M	1,793	—	—	—	—	11	1,782	726	—	—	—	—	9	720
	F	2,892	—	—	—	—	16	2,876	1,212	—	—	—	—	5	1,207
33 Suicide	M	1,169	—	—	—	354	541	274	662	—	—	—	204	323	135
	F	662	—	—	—	254	286	122	420	—	—	—	170	179	71
34 Other violence†	M	3,822	142	147	272	1,392	923	946	2,056	76	76	159	683	494	568
	F	2,262	120	93	90	320	376	1,263	1,350	83	43	54	180	224	766
35 Other defined causes	M	6,551	294	158	256	1,020	1,562	3,261	3,573	177	82	142	615	909	1,648
	F	5,439	217	107	197	966	1,708	2,244	2,938	132	56	103	554	912	1,181
36 Ill-defined causes	M	80	6	2	3	3	17	49	19	5	—	1	1	4	8
	F	67	3	2	—	8	15	39	20	1	1	—	1	5	12

Including Wounds of War.

M | 12 | 13 | — |

M | 2 | 7 | —

TABLE 24—*contd.* Geographical Regions.

Causes of Death See first page of Table.		South East (ex. Greater London).							South East ("Midlands" Section).*						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	35,039	1,886	485	497	3,536	8,864	19,771	26,959	1,784	411	431	3,260	7,552	13,521
	F	34,898	1,408	358	338	2,993	7,438	22,363	26,276	1,363	322	303	2,931	5,877	15,480
1 Typhoid fever, etc.	M	14	—	—	1	7	4	2	14	—	—	1	9	3	1
	F	5	—	—	2	1	1	1	8	—	—	—	5	2	1
2 Measles	M	1	1	—	—	—	—	—	1	—	—	1	—	—	—
	F	2	—	—	1	—	1	—	2	—	1	—	—	1	—
3 Scarlet fever	M	14	—	4	3	5	1	1	8	—	4	1	2	—	—
	F	8	—	4	—	2	2	—	4	—	2	1	1	—	1
4 Whooping cough	M	57	32	21	1	2	1	—	38	18	19	—	—	1	—
	F	72	46	24	—	1	1	—	68	42	26	—	—	—	—
5 Diphtheria	M	78	1	26	41	9	1	—	83	1	27	47	8	—	—
	F	64	—	18	34	11	1	—	72	1	23	39	7	2	—
6 Influenza	M	570	19	8	6	78	183	276	438	15	9	8	75	150	181
	F	635	8	10	6	62	149	400	488	7	6	4	64	113	294
7 Encephalitis lethargica	M	28	—	—	1	10	11	6	38	—	—	—	20	12	6
	F	22	—	—	1	7	5	9	15	—	—	—	5	7	3
8 Cerebro-spinal fever	M	33	8	8	3	8	6	—	29	9	7	4	5	4	—
	F	16	5	4	4	2	1	—	16	5	4	3	2	2	—
9 Respiratory tuberculosis	M	1,476	3	5	6	775	584	103	1,456	4	11	5	747	582	107
	F	1,028	1	7	9	697	245	69	1,024	1	8	22	751	188	54
10 Other tuberculosis	M	268	20	63	37	94	40	14	227	11	53	37	81	41	4
	F	204	12	39	36	65	37	15	185	14	41	30	65	21	14
11 Syphilis	M	110	11	—	—	14	55	30	81	2	—	—	7	44	27
	F	34	5	—	—	6	13	10	36	7	1	—	9	11	9
12 Gen. paralysis of insane, etc.	M	108	—	—	1	12	64	31	117	—	—	—	20	77	20
	F	23	—	—	—	5	14	4	27	—	—	—	7	17	3
13 Cancer	M	4,795	—	8	11	227	1,675	2,874	3,833	2	4	11	269	1,488	2,059
	F	5,595	1	6	6	371	2,110	3,101	4,342	3	10	5	371	1,794	2,159
14 Diabetes	M	466	—	—	9	21	116	320	321	—	—	2	83	221	83
	F	685	—	1	10	33	195	446	528	—	—	6	29	142	351
15 Cerebral hæmorrhage	M	1,739	—	—	—	38	394	1,307	1,217	—	—	—	37	326	854
	F	2,510	—	—	—	56	590	1,863	1,622	—	—	—	38	390	1,193
16 Heart disease	M	9,947	—	3	28	294	2,325	7,297	7,140	1	—	—	317	1,864	4,937
	F	10,296	—	1	22	310	1,578	8,385	7,299	2	20	21	329	1,210	5,738
17 Aneurysm	M	157	—	—	1	25	66	65	142	1	—	1	23	75	42
	F	91	—	—	—	14	35	42	81	—	—	—	14	30	37
18 Other circulatory	M	2,173	1	2	—	20	390	1,760	1,470	—	2	—	14	307	1,147
	F	2,412	1	1	1	23	340	2,046	1,622	—	—	—	23	272	1,327
19 Bronchitis	M	913	32	12	9	34	194	632	800	31	9	3	37	221	499
	F	882	33	19	4	20	77	729	716	32	14	3	30	78	559
20 Pneumonia	M	1,389	224	91	32	144	366	532	1,356	270	81	20	134	379	472
	F	1,228	177	65	19	112	256	599	1,145	187	63	12	114	230	539
21 Other respiratory	M	333	4	7	6	45	126	145	270	4	4	7	47	110	98
	F	270	3	8	2	35	56	166	196	6	3	4	32	49	102
22 Peptic ulcer	M	566	—	—	—	89	296	181	435	1	—	—	78	215	141
	F	171	—	—	—	19	69	83	122	—	—	—	13	48	61
23 Diarrhoea	M	222	129	24	4	22	18	25	207	132	16	2	26	15	16
	F	216	94	17	6	23	37	39	212	108	18	4	31	28	23
24 Appendicitis	M	243	—	17	20	78	68	60	183	—	14	20	59	46	45
	F	160	1	7	14	38	57	43	157	1	9	12	45	45	45
25 Cirrhosis of liver	M	132	—	—	3	12	62	55	78	—	—	1	8	43	26
	F	88	—	—	2	5	36	45	68	—	—	2	2	24	40
26 Other liver diseases	M	89	—	1	4	7	35	42	75	1	3	3	10	27	31
	F	227	1	—	1	25	78	122	174	1	—	2	20	64	87
27 Other digestive	M	593	30	16	25	82	171	269	443	28	11	14	84	144	162
	F	587	17	9	13	82	144	322	439	14	10	4	72	123	216
28 Nephritis	M	919	1	4	7	103	293	511	579	4	4	13	88	199	271
	F	852	1	1	6	96	231	517	590	3	1	5	80	172	329
29 Puerperal sepsis	F	55	—	—	—	55	—	—	57	—	—	—	57	—	—
30 Other puerperal	F	163	—	—	—	162	1	—	152	—	—	—	151	1	—
31 Congenital causes, etc.	M	1,227	1,186	16	9	15	1	—	1,131	1,097	12	7	13	2	—
	F	915	878	15	8	12	2	—	841	813	10	5	10	3	—
32 Senility	M	1,067	—	—	—	—	5	1,062	718	—	—	—	—	6	712
	F	1,680	—	—	—	—	11	1,669	1,151	—	—	—	—	5	1,146
33 Suicide	M	507	—	—	—	150	218	139	397	—	—	—	111	205	81
	F	242	—	—	—	84	107	51	231	—	—	—	90	98	43
34 Other violence†	M	1,766	66	71	113	709	429	378	1,362	46	58	106	545	339	268
	F	912	37	50	36	140	152	497	710	41	34	40	121	115	359
35 Other defined causes	M	2,978	117	76	114	405	653	1,613	2,227	106	60	95	363	535	1,068
	F	2,501	85	51	94	412	796	1,063	1,847	77	36	79	339	589	727
36 Ill-defined causes	M	61	1	2	2	2	13	41	39	1	—	2	2	2	25
	F	47	2	1	—	7	10	27	29	—	1	—	4	3	21

†Including Wounds of War

*i.e. the part included in the "Midlands" region prior to 1931.

M | 10 | 6 | — | M | 3 | 6 | —

TABLE 24—contd. Geographical Regions.

Causes of Death See first page of Table.		South East ("South" Section)*							North						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	54,095 52,952	3,135 2,208	661 514	671 490	5,708 5,134	15,296 11,631	28,624 32,975	86,682 82,237	6,831 5,125	1,702 1,465	1,503 1,332	9,897 9,488	25,950 20,071	40,799 44,756
1 Typhoid fever, etc.	M F	13 10	— —	— —	1 2	6 3	4 3	2 2	14 25	— 1	— 1	— 1	9 14	5 6	— 2
2 Measles	M F	2 5	1 2	1 2	— 1	— —	— —	— —	63 45	21 16	33 23	9 4	— 1	— 1	— —
3 Scarlet fever	M F	15 11	— —	3 3	5 4	5 2	2 2	— —	46 49	2 1	16 18	12 15	12 14	2 3	— —
4 Whooping cough	M F	124 131	83 74	37 52	2 3	2 1	— 1	— —	203 261	124 132	74 121	5 8	— —	— —	— —
5 Diphtheria	M F	114 92	4 4	40 29	59 49	9 10	2 —	— —	545 541	14 12	215 184	292 307	21 30	2 5	1 3
6 Influenza	M F	785 977	27 16	18 17	6 9	99 110	245 213	390 612	1,362 1,526	60 28	33 31	13 18	225 242	494 400	537 807
7 Encephalitis lethargica	M F	41 52	— —	— —	3 2	15 21	16 14	7 14	182 157	1 —	4 1	— 2	77 56	73 66	27 32
8 Cerebro-spinal fever	M F	50 29	17 7	11 9	5 4	12 6	5 3	— —	93 73	30 18	18 21	9 7	31 18	2 7	3 2
9 Respiratory tuberculosis	M F	3,078 1,874	6 4	10 8	10 18	1,553 1,309	1,210 407	289 128	4,390 3,022	6 8	21 14	36 67	2,215 2,251	1,820 557	292 125
10 Other tuberculosis	M F	378 335	25 19	74 53	43 41	162 139	48 47	26 26	840 765	59 48	180 152	144 131	310 311	121 85	26 38
11 Syphilis	M F	213 72	19 9	1 1	— —	22 14	120 34	51 14	300 154	19 29	— 2	3 —	37 32	183 72	58 19
12 Gen. paralysis of insane, etc.	M F	257 66	— —	— —	— —	2 19	33 37	153 10	384 123	— —	— —	— —	83 35	234 71	67 17
13 Cancer	M F	7,667 8,563	2 4	11 10	13 10	397 670	2,978 3,355	4,266 4,516	10,346 11,272	2 4	18 9	14 16	656 991	4,498 4,812	5,158 5,440
14 Diabetes	M F	639 947	— —	3 3	10 6	32 42	179 291	415 605	885 1,644	— —	— 3	13 10	75 106	271 558	525 967
15 Cerebral hæmorrhage	M F	2,143 3,140	— —	— —	— —	49 69	582 758	1,512 2,310	4,580 5,561	1 —	— 1	3 1	105 132	1,394 1,633	3,077 3,794
16 Heart disease	M F	15,347 16,456	— —	6 2	43 36	483 594	3,866 2,477	10,949 13,347	23,479 23,542	3 —	8 6	89 90	1,070 1,305	7,062 4,996	15,247 17,145
17 Aneurysm	M F	329 199	— —	1 —	3 2	44 26	151 77	130 94	268 132	— —	1 1	5 2	48 24	131 69	83 36
18 Other circulatory	M F	3,116 3,490	1 1	— 2	— 1	35 42	689 576	2,391 2,868	5,715 5,310	3 4	1 —	— —	61 56	1,188 947	4,462 4,302
19 Bronchitis	M F	1,733 1,377	59 50	19 18	9 6	76 33	541 165	1,029 1,105	2,926 2,455	220 187	44 48	8 15	191 102	916 376	1,547 1,727
20 Pneumonia	M F	2,718 2,243	418 265	116 101	40 31	239 205	826 475	1,079 1,166	4,524 3,315	1,083 751	404 342	79 91	546 405	1,386 624	1,026 1,102
21 Other respiratory	M F	464 381	5 3	12 7	8 5	77 53	175 86	187 227	755 546	26 10	28 23	11 12	120 98	312 146	258 257
22 Peptic ulcer	M F	987 295	— —	— —	— —	143 36	534 123	310 136	1,148 288	— —	— —	— —	288 37	626 152	234 99
23 Diarrhoea	M F	509 439	369 258	38 22	3 5	28 53	30 45	41 56	787 679	539 386	54 67	15 8	53 73	69 62	57 83
24 Appendicitis	M F	340 251	— 2	15 7	27 26	108 56	117 80	73 80	441 354	2 —	20 18	60 43	168 129	134 105	57 59
25 Cirrhosis of liver	M F	215 128	1 —	— —	3 1	17 11	113 71	81 45	210 105	2 —	— —	1 1	20 13	104 58	83 33
26 Other liver diseases	M F	151 313	1 1	— 1	3 —	12 35	49 99	86 177	278 663	2 1	2 3	— 1	29 60	108 248	137 350
27 Other digestive	M F	896 885	56 31	33 12	27 29	131 101	271 231	388 481	1,259 1,237	123 70	55 24	42 63	173 184	420 366	446 530
28 Nephritis	M F	1,304 1,263	4 2	5 3	8 11	166 180	426 359	695 708	2,321 2,380	10 5	10 10	31 27	328 360	882 891	1,060 1,087
29 Puerperal sepsis	F	78	—	—	—	78	—	—	185	—	—	—	185	—	—
30 Other puerperal	F	214	—	—	—	211	3	—	503	—	—	—	499	4	—
31 Congenital causes, etc.	M F	1,795 1,282	1,748 1,233	18 20	10 10	15 11	4 8	— 5	3,852 2,979	3,782 2,906	39 39	12 15	17 16	2 3	—
32 Senility	M F	1,075 1,741	— —	— —	— —	— —	— 11	1,070 1,730	2,324 3,346	— —	— —	— —	— —	26 28	2,298 3,318
33 Suicide	M F	772 431	— —	— —	— —	243 164	336 188	193 79	1,033 553	— —	— —	2 —	309 209	488 275	234 69
34 Other violence†	M F	2,460 1,552	96 79	89 59	166 50	847 199	584 261	678 904	4,444 2,225	117 109	227 140	326 129	1,496 274	1,211 386	1,067 1,187
35 Other defined causes	M F	4,324 3,592	188 140	98 71	161 118	657 627	1,027 1,119	2,193 1,517	6,460 6,069	576 396	195 160	269 247	1,105 1,218	1,698 2,016	2,617 2,032
36 Ill-defined causes	M F	41 38	5 3	2 1	1 —	4 —	8 12	24 18	225 153	4 3	— 2	— 1	17 10	88 43	115 94

†Including Wounds of War.

*i.e., the part included in the "South" region prior to 1931.

M | 9 | 7 | — |

M | 10 | 16 | —

TABLE 24—*contd.* Geographical Regions.

Causes of Death See first page of Table.		North I						North II							
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes		M 14,506 F 12,600	1,326 973	337 297	311 284	1,886 1,643	4,059 3,021	6,587 6,382	8,517 7,960	709 545	194 177	164 115	987 908	2,288 1,738	4,175 4,477
1	Typhoid fever, etc.	M 5 F 3	— 1	— —	— —	4 1	1 1	— —	2 3	— —	— —	— —	— 2	2 1	— —
2	Measles	M 13 F 19	4 3	9 13	— 2	— 1	— —	— —	21 10	7 4	11 6	3 —	— —	— —	— —
3	Scarlet fever	M 11 F 11	— —	6 5	1 3	4 3	— —	— —	6 5	— 1	3 2	— 1	2 1	1 —	— —
4	Whooping cough	M 43 F 52	28 24	15 26	— 2	— —	— —	— —	23 29	15 14	8 15	— —	— —	— —	— —
5	Diphtheria	M 125 F 141	1 2	45 52	75 78	4 8	— 1	— —	41 45	— 2	14 17	27 24	— 2	— —	— —
6	Influenza	M 186 F 159	10 2	6 5	— 2	32 25	72 46	66 79	125 136	4 3	2 2	— —	29 21	41 34	47 76
7	Encephalitis lethargica	M 36 F 31	— —	1 —	— 1	19 10	13 12	3 8	17 6	1 —	— —	— —	8 3	5 1	3 2
8	Cerebro-spinal fever	M 10 F 9	— 2	3 3	2 —	4 3	— 1	1 —	9 3	3 1	3 —	— 2	3 —	— —	— —
9	Respiratory tuberculosis	M 820 F 579	2 2	— 3	4 15	483 427	303 112	28 20	409 294	— —	3 1	7 8	231 223	148 46	20 16
10	Other tuberculosis	M 184 F 157	13 8	31 32	37 29	84 64	16 15	3 9	89 88	6 6	20 22	17 16	33 31	11 7	2 6
11	Syphilis	M 58 F 28	4 7	— —	— —	8 7	35 10	11 4	16 18	— 6	— —	— —	1 2	11 9	4 1
12	Gen. paralysis of insane, etc.	M 70 F 20	— —	— —	— —	16 6	40 11	14 3	25 7	— —	— —	— —	5 3	18 3	2 1
13	Cancer	M 1,768 F 1,680	— 2	— 1	1 2	118 154	749 757	900 764	988 1,153	1 —	— 1	1 3	47 105	413 436	526 608
14	Diabetes	M 112 F 239	— —	— —	1 1	13 19	40 90	58 129	75 158	— —	— —	4 3	6 11	21 52	44 92
15	Cerebral hæmorrhage	M 808 F 868	— —	— —	— 1	19 26	227 273	562 568	425 538	— —	— —	— —	11 9	101 119	313 410
16	Heart disease	M 3,512 F 3,278	— —	2 5	16 19	187 214	1,039 710	2,268 2,330	2,308 2,141	— —	1 —	11 3	84 101	609 404	1,603 1,633
17	Aneurysm	M 40 F 15	— —	— —	— 1	7 3	22 9	11 2	30 17	— —	— 1	— —	4 2	13 7	13 7
18	Other circulatory	M 1,066 F 883	— —	— —	— —	8 11	221 152	837 720	594 564	1 —	— —	— —	8 4	105 100	480 460
19	Bronchitis	M 495 F 427	65 70	12 15	3 3	33 29	128 50	254 260	239 195	26 21	7 6	1 —	14 57	64 106	127 138
20	Pneumonia	M 716 F 490	235 137	72 47	8 15	77 75	181 88	143 128	457 335	128 93	59 57	12 10	6 35	57 50	95 90
21	Other respiratory	M 143 F 72	6 1	5 3	2 2	20 18	66 14	44 33	79 72	5 1	2 2	3 1	9 13	30 19	36 30
22	Peptic ulcer	M 168 F 36	— —	— —	— —	58 7	79 17	31 12	117 30	— —	— —	— —	24 3	59 16	34 11
23	Diarrhœa	M 172 F 144	113 78	18 24	3 4	11 8	15 13	12 17	86 80	61 54	6 6	2 —	6 6	4 6	7 8
24	Appendicitis	M 46 F 50	— —	4 1	8 5	15 20	12 18	7 6	44 40	1 —	2 4	1 2	17 16	14 11	9 7
25	Cirrhosis of liver	M 35 F 16	— —	— —	1 —	4 1	19 9	11 5	24 9	— —	— —	— —	2 1	15 2	7 6
26	Other liver diseases	M 44 F 115	— 1	— 1	— —	2 10	21 41	21 62	31 58	— —	— 1	— —	4 7	14 16	13 34
27	Other digestive	M 202 F 188	26 10	12 5	11 18	26 26	61 51	66 78	145 107	16 8	4 4	4 4	24 19	44 37	53 35
28	Nephritis	M 359 F 353	4 1	— 2	4 6	55 58	112 130	184 156	200 221	— —	2 1	3 2	24 26	61 85	110 107
29	Puerperal sepsis	F 39	—	—	—	39	—	—	23	—	—	—	23	—	—
30	Other puerperal	F 99	—	—	—	96	3	—	60	—	—	—	59	1	—
31	Congenital causes, etc.	M 677 F 525	662 517	7 5	3 2	4 1	1 —	— —	378 287	371 280	5 3	1 2	1 2	— —	— —
32	Senility	M 419 F 509	— —	— —	— —	— —	6 6	413 503	213 338	— —	— —	— —	— —	3 3	210 335
33	Suicide	M 151 F 56	— —	— —	— —	54 20	67 34	30 2	108 50	— —	— —	1 —	35 22	51 24	21 4
34	Other violence†	M 851 F 319	26 19	49 24	72 28	306 49	231 52	167 147	505 227	13 13	23 15	34 13	189 31	147 39	99 116
35	Other defined causes	M 1,080 F 943	126 85	40 25	59 43	203 200	250 281	402 309	663 593	50 37	19 11	30 21	107 119	171 179	286 226
36	Ill-defined causes	M 81 F 47	1 1	— —	— —	8 4	32 14	40 28	25 20	— 1	— —	— —	2 —	6 7	17 12

† Including Wounds of War.

M | 3 | 3 | — |

M | 2 | 2 | — |

TABLE 24—contd. Geographical Regions.

Causes of Death See first page of Table.		North III							North IV						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	22,458	1,610	394	349	2,430	6,862	10,813	41,201	3,186	777	679	4,594	12,741	19,224
	F	21,186	1,195	365	295	2,328	5,206	11,797	40,491	2,412	626	638	4,609	10,106	22,100
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	7	—	—	—	5	2	—
	F	8	—	1	1	4	—	1	11	—	—	—	7	3	1
2 Measles	M	11	4	5	2	—	—	—	18	6	8	4	—	—	—
	F	8	5	2	1	—	—	—	8	4	2	1	—	1	—
3 Scarlet fever	M	12	1	3	5	2	1	—	17	1	4	6	6	—	—
	F	13	—	7	2	3	1	—	20	—	4	9	5	2	—
4 Whooping cough	M	56	30	25	1	—	—	—	81	51	26	4	—	—	—
	F	78	43	33	2	—	—	—	102	51	47	4	—	—	—
5 Diphtheria	M	101	2	40	51	6	1	1	278	11	116	139	11	1	—
	F	99	2	34	53	6	2	2	256	6	81	152	14	2	1
6 Influenza	M	335	20	8	3	58	137	109	716	26	17	8	106	244	315
	F	347	6	9	6	58	81	187	884	17	15	10	138	239	465
7 Encephalitis lethargica	M	41	—	1	—	16	17	7	88	—	2	—	34	38	14
	F	35	—	1	—	14	15	5	85	—	—	1	29	38	17
8 Cerebro-spinal fever	M	15	6	3	1	4	1	—	59	21	9	6	20	1	2
	F	13	3	5	2	3	—	—	48	12	13	3	12	6	2
9 Respiratory tuberculosis	M	1,045	1	3	13	507	437	84	2,116	3	15	12	994	932	160
	F	687	1	3	12	522	124	25	1,462	5	7	32	1,079	275	64
10 Other tuberculosis	M	210	17	47	26	81	33	6	357	23	82	64	112	61	15
	F	178	13	37	30	68	22	8	342	21	61	56	148	41	15
11 Syphilis	M	98	5	—	1	10	62	20	128	10	—	2	18	75	23
	F	42	—	—	—	6	28	3	66	11	2	—	17	25	11
12 Gen. paralysis of insane, etc.	M	105	—	—	—	25	60	20	184	—	—	—	37	116	31
	F	39	—	—	—	7	28	4	57	—	—	—	19	29	9
13 Cancer	M	2,609	—	8	5	160	1,117	1,319	4,981	1	10	7	331	2,219	2,413
	F	2,950	1	2	1	265	1,273	1,408	5,489	1	5	10	467	2,346	2,660
14 Diabetes	M	233	—	—	3	17	76	137	465	—	1	5	39	134	286
	F	463	—	—	4	29	170	260	784	—	3	2	47	246	486
15 Cerebral hæmorrhage	M	1,188	1	—	2	20	356	809	2,159	—	—	1	55	710	1,393
	F	1,518	—	—	—	27	460	1,031	2,637	—	1	—	70	781	1,785
16 Heart disease	M	6,274	1	1	20	269	1,875	4,108	11,385	2	4	42	530	3,539	7,268
	F	6,225	—	—	25	316	1,284	4,600	11,898	—	1	43	674	2,598	8,582
17 Aneurysm	M	75	—	1	2	9	38	25	123	—	—	3	28	58	34
	F	38	—	—	1	12	17	8	62	—	—	—	7	36	19
18 Other circulatory	M	1,599	—	—	—	12	310	1,277	2,456	2	1	—	33	552	1,868
	F	1,576	2	—	—	16	254	1,304	2,287	2	1	—	25	441	1,818
19 Bronchitis	M	716	48	10	1	48	228	381	1,476	81	15	3	96	496	785
	F	571	33	10	3	27	77	421	1,262	63	17	9	40	225	908
20 Pneumonia	M	1,213	259	89	24	129	413	299	2,138	461	184	35	283	686	489
	F	797	160	93	19	100	154	271	1,693	361	145	47	195	332	613
21 Other respiratory	M	183	7	5	3	29	82	57	350	8	16	3	62	134	127
	F	138	5	9	1	24	29	70	264	3	9	7	43	84	118
22 Peptic ulcer	M	316	—	—	—	75	185	56	547	—	—	—	131	303	113
	F	65	—	—	—	9	30	26	157	—	—	—	18	89	50
23 Diarrhœa	M	177	121	13	5	9	16	13	352	244	17	5	27	34	25
	F	157	84	13	1	22	11	26	298	170	24	3	37	32	32
24 Appendicitis	M	122	1	5	15	48	41	12	229	—	9	36	88	67	29
	F	91	—	6	12	31	28	14	173	—	7	24	62	48	32
25 Cirrhosis of liver	M	66	2	—	—	6	25	33	85	—	—	—	8	45	32
	F	23	—	—	—	3	15	5	57	—	—	—	8	32	17
26 Other liver diseases	M	87	1	1	—	9	32	44	116	1	1	—	14	41	59
	F	163	—	—	1	17	55	90	327	—	1	—	26	136	164
27 Other digestive	M	320	28	18	10	45	114	105	592	53	21	17	78	201	222
	F	275	13	1	9	44	82	126	667	39	14	32	95	196	291
28 Nephritis	M	609	4	2	8	73	247	275	1,153	2	6	16	176	462	491
	F	628	2	1	7	93	241	284	1,178	2	6	12	183	435	540
29 Puerperal sepsis	F	54	—	—	—	54	—	—	69	—	—	—	69	—	—
30 Other puerperal	F	114	—	—	—	114	—	—	230	—	—	—	230	—	—
31 Congenital causes, etc.	M	945	928	9	3	5	—	—	1,852	1,821	18	5	7	1	—
	F	729	709	9	3	7	1	—	1,438	1,400	22	8	6	2	—
32 Senility	M	478	—	—	—	—	6	472	1,214	—	—	—	—	11	1,203
	F	746	—	—	—	—	3	743	1,753	—	—	—	—	16	1,737
33 Suicide	M	264	—	—	—	78	122	64	510	—	—	1	142	248	119
	F	147	—	—	—	54	78	15	300	—	—	—	113	139	48
34 Other violence†	M	1,226	27	55	79	403	350	312	1,862	51	100	141	598	483	489
	F	590	25	44	30	62	101	328	1,089	52	57	58	132	194	596
35 Other defined causes	M	1,716	95	42	66	276	475	762	3,001	305	94	114	519	802	1,167
	F	1,576	83	43	69	311	540	530	2,957	191	81	114	588	1,016	967
36 Ill-defined causes	M	13	1	—	—	1	5	6	106	2	1	—	6	45	52
	F	5	—	2	—	—	1	2	81	1	—	1	6	21	52

† Including Wounds of War.

M | 1 | 3 | — |

M | 4 | 8 | —

TABLE 24—*contd.* Geographical Regions.

Causes of Death See first page of Table.		Midland.							Midland I.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	43,751	3,468	814	766	5,184	12,140	21,379	28,978	2,397	558	503	3,482	8,144	13,894
	F	41,353	2,617	735	640	4,631	9,395	23,335	27,384	1,817	500	432	3,081	6,232	15,322
1 Typhoid fever, etc.	M	8	—	—	1	4	3	—	4	—	—	—	1	3	—
	F	4	—	—	—	3	—	1	1	—	—	—	1	—	—
2 Measles	M	61	18	31	12	—	—	—	54	15	28	11	—	—	—
	F	59	12	29	18	—	—	—	55	11	26	18	—	—	—
3 Scarlet fever	M	20	—	10	8	2	—	—	11	—	6	4	1	—	—
	F	31	—	8	13	5	3	—	16	1	5	6	3	1	—
4 Whooping cough	M	112	69	41	1	—	1	—	86	52	32	1	—	1	—
	F	151	75	68	8	—	—	—	97	44	47	6	—	—	—
5 Diphtheria	M	200	5	69	116	9	—	1	130	5	48	69	7	—	1
	F	198	3	71	104	17	3	—	127	2	46	69	9	—	—
6 Influenza	M	767	20	15	10	111	275	336	498	13	14	10	73	178	210
	F	746	19	11	12	84	183	437	513	15	10	8	51	121	308
7 Encephalitis lethargica	M	61	—	1	1	23	23	13	37	—	—	1	16	13	7
	F	72	—	1	—	34	28	9	45	—	7	—	22	16	6
8 Cerebro-spinal fever	M	52	9	11	6	16	9	1	35	6	1	3	12	6	1
	F	41	7	12	8	10	4	—	28	5	9	5	8	1	—
9 Respiratory tuberculosis	M	2,370	7	9	19	1,249	942	144	1,680	6	8	16	872	671	107
	F	1,607	2	6	28	1,190	320	61	1,135	1	5	22	824	235	48
10 Other tuberculosis	M	379	37	73	57	144	49	19	259	22	54	35	100	32	16
	F	317	30	78	54	113	26	16	214	22	57	36	70	21	8
11 Syphilis	M	152	13	—	1	17	84	37	101	8	—	—	11	56	26
	F	83	6	—	1	35	36	5	54	6	—	—	21	24	3
12 Gen. paralysis of insane, etc.	M	132	—	—	—	27	79	26	88	—	—	—	21	52	15
	F	40	—	—	2	10	24	4	26	—	—	1	8	14	3
13 Cancer	M	5,547	1	9	5	358	2,163	3,011	3,642	1	6	4	239	1,439	1,953
	F	5,912	2	9	10	494	2,431	2,966	3,901	—	5	8	267	1,627	1,953
14 Diabetes	M	495	—	—	6	40	147	302	325	—	—	4	30	93	202
	F	819	—	3	9	46	237	524	517	1	4	4	27	141	344
15 Cerebral hæmorrhage	M	2,333	—	—	—	60	657	1,616	1,489	—	—	—	40	429	1,020
	F	2,937	—	—	2	57	759	2,119	1,904	—	—	1	34	513	1,356
16 Heart disease	M	11,273	1	5	43	503	3,033	7,688	7,469	1	3	30	351	2,078	5,006
	F	11,483	—	2	42	603	2,152	8,684	7,671	—	1	32	402	1,442	5,794
17 Aneurysm	M	143	—	—	2	25	59	57	104	—	—	2	17	41	44
	F	75	1	1	—	17	34	22	60	1	1	—	14	29	15
18 Other circulatory	M	2,222	1	—	1	24	439	1,757	1,499	1	—	1	17	298	1,182
	F	2,310	—	—	—	19	441	1,850	1,472	—	—	—	14	289	1,169
19 Bronchitis	M	1,538	90	26	10	77	418	917	1,035	65	14	4	50	287	615
	F	1,182	77	20	3	39	158	885	786	49	12	2	21	110	592
20 Pneumonia	M	2,196	480	171	31	263	632	619	1,452	303	119	22	178	421	409
	F	1,638	408	142	30	151	282	625	1,117	301	88	14	103	191	420
21 Other respiratory	M	463	8	12	2	86	184	171	278	6	8	1	46	108	109
	F	360	10	14	8	46	93	189	233	7	11	6	25	56	128
22 Peptic ulcer	M	666	—	—	—	150	356	160	437	—	—	—	92	236	109
	F	204	—	—	—	27	88	89	133	—	—	—	16	59	58
23 Diarrhoea	M	465	321	40	7	17	42	38	330	242	24	5	8	28	23
	F	352	226	28	6	25	24	43	246	169	17	4	16	13	27
24 Appendicitis	M	242	—	18	34	76	74	40	155	—	14	26	43	50	22
	F	178	—	8	24	53	49	44	122	—	3	17	40	30	32
25 Cirrhosis of liver	M	126	—	—	—	10	70	46	84	—	—	—	6	52	26
	F	86	—	—	1	9	54	22	57	—	—	—	7	33	17
26 Other liver diseases	M	110	1	3	3	9	40	54	75	1	1	2	6	32	33
	F	275	1	—	—	40	94	140	181	1	—	—	28	55	97
27 Other digestive	M	689	59	28	29	98	225	250	449	46	17	15	56	151	164
	F	671	35	35	23	97	190	291	443	22	22	11	65	133	190
28 Nephritis	M	1,052	1	9	10	195	360	477	698	1	5	6	132	242	312
	F	1,069	4	7	17	172	364	505	683	2	5	14	120	224	318
29 Puerperal sepsis	F	87	—	—	—	86	1	—	70	—	—	—	69	1	—
30 Other puerperal	F	227	—	—	—	225	2	—	155	—	—	—	153	2	—
31 Congenital causes, etc.	M	2,026	1,993	11	10	9	3	—	1,397	1,381	5	5	5	1	—
	F	1,516	1,469	22	12	10	3	—	1,040	1,008	14	8	8	2	—
32 Senility	M	1,269	—	—	—	—	8	1,261	778	—	—	—	—	5	773
	F	1,921	—	—	—	—	6	1,915	1,195	—	—	—	—	3	1,192
33 Suicide	M	612	—	—	—	185	300	127	414	—	—	—	129	194	91
	F	314	—	—	1	118	147	48	199	—	—	1	79	87	32
34 Other violence†	M	2,394	90	119	195	867	586	537	1,558	56	75	123	563	376	365
	F	1,201	56	76	81	172	199	617	816	38	51	57	109	140	421
35 Other defined causes	M	3,469	240	103	146	523	850	1,607	2,306	164	70	103	363	567	1,039
	F	3,106	171	84	123	618	936	1,174	2,058	111	63	82	407	615	780
36 Ill-defined causes	M	107	4	—	—	7	29	67	21	2	—	—	1	4	14
	F	81	1	—	—	6	24	50	14	—	—	—	—	3	11

†Including Wounds of War.

M | — | 7 | 1 |

M | — | 5 | —

TABLE 24—contd. Geographical Regions.

Causes of Death See first page of Table.		Midland II.							East.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	14,773	1,071	256	263	1,702	3,996	7,485	11,833	671	175	157	1,182	2,741	6,907
	F	13,969	800	235	208	1,550	3,163	8,013	11,366	493	129	115	997	2,286	7,346
1 Typhoid fever, etc.	M	4	—	—	1	3	—	—	1	—	—	—	1	—	—
	F	3	—	—	—	2	—	1	3	—	—	—	1	—	1
2 Measles	M	7	3	3	1	—	—	—	2	1	1	—	—	—	—
	F	4	1	3	—	—	—	—	2	1	—	—	1	—	—
3 Scarlet fever	M	9	—	4	4	1	—	—	2	—	1	1	—	—	—
	F	15	1	3	7	2	2	—	4	—	1	—	2	1	—
4 Whooping cough	M	26	17	9	—	—	—	—	26	16	9	1	—	—	—
	F	54	31	21	2	—	—	—	29	14	14	1	—	—	—
5 Diphtheria	M	70	—	21	47	2	—	—	34	1	11	21	—	1	—
	F	71	—	25	35	8	2	—	28	1	12	10	3	2	—
6 Influenza	M	269	7	1	—	38	97	426	240	9	6	—	30	65	130
	F	233	4	1	4	33	62	129	260	6	4	3	21	52	174
7 Encephalitis lethargica	M	24	—	1	—	7	10	6	14	—	—	—	6	6	2
	F	27	—	—	—	12	12	3	12	—	1	2	4	3	2
8 Cerebro-spinal fever	M	17	3	4	3	4	3	—	6	1	2	1	1	1	—
	F	13	2	3	3	2	3	—	9	3	3	1	2	—	—
9 Respiratory tuberculosis	M	690	1	1	3	377	271	37	453	2	1	3	244	173	30
	F	472	1	1	6	366	85	13	351	—	1	5	255	69	21
10 Other tuberculosis	M	120	15	19	22	44	17	3	94	6	19	17	32	11	9
	F	103	8	21	18	43	5	8	88	3	14	12	39	10	10
11 Syphilis	M	51	5	—	1	6	28	11	39	2	—	1	1	22	13
	F	29	—	—	—	14	12	2	17	2	—	—	3	8	4
12 Gen. paralysis of insane, etc.	M	44	—	—	—	6	27	11	55	—	—	—	9	34	12
	F	14	—	—	1	2	10	1	14	—	—	—	1	12	1
13 Cancer	M	1,905	—	3	1	119	724	1,058	1,696	—	2	4	77	533	1,080
	F	2,011	1	4	2	187	804	1,013	1,839	—	1	2	116	667	1,053
14 Diabetes	M	170	—	—	2	14	54	100	159	—	—	1	16	42	100
	F	302	—	2	5	19	96	180	209	—	—	3	10	63	133
15 Cerebral hæmorrhage	M	844	—	—	—	20	228	596	662	—	—	—	8	160	494
	F	1,033	—	—	1	23	246	763	881	—	—	—	15	183	683
16 Heart disease	M	3,804	—	2	13	152	955	2,682	3,118	1	—	5	95	674	2,343
	F	3,812	—	1	10	201	710	2,890	3,080	—	—	4	97	472	2,507
17 Aneurysm	M	39	—	—	—	8	18	13	43	—	—	—	8	22	13
	F	15	—	—	—	7	3	7	22	—	—	—	2	10	10
18 Other circulatory	M	723	—	—	—	7	141	575	738	—	1	—	6	98	633
	F	838	—	—	—	5	152	681	703	1	1	—	6	87	608
19 Bronchitis	M	503	25	12	6	27	131	302	354	22	7	1	15	67	242
	F	396	28	8	9	18	48	293	363	14	6	—	8	30	305
20 Pneumonia	M	744	177	52	9	85	211	210	426	82	33	9	43	99	160
	F	521	107	54	16	48	91	205	343	57	24	10	35	55	162
21 Other respiratory	M	185	2	4	1	40	76	62	118	2	6	3	17	33	57
	F	127	3	3	2	21	37	61	109	1	3	2	12	31	60
22 Peptic ulcer	M	229	—	—	—	58	120	51	157	—	—	—	27	83	47
	F	71	—	—	—	11	29	31	43	—	—	—	2	15	26
23 Diarrhoea	M	135	79	16	2	9	14	15	76	38	4	2	10	6	16
	F	106	57	11	2	9	11	16	56	27	5	3	8	2	11
24 Appendicitis	M	87	—	4	8	33	24	18	51	—	—	6	17	13	15
	F	56	—	5	7	13	19	12	48	—	2	7	7	20	12
25 Cirrhosis of liver	M	42	—	—	—	4	18	20	33	—	—	—	2	19	12
	F	29	—	—	1	2	21	5	10	—	—	—	2	1	7
26 Other liver diseases	M	35	—	2	1	3	8	21	41	1	—	—	3	10	27
	F	94	—	—	—	12	39	43	88	—	—	—	9	23	56
27 Other digestive	M	240	13	11	14	42	74	86	201	13	12	4	23	52	97
	F	228	13	13	12	32	57	101	169	8	7	9	21	55	69
28 Nephritis	M	354	—	4	4	63	118	165	275	—	—	—	29	82	160
	F	386	2	2	3	52	140	187	282	—	1	1	34	84	162
29 Puerperal sepsis	F	17	—	—	—	17	—	—	19	—	—	—	19	—	—
30 Other puerperal	F	72	—	—	—	72	—	—	59	—	—	—	59	—	—
31 Congenital causes, etc.	M	629	612	6	5	4	2	—	417	404	5	1	7	—	—
	F	476	461	8	4	2	1	—	323	316	4	—	2	1	—
32 Senility	M	491	—	—	—	—	3	488	509	—	—	—	—	2	507
	F	726	—	—	—	—	3	723	742	—	—	—	—	3	739
33 Suicide	M	198	—	—	—	56	106	36	134	—	—	—	45	57	32
	F	115	—	—	—	39	60	16	68	—	—	—	25	28	15
34 Other violence†	M	836	34	44	72	304	210	172	620	17	25	39	279	129	131
	F	385	18	25	24	63	59	196	262	11	9	13	40	44	145
35 Other defined causes	M	1,163	76	33	43	160	283	568	993	52	29	33	130	235	514
	F	1,048	60	21	41	211	321	394	803	26	16	27	136	253	345
36 Ill-defined causes	M	86	2	—	—	6	25	53	46	1	1	—	1	12	31
	F	67	1	—	—	6	21	39	28	2	—	—	—	1	25

†Including Wounds of War.

M | — | 2 | 1 |

M | 7 | 2 | —

TABLE 24—*contd.* Geographical Regions.

Causes of Death <i>See first page of Table.</i>		South West.							Wales.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	13,789	730	177	168	1,343	3,339	8,032	17,836	1,251	359	314	2,167	5,100	8,645
	F	14,375	518	146	148	1,138	2,869	9,556	15,464	996	314	275	1,991	3,667	8,221
1 Typhoid fever, etc.	M	3	—	—	—	3	—	—	3	—	—	—	3	—	—
	F	5	—	—	—	1	4	—	2	—	—	—	1	1	—
2 Measles	M	1	—	—	—	1	—	—	29	8	20	1	—	—	—
	F	5	—	3	2	—	—	—	32	9	19	4	—	—	—
3 Scarlet fever	M	1	—	—	—	1	—	—	13	1	7	3	2	—	—
	F	3	—	1	1	1	—	—	9	—	4	3	1	—	—
4 Whooping cough	M	21	11	8	2	—	—	—	42	21	19	2	—	1	—
	F	24	13	11	—	—	—	—	43	21	20	2	—	—	—
5 Diphtheria	M	46	2	20	21	3	—	—	100	2	39	54	5	—	—
	F	45	—	19	19	3	4	—	73	1	27	38	5	2	—
6 Influenza	M	269	5	3	2	23	84	152	452	9	7	10	69	167	190
	F	339	2	2	5	38	56	236	384	5	3	5	43	107	221
7 Encephalitis lethargica	M	15	—	—	—	6	8	1	40	—	1	1	17	14	7
	F	15	—	—	—	5	8	1	17	—	2	1	7	4	3
8 Cerebro-spinal fever	M	11	2	5	1	3	—	—	46	7	5	7	22	5	—
	F	6	3	1	1	—	1	—	40	6	11	7	12	4	—
9 Respiratory tuberculosis	M	522	1	—	2	276	193	50	855	3	2	3	476	306	65
	F	418	—	1	5	267	95	50	759	—	5	18	580	118	38
10 Other tuberculosis	M	109	8	21	14	45	14	7	149	5	25	25	66	24	4
	F	81	5	12	9	36	12	7	124	5	23	21	51	16	8
11 Syphilis	M	32	1	1	1	3	18	8	45	5	2	—	7	25	6
	F	6	1	—	—	2	3	—	20	4	—	1	2	11	2
12 Gen. paralysis of insane, etc.	M	56	—	—	—	4	40	12	62	—	—	1	5	41	15
	F	13	—	—	—	5	5	3	14	—	—	—	4	7	3
13 Cancer	M	1,791	2	1	5	88	567	1,128	1,941	2	6	7	98	808	1,020
	F	2,217	2	1	2	135	805	1,272	2,015	2	3	3	179	862	966
14 Diabetes	M	190	—	—	1	16	45	128	187	—	—	2	23	54	108
	F	302	—	—	1	11	77	213	296	—	—	7	14	110	165
15 Cerebral hæmorrhage	M	738	—	—	—	12	171	555	985	—	—	2	25	289	669
	F	1,074	—	—	—	11	207	856	1,102	—	1	1	25	295	780
16 Heart disease	M	3,826	—	1	6	110	887	2,822	4,762	—	1	18	216	1,376	3,151
	F	4,300	1	9	124	655	3,511	4,127	6,127	1	2	22	261	913	2,928
17 Aneurysm	M	44	1	—	—	4	21	18	41	—	1	—	9	21	10
	F	24	—	—	1	6	10	7	21	—	—	—	6	6	9
18 Other circulatory	M	916	—	—	—	8	168	740	1,025	—	—	—	13	208	804
	F	990	1	—	9	149	831	850	1,025	—	1	—	8	140	701
19 Bronchitis	M	436	14	3	2	16	89	312	673	52	13	3	34	180	391
	F	392	8	4	1	12	40	327	518	45	13	6	16	71	367
20 Pneumonia	M	511	88	25	6	64	119	209	770	150	68	13	98	226	215
	F	448	62	28	10	43	59	246	574	160	67	19	59	82	187
21 Other respiratory	M	151	6	—	3	17	61	64	284	4	3	5	46	147	79
	F	80	3	1	1	13	13	49	112	2	6	3	21	30	50
22 Peptic ulcer	M	185	—	—	—	36	91	58	228	—	—	—	59	116	53
	F	52	—	—	1	4	18	29	55	—	—	—	2	30	23
23 Diarrhoea	M	75	35	9	2	10	7	12	137	83	14	8	8	13	11
	F	74	18	3	2	12	13	26	104	39	13	3	17	14	18
24 Appendicitis	M	78	—	4	10	20	23	21	100	1	4	16	46	20	13
	F	67	—	1	9	18	24	15	83	—	1	16	32	23	11
25 Cirrhosis of liver	M	48	—	—	1	4	22	21	50	—	—	—	6	29	15
	F	27	—	—	—	3	14	10	11	—	—	—	—	6	5
26 Other liver diseases	M	41	—	—	—	3	6	32	50	2	1	—	7	16	24
	F	102	—	1	7	34	60	94	94	—	—	—	9	41	44
27 Other digestive	M	225	8	10	5	23	69	110	252	30	16	8	36	79	83
	F	169	5	8	5	22	41	88	235	17	9	8	36	69	96
28 Nephritis	M	466	1	5	4	37	144	275	571	3	3	7	68	169	321
	F	399	—	3	5	33	123	235	538	—	6	8	85	177	262
29 Puerperal sepsis	F	16	—	—	—	16	—	—	34	—	—	—	33	1	—
30 Other puerperal	F	46	—	—	—	46	—	—	138	—	—	—	134	4	—
31 Congenital causes, etc.	M	508	490	9	—	7	—	—	697	680	5	5	7	—	—
	F	379	360	11	2	4	1	1	580	555	11	9	5	—	—
32 Senility	M	462	—	—	—	—	2	460	527	—	—	—	—	2	525
	F	818	—	—	—	—	—	818	725	—	—	—	—	3	722
33 Suicide	M	168	—	—	—	60	80	28	191	—	—	—	64	84	43
	F	78	—	—	—	30	34	14	72	—	—	—	21	36	15
34 Other violence†	M	642	17	26	45	278	139	137	951	29	49	44	367	283	179
	F	311	14	19	19	44	53	162	321	18	25	19	56	55	148
35 Other defined causes	M	1,183	37	25	35	161	264	661	1,514	154	48	69	254	377	612
	F	1,032	20	15	37	177	308	475	1,307	104	42	51	266	413	431
36 Ill-defined causes	M	19	1	1	—	1	5	11	64	—	—	—	11	21	32
	F	18	—	1	—	—	3	14	35	2	—	—	—	15	18

† Including Wounds of War.

* In addition to these numbers, 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934.

For ages see Table 25, page 256.

TABLE 24—*contd.* Geographical Regions.

Causes of Death see first page of Table.		Wales I.							Wales II.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	12,666	913	277	237	1,613	3,806	5,820	5,170	338	82	77	554	1,294	2,825
	F	10,551	743	247	216	1,521	2,584	5,240	4,913	253	67	59	470	1,083	2,981
Typhoid fever, etc.	M	3	—	—	—	3	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	1	—	—	—	—	1	—
Measles	M	23	6	16	1	—	—	—	6	2	4	—	—	—	—
	F	29	9	17	3	—	—	—	3	—	2	1	—	—	—
Scarlet fever	M	11	—	7	3	1	—	—	2	1	—	—	1	—	—
	F	7	—	3	2	1	1	—	2	—	1	1	—	—	—
Whooping cough	M	36	18	16	2	—	—	—	6	3	3	—	—	—	—
	F	35	17	16	2	—	—	—	8	4	4	—	—	—	—
Diphtheria	M	76	1	30	42	3	—	—	24	1	9	12	2	—	—
	F	51	1	20	26	3	1	—	22	—	7	12	2	1	—
Influenza	M	315	6	5	6	48	122	128	137	3	2	4	21	45	62
	F	253	3	3	4	28	80	135	131	2	—	1	15	27	86
Encephalitis lethargica	M	20	—	1	1	9	5	4	20	—	—	—	8	9	3
	F	12	—	1	1	6	2	2	5	—	1	—	1	2	1
Cerebro-spinal fever	M	40	5	5	7	19	4	—	6	—	—	—	3	1	—
	F	35	5	10	7	10	3	—	5	1	1	—	2	1	—
Respiratory tuberculosis	M	621	3	2	3	363	219	31	234	—	—	—	113	87	34
	F	585	—	4	16	464	79	22	174	—	1	2	116	39	16
Other tuberculosis	M	106	1	18	22	52	13	—	43	4	7	3	14	11	4
	F	94	4	17	18	40	9	6	30	1	6	3	11	7	2
Syphilis	M	37	4	2	—	6	19	6	8	1	—	—	1	6	—
	F	14	2	—	1	2	7	2	6	2	—	—	—	—	—
Gen. paralysis of insane, etc.	M	54	—	—	1	5	37	11	8	—	—	—	—	4	4
	F	12	—	—	—	4	6	2	2	—	—	—	—	1	1
Cancer	M	1,297	1	4	6	65	565	656	644	1	2	1	33	243	364
	F	1,328	2	2	3	141	584	596	687	—	1	—	38	278	370
Diabetes	M	131	—	—	2	17	42	70	56	—	—	—	6	12	38
	F	222	—	—	7	12	90	113	74	—	—	—	2	20	52
Cerebral hemorrhage	M	664	—	—	2	21	213	428	321	—	—	—	4	76	241
	F	676	—	1	1	12	197	465	426	—	—	—	13	98	315
Heart disease	M	3,475	—	1	13	186	1,067	2,208	1,287	—	—	5	30	309	943
	F	2,830	1	2	17	212	664	1,934	1,297	—	—	5	49	249	994
Aneurysm	M	33	—	—	—	7	19	7	8	—	1	—	2	2	3
	F	17	—	—	—	5	6	6	4	—	—	—	1	—	3
Other circulatory	M	681	—	—	12	145	524	344	344	—	—	—	—	63	280
	F	540	—	1	5	102	432	310	310	—	—	—	3	38	269
Bronchitis	M	525	41	11	1	22	157	293	148	11	2	2	12	23	98
	F	373	37	12	4	13	56	251	145	8	1	2	3	15	116
Pneumonia	M	573	127	54	9	73	169	141	197	23	14	4	25	57	74
	F	417	116	54	17	49	66	115	157	44	13	2	10	16	72
Other respiratory	M	228	3	2	4	35	124	60	56	1	1	1	11	23	19
	F	80	1	5	1	17	21	35	32	1	1	2	4	9	15
Peptic ulcer	M	161	—	—	—	39	89	33	67	—	—	—	20	27	20
	F	38	—	—	—	2	19	17	17	—	—	—	—	11	6
Diarrhoea	M	101	63	11	6	6	10	5	36	20	3	2	2	3	6
	F	82	31	12	2	12	10	15	22	8	1	1	5	4	3
Appendicitis	M	68	1	3	10	29	18	7	32	—	1	6	17	2	6
	F	58	—	—	10	25	16	7	25	—	1	6	7	7	4
Cirrhosis of liver	M	37	—	—	—	5	22	10	13	—	—	—	1	7	5
	F	7	—	—	—	—	4	3	4	—	—	—	—	2	2
Other liver diseases	M	34	1	1	—	6	12	14	16	1	—	—	1	4	10
	F	68	—	—	—	5	33	30	26	—	—	—	4	8	14
Other digestive	M	181	24	10	5	21	62	59	71	6	6	3	15	17	24
	F	156	14	9	7	24	41	61	79	3	—	1	12	28	35
Nephritis	M	366	3	2	6	52	116	187	205	—	1	1	16	53	134
	F	339	—	2	6	61	123	147	199	—	4	2	24	54	115
Puerperal sepsis	F	25	—	—	—	24	1	—	9	—	—	—	9	—	—
Other puerperal	F	95	—	—	—	93	2	—	43	—	—	—	41	2	—
Congenital causes, etc.	M	498	483	4	4	7	—	—	199	197	1	—	—	—	—
	F	424	407	8	6	3	—	—	156	148	3	3	2	—	—
Senility	M	375	—	—	—	—	2	373	152	—	—	—	—	—	152
	F	476	—	—	—	—	3	473	249	—	—	—	—	—	249
Suicide	M	124	—	—	—	41	56	27	67	—	—	—	23	28	16
	F	51	—	—	—	14	29	8	21	—	—	—	7	7	7
Other violence†	M	703	15	37	29	271	229	122	248	14	12	15	96	54	57
	F	211	13	20	16	38	38	86	110	5	5	3	18	17	62
Other defined causes	M	1,040	107	35	52	180	261	405	474	47	13	17	74	116	207
	F	896	78	28	39	195	282	274	411	26	14	12	71	131	157
Ill-defined causes	M	29	—	—	—	9	9	11	35	—	—	—	2	12	21
	F	14	2	—	—	—	9	3	21	—	—	—	—	6	15

Including Wounds of War.

M | 1 | 2 | — |

In addition to these numbers 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934.

For ages see table 25, page 256.

TABLE 24—*contd.* Density Summary of Areas outside Greater London.

Causes of Death <i>See first page of Table.</i>		County Boroughs.							Urban Districts.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	83,543	6,555	1,576	1,372	9,605	25,607	38,828	79,535	5,311	1,449	1,356	8,866	21,913	40,640
	F	79,756	4,894	1,398	1,211	9,190	19,029	44,034	77,025	4,058	1,162	1,114	8,047	17,589	45,053
1 Typhoid fever, etc.	M	19	—	—	1	11	6	1	16	—	—	1	12	3	—
	F	14	1	1	1	9	2	—	17	—	—	—	7	7	—
2 Measles	M	86	29	43	14	—	—	—	57	17	34	6	—	—	—
	F	59	15	32	11	—	1	—	67	21	34	10	1	—	—
3 Scarlet fever	M	31	—	12	8	9	1	1	45	3	18	13	10	1	—
	F	38	2	12	11	8	5	—	44	1	16	14	8	5	—
4 Whooping cough	M	204	129	71	4	—	—	—	167	89	70	6	1	—	—
	F	247	126	111	10	—	—	—	211	107	99	4	—	—	—
5 Diphtheria	M	457	14	188	233	19	2	1	407	7	144	237	17	1	—
	F	424	10	164	220	27	2	1	372	7	115	216	25	7	—
6 Influenza	M	1,191	50	21	10	184	453	473	1,473	38	24	18	241	518	634
	F	1,343	29	23	20	173	354	744	1,563	16	22	19	207	390	905
7 Encephalitis lethargica	M	148	—	3	—	56	61	28	135	1	3	2	60	52	17
	F	140	—	—	2	58	62	17	98	3	4	38	27	26	—
8 Cerebro-spinal fever	M	99	25	23	9	31	8	3	108	23	18	14	42	10	—
	F	82	22	21	11	19	9	—	72	16	22	11	16	5	—
9 Respiratory tuberculosis	M	5,137	15	26	36	2,545	2,168	347	3,462	5	11	25	1,892	1,316	213
	F	3,393	9	17	66	2,493	660	148	2,547	1	13	44	1,883	475	131
10 Other tuberculosis	M	744	53	151	129	266	114	31	710	48	154	129	255	95	25
	F	717	48	144	133	285	70	37	591	36	116	98	227	80	34
11 Syphilis	M	388	24	—	3	43	220	98	201	20	3	2	23	120	33
	F	172	21	1	1	44	83	22	100	19	1	—	27	45	8
12 Gen. paralysis of insane, etc.	M	407	—	—	—	80	251	76	292	—	—	2	48	181	61
	F	114	—	—	2	30	71	11	77	—	—	—	21	44	12
13 Cancer	M	10,453	3	17	16	650	4,467	5,300	9,806	3	14	19	560	3,824	5,386
	F	11,272	3	8	18	918	4,799	5,526	11,200	5	15	15	905	4,505	5,755
14 Diabetes	M	848	—	—	9	59	278	502	977	—	—	13	81	261	622
	F	1,508	—	4	13	82	464	945	1,585	—	1	16	95	490	983
15 Cerebral hæmorrhage	M	3,989	1	—	4	109	1,239	2,636	4,546	—	—	1	91	1,254	3,200
	F	5,133	—	1	1	113	1,468	3,550	5,648	—	—	3	116	1,486	4,043
16 Heart disease	M	22,595	3	8	84	995	6,787	14,718	21,475	2	6	77	923	5,901	14,566
	F	22,998	—	4	89	1,256	4,537	17,112	21,872	2	4	73	1,003	4,170	16,620
17 Aneurysm	M	311	—	—	3	45	161	102	247	—	2	4	52	107	82
	F	165	—	1	1	31	78	54	145	—	—	2	27	61	54
18 Other circulatory	M	5,004	3	—	1	62	1,112	3,826	4,955	1	4	—	51	960	3,939
	F	4,917	4	3	—	50	876	3,984	4,868	2	1	1	47	825	3,992
19 Bronchitis	M	2,834	178	44	14	184	959	1,455	2,638	160	39	13	129	677	1,620
	F	2,388	140	42	13	73	345	1,775	2,227	151	46	12	90	262	1,666
20 Pneumonia	M	4,515	1,028	364	73	529	1,408	1,113	3,524	759	328	65	426	969	977
	F	3,435	801	303	77	366	638	1,250	2,676	554	248	69	301	460	1,044
21 Other respiratory	M	776	24	26	9	130	331	256	842	20	23	14	135	350	300
	F	576	14	24	8	98	166	266	576	9	22	10	84	134	317
22 Peptic ulcer	M	1,240	—	—	—	269	707	264	1,133	—	—	—	255	588	290
	F	346	—	—	—	44	164	138	277	—	—	—	28	126	123
23 Diarrhoea	M	910	680	57	12	43	67	51	556	314	60	14	45	58	65
	F	717	440	64	5	63	61	84	509	249	43	16	59	56	86
24 Appendicitis	M	433	2	27	60	147	134	63	436	—	22	55	156	129	74
	F	338	—	16	42	111	103	66	370	1	8	49	118	116	78
25 Cirrhosis of liver	M	217	2	—	—	23	123	69	246	—	—	2	22	123	99
	F	139	—	—	1	14	81	43	126	—	—	2	13	57	54
26 Other liver diseases	M	234	4	1	2	30	96	101	240	1	4	1	19	90	125
	F	530	1	2	2	58	195	272	609	1	—	—	59	221	328
27 Other digestive	M	1,229	128	52	40	158	432	419	1,216	90	55	45	176	344	506
	F	1,218	65	43	47	174	367	522	1,159	57	29	47	169	327	530
28 Nephritis	M	2,081	9	11	24	313	780	944	2,230	3	7	25	290	775	1,130
	F	2,192	4	9	29	335	781	1,034	2,156	2	11	24	294	724	1,101
29 Puerperal sepsis	F	173	—	—	—	172	1	—	143	—	—	—	142	1	—
30 Other puerperal	F	421	—	—	—	418	3	—	438	—	—	—	433	5	—
31 Congenital causes, etc.	M	3,541	3,479	32	12	17	1	—	3,276	3,199	30	17	25	4	—
	F	2,741	2,672	40	15	10	4	—	2,498	2,404	40	21	28	5	—
32 Senility	M	1,923	—	—	—	—	21	1,902	2,541	—	—	—	—	16	2,525
	F	3,064	—	—	—	—	23	3,041	3,801	—	—	—	—	19	3,782
33 Suicide	M	1,090	—	—	2	332	497	259	999	—	—	—	302	473	224
	F	605	—	—	1	223	280	101	504	—	—	—	187	244	73
34 Other violence†	M	3,956	136	209	306	1,235	1,046	1,024	3,995	119	188	279	1,501	1,025	883
	F	2,257	105	139	112	281	399	1,221	1,914	94	114	121	269	302	1,014
35 Other defined causes	M	6,336	535	189	254	1,024	1,626	2,708	6,343	383	186	256	1,007	1,616	2,895
	F	5,789	359	167	249	1,149	1,850	2,015	5,792	300	136	211	1,105	1,860	2,180
36 Ill-defined causes	M	117	1	1	—	7	51	57	241	6	2	1	19	70	143
	F	91	3	1	—	5	27	55	173	2	3	1	14	48	105

†Including Wounds of War.

M | 9 | 16 | — |

M | 15 | 13 | — |

TABLE 24—*contd.* Density Summary of Areas
outside Greater London.

London

Causes of Death <i>See first page of Table.</i>		Rural Districts.							Administrative County.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	45,852	2,971	687	677	4,838	10,614	26,065	23,823	1,397	272	252	2,674	7,452	11,776
	F	42,912	2,205	587	523	4,001	9,108	26,488	22,554	1,012	211	203	2,351	5,152	13,625
1 Typhoid fever, etc.	M	8	—	—	—	4	3	1	3	—	—	—	2	—	1
	F	13	—	—	1	5	4	3	3	—	—	—	1	2	—
2 Measles	M	14	3	8	2	1	—	—	1	—	1	—	—	—	—
	F	19	2	8	8	1	—	—	3	1	2	—	—	—	—
3 Scarlet fever	M	20	—	8	6	5	1	—	6	—	1	2	2	1	—
	F	22	—	8	7	7	—	—	3	—	—	3	—	—	—
4 Whooping cough	M	90	55	31	2	1	1	—	65	51	14	—	—	—	—
	F	122	68	48	5	—	1	—	69	41	26	2	—	—	—
5 Diphtheria	M	139	4	48	75	11	1	—	51	3	20	25	2	1	—
	F	153	—	52	76	17	8	—	47	4	18	22	3	—	—
6 Influenza	M	996	34	27	13	111	297	514	282	9	10	4	39	86	134
	F	984	23	16	10	110	203	622	400	8	8	4	49	80	251
7 Encephalitis lethargica	M	57	—	—	1	23	22	11	18	—	—	—	10	7	1
	F	57	—	1	1	17	25	13	31	1	—	1	14	9	6
8 Cerebro-spinal fever	M	34	9	8	4	8	5	—	22	11	4	2	4	1	—
	F	31	4	9	6	9	3	—	12	2	4	1	4	1	—
9 Respiratory tuberculosis	M	1,467	2	1	8	798	534	124	1,740	5	5	3	833	710	184
	F	1,245	1	4	22	864	269	85	910	3	2	13	639	187	66
10 Other tuberculosis	M	385	34	76	36	170	50	19	148	8	28	14	70	18	10
	F	271	19	58	32	103	36	23	154	7	21	24	73	17	12
11 Syphilis	M	89	7	—	1	13	47	21	109	7	1	—	10	63	28
	F	42	7	—	1	9	15	10	42	4	1	—	7	25	5
12 Gen. paralysis of insane, etc.	M	98	—	—	—	12	60	26	147	—	—	1	24	86	36
	F	36	—	—	—	9	18	9	46	—	—	—	14	27	5
13 Cancer	M	5,857	1	13	11	294	1,953	3,585	3,404	2	4	2	178	1,503	1,715
	F	6,378	3	6	6	463	2,383	3,517	3,590	3	6	3	319	1,457	1,802
14 Diabetes	M	557	—	1	10	51	136	359	244	—	2	—	1	72	156
	F	862	—	2	11	43	286	520	401	—	—	1	18	127	255
15 Cerebral hæmorrhage	M	2,502	—	—	—	48	572	1,882	755	—	—	—	20	244	491
	F	3,284	—	1	1	67	713	2,502	1,052	—	1	1	22	268	760
16 Heart disease	M	12,335	—	4	28	370	2,669	9,264	6,668	—	4	15	237	1,744	4,668
	F	11,958	—	3	27	441	2,059	9,428	7,352	—	1	18	303	1,129	5,901
17 Aneurysm	M	138	1	—	1	22	52	62	182	—	1	1	24	95	61
	F	55	—	1	—	11	25	18	113	—	—	1	14	44	54
18 Other circulatory	M	2,830	1	—	—	19	419	2,391	1,232	—	—	—	20	326	886
	F	2,790	1	—	—	24	403	2,362	1,356	—	1	—	17	268	1,070
19 Bronchitis	M	1,368	92	22	6	54	228	966	963	27	8	—	41	368	519
	F	1,177	73	22	4	34	145	899	680	29	6	2	20	105	518
20 Pneumonia	M	1,777	320	100	32	203	451	671	1,480	203	43	10	121	490	613
	F	1,435	260	117	33	138	260	627	1,168	130	41	10	92	240	655
21 Other respiratory	M	486	6	7	7	66	182	218	194	2	7	3	39	69	74
	F	325	6	9	10	43	69	188	147	1	1	3	22	41	79
22 Peptic ulcer	M	577	—	—	—	125	273	179	469	—	—	—	69	254	146
	F	190	—	—	1	19	82	88	142	—	—	—	13	64	65
23 Diarrhoea	M	296	151	28	12	32	30	43	309	239	16	—	16	18	20
	F	255	101	26	7	36	35	50	237	164	10	1	27	13	22
24 Appendicitis	M	286	1	14	31	102	69	69	137	—	5	12	39	57	24
	F	182	—	13	22	48	59	40	114	2	3	10	21	34	44
25 Cirrhosis of liver	M	136	—	—	3	9	60	64	96	1	—	—	8	55	32
	F	62	—	—	1	5	31	25	48	—	—	1	6	32	9
26 Other liver diseases	M	135	1	2	4	9	29	90	75	1	—	—	8	20	46
	F	310	1	2	—	33	102	172	130	—	1	—	12	46	71
27 Other digestive	M	774	45	30	28	101	240	330	375	29	16	5	51	120	154
	F	691	30	20	27	99	171	344	347	16	5	11	35	102	178
28 Nephritis	M	1,293	4	13	14	157	375	730	498	3	2	—	78	170	244
	F	1,172	4	8	11	151	365	633	521	2	—	3	79	169	268
29 Puerperal sepsis	F	80	—	—	—	80	—	—	33	—	—	—	33	—	—
30 Other puerperal	F	277	—	—	—	274	3	—	67	—	—	—	64	3	—
31 Congenital causes, etc.	M	1,910	1,857	23	8	20	2	—	686	670	5	2	6	3	—
	F	1,453	1,408	22	10	11	—	—	504	492	5	1	3	3	—
32 Senility	M	1,694	—	—	—	—	8	1,686	285	—	—	—	—	2	283
	F	2,367	—	—	—	—	9	2,358	504	—	—	—	—	2	502
33 Suicide	M	556	—	—	—	179	257	120	355	—	—	—	112	163	80
	F	218	—	—	—	77	103	38	203	—	—	—	83	85	35
34 Other violence†	M	2,866	81	120	177	1,260	706	522	1,042	44	33	76	290	254	345
	F	1,061	46	66	64	176	188	521	703	39	17	24	82	116	425
35 Other defined causes	M	3,918	258	101	156	547	835	2,021	1,773	79	42	74	307	450	821
	F	3,237	143	65	119	573	1,012	1,325	1,410	62	31	43	261	452	561
36 Ill-defined causes	M	164	4	—	1	13	47	97	9	3	—	—	—	2	4
	F	98	5	—	—	4	21	68	12	1	—	—	1	4	6

†Including Wounds of War.

In addition to these numbers 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934. For ages see Table 25, page 256.

Causes of Death See first page of Table.		CITY OF LONDON.							THE INNER AND MIDDLE TEMPLES.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	52	—	—	1	4	25	22	6	—	—	—	1	1	4
	F	42	—	—	—	2	10	30	—	—	—	—	—	—	—
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Influenza	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Respiratory tuberculosis	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—
10 Other tuberculosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Syphilis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Gen. paralysis of insane, etc.	M	2	—	—	—	—	2	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13 Cancer	M	3	—	—	—	—	2	1	1	—	—	1	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	—	—	—	—
14 Diabetes	M	3	—	—	—	—	2	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Cerebral hæmorrhage	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—
16 Heart disease	M	14	—	—	—	1	5	8	3	—	—	—	—	—	3
	F	18	—	—	—	—	3	15	—	—	—	—	—	—	—
17 Aneurysm	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18 Other circulatory	M	1	—	—	—	—	—	1	1	—	—	—	—	1	—
	F	4	—	—	—	—	—	4	—	—	—	—	—	—	—
19 Bronchitis	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—
20 Pneumonia	M	7	—	—	—	—	3	4	—	—	—	—	—	—	—
	F	5	—	—	—	1	1	3	—	—	—	—	—	—	—
21 Other respiratory	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Peptic ulcer	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Diarrhoea	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Appendicitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26 Other liver diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other digestive	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Nephritis	M	1	—	—	—	—	—	1	1	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—
29 Puerperal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other puerperal	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Congenital causes, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32 Senility	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33 Suicide	M	2	—	—	—	—	2	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—
34 Other violence	M	4	—	—	—	—	2	2	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35 Other defined causes	M	3	—	—	—	1	2	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	1	1	—	—	—	—	—	—	—
36 Ill-defined causes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 24—contd. Metropolitan Boroughs.

Causes of Death first page of Table.		BATTERSEA.							BERMONDSEY.							BETHNAL GREEN.						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	882	76	5	9	86	280	426	559	28	7	15	71	181	257	538	37	6	7	68	172	248
	F	805	43	7	7	82	153	513	446	17	3	7	44	101	274	444	21	5	4	43	105	266
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	3	3	—	—	—	—	—	2	2	—	—	—	—	—	1	1	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—
Diphtheria	M	—	—	1	1	—	—	—	6	—	2	4	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Influenza	M	9	1	—	—	3	2	3	4	—	1	—	—	1	2	5	—	—	—	1	1	5
	F	8	—	—	—	1	3	4	6	—	—	—	—	3	3	6	—	—	1	1	1	3
Encephalitis lethargica	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—
Cerebro-spinal fever	M	2	1	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	58	—	—	—	25	27	6	46	—	—	1	21	20	4	39	—	—	—	23	12	4
	F	45	—	—	—	33	7	5	14	—	—	—	8	6	—	11	1	—	—	8	1	1
Other tuberculosis	M	4	—	1	—	3	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—
	F	4	—	1	1	1	1	—	5	—	—	2	3	—	—	2	—	1	1	—	—	—
Syphilis	M	5	1	—	—	—	3	1	4	—	—	—	—	4	—	3	—	—	—	—	2	1
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gen. paralysis of insane, etc.	M	4	—	—	—	1	3	—	4	—	—	—	1	2	1	3	—	—	—	1	—	1
	F	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	1	1
Cancer	M	140	—	—	—	6	68	66	63	—	—	—	2	32	29	71	—	—	1	1	34	35
	F	122	1	—	—	13	42	66	74	—	—	—	9	27	38	52	—	—	—	5	27	20
Diabetes	M	9	—	—	—	2	1	6	3	—	—	—	—	—	—	7	—	—	—	—	1	6
	F	8	—	—	—	—	4	4	8	—	—	—	1	2	5	13	—	—	—	5	8	8
Cerebral hæmorrhage	M	20	—	—	—	2	9	9	32	—	—	—	1	13	18	14	—	—	—	1	3	10
	F	22	—	—	—	—	5	17	38	—	—	—	1	6	31	20	—	—	—	1	3	16
Heart disease	M	273	—	—	1	5	59	208	122	—	—	1	5	32	84	166	—	—	1	8	50	107
	F	317	—	—	1	8	41	267	137	—	—	1	7	25	104	170	—	—	—	8	28	134
Aneurysm	M	8	—	—	—	2	3	3	—	—	—	—	—	—	—	3	—	—	—	2	—	1
	F	2	—	—	—	—	1	1	2	—	—	1	—	—	—	—	—	—	—	—	1	2
Other circulatory	M	28	—	—	—	—	8	20	21	—	—	—	1	4	16	17	—	—	—	—	4	13
	F	36	—	—	—	—	4	32	21	—	—	—	—	5	16	23	—	—	—	5	18	18
Bronchitis	M	52	3	—	—	5	22	22	44	—	—	—	2	20	22	17	—	—	—	—	6	11
	F	32	1	—	—	1	5	25	20	—	—	—	2	4	14	13	—	—	—	—	1	12
Pneumonia	M	46	13	—	1	5	11	16	42	4	—	2	5	15	16	43	6	2	—	5	18	12
	F	25	6	1	—	—	3	15	23	5	—	—	1	4	13	28	6	—	—	2	7	13
Other respiratory	M	3	—	—	—	—	2	1	4	—	—	—	—	2	2	5	—	1	—	—	4	—
	F	5	—	—	—	2	3	3	2	—	—	—	—	2	2	5	—	—	—	—	—	3
Peptic ulcer	M	18	—	—	—	1	10	7	6	—	—	—	1	3	2	14	—	—	—	3	10	1
	F	7	—	—	—	—	3	4	3	—	—	—	—	—	3	3	—	—	—	2	1	1
Diarrhoea	M	16	15	—	—	—	1	—	9	5	1	—	—	2	1	12	11	—	—	—	1	—
	F	10	10	—	—	—	—	—	3	1	—	—	—	1	1	5	3	—	—	—	1	1
Appendicitis	M	6	—	—	1	2	1	2	3	—	—	—	—	2	1	7	—	—	—	2	4	1
	F	3	—	—	—	—	2	1	2	—	—	1	—	—	1	5	—	1	—	1	1	2
Cirrhosis of liver	M	2	—	—	—	—	2	—	2	—	—	—	1	—	1	1	—	—	—	—	1	—
	F	1	—	—	—	1	—	—	2	—	—	—	—	2	—	—	—	—	—	—	—	—
Other liver diseases	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	F	3	—	—	—	—	1	2	1	—	—	—	1	—	—	1	—	—	—	—	—	—
Other digestive	M	10	1	—	—	1	3	5	16	1	1	—	3	3	8	8	2	—	—	1	2	3
	F	11	—	—	—	—	4	7	2	—	—	—	—	1	1	8	—	—	—	2	3	3
Nephritis	M	23	1	—	—	5	13	4	31	—	—	—	4	3	24	7	—	—	—	3	1	3
	F	23	—	—	—	4	6	13	21	—	—	—	—	1	20	12	—	—	—	2	5	5
Puerperal sepsis	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Other puerperal	F	3	—	—	—	3	—	—	3	—	—	—	3	—	—	1	—	—	—	—	—	—
Congenital causes, etc.	M	33	33	—	—	—	—	—	12	12	—	—	—	—	—	13	13	—	—	—	—	—
	F	16	15	—	—	—	1	—	7	7	—	—	—	—	—	10	9	1	—	—	—	—
Senility	M	5	—	—	—	—	—	5	3	—	—	—	—	—	3	1	—	—	—	—	—	1
	F	12	—	—	—	—	—	12	8	—	—	—	—	—	7	4	—	—	—	—	—	4
Suicide	M	12	—	—	—	2	7	3	4	—	—	—	2	1	1	8	—	—	—	3	2	3
	F	3	—	—	—	—	1	2	3	—	—	—	—	—	2	4	—	—	—	—	4	—
Other violence†	M	32	—	2	4	5	8	13	35	2	2	5	12	11	3	29	—	1	2	6	8	12
	F	25	3	1	1	3	2	15	12	1	—	1	1	5	4	19	—	—	1	3	2	13
Other defined causes	M	58	4	2	2	9	17	24	37	1	—	2	7	10	17	44	4	1	3	9	9	18
	F	53	3	3	2	11	16	18	26	3	2	1	6	7	7	18	—	2	1	5	5	5
Ill-defined causes	M	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Including Wounds of War.

M | — | 1 | — |

Causes of Death See first page of Table.			CAMBERWELL.						CHELSEA.						DEPTFORD.							
			All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-
All Causes	M	1,292	57	18	21	133	403	660	407	12	2	3	29	106	255	602	47	12	4	73	173	281
	F	1,300	51	13	10	138	281	807	336	5	3	3	26	74	225	516	21	5	5	59	118	301
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Scarlet fever	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Whooping cough	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	
	F	4	1	3	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	
5 Diphtheria	M	5	—	3	2	—	—	—	—	—	—	—	—	—	—	4	1	2	—	1	—	
	F	3	—	1	2	—	—	—	3	1	—	2	—	—	2	—	—	—	—	—	—	
6 Influenza	M	18	—	—	—	2	6	10	8	—	—	—	—	3	5	7	—	1	—	—	2	
	F	24	1	—	—	3	6	14	12	—	—	—	2	—	10	9	—	—	1	3	—	
7 Encephalitis lethargica	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	
8 Cerebro-spinal fever	M	2	1	—	1	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Respiratory tuberculosis	M	90	—	—	1	44	37	8	35	—	—	—	11	17	7	45	—	2	—	23	16	
	F	55	1	—	—	37	12	5	11	—	—	—	5	3	3	17	—	—	—	14	1	
10 Other tuberculosis	M	11	—	2	1	6	1	1	3	1	1	—	—	1	—	2	1	—	—	1	—	
	F	9	1	3	—	5	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	
11 Syphilis	M	6	—	—	—	—	4	2	1	—	1	—	—	—	—	1	—	—	—	1	—	
	F	4	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12 Gen. paralysis of insane, etc.	M	7	—	—	—	1	5	1	1	—	—	—	—	—	1	2	—	—	—	1	—	
	F	4	—	—	—	1	2	1	2	—	—	—	—	2	—	2	—	—	—	2	—	
13 Cancer	M	179	—	—	—	6	89	84	57	—	—	—	4	17	36	76	—	—	—	37	—	
	F	191	—	1	1	18	79	92	46	—	1	—	6	14	24	79	—	—	5	26	—	
14 Diabetes	M	15	—	—	—	2	2	11	5	—	—	—	—	1	4	3	—	—	—	—	—	
	F	23	—	—	—	3	4	16	8	—	—	—	—	2	6	12	—	1	—	2	—	
15 Cerebral hæmorrhage	M	62	—	—	—	1	21	40	15	—	—	—	—	3	12	18	—	—	—	5	—	
	F	91	—	—	—	1	25	65	23	—	—	—	—	5	18	18	—	—	—	1	—	
16 Heart disease	M	403	—	3	14	102	284	131	115	—	—	—	2	26	103	190	—	—	6	46	1	
	F	457	—	1	22	62	372	115	—	—	—	—	—	22	93	203	—	—	9	32	1	
17 Aneurysm	M	8	—	—	—	—	4	4	2	—	—	—	—	1	1	6	—	—	—	4	—	
	F	6	—	—	—	1	1	4	1	—	—	—	—	—	1	2	—	—	1	—	—	
18 Other circulatory	M	60	—	—	—	1	13	46	28	—	—	—	—	4	24	19	—	—	—	6	—	
	F	64	—	—	—	1	12	51	24	—	—	—	—	6	18	31	—	—	1	9	—	
19 Bronchitis	M	45	—	—	—	1	14	30	14	—	—	—	1	6	7	16	2	—	—	6	—	
	F	35	1	—	—	1	6	27	6	—	—	—	—	1	4	15	1	—	—	2	—	
20 Pneumonia	M	73	8	5	—	3	26	31	25	3	—	—	2	6	14	32	3	1	—	9	—	
	F	57	5	3	—	5	10	34	14	1	—	—	1	1	11	20	2	1	3	1	—	
21 Other respiratory	M	10	—	2	1	1	4	2	4	—	—	—	—	2	2	6	—	—	—	1	—	
	F	5	—	—	—	1	3	1	2	—	—	—	—	—	2	2	—	—	—	2	—	
22 Peptic ulcer	M	24	—	—	3	3	14	7	6	—	—	—	2	3	1	18	—	—	1	8	—	
	F	3	—	—	—	1	1	1	3	—	—	—	—	1	2	5	—	—	—	4	—	
23 Diarrhœa	M	7	6	—	—	—	1	—	2	1	—	—	—	1	—	12	9	—	—	2	—	
	F	11	8	—	—	1	2	—	—	—	—	—	—	—	7	2	1	—	3	1	—	
24 Appendicitis	M	3	—	1	—	1	1	—	3	—	—	—	—	1	2	4	—	—	—	1	—	
	F	9	—	1	3	3	2	—	5	—	—	—	—	2	3	2	—	1	—	2	—	
25 Cirrhosis of liver	M	2	—	—	—	—	2	—	2	—	—	—	—	1	1	1	—	—	—	—	—	
	F	4	—	—	—	—	—	4	—	—	—	—	—	—	—	4	—	—	—	4	—	
26 Other liver diseases	M	3	—	—	—	—	—	3	1	—	—	—	—	—	1	4	—	—	—	—	—	
	F	6	—	—	—	—	1	5	1	—	—	—	—	—	1	1	—	—	—	2	—	
27 Other digestive	M	19	2	—	2	1	5	9	5	—	—	—	1	1	3	10	2	—	3	2	—	
	F	26	—	1	2	1	11	11	6	—	—	—	—	1	5	5	—	—	—	2	—	
28 Nephritis	M	21	—	1	—	3	9	8	3	—	—	—	—	—	3	15	—	—	4	4	—	
	F	27	—	—	—	4	12	11	5	—	—	—	1	1	3	9	—	1	2	3	—	
29 Puerperal sepsis	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	
30 Other puerperal	F	4	—	—	—	4	—	—	1	—	—	—	1	—	—	2	—	—	2	—	—	
31 Congenital causes, etc.	M	34	34	—	—	—	—	—	6	6	—	—	—	—	—	26	24	2	—	—	—	
	F	27	27	—	—	—	—	—	2	2	—	—	—	—	—	12	12	—	—	—	—	
32 Senility	M	22	—	—	—	—	—	22	7	—	—	—	—	—	7	5	—	—	—	—	—	
	F	51	—	—	—	—	—	51	6	—	—	—	—	—	6	9	—	—	—	—	—	
33 Suicide	M	19	—	—	—	6	7	6	6	—	—	—	2	1	3	9	—	—	—	3	—	
	F	7	—	—	—	3	4	—	2	—	—	—	1	1	1	1	—	—	—	1	—	
34 Other violence	M	65	2	1	6	24	15	17	14	—	2	—	2	3	7	17	1	1	—	5	6	
	F	16	1	—	2	4	9	—	12	—	—	—	3	4	5	13	3	—	2	3	—	
35 Other defined causes	M	72	3	1	3	11	21	34	23	—	—	—	2	8	11	52	3	3	4	12	8	
	F	73	4	1	2	16	19	30	21	1	—	—	6	7	9	30	1	2	1	7	10	
36 Ill-defined causes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 24—contd. Metropolitan Boroughs.

Causes of Death first page of Table.		FINSBURY.							FULHAM.							GREENWICH.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	365	12	4	4	33	118	194	805	53	8	3	104	261	376	528	39	4	6	66	164	249
	F	338	11	4	3	26	69	225	808	31	6	7	83	184	497	451	30	1	10	49	106	255
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	2	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—
Diphtheria	M	1	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—
Influenza	M	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	1	2	1
	F	2	—	—	—	—	—	2	13	—	—	—	3	2	3	7	10	—	—	2	2	8
Encephalitis lethargica	M	1	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	25	—	—	—	8	14	3	63	1	—	—	27	29	6	38	—	—	1	22	14	2
	F	11	—	—	—	6	3	2	36	—	—	—	25	10	1	19	—	—	—	17	1	—
Other tuberculosis	M	4	—	2	1	—	—	—	1	—	—	—	1	—	—	2	—	—	—	1	1	—
	F	3	—	—	—	3	—	—	7	—	—	1	3	1	1	5	—	—	1	3	1	—
Syphilis	M	3	—	—	—	1	1	1	4	1	—	—	—	—	3	2	—	—	—	1	1	—
	F	2	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—
Gen. paralysis of insane, etc.	M	4	—	—	—	2	2	—	9	—	—	—	—	6	3	3	—	—	—	2	—	1
	F	1	—	—	—	1	—	—	3	—	—	—	2	—	—	—	—	—	—	—	—	—
Cancer	M	51	—	—	—	1	21	29	117	—	—	1	10	46	59	85	—	—	—	7	40	38
	F	45	—	—	—	4	15	26	150	1	—	—	13	62	75	70	—	—	—	8	38	24
Diabetes	M	4	—	—	—	1	3	—	6	—	—	—	—	—	5	4	—	—	—	—	2	2
	F	11	—	—	—	1	4	6	9	—	—	—	—	2	7	10	—	—	—	—	—	10
Cerebral haemorrhage	M	7	—	—	—	1	6	30	—	—	—	—	11	19	23	—	—	—	—	7	16	—
	F	16	—	—	—	2	14	37	—	—	—	—	1	6	30	20	—	—	—	2	6	12
Heart disease	M	106	—	—	—	5	32	69	194	—	—	—	11	67	116	152	—	—	—	4	43	105
	F	107	—	—	—	5	17	85	265	—	—	4	10	43	208	165	—	—	—	6	26	133
Aneurysm	M	4	—	—	—	1	2	1	9	—	—	—	1	5	3	1	—	—	—	—	—	1
	F	2	—	—	—	2	—	—	6	—	—	—	1	3	2	1	—	—	—	—	—	1
Other circulatory	M	22	—	—	—	4	18	44	—	—	—	—	1	8	35	29	—	—	—	1	9	19
	F	23	—	—	—	3	20	42	—	—	—	—	—	8	34	22	—	—	—	1	6	15
Bronchitis	M	17	—	—	—	9	8	41	1	—	—	—	1	16	23	13	—	—	—	1	4	8
	F	18	—	—	—	3	15	22	1	—	—	—	2	2	19	10	—	—	—	1	8	—
Pneumonia	M	29	1	—	—	9	15	59	8	2	1	4	22	22	33	9	—	—	—	4	10	9
	F	28	2	3	1	7	15	47	6	1	—	3	14	23	22	5	1	1	—	3	12	—
Other respiratory	M	1	—	—	—	—	1	5	—	—	—	—	4	—	1	6	—	—	—	2	2	2
	F	2	—	—	—	1	1	7	—	—	—	—	—	7	—	—	—	—	—	—	—	—
Peptic ulcer	M	9	—	—	—	6	3	16	—	—	—	—	1	9	6	9	—	—	—	—	7	2
	F	1	—	—	—	—	1	5	—	—	—	—	—	3	2	4	—	—	—	2	2	—
Diarrhoea	M	6	4	—	—	—	2	14	13	—	—	—	1	—	—	8	5	2	—	—	1	—
	F	5	3	—	—	—	2	6	4	—	—	—	2	—	—	6	5	—	—	1	—	—
Appendicitis	M	2	—	—	—	1	1	—	7	—	—	—	2	4	—	2	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	4	—	—	—	—	2	2	2	—	—	—	1	—	—
Cirrhosis of liver	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—
	F	1	—	—	—	—	—	1	5	—	—	—	—	1	—	1	—	—	—	—	—	—
Other liver diseases	M	—	—	—	—	—	—	—	1	—	—	—	1	2	2	3	—	—	—	1	—	2
	F	1	—	—	—	—	—	1	3	—	—	—	—	1	2	2	—	—	—	—	—	2
Other digestive	M	7	—	—	—	1	3	3	7	1	—	—	—	5	1	9	—	—	—	2	3	4
	F	5	—	—	—	1	4	8	2	—	—	—	1	1	4	5	—	—	2	—	1	2
Nephritis	M	1	—	—	—	—	1	9	—	—	—	—	2	2	5	8	—	—	—	2	3	3
	F	11	—	2	—	2	7	16	—	—	—	—	4	4	8	8	—	—	—	2	2	4
Puerperal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Other puerperal	F	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—	—	—	—	—
Congenital causes, etc.	M	5	—	—	—	—	—	—	23	—	—	—	—	—	—	19	19	—	—	—	—	—
	F	3	3	—	—	—	—	—	15	1	—	—	—	1	—	15	15	—	—	—	—	—
Senility	M	5	—	—	—	—	—	—	10	—	—	—	—	—	—	6	—	—	—	—	—	6
	F	9	—	—	—	—	—	9	17	—	—	—	—	—	17	7	—	—	—	—	—	7
Suicide	M	5	—	—	—	1	3	1	15	—	—	—	5	7	3	5	—	—	—	—	1	4
	F	3	—	—	—	2	1	1	—	—	—	—	3	4	—	4	—	—	—	2	—	—
Other violence†	M	18	—	—	2	4	1	11	39	1	1	1	16	9	11	23	1	1	1	7	3	10
	F	12	1	—	—	4	1	6	26	1	1	—	2	—	22	9	2	—	1	1	1	4
Other defined causes	M	25	2	1	—	4	6	12	67	2	1	—	15	9	40	36	3	1	3	8	9	12
	F	15	2	—	—	1	5	7	51	2	1	1	7	15	25	27	—	—	2	3	12	10
Ill-defined causes	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1

cluding Wounds of War.

M | — | 1 | — |

Causes of Death See first page of Table.		HACKNEY.							HAMMERSMITH.							HAMPSTEAD.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	1,113 1,110	66 41	12 11	9 7	137 131	325 249	564 671	732 659	57 20	8 4	4 5	95 67	242 161	326 402	456 537	18 18	4 5	2 1	47 51	143 141	24 32
1 Typhoid fever, etc.	M F	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4 Whooping cough	M F	3 3	3 2	1 1	— —	— —	— —	— —	2 1	2 1	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	
5 Diphtheria	M F	2 2	— 1	1 1	1 —	— —	— —	— —	1 3	— 1	1 —	1 —	2 —	— —	— —	1 5	1 —	1 —	— —	— —	— —	
6 Influenza	M F	16 27	1 2	1 1	1 1	3 5	5 6	6 13	5 6	— —	1 —	1 —	1 —	1 —	1 —	13 12	1 —	2 —	2 2	2 2	— —	
7 Encephalitis lethargica	M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
8 Cerebro-spinal fever	M F	1 1	1 —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	2 1	1 —	— —	2 —	— —	— —	
9 Respiratory tuberculosis	M F	73 36	1 —	1 —	— —	41 22	24 12	6 —	65 33	— —	— —	— —	29 25	7 5	21 2	21 18	— —	— —	11 9	6 6	— —	
10 Other tuberculosis	M F	10 5	1 —	1 —	— —	6 4	1 —	1 —	4 5	— —	— —	1 —	2 —	— —	1 —	2 3	1 —	1 —	— —	— —	— —	
11 Syphilis	M F	9 4	— —	— —	— —	1 4	7 —	1 —	2 1	— —	— —	— —	— —	1 1	1 —	4 1	— —	— —	1 —	2 1	— —	
12 Gen. paralysis of insane, etc.	M F	2 —	— —	— —	— —	1 —	1 —	— —	9 2	— —	— —	— —	1 —	5 2	3 —	— —	— —	— —	— —	— —	— —	
13 Cancer	M F	176 168	— —	2 —	— —	7 19	71 62	96 87	104 123	— —	— —	— —	— —	8 10	44 48	52 65	65 98	— —	5 7	23 50	3 4	
14 Diabetes	M F	14 28	— —	— —	— —	1 1	2 12	11 15	6 8	— —	1 —	— —	— —	— —	2 2	2 4	3 17	11 —	— —	3 4	1 —	
15 Cerebral hæmorrhage	M F	22 34	— —	— —	— —	1 7	9 25	14 30	23 30	— —	— —	— —	1 —	4 13	18 15	9 23	— —	— —	1 1	4 5	— —	
16 Heart disease	M F	322 391	— —	— —	— —	18 20	73 66	231 304	137 194	— —	— —	— —	5 2	38 37	94 155	143 165	— —	— —	3 8	38 22	10 13	
17 Aneurysm	M F	11 6	— —	— —	— —	— 2	5 6	6 11	11 5	— —	— —	— —	1 —	7 3	3 2	5 4	— —	— —	1 —	— —	— —	
18 Other circulatory	M F	58 76	— —	— —	— —	2 2	14 9	42 65	47 46	— —	— —	— —	— —	15 32	9 37	30 45	— —	— —	10 9	2 3	— —	
19 Bronchitis	M F	48 37	3 2	— 1	— —	1 6	18 28	26 27	29 18	3 2	1 —	— —	— —	15 10	10 17	3 10	— —	— —	2 1	— —	— —	
20 Pneumonia	M F	60 61	7 4	2 1	— 2	4 4	20 12	28 38	55 30	9 2	1 2	— —	5 2	18 7	22 17	18 20	2 3	— 1	10 5	— —	— —	
21 Other respiratory	M F	11 7	— —	— —	— —	5 1	2 2	4 4	5 4	— —	— —	— —	2 —	2 1	2 2	3 1	— —	— —	1 —	1 —	— —	
22 Peptic ulcer	M F	7 20	— —	— —	— —	4 1	10 1	6 5	21 2	— —	— —	— —	4 —	11 1	6 6	9 —	— —	2 —	2 2	— —	— —	
23 Diarrhœa	M F	13 10	8 6	— —	— —	2 4	1 —	2 —	13 4	11 2	1 —	— —	1 —	— —	1 —	5 3	3 1	— —	1 —	— —	— —	
24 Appendicitis	M F	10 5	— 2	1 —	1 —	— —	1 —	3 —	12 2	— —	— —	— —	3 —	7 1	2 1	— —	— —	— —	— —	1 —	— —	
25 Cirrhosis of liver	M F	4 3	— —	— —	— —	— —	1 3	3 —	6 3	— —	— —	— —	1 —	2 3	3 —	2 —	— —	— —	— —	2 —	— —	
26 Other liver diseases	M F	— 6	— —	— —	— —	— —	— 3	— 3	— 2	— —	— —	— —	— —	— 1	— 1	— 2	— —	— —	1 —	— —	— —	
27 Other digestive	M F	22 16	— 1	3 1	— 1	5 3	7 2	7 8	14 9	— 1	1 —	— —	2 —	6 1	5 6	9 10	— —	— —	3 1	3 5	— —	
28 Nephritis	M F	23 29	— —	— —	— —	4 8	8 9	11 12	12 14	— 1	— —	— —	2 —	3 5	7 7	11 13	— —	— —	— —	4 6	— —	
29 Puerperal sepsis	F	2	—	—	—	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
30 Other puerperal	F	2	—	—	—	2	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	
31 Congenital causes, etc.	M F	40 22	39 22	— —	— —	— —	1 —	— —	30 13	27 12	1 —	— —	2 —	— —	— —	10 12	10 10	— 2	— —	— —	— —	
32 Senility	M F	6 8	— —	— —	— —	— —	— —	— 8	15 29	— —	— —	— —	— —	— —	15 29	4 7	— —	— —	— —	— —	— —	
33 Suicide	M F	21 42	— —	— —	— —	5 5	11 5	5 2	14 6	— —	— —	— —	2 —	9 2	3 3	10 14	— —	— —	3 8	7 3	— —	
34 Other violence	M F	41 34	— 1	— —	3 —	16 8	11 7	12 18	27 21	2 —	— —	1 —	9 3	7 1	8 17	21 18	1 —	1 —	1 —	5 5	10 10	
35 Other defined causes	M F	81 68	2 2	1 2	3 2	9 18	25 14	41 30	62 42	3 —	— —	1 2	13 8	16 18	29 14	41 28	— —	— —	4 7	16 8	21 11	
36 Ill-defined causes	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

TABLE 24—contd. Metropolitan Boroughs.

Causes of Death first page of Table.		HOLBORN.							ISLINGTON.							KENSINGTON.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	209	9	—	1	22	76	101	1,813	118	22	22	211	563	877	931	79	10	6	94	294	448
	F	169	3	—	1	15	54	96	1,672	86	20	16	181	347	1,022	1,141	50	7	6	106	230	742
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	—	—	—	—	—	—	—	2	2	—	—	—	—	—	3	1	2	—	—	—	—
	F	—	—	—	—	—	—	—	10	5	4	1	—	—	—	4	3	1	—	—	—	—
Diphtheria	M	—	—	—	—	—	—	—	6	1	—	5	—	—	—	3	1	1	1	—	—	—
	F	—	—	—	—	—	—	—	4	—	1	3	—	—	—	1	—	—	—	—	—	—
Influenza	M	3	—	—	—	—	1	2	25	2	1	—	3	6	13	9	—	—	—	1	4	4
	F	1	—	—	—	—	1	—	25	1	1	—	4	5	14	32	1	—	—	2	1	28
Encephalitis lethargica	M	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	4	—	—	—	1	3	—	5	—	—	—	3	1	1
Cerebro-spinal fever	M	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	13	—	—	—	8	1	4	145	—	—	—	77	53	15	51	—	—	—	24	22	5
	F	5	—	—	—	3	2	—	80	—	—	2	56	19	3	30	—	—	—	22	4	4
Other tuberculosis	M	1	—	—	—	—	1	—	18	1	3	1	10	1	2	4	1	—	—	2	2	1
	F	1	—	—	—	1	—	—	11	—	2	1	6	2	—	4	—	—	2	1	1	1
Syphilis	M	2	1	—	—	—	1	—	7	—	—	—	—	5	2	5	—	—	—	4	—	1
	F	1	1	—	—	—	—	—	3	1	—	—	—	2	2	1	—	—	—	1	—	—
Gen. paralysis of insane, etc.	M	3	—	—	—	—	2	1	13	—	—	—	2	7	4	4	—	1	—	3	—	—
	F	—	—	—	—	—	—	—	2	—	—	—	1	1	—	2	—	—	—	—	—	2
Cancer	M	24	—	—	—	13	11	—	253	—	—	—	14	122	117	146	—	—	—	5	66	75
	F	38	—	—	—	5	19	14	256	2	—	—	22	84	148	191	—	—	—	15	71	105
Diabetes	M	5	—	—	—	—	3	2	13	—	—	—	2	5	6	9	—	—	—	4	5	—
	F	—	—	—	—	—	—	—	25	—	—	—	—	10	15	22	—	—	—	2	7	13
Cerebral hæmorrhage	M	5	—	—	—	2	3	—	48	—	—	—	1	17	30	26	—	—	—	13	13	—
	F	6	—	—	—	4	2	—	68	—	—	—	1	18	49	56	—	—	—	11	44	—
Heart disease	M	62	—	—	—	1	20	41	422	—	—	1	20	111	290	253	—	—	—	7	73	173
	F	49	—	—	—	4	9	36	508	—	—	2	22	73	411	314	—	—	—	14	41	259
Aneurysm	M	1	—	—	—	1	—	—	8	—	—	—	—	3	5	5	—	—	—	1	2	2
	F	2	—	—	—	1	1	—	13	—	—	—	2	6	5	6	—	—	—	—	1	5
Other circulatory	M	6	—	—	—	2	4	—	111	—	—	—	1	28	82	47	—	—	—	12	35	—
	F	18	—	—	—	5	13	—	88	—	1	—	1	17	69	86	—	—	—	2	11	73
Bronchitis	M	9	—	—	—	6	3	—	99	1	—	—	4	33	61	25	—	—	—	1	6	17
	F	6	—	—	—	1	5	—	53	3	1	—	—	10	39	27	2	—	—	1	5	19
Pneumonia	M	17	1	—	—	3	5	8	141	23	7	—	11	46	54	53	12	1	—	3	14	23
	F	9	—	—	—	2	7	—	97	10	4	—	6	20	57	76	7	1	1	3	11	53
Other respiratory	M	3	1	—	—	1	—	1	16	—	—	—	2	5	9	10	—	1	—	2	3	4
	F	2	—	—	—	1	1	—	9	—	—	—	—	1	8	17	—	—	—	3	3	10
Peptic ulcer	M	6	—	—	—	1	1	4	40	—	—	—	5	21	14	12	—	—	—	2	8	2
	F	1	—	—	—	—	—	1	13	—	—	—	2	5	6	5	—	—	—	4	1	—
Diarrhœa	M	2	1	—	—	—	1	—	30	20	1	—	2	3	4	18	16	1	—	—	—	1
	F	2	2	—	—	—	—	—	32	24	—	—	1	1	6	9	6	2	—	1	—	—
Appendicitis	M	—	—	—	—	—	—	—	10	—	—	—	1	1	6	2	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	8	—	—	—	3	1	4	3	—	—	—	1	—	2
Cirrhosis of liver	M	3	1	—	—	—	2	—	5	—	—	—	—	2	3	7	—	—	—	—	6	1
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	1	—
Other liver diseases	M	—	—	—	—	—	—	—	6	—	—	—	—	1	5	1	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	9	—	—	—	—	3	6	12	—	—	—	3	9	—
Other digestive	M	4	1	—	—	1	1	1	30	2	2	1	3	10	12	15	1	—	—	—	5	9
	F	4	—	—	—	2	2	—	40	3	—	3	3	7	24	16	—	—	—	—	6	10
Nephritis	M	7	—	—	—	—	3	4	27	—	—	—	3	14	10	25	—	—	—	3	10	12
	F	—	—	—	—	—	—	—	40	—	—	—	6	14	20	18	—	—	—	3	5	10
Puerperal sepsis	F	—	—	—	—	—	—	—	2	—	—	—	2	—	—	3	—	—	—	3	—	—
Other puerperal	F	1	—	—	—	1	—	—	4	—	—	—	3	1	—	3	—	—	—	3	—	—
Congenital causes, etc.	M	2	2	—	—	—	—	—	60	60	—	—	—	—	—	41	40	—	—	—	1	—
	F	—	—	—	—	—	—	—	33	32	—	—	1	—	—	26	25	—	—	—	1	—
Senility	M	7	—	—	—	—	—	7	26	—	—	—	—	—	26	9	—	—	—	—	—	9
	F	1	—	—	—	—	—	1	42	—	—	—	—	—	42	29	—	—	—	—	—	29
Suicide	M	6	—	—	—	3	—	—	28	—	—	—	8	16	4	20	—	—	—	10	8	2
	F	—	—	—	—	—	—	—	14	—	—	—	6	3	3	12	—	—	—	6	—	—
Other violence†	M	7	1	—	—	2	1	3	90	4	4	6	19	28	29	42	3	3	2	15	6	13
	F	8	—	—	—	—	1	7	62	3	3	2	5	7	42	45	4	1	2	5	6	27
Other defined causes	M	11	—	—	1	2	6	5	130	1	4	6	22	19	78	82	3	1	1	18	20	39
	F	13	—	—	1	1	6	5	115	2	2	2	27	31	51	81	2	—	3	13	30	33
Ill-defined causes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	3

Including Wounds of War.

M | 1 | — | — |

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death See first page of Table.		LAMBETH.							LEWISHAM.							PADDINGTON.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	
All Causes	M	1,708	88	16	12	195	530	867	1,129	75	19	14	141	337	543	754	66	16	3	85	237	
	F	1,736	104	16	19	173	371	1,053	1,227	54	12	9	128	280	744	854	40	6	5	89	202	
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Measles	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	2	—	—	—	—	—	3	3	—	—	—	—	—	2	1	1	—	—	—	
4 Whooping cough	M	6	4	2	—	—	—	—	4	1	3	—	—	—	—	3	2	1	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Diphtheria	M	2	—	—	2	—	—	—	4	—	2	2	1	—	—	3	—	1	1	—	1	
	F	1	—	—	1	—	—	—	4	—	—	—	—	—	—	2	1	—	—	—	—	
6 Influenza	M	28	2	—	—	5	12	9	12	—	1	—	2	5	4	12	1	1	—	1	3	
	F	32	2	—	—	5	5	20	22	—	1	—	1	5	15	14	1	—	—	—	4	
7 Encephalitis lethargica	M	1	—	—	—	1	—	—	2	—	—	—	—	1	1	1	—	—	—	—	—	
	F	2	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	1	—	
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	2	—	1	—	1	—	—	2	2	—	—	—	—	
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	
9 Respiratory tuberculosis	M	138	—	—	—	75	49	14	85	—	1	1	50	32	1	48	—	—	—	23	21	
	F	74	—	—	4	52	13	5	55	—	—	—	41	12	2	35	—	—	—	27	6	
10 Other tuberculosis	M	12	4	1	—	1	—	—	11	2	3	—	4	1	1	6	3	—	3	—	—	
	F	17	1	2	4	6	4	—	8	1	1	5	—	—	6	1	1	1	1	—	—	
11 Syphilis	M	8	2	—	—	—	5	1	1	—	—	—	1	—	—	3	—	—	—	1	2	
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	1	—	
12 Gen. paralysis of insane, etc.	M	9	—	—	—	3	5	1	4	—	—	—	1	2	1	3	—	—	—	—	2	
	F	3	—	—	—	3	3	—	5	—	—	—	—	5	—	2	—	—	1	1	—	
13 Cancer	M	220	—	—	—	10	94	116	174	1	—	—	12	80	81	104	—	—	—	7	45	
	F	246	—	—	—	24	94	128	215	—	—	—	19	85	111	163	—	—	—	13	61	
14 Diabetes	M	11	—	—	—	—	4	7	17	—	—	—	—	3	14	8	—	—	—	1	2	
	F	27	—	—	—	1	6	20	20	—	—	—	1	6	13	12	—	—	—	2	6	
15 Cerebral hæmorrhage	M	77	—	—	—	1	25	51	37	—	—	—	1	9	27	20	—	—	—	1	6	
	F	102	—	1	—	—	32	69	67	—	—	—	3	10	54	25	—	—	—	9	—	
16 Heart disease	M	507	—	—	1	18	136	352	294	—	—	—	14	81	199	191	—	—	—	7	49	
	F	603	—	—	2	21	79	501	367	—	1	19	64	283	245	245	—	—	—	7	36	
17 Aneurysm	M	18	—	1	1	4	7	5	6	—	—	—	—	4	2	4	—	—	—	—	3	
	F	6	—	—	—	—	3	2	1	—	—	—	—	1	—	6	—	—	—	4	—	
18 Other circulatory	M	75	—	—	—	1	27	47	65	—	—	—	1	7	57	50	—	—	—	20	3	
	F	79	—	—	—	1	16	62	70	—	—	—	—	14	56	57	—	—	—	9	4	
19 Bronchitis	M	65	4	1	—	2	23	35	25	—	—	—	1	7	17	26	1	—	—	2	10	
	F	49	4	1	—	3	12	29	34	1	—	—	1	3	29	22	1	—	—	1	1	
20 Pneumonia	M	98	10	2	1	4	37	44	45	14	—	—	4	15	12	48	8	1	—	4	12	
	F	81	9	4	—	8	20	40	41	3	1	1	3	4	29	51	4	—	5	14	2	
21 Other respiratory	M	11	—	—	—	3	4	4	16	—	—	—	3	4	9	7	1	1	—	2	2	
	F	13	—	—	1	2	5	5	12	—	—	1	1	2	8	8	—	—	1	2	4	
22 Peptic ulcer	M	38	—	—	—	4	23	11	22	—	—	—	3	13	6	14	—	—	2	9	—	
	F	10	—	—	—	2	6	2	6	—	—	—	—	6	—	4	—	—	—	3	—	
23 Diarrhoea	M	14	12	1	—	—	—	1	24	16	2	—	3	2	1	14	11	1	—	1	—	
	F	17	12	—	—	3	2	—	8	7	1	—	—	—	—	11	8	1	—	1	—	
24 Appendicitis	M	5	—	—	1	2	2	—	10	—	—	—	3	3	4	6	—	—	—	2	—	
	F	10	1	1	—	1	3	4	7	—	—	—	1	2	3	3	—	—	1	2	—	
25 Cirrhosis of liver	M	9	—	—	—	1	5	3	4	—	—	—	—	1	3	4	—	—	—	1	3	
	F	5	—	—	—	1	3	1	2	—	—	—	—	2	—	3	—	—	—	3	—	
26 Other liver diseases	M	7	—	—	—	2	2	3	2	—	—	—	—	2	4	4	—	—	—	—	—	
	F	9	—	—	—	2	6	1	6	—	—	—	—	2	4	5	—	—	1	2	—	
27 Other digestive	M	22	2	1	—	5	9	5	17	4	1	—	2	3	7	14	1	4	—	3	—	
	F	21	1	—	—	4	6	10	20	1	1	1	2	7	8	16	—	—	—	3	—	
28 Nephritis	M	30	—	—	—	5	9	16	27	—	—	—	4	11	12	11	—	—	—	1	6	
	F	38	—	—	—	6	15	17	34	—	—	—	2	10	22	14	—	—	4	4	—	
29 Puerperal sepsis	F	—	—	—	—	—	—	—	2	—	—	—	2	—	—	7	—	—	7	—	—	
30 Other puerperal	F	4	—	—	—	4	—	—	7	—	—	—	6	1	—	1	—	—	1	—	—	
31 Congenital causes, etc.	M	48	48	—	—	—	—	—	28	27	1	—	—	—	—	29	29	—	—	—	—	
	F	61	61	—	—	—	—	—	32	31	1	—	—	—	—	18	18	—	—	—	—	
32 Senility	M	51	—	—	—	—	—	—	30	—	—	—	—	—	—	3	—	—	—	—	—	
	F	70	—	—	—	—	—	—	40	—	—	—	—	1	19	3	—	—	—	—	19	
33 Suicide	M	20	—	—	—	6	7	7	13	—	—	—	1	7	5	18	—	—	—	9	8	
	F	13	—	—	—	1	10	2	5	—	—	—	6	—	2	10	—	—	—	3	2	
34 Other violence†	M	67	4	2	1	18	14	28	54	2	4	3	15	19	11	29	4	2	—	6	7	
	F	38	3	2	2	3	2	26	35	3	1	—	4	5	22	38	3	1	—	3	8	
35 Other defined causes	M	113	2	4	4	19	29	55	105	8	5	4	14	27	47	70	8	—	1	11	18	
	F	94	6	3	4	20	24	37	94	6	—	2	11	33	42	49	1	2	3	6	14	
36 Ill-defined causes	M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	

† Including Wounds of War.

M | 1 | — | — |

Causes of Death first page of Table.		POPULAR.							ST. MARYLEBONE.							ST. PANCRAS.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	842	38	11	18	83	266	426	524	26	1	2	60	148	287	1,171	64	14	14	136	386	557
	F	692	25	9	7	87	165	399	522	23	1	3	59	126	310	999	50	7	5	113	255	569
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping cough	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	
	F	2	1	1	—	—	—	—	1	1	—	—	—	—	—	4	3	1	—	—	—	
Diphtheria	M	3	—	2	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
	F	2	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Influenza	M	11	—	1	—	3	3	4	4	—	—	—	1	3	11	11	—	—	3	4	4	
	F	18	—	1	—	4	5	8	10	—	—	1	4	5	10	—	—	—	—	1	9	
Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Cerebro-spinal fever	M	—	—	—	—	—	—	—	2	1	—	1	—	—	—	1	1	—	—	—	—	
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	
Respiratory tuberculosis	M	58	1	—	—	29	26	2	36	—	—	—	11	6	80	—	—	—	—	35	13	
	F	34	—	—	—	28	5	1	21	—	—	1	13	4	38	—	—	—	30	7	1	
Other tuberculosis	M	1	—	1	—	—	—	—	2	—	—	—	1	—	8	—	—	2	4	1	—	
	F	2	—	—	1	—	—	—	3	—	—	3	—	—	4	—	—	1	1	—	2	
Syphilis	M	—	—	—	—	—	—	—	5	—	—	—	3	2	9	1	—	—	—	5	3	
	F	—	—	—																		

Causes of Death			SHOREDITCH.							SOUTHWARK.							STEPNEY.						
See first page of Table			All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	504	14	9	8	57	158	258	1,043	42	11	14	101	355	520	1,251	83	14	13	150	406		
	F	438	20	9	8	46	100	255	793	51	12	11	70	186	463	962	45	13	11	120	267		
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—		
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—		
4 Whooping cough	M	4	1	3	—	—	—	—	3	—	—	—	—	—	—	7	7	—	—	—	—		
	F	3	2	1	—	—	—	—	1	3	1	—	—	—	—	4	2	2	—	—	—		
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Influenza	M	2	1	1	—	—	—	—	3	5	1	2	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	2	2	1	10	—	—	4	—	1	9	12	—	—	1	3	6		
	F	6	—	—	—	1	2	3	6	—	—	—	2	—	4	25	2	1	4	5	—		
7 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	2	3		
	F	—	—	—	—	—	—	—	2	1	—	—	1	—	—	2	—	—	—	1	1		
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	1	1	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—		
9 Respiratory tuberculosis	M	41	—	—	—	16	18	7	85	—	—	—	29	43	13	100	1	1	—	41	49		
	F	27	—	—	—	19	7	1	25	—	—	—	14	8	1	34	—	—	—	27	2		
10 Other tuberculosis	M	4	1	—	—	3	—	—	2	1	1	—	—	—	—	9	3	2	1	3	—		
	F	7	—	2	3	1	1	—	7	1	1	4	—	—	1	5							

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death first page of Table.		STOKE NEWINGTON.							WANDSWORTH.							WESTMINSTER.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	282	14	1	5	28	87	147	1,846	99	20	21	173	550	983	627	21	3	3	93	220	287
	F	298	5	1	3	29	69	191	1,923	91	15	11	188	419	1199	596	12	7	4	67	161	345
Typhoid fever, etc.	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping cough	M	2	1	1	—	—	—	—	7	7	3	3	—	—	—	2	1	1	1	—	—	
	F	—	—	—	—	—	—	—	6	3	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	M	3	—	—	—	—	1	2	24	2	—	1	2	5	14	6	—	—	—	1	1	
	F	4	—	—	—	—	—	3	42	1	1	—	3	10	27	12	1	—	1	1	4	
Encephalitis lethargica	M	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Cerebro-spinal fever	M	—	—	—	—	—	—	—	2	1	1	—	—	—	—	1	—	—	—	1	—	
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Respiratory tuberculosis	M	21	—	—	—	12	7	2	119	—	—	—	55	48	16	53	—	—	—	26	22	
	F	7	—	—	—	5	1	1	76	—	—	—	57	11	8	30	—	—	18	11	5	
Other tuberculosis	M	2	—	—	—	—	—	—	13	—	—	—	3	3	5	6	—	—	3	2	1	
	F	1	—	—	1	—	—	—	14	—	—	2	8	2	1	7	—	2	1	4	—	
Syphilis	M	2	—	—	—	1	1	—	8	1	—	—	—	4	3	5	—	—	1	2	2	
	F	—	—	—																		

Causes of Death			WOOLWICH.							BARNSELEY.							BARROW-IN-FURNESS.						
See first page of Table.			All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	852	59	15	8	98	245	427	436	40	8	11	55	151	171	492	40	9	4	68	164	207	
	F	740	44	9	15	79	168	425	406	31	15	6	64	90	200	412	37	15	1	52	98	209	
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Scarlet fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Whooping cough	M	5	2	3	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
	F	3	2	1	—	—	—	—	4	4	—	—	—	—	—	—	—	—	—	—	—	—	
5 Diphtheria	M	3	—	2	1	—	—	—	4	—	3	1	—	—	—	2	—	1	1	—	—	—	
	F	4	—	1	2	1	—	—	2	—	2	—	—	—	—	2	—	2	—	—	—	—	
6 Influenza	M	9	—	—	—	—	4	5	9	—	—	—	2	4	3	9	—	—	—	—	5	5	
	F	6	—	1	2	1	1	2	6	1	—	—	2	—	3	13	—	1	—	5	1	—	
7 Encephalitis lethargica	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	1	—	—	
	F	1	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—	—	—	1	—	
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	4	—	3	1	—	—	—	1	—	—	—	1	—	—	
9 Respiratory tuberculosis	M	67	1	—	—	31	28	7	23	—	—	1	13	9	—	28	—	—	—	13	15	—	
	F	32	1	—	2	18	8	3	11	—	—	—	10	—	—	17	—	—	—	12	3	—	
10 Other tuberculosis	M	4	—	1	—	1	1	1	3	—	2	—	1	—	—	5	—	2	1	1	1	—	
	F	6	—	—	2	4	—	—	—	—	—	—	—	—	—	6	—	—	—	5	—	—	
11 Syphilis	M	3	—	—	—	—	3	—	6	—	—	—	—	4	2	1	—	—	—	—	1	—	
	F	1	—	—	—	—	—	1	1	—	—	—	—	1	—	1	—	—	—	—	1	—	
12 Gen. paralysis of insane, etc.	M	4	—	—	—	—	4	—	—	—	—	—	—	—	—	3	—	—	—	—	2	—	
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13 Cancer	M	109	—	—	—	5	38	66	45	—	—	—	3	18	24	49	—	—	—	3	22	24	
	F	136	—	—	—	10	57	69	52	—	—	—	6	23	23	55	—	1	—	4	26	24	
14 Diabetes	M	8	—	1	—	2	3	2	4	—	—	—	1	2	1	6	—	—	—	1	2	—	
	F	14	—	—	—	1	6	7	8	—	—	—	1	3	4	8	—	—	—	3	—	—	
15 Cerebral hæmorrhage	M	41	—	—	—	1	10	30	17	—	—	—	—	3	14	26	—	—	—	2	8	10	
	F	44	—	—	—	—	10	34	20	—	—	—	1	5	14	25	—	—	—	1	4	20	
16 Heart disease	M	229	—	1	8	59	160	119	119	—	1	7	45	66	134	108	—	—	—	7	50	77	
	F	218	—	1	10	34	173	122	122	—	—	11	20	91	108	—	—	—	3	26	77	—	
17 Aneurysm	M	9	—	—	—	—	6	3	2	—	—	—	—	2	—	1	—	—	—	—	1	—	
	F	3	—	—	—	—	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
18 Other circulatory	M	33	—	—	—	1	10	22	27	—	—	—	—	9	18	49	—	—	—	1	16	31	
	F	31	—	—	—	—	6	25	22	—	—	—	—	3	19	28	—	—	—	—	3	23	
19 Bronchitis	M	29	1	1	—	1	9	17	17	1	—	—	1	5	10	14	2	1	—	1	5	—	
	F	16	—	—	2	1	1	11	22	3	—	—	—	7	12	15	—	—	—	4	4	—	
20 Pneumonia	M	54	18	1	—	7	15	13	36	8	3	2	3	14	6	26	11	2	—	4	6	—	
	F	28	4	3	—	6	4	11	18	6	3	—	2	2	5	22	8	3	1	1	5	—	
21 Other respiratory	M	1	—	—	—	1	—	—	7	—	—	—	2	3	2	4	—	—	—	2	1	—	
	F	5	—	—	—	—	2	3	2	—	—	—	—	1	1	3	—	—	—	—	1	—	
22 Peptic ulcer	M	20	—	—	—	3	11	6	5	—	—	—	—	4	1	14	—	—	—	5	8	—	
	F	4	—	—	—	—	2	2	2	—	—	—	—	1	1	3	—	—	—	1	1	—	
23 Diarrhoea	M	6	4	1	—	—	—	1	1	1	—	—	—	—	—	4	3	—	—	1	—	—	
	F	12	8	1	—	2	—	1	2	—	1	—	1	—	—	4	2	1	—	—	—	—	
24 Appendicitis	M	5	—	—	—	2	2	1	1	—	—	—	—	—	1	5	—	—	—	3	1	—	
	F	3	—	—	—	1	1	1	—	—	—	—	—	—	—	2	—	—	—	1	—	—	
25 Cirrhosis of liver	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	
26 Other liver diseases	M	4	—	—	—	—	2	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
	F	6	—	1	—	—	4	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	
27 Other digestive	M	14	1	1	—	1	3	8	8	—	—	—	3	3	1	9	1	—	—	2	1	—	
	F	11	1	1	—	1	3	5	3	—	1	—	2	1	—	5	—	—	—	—	1	—	
28 Nephritis	M	26	—	—	—	5	7	14	13	—	—	—	2	3	—	8	—	—	—	—	3	—	
	F	18	1	—	—	3	4	10	13	—	—	—	4	4	5	11	—	—	—	—	5	—	
29 Puerperal sepsis	F	—	—	—	—	—	—	—	2	—	—	—	2	—	—	1	—	—	—	1	—	—	
30 Other puerperal	F	3	—	—	—	3	—	—	6	—	—	—	6	—	—	7	—	—	—	7	—	—	
31 Congenital causes, etc.	M	27	27	—	—	—	—	—	28	27	1	—	—	—	—	22	20	—	—	2	—	—	
	F	24	24	—	—	—	—	—	16	16	—	—	—	—	—	24	23	1	—	—	—	—	
32 Senility	M	13	—	—	—	—	—	—	8	—	—	—	—	—	—	9	—	—	—	—	—	—	
	F	24	—	—	—	—	—	—	6	—	—	—	—	1	7	15	—	—	—	—	—	—	
33 Suicide	M	6	—	—	—	—	1	5	5	—	—	—	2	2	1	8	—	—	—	1	5	—	
	F	6	—	—	—	—	3	3	3	—	—	—	—	2	—	3	—	—	—	2	—	—	
34 Other violence	M	46	2	—	1	18	7	18	28	2	—	—	9	10	7	27	1	3	2	7	7	—	
	F	40	1	1	3	3	6	26	11	3	1	—	1	1	5	9	—	3	—	—	3	—	
35 Other defined causes	M	75	3	3	5	11	20	33	27	1	2	4	5	8	7	25	2	—	—	10	4	—	
	F	38	1	2	8	12	15	15	42	1	1	4	11	14	11	21	3	2	—	8	6	—	
36 Ill-defined causes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 24—contd. County Boroughs.

Causes of Death at page of Table		BATH							BIRKENHEAD							BIRMINGHAM						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
Causes	M	458	29	6	4	43	108	268	983	82	24	20	136	322	399	6,135	588	115	73	760	1880	2719
	F	596	25	5	2	37	106	421	821	57	14	14	105	203	428	5,828	443	109	88	678	1419	3091
typhoid fever, etc.	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
measles	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	6	3	3	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	9	1	6	2	—	—	—
scarlet fever	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	23	15	8	—	1	—	—
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	28	12	15	1	—	—	—
diphtheria	M	—	—	—	—	—	—	—	11	1	5	5	—	—	—	27	1	10	14	2	—	—
	F	2	—	1	1	—	—	—	6	—	2	4	—	—	—	22	1	8	11	2	—	—
influenza	M	6	1	—	—	3	2	—	9	—	—	—	—	—	—	68	3	1	—	14	29	21
	F	11	—	—	—	—	11	—	11	—	1	—	3	4	3	101	2	—	1	8	26	64
cephalitis	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	5	—	—	—	3	1	1
metheuristic	F	—	—	—	—	—	—	—	3	—	—	—	2	1	—	14	—	—	—	7	5	1
rebero-spinal	M	—	—	—	—	—	—	—	3	1	1	1	—	—	—	10	1	3	—	2	3	1
fever	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	5	5	—	—	—	—
respiratory tuberculosis	M	13	—	—	—	6	6	1	75	—	1	—	31	39	4	498	3	5	—	250	209	31
	F	21	—	—	—	12	5	4	51	—	1	—	35	13	2	299	1	6	210	68	13	
other tuberculosis	M	2	—	—	—	2	—	—	7	—	2	1	4	—	—	43	3	9	3	14	9	5
	F	4	—	—	—	3	1	—	6	1	1	1	3	—	—	43	4	11	11	11	5	1
philis	M	2	—	—	—	—	1	1	6	2	—	—	1	3	—	44	—	—	—	4	29	11
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	19	1	—	—	8	—	—
n. paralysis of insane, etc.	M	1	—	—	—	—	—	1	3	—	—	—	—	1	2	21	—	—	—	6	13	2
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	6	—	—	—	3	2	1
ancer	M	63	—	—	—	3	20	40	118	—	—	—	6	62	50	814	—	1	—	57	333	423
	F	110	—	—	—	4	36	70	136	—	—	—	14	52	70	822	—	—	—	60	383	378
abetes	M	3	—	—	—	—	—	—	3	—	—	—	—	1	3	64	—	—	1	3	26	34
	F	7	—	—	—	—	1	6	17	—	—	—	—	4	13	105	—	—	2	4	31	68
rebral haemorrhage	M	14	—	—	—	2	12	34	—	—	—	2	10	22	225	—	—	—	8	69	148	
	F	33	—	—	—	6	27	28	—	—	—	1	9	18	337	—	—	—	—	8	97	232
art	M	161	—	—	—	1	35	125	269	—	1	2	13	90	163	1,458	—	—	5	70	433	950
isease	F	217	—	—	—	2	27	188	226	—	1	14	52	159	1,642	—	—	4	75	317	1,246	
eurysm	M	2	—	—	—	—	2	4	—	—	—	1	2	1	23	—	—	—	2	14	7	
	F	1	—	—	—	—	1	1	—	—	—	—	1	1	—	26	—	1	—	4	14	7
er circulatory	M	29	—	—	—	7	22	78	1	—	—	—	19	58	352	—	—	—	1	75	276	
	F	37	—	—	—	1	3	33	56	—	—	—	1	14	41	270	—	—	—	3	67	200
onchitis	M	7	—	—	—	2	5	30	2	—	—	—	12	16	283	11	2	1	13	87	169	
	F	6	—	—	—	1	5	16	1	—	—	—	2	13	203	11	3	—	7	29	153	
umonia	M	21	3	—	—	8	6	4	71	16	8	—	11	24	12	376	75	27	5	37	121	111
	F	21	5	2	—	4	2	8	38	11	4	—	5	6	12	244	73	15	2	14	40	100
er	M	1	—	—	—	—	1	—	8	—	1	—	4	3	—	48	—	—	—	12	20	16
espiratory	F	4	1	—	—	1	2	2	2	—	—	—	—	1	1	48	1	—	—	5	16	26
otic	M	6	—	—	—	1	3	2	9	—	—	—	2	5	2	118	—	—	—	21	65	32
	F	1	—	—	—	—	1	1	4	—	—	—	—	2	2	38	—	—	—	3	18	17
rrhoea	M	1	—	—	—	1	—	—	11	10	—	—	1	—	—	136	115	5	—	3	7	6
	F	—	—	—	—	—	—	—	10	9	—	—	—	—	—	98	78	8	—	—	1	8
pendicitis	M	4	—	—	—	2	1	1	2	—	—	—	2	—	—	29	—	—	—	9	9	5
	F	4	—	—	—	1	1	2	4	—	—	1	1	1	1	30	—	—	7	8	6	9
rhosis of liver	M	3	—	—	—	2	1	1	—	—	—	—	1	—	—	21	—	—	—	15	6	6
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	21	—	—	—	3	12	6
er liver diseases	M	—	—	—	—	—	—	—	2	—	—	—	1	1	—	10	1	—	1	1	1	6
	F	2	—	—	—	—	1	1	11	—	—	—	1	3	7	33	1	—	—	6	12	14
er	M	13	1	3	—	1	4	4	12	1	—	1	3	5	2	87	18	4	3	12	24	26
igestive	F	9	—	—	—	2	5	5	14	1	—	—	1	6	6	102	4	6	2	11	31	48
phritis	M	13	—	—	—	1	4	8	15	—	—	—	4	6	5	126	—	1	1	32	45	47
	F	13	—	—	—	4	9	14	24	1	—	—	5	7	11	119	—	—	3	25	44	47
erperal sepsis	F	1	—	—	—	1	—	—	2	—	—	—	2	—	—	15	—	—	—	15	—	—
er puerperal	F	—	—	—	—	—	—	—	4	—	—	—	4	—	—	25	—	—	—	—	—	—
rogenital	M	19	19	—	—	—	—	—	43	43	—	—	—	—	—	282	277	2	1	2	—	—
auses, etc.	F	19	19	—	—	—	—	—	29	28	1	—	—	—	—	217	210	1	2	3	—	—
ility	M	8	—	—	—	—	8	—	18	—	—	—	—	—	—	74	—	—	—	1	—	73
	F	16	—	—	—	—	16	—	31	—	—	—	—	—	—	169	—	—	—	—	—	169
icide	M	5	—	—	—	1	3	1	10	—	—	—	3	4	3	198	—	—	—	34	46	28
	F	1	—	—	—	1	—	—	4	—	—	—	2	2	53	—	—	—	1	25	17	10
er	M	22	1	1	1	9	5	5	56	1	3	5	26	9	12	263	8	16	14	77	70	78
violence†	F	11	—	—	—	2	2	7	23	—	1	3	2	3	14	171	9	11	16	30	30	91
er defined	M	38	3	2	3	4	22	69	3	2	5	16	20	23	491	54	16	20	71	124	206	
auses	F	43	—	1	1	4	12	25	61	3	3	4	11	19	21	484	29	16	19	101	138	181
er defined	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	1
auses	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—

TABLE 24—contd. County Boroughs.

Causes of Death See first page of Table		BLACKBURN							BLACKPOOL							BOLTON						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	824	39	13	12	74	252	434	951	44	13	11	78	306	499	1,248	105	25	20	131	39	
	F	914	39	11	6	90	235	533	1,052	32	7	17	96	274	626	1,250	65	19	12	140	32	
1 Typhoid fever, etc.	M	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—
2 Measles	M	2	—	2	—	—	—	—	1	—	1	—	—	—	—	3	—	3	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	1	—	—	—	—
4 Whooping cough	M	1	1	—	—	—	—	1	1	1	—	—	—	—	—	2	2	—	—	—	—	—
	F	1	1	—	—	—	—	1	1	—	—	—	—	—	—	2	1	1	—	—	—	—
5 Diphtheria	M	3	—	2	1	—	—	—	5	—	—	—	1	—	—	5	—	2	—	1	—	—
	F	4	1	3	—	—	—	—	9	2	7	—	—	—	—	6	1	3	2	—	—	—
6 Influenza	M	14	—	—	—	2	8	4	10	—	—	—	1	4	5	17	1	—	—	1	—	—
	F	22	—	—	—	—	5	17	23	1	—	—	5	2	15	28	—	1	—	1	1	—
7 Encephalitis lethargica	M	2	—	—	—	—	2	—	5	—	—	—	1	3	1	2	—	—	—	1	—	—
	F	2	—	—	—	—	1	—	3	—	—	—	—	2	1	2	—	—	—	—	—	—
8 Cerebro-spinal fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	3	—	1	—	2	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
9 Respiratory tuberculosis	M	24	—	—	—	12	10	2	43	—	—	—	16	24	3	56	—	1	1	32	2	—
	F	25	—	—	—	19	6	—	23	—	—	—	16	6	1	30	—	—	—	24	—	—
10 Other tuberculosis	M	5	—	1	1	3	—	—	5	—	3	1	—	—	1	4	—	—	—	1	—	—
	F	3	—	—	—	1	2	—	8	—	2	1	3	2	—	14	—	3	2	6	—	—
11 Syphilis	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—
12 Gen. paralysis of insane, etc.	M	1	—	—	—	1	—	—	2	—	—	—	—	2	—	9	—	1	—	1	—	—
	F	—	—	—	—	—	—	—	3	—	—	—	1	2	—	3	—	—	—	—	—	—
13 Cancer	M	114	—	—	—	4	56	54	121	—	—	—	8	56	57	139	—	—	—	10	56	—
	F	117	—	—	—	7	57	53	163	—	—	—	9	65	89	138	—	—	—	20	61	—
14 Diabetes	M	7	—	—	—	—	—	—	7	—	—	—	1	4	11	16	—	—	—	3	7	—
	F	21	—	—	—	2	4	15	26	—	—	—	—	9	17	22	—	—	—	—	—	—
15 Cerebral hæmorrhage	M	37	—	—	—	—	11	26	55	—	—	—	1	9	45	77	—	—	—	1	27	—
	F	43	—	—	—	—	18	25	73	—	—	—	3	21	49	114	—	—	—	2	25	—
16 Heart disease	M	264	—	—	1	11	58	194	295	—	—	—	5	86	204	327	—	—	1	11	123	—
	F	317	—	—	1	14	54	248	312	—	—	—	12	54	246	346	—	—	—	22	85	—
17 Aneurysm	M	1	—	—	—	—	—	1	3	—	—	—	1	1	—	5	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	4	—	—	—	—	3	—	1	—	—	—	—	—	—
18 Other circulatory	M	63	—	—	—	—	17	46	63	—	—	—	1	16	46	54	1	—	—	—	14	—
	F	56	—	—	—	—	7	49	73	—	—	—	—	20	53	48	1	1	—	—	8	—
19 Bronchitis	M	20	1	—	—	—	6	13	28	1	1	—	—	14	11	45	1	1	1	2	16	—
	F	24	—	—	1	—	7	16	25	—	—	—	—	2	23	49	2	—	1	2	13	—
20 Pneumonia	M	44	6	4	2	7	17	8	34	5	3	—	4	15	7	75	16	4	3	11	25	—
	F	39	5	1	—	3	8	22	31	2	—	1	6	9	13	52	14	2	2	6	9	—
21 Other respiratory	M	6	—	—	—	4	1	1	12	—	1	—	—	5	6	9	—	2	—	1	—	—
	F	8	—	—	—	1	5	2	8	—	—	—	1	3	4	10	—	—	—	—	4	—
22 Peptic ulcer	M	8	—	—	—	3	4	1	12	—	—	—	4	5	3	13	—	—	—	—	—	—
	F	4	—	—	—	—	2	2	3	—	—	—	—	2	1	5	—	—	—	—	2	—
23 Diarrhœa	M	2	1	—	—	—	—	1	5	4	—	—	—	—	1	13	6	2	—	1	3	—
	F	1	1	—	—	—	—	—	3	3	—	—	—	—	—	13	6	—	—	2	—	—
24 Appendicitis	M	8	—	—	2	2	2	2	5	—	—	—	3	1	1	8	—	—	—	4	1	—
	F	7	—	2	1	2	2	2	3	—	—	—	1	1	1	2	—	—	—	—	1	—
25 Cirrhosis of liver	M	2	—	—	—	—	2	—	4	—	—	—	—	3	1	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	5	—	—	—	1	4	—	1	—	—	—	—	—	—
26 Other liver diseases	M	2	—	—	—	1	1	—	3	—	—	—	1	1	1	6	—	—	—	1	3	—
	F	11	—	—	—	1	8	2	14	—	—	—	—	5	9	11	—	—	—	1	4	—
27 Other digestive	M	8	—	—	—	2	5	1	18	2	1	—	4	6	5	20	3	1	1	6	4	—
	F	17	1	1	—	4	4	7	24	1	—	2	2	8	11	19	1	1	1	5	2	—
28 Nephritis	M	34	—	—	2	6	16	10	33	—	—	—	3	15	15	32	—	—	—	—	18	—
	F	36	—	—	—	5	15	16	32	—	1	—	5	15	11	45	—	—	—	9	14	—
29 Puerperal sepsis	F	—	—	—	—	—	—	—	2	—	—	—	2	—	—	3	—	—	—	3	—	—
30 Other puerperal	F	6	—	—	—	6	—	—	2	—	—	—	2	—	—	10	—	—	—	10	—	—
31 Congenital causes, etc.	M	26	26	—	—	—	—	—	26	25	1	—	—	—	—	60	—	—	—	—	—	—
	F	26	26	—	—	—	—	—	20	19	1	—	—	—	—	35	33	2	—	—	—	—
32 Senility	M	9	—	—	—	—	—	9	24	—	—	—	—	—	—	88	—	—	—	—	—	—
	F	18	—	—	—	—	—	18	39	—	—	—	—	—	39	102	—	—	—	—	—	—
33 Suicide	M	17	—	—	—	3	9	5	12	—	—	—	1	7	4	17	—	—	—	4	8	—
	F	6	—	—	—	2	2	2	9	—	—	—	4	2	3	7	—	—	—	—	4	—
34 Other violence†	M	34	1	2	2	8	7	14	31	1	2	3	6	10	9	65	—	4	6	19	15	—
	F	20	3	—	—	4	13	26	26	1	1	1	7	5	11	38	—	2	2	2	9	—
35 Other defined causes	M	64	3	2	1	4	19	35	74	5	—	2	13	19	35	75	13	1	2	14	23	—
	F	77	1	3	3	22	23	25	82	4	—	5	13	34	36	86	5	1	—	18	36	—
36 Ill-defined causes	M	1	—	—	—	—	1	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—

† Including Wounds of War.

M | — | 1 | — |

TABLE 24—*contd.* County Boroughs.

Causes of Death first page of Table.		BOOTLE							BOURNEMOUTH							BRADFORD						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	480	55	18	8	55	147	197	797	41	4	7	51	185	509	2,091	119	24	38	206	661	1043
	F	415	45	4	20	52	118	176	1,015	26	10	5	50	184	740	2,146	102	25	32	200	547	1250
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	2	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
	F	1	—	—	1	—	—	—	1	—	1	—	—	—	—	3	—	—	1	2	—	—
Whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	6	3	3	—	—	—	—
	F	1	1	—	—	—	—	—	3	1	2	—	—	—	—	3	3	—	—	—	—	—
Diphtheria	M	11	—	8	3	—	—	—	1	—	1	—	—	—	—	6	—	—	1	5	—	—
	F	5	—	1	3	1	—	—	2	—	—	1	1	—	—	6	—	—	2	4	—	—
Influenza	M	5	1	1	1	1	—	1	10	—	—	—	—	—	4	19	1	2	1	3	8	4
	F	7	—	—	1	2	1	3	12	—	—	—	—	—	2	10	—	—	—	5	8	15
Encephalitis lethargica	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	3	—	—	—	1	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	35	—	1	—	13	17	4	28	—	—	—	14	10	4	88	—	—	2	37	41	8
	F	35	—	—	1	23	10	1	28	1	—	—	15	7	5	54	—	—	—	39	14	1
Other tuberculosis	M	5	—	1	—	—	1	—	3	1	—	—	—	1	1	15	—	—	1	2	7	—
	F	2	—	—	1	1	—	—	3	—	1	—	1	—	1	11	—	—	1	7	2	—
Syphilis	M	1	—	—	—	—	1	—	2	—	—	—	—	1	1	13	1	—	—	1	6	5
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	6	—	—	—	4	—	—
Gen. paralysis of insane, etc.	M	1	—	—	—	—	1	—	2	—	—	—	—	1	1	9	—	—	—	2	7	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	3	1	—
Cancer	M	59	—	—	—	4	24	31	121	—	—	—	5	40	76	221	—	1	1	16	90	113
	F	58	—	—	—	3	28	27	189	—	—	1	6	68	114	297	—	—	—	25	141	131
Diabetes	M	6	—	—	—	1	1	4	12	—	—	—	—	3	9	22	—	—	—	3	5	14
	F	8	—	—	—	—	5	3	23	—	—	—	1	5	17	50	—	—	—	4	14	32
Cerebral haemorrhage	M	17	—	—	—	—	5	12	44	—	—	—	—	7	37	109	—	—	—	3	39	67
	F	23	—	—	—	1	10	12	86	—	—	—	2	13	71	178	—	—	—	2	48	128
Heart disease	M	127	—	—	—	4	43	80	244	—	—	—	4	43	197	657	—	—	3	18	185	451
	F	103	—	—	4	3	28	68	307	1	—	—	2	28	276	687	—	—	3	28	138	518
Aneurysm	M	2	—	—	—	—	1	1	5	—	—	—	—	3	2	4	—	—	—	2	2	—
	F	—	—	—	—	—	—	—	4	—	—	—	1	1	2	2	—	—	—	1	1	—
Other circulatory	M	12	—	—	—	1	3	8	55	—	—	—	1	4	50	110	—	—	—	2	26	82
	F	11	—	—	—	4	7	70	70	—	—	—	1	8	62	131	—	—	—	2	27	102
Bronchitis	M	15	1	1	—	1	6	6	14	1	—	—	—	4	9	74	3	—	—	6	29	36
	F	14	2	—	—	—	2	10	20	—	1	—	—	1	18	58	3	—	—	2	5	48
Pneumonia	M	22	2	1	2	2	6	9	20	5	—	—	2	3	10	117	15	3	3	11	52	33
	F	20	5	—	2	1	6	6	28	2	—	—	2	4	20	84	14	7	3	10	20	30
Other respiratory	M	5	—	—	—	3	1	1	9	—	1	—	1	3	4	18	—	—	—	4	5	9
	F	5	—	—	—	—	5	—	7	—	—	—	2	1	4	12	—	1	—	2	4	5
Peptic ulcer	M	9	—	—	—	3	4	2	14	—	—	—	—	1	10	3	—	—	—	8	18	7
	F	1	—	—	—	1	—	—	7	—	—	—	—	3	4	14	—	—	—	2	5	7
Diarrhoea	M	8	7	—	—	—	1	—	5	3	—	—	1	—	1	22	14	2	2	1	2	1
	F	10	6	1	—	2	—	1	5	2	—	—	—	2	2	22	11	2	—	3	2	4
Appendicitis	M	—	—	—	—	—	—	—	4	—	—	—	—	—	2	12	—	—	—	8	4	—
	F	4	—	—	3	1	—	—	5	—	—	—	—	—	5	7	—	—	1	2	2	2
Cirrhosis of liver	M	—	—	—	—	—	—	—	6	—	—	—	1	2	3	8	—	—	—	1	2	5
	F	1	—	—	—	—	1	—	3	—	—	—	—	1	2	2	—	—	—	—	—	—
Other liver diseases	M	1	1	—	—	—	—	—	2	—	—	—	—	—	—	8	—	—	—	1	5	2
	F	5	—	—	—	1	3	1	7	—	—	—	—	—	2	7	18	—	1	—	7	10
Other digestive	M	2	1	1	—	—	—	—	23	1	—	2	1	7	12	31	2	—	1	2	16	10
	F	4	—	—	—	—	—	—	13	—	—	—	2	1	10	31	1	—	1	4	9	16
Nephritis	M	18	—	1	—	3	8	6	26	—	—	—	2	11	13	61	—	—	1	7	24	29
	F	5	—	—	—	3	3	2	24	—	—	—	—	6	18	67	—	—	1	7	28	31
Puerperal sepsis	F	2	—	—	—	2	—	—	1	—	—	—	1	—	—	5	—	—	—	5	—	—
Other puerperal	F	3	—	—	—	3	—	—	1	—	—	—	—	—	—	7	—	—	—	—	—	—
Congenital causes, etc.	M	31	31	—	—	—	—	—	24	24	—	—	—	—	—	74	72	1	—	1	—	—
	F	23	23	—	—	—	—	—	17	17	—	—	—	—	—	60	59	—	—	—	1	—
Senility	M	8	—	—	—	—	—	8	6	—	—	—	—	—	6	39	—	—	—	—	38	—
	F	8	—	—	—	—	—	8	27	—	—	—	—	—	27	57	—	—	—	—	57	—
Suicide	M	4	—	—	—	—	2	—	12	—	—	—	2	3	7	35	—	—	—	10	14	11
	F	1	—	—	—	1	—	—	7	—	—	—	1	2	4	11	—	—	—	2	9	—
Other violence	M	29	1	1	1	8	11	7	24	2	1	1	8	2	10	101	1	6	13	24	22	35
	F	18	—	1	1	1	5	10	29	—	3	—	4	4	18	70	2	6	2	9	14	37
Other defined causes	M	34	7	2	1	5	7	12	81	4	2	3	8	21	43	171	7	3	3	29	48	81
	F	33	8	1	3	6	9	6	85	3	1	2	8	22	49	155	8	4	4	27	40	72
Ill-defined causes	M	8	—	—	—	—	4	4	—	—	—	—	—	—	—	3	—	—	—	1	—	2
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—

TABLE 24—contd. County Boroughs.

Causes of Death See first page of Table.		BRIGHTON							BRISTOL							BURNLEY						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	1,062	50	7	11	82	265	647	2,576	149	41	43	287	787	1269	667	35	13	11	67	186	35
	F	1,175	40	13	11	96	267	748	2,578	112	37	30	248	605	1546	675	32	8	9	59	187	31
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	2	1	—	—	—
	F	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	1	—	—	—	—	—	—	6	4	2	—	—	—	—	2	2	—	—	—	—	—
	F	3	2	1	—	—	—	—	11	5	5	1	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	2	—	1	1	—	—	—	13	6	7	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	12	8	4	—	—	—	—	—	—	—	—	—	—	—
6 Influenza	M	14	—	—	—	1	4	9	39	1	1	—	5	14	19	5	—	—	1	1	1	1
	F	19	—	2	—	2	4	11	61	2	1	1	4	17	36	13	—	—	1	1	1	4
7 Encephalitis lethargica	M	1	—	—	—	—	1	—	7	—	—	—	2	3	2	2	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	9	—	—	—	5	3	1	1	—	—	1	—	—	—
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	1	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—	—	—
9 Respiratory tuberculosis	M	41	—	—	—	13	23	5	170	1	—	3	82	70	14	25	—	—	—	13	10	—
	F	42	—	—	1	28	9	4	104	—	—	4	75	19	6	25	—	—	1	20	3	—
10 Other tuberculosis	M	9	2	2	—	2	3	—	25	2	5	3	11	3	1	10	—	—	3	2	5	—
	F	8	1	2	1	2	2	—	12	3	3	5	1	—	9	9	—	2	1	3	1	—
11 Syphilis	M	—	—	—	—	—	—	—	9	2	—	—	—	4	3	2	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	5	—	—	—	3	2	—	1	—	—	—	—	—	—
12 Gen. paralysis of insane, etc.	M	4	—	—	—	—	4	—	10	—	—	—	3	6	1	3	—	—	—	1	2	—
	F	1	—	—	—	—	1	—	5	—	—	1	—	3	1	1	—	—	—	1	—	—
13 Cancer	M	149	—	—	—	10	51	88	355	—	—	1	20	147	187	61	—	—	—	3	29	2
	F	212	—	—	—	17	77	118	409	—	—	1	19	180	209	83	—	—	—	2	35	4
14 Diabetes	M	11	—	—	—	—	3	8	33	—	—	—	—	6	24	11	—	—	—	1	4	—
	F	25	—	—	—	—	7	18	49	—	—	—	3	10	36	19	—	—	—	—	—	—
15 Cerebral hæmorrhage	M	62	—	—	—	2	11	49	123	—	—	—	1	32	90	36	—	—	—	—	13	2
	F	107	—	—	—	1	25	81	160	—	—	—	—	44	116	51	—	—	—	—	17	3
16 Heart disease	M	347	—	—	—	7	70	270	775	—	—	3	29	220	523	211	—	—	1	7	58	14
	F	375	—	—	1	10	52	312	834	—	—	2	33	146	653	202	—	—	2	11	47	14
17 Aneurysm	M	2	—	—	—	—	2	—	12	—	—	—	2	4	6	—	—	—	—	—	—	—
	F	3	—	—	—	—	3	—	7	—	—	—	2	2	3	—	—	—	—	—	—	—
18 Other circulatory	M	87	—	—	—	—	15	72	114	—	—	—	4	28	82	44	—	—	—	1	9	3
	F	82	—	—	1	10	71	141	141	—	—	—	4	31	106	55	—	—	—	—	12	4
19 Bronchitis	M	20	—	—	1	3	4	12	75	3	1	1	3	23	44	16	—	—	—	4	6	—
	F	27	—	1	1	—	3	22	67	—	—	—	10	57	13	—	—	—	—	—	3	1
20 Pneumonia	M	46	7	1	—	6	11	21	92	20	8	1	4	30	29	28	4	4	—	5	8	—
	F	39	7	2	1	2	11	16	85	19	6	—	8	22	30	18	5	1	—	—	5	—
21 Other respiratory	M	12	—	—	—	—	6	6	28	3	—	—	6	11	8	3	—	—	—	1	—	—
	F	3	—	—	—	1	1	1	28	—	—	—	4	16	3	—	—	—	—	—	2	—
22 Peptic ulcer	M	17	—	—	—	2	7	8	45	—	—	—	7	27	11	16	—	—	—	6	8	—
	F	3	—	—	—	1	1	1	12	—	—	—	—	4	8	4	—	—	—	1	3	—
23 Diarrhoea	M	4	3	—	—	—	1	—	22	15	2	1	—	3	1	5	1	—	1	1	1	—
	F	4	2	—	—	—	—	2	13	5	1	—	1	2	4	—	—	—	—	—	—	—
24 Appendicitis	M	2	—	—	1	1	—	—	12	—	1	2	4	5	—	3	—	—	2	1	—	—
	F	4	—	—	1	—	2	1	10	—	1	—	1	3	5	5	—	—	1	3	—	—
25 Cirrhosis of liver	M	3	—	—	—	—	1	2	3	—	—	—	—	1	2	—	—	—	—	—	—	—
	F	3	—	—	—	—	3	—	6	—	—	—	1	4	1	1	—	—	—	—	—	—
26 Other liver diseases	M	—	—	—	—	—	—	—	10	—	—	—	—	7	2	6	—	—	—	—	3	—
	F	3	—	—	—	—	2	1	18	—	—	—	5	7	6	5	—	—	—	—	4	—
27 Other digestive	M	15	—	—	3	3	6	3	41	2	1	1	1	22	14	8	—	—	—	—	4	—
	F	18	—	—	1	1	7	9	33	1	3	—	4	7	18	11	1	—	—	3	5	—
28 Nephritis	M	34	—	—	—	7	9	18	57	—	2	1	5	24	25	16	—	—	—	2	6	—
	F	35	—	1	—	4	10	20	79	—	—	—	12	18	49	15	—	1	—	1	7	—
29 Puerperal sepsis	F	1	—	—	—	1	—	—	4	—	—	—	4	—	—	1	—	—	—	1	—	—
30 Other puerperal	F	5	—	—	—	5	—	—	15	—	—	—	15	—	—	2	—	—	—	2	—	—
31 Congenital causes, etc.	M	32	30	2	—	—	—	—	84	83	—	1	—	—	—	25	25	—	—	—	—	—
	F	27	25	2	—	—	—	—	76	74	1	—	—	—	—	27	26	—	—	—	—	—
32 Senility	M	8	—	—	—	—	—	8	29	—	—	—	—	—	29	40	—	—	—	—	—	—
	F	24	—	—	—	—	—	24	54	—	—	—	—	—	54	41	—	—	—	—	—	—
33 Suicide	M	14	—	—	—	4	5	5	40	—	—	—	12	21	7	10	—	—	—	2	4	—
	F	13	—	—	—	3	7	3	11	—	—	—	5	4	2	6	—	—	—	2	2	—
34 Other violence†	M	36	4	—	2	10	10	10	113	3	5	6	50	25	24	23	1	—	2	5	6	—
	F	27	1	2	1	2	5	16	67	2	1	4	6	8	46	17	—	1	—	2	4	—
35 Other defined causes	M	89	3	1	3	11	18	53	231	10	6	11	32	51	121	51	2	3	2	7	11	20
	F	58	1	—	1	14	25	17	176	3	6	6	28	50	83	45	—	—	—	—	25	15
36 Ill-defined causes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

† Including Wounds of War.

M | 1 | 1 | — |

M | — | 2 | — |

TABLE 24—contd. County Boroughs.

Causes of Death first page of Table		BURTON-ON-TRENT							BURY							CANTERBURY						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	326	23	8	6	33	100	156	430	22	7	6	45	142	208	163	4	4	3	18	33	101
	F	282	14	4	3	15	66	180	464	14	11	7	33	132	267	166	1	1	3	15	31	115
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
Whooping cough	M	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	
Diphtheria	M	1	—	1	—	—	—	—	3	1	—	2	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	M	7	—	—	—	—	2	5	8	—	—	—	2	3	1	5	2	—	—	1	1	
	F	6	—	—	—	1	—	5	11	—	—	—	3	1	5	4	—	—	—	2	2	
Encephalitis lethargica	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Respiratory tuberculosis	M	17	—	—	—	11	5	1	15	—	—	—	10	5	—	8	—	—	—	5	2	
	F	10	—	—	—	3	5	1	6	—	—	—	3	3	—	7	—	—	—	4	1	
Other tuberculosis	M	3	—	—	—	—	—	—	1	—	—	—	1	—	—	1	1	—	—	—	—	
	F	1	—	1	1	1	—	—	4	—	1	1	—	1	1	3	—	1	—	1	—	
Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gen. paralysis of insane, etc.	M	—	—	—	—	—	—	—	4	—	—	—	1	3	—	2	—	—	—	1	1	
	F	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	
Cancer	M	40	—	1	—	—	16	23	55	—	—	—	—	26	27	16	—	—	—	1	8	
	F	32	—	—	—	3	14	15	49	—	—	—	1	29	19	28	—	—	—	1	7	
Diabetes	M	5	—	—	—	—	2	—	4	—	—	—	—	—	—	4	—	—	—	—	—	
	F	4	—	—	—	1	1	2	12	—	—	—	1	2	9	2	—	—	—	—	2	
Cerebral haemorrhage	M	21	—	—	—	2	6	13	17	—	—	—	2	2	13	7	—	—	—	1	5	
	F	18	—	—	—	—	6	12	20	—	—	—	—	6	14	9	—	—	—	—	8	
Heart disease	M	81	—	—	—	4	36	41	126	—	—	—	4	49	73	45	—	—	—	2	7	
	F	83	—	—	—	1	13	69	147	—	—	1	2	37	107	41	—	—	—	8	33	
Aneurysm	M	3	—	—	—	1	2	—	3	—	—	—	—	1	2	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	
Other circulatory	M	25	—	—	—	—	4	21	41	—	—	—	—	3	38	13	—	—	—	2	11	
	F	23	—	—	—	—	9	14	42	—	—	—	—	6	36	13	—	—	—	2	11	
Bronchitis	M	9	1	—	—	—	3	5	16	—	—	—	1	7	8	5	—	—	—	2	3	
	F	4	—	—	—	—	2	1	24	1	—	—	2	2	19	2	—	—	—	—	2	
Pneumonia	M	15	3	—	1	3	4	4	19	3	1	1	4	6	4	4	—	—	—	1	2	
	F	12	1	2	—	—	1	8	23	5	3	—	1	5	9	8	—	—	—	2	5	
Other respiratory	M	2	—	—	—	—	1	1	3	—	1	—	1	1	—	2	—	—	—	—	2	
	F	1	—	—	—	—	—	—	7	—	2	—	1	3	1	—	—	—	—	—	—	
Peptic ulcer	M	6	—	—	—	—	2	4	5	—	—	—	—	3	1	4	—	—	—	4	—	
	F	1	—	—	—	—	—	1	3	—	—	—	—	1	1	3	—	—	2	—	1	
Diarrhoea	M	2	1	1	—	—	—	—	3	2	—	—	—	1	—	1	—	1	—	—	—	
	F	1	1	—	—	—	—	—	2	1	—	—	—	1	—	—	—	—	—	—	—	
Appendicitis	M	1	—	—	—	1	—	—	3	—	—	2	1	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Cirrhosis of liver	M	3	—	—	—	—	2	1	2	—	—	—	—	2	—	1	—	—	—	1	—	
	F	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Other liver diseases	M	—	—	—	—	—	—	—	3	—	—	—	1	2	1	—	—	—	—	1	—	
	F	1	—	—	—	—	—	1	7	—	—	—	—	4	3	—	—	—	—	—	—	
Other digestive	M	2	—	1	—	—	—	1	11	—	—	—	1	6	4	4	—	—	—	1	3	
	F	5	—	—	—	—	2	3	7	—	—	—	1	4	2	2	1	—	—	—	1	
Nephritis	M	8	—	—	—	3	2	3	9	—	—	—	1	6	2	3	—	—	—	—	3	
	F	5	—	1	—	—	1	3	17	—	—	—	2	7	8	6	—	—	—	1	4	
Puerperal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other puerperal	F	1	—	—	—	1	—	—	1	—	—	—	1	—	—	2	—	—	2	—	—	
Congenital causes, etc.	M	16	16	—	—	—	—	—	16	15	1	—	—	—	—	3	3	—	—	—	—	
	F	11	11	—	—	—	—	—	8	6	2	—	—	—	—	—	—	—	—	—	—	
Senility	M	18	—	—	—	—	—	—	13	—	—	—	—	—	—	13	—	—	—	—	12	
	F	33	—	—	—	—	—	33	8	—	—	—	—	—	8	16	—	—	—	—	16	
Suicide	M	4	—	—	—	1	1	2	8	—	—	—	2	6	—	—	—	—	—	—	—	
	F	1	—	—	—	2	—	—	3	—	—	—	1	2	—	1	—	—	—	—	—	
Other violence†	M	16	—	1	2	2	5	6	16	1	2	—	4	7	2	9	—	—	1	—	1	
	F	9	—	1	—	1	2	5	17	—	2	—	3	1	11	5	—	—	1	—	4	
Other defined causes	M	20	1	2	2	3	7	5	22	—	1	1	6	5	9	17	—	—	1	3	12	
	F	16	—	—	—	2	9	5	39	—	—	3	8	17	11	12	—	—	—	2	5	
Ill-defined causes	M	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	1	3	—	—	—	—	1	2	1	—	—	—	1	—	

uding Wounds of War. M | — | 1 | — |

Causes of Death See first page of Table		CARLISLE							CHESTER							COVENTRY					
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-
All Causes	M F	403 412	38 33	6 8	5 2	40 37	119 88	195 244	328 283	24 30	12 8	12 4	23 27	113 61	144 153	1,184 1,025	118 109	27 22	16 22	180 153	358 265
1 Typhoid fever, etc.	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —
2 Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 1	— —	— —	3 1	— —	— —
3 Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 2	— 1	1 —	— —	— —	— —
4 Whooping cough	M F	— 2	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 4	1 4	1 2	1 —	— —	— —
5 Diphtheria	M F	1 3	— 1	— 1	1 1	— —	— —	— —	6 5	— —	3 3	3 2	— —	— —	— —	6 6	3 1	1 1	2 4	— —	— —
6 Influenza	M F	4 7	— —	— —	— —	1 —	2 —	1 7	6 6	1 —	— —	— —	1 —	3 1	2 4	22 12	1 1	1 —	— —	3 3	10 3
7 Encephalitis lethargica	M F	1 —	— —	— —	— —	— 1	1 —	— —	1 —	— —	— —	— —	— —	— —	1 —	2 2	— —	— —	1 —	1 —	1 —
8 Cerebro-spinal fever	M F	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	1 —	— —	4 1	— —	1 —	3 —	— —	— —
9 Respiratory tuberculosis	M F	17 8	— —	— —	— —	5 4	10 4	2 —	22 7	— —	1 —	1 —	6 —	14 —	1 3	88 53	— —	— —	— —	48 34	37 17
10 Other tuberculosis	M F	3 5	— —	1 —	— —	— 3	— —	1 —	6 2	— —	— —	2 —	2 —	1 —	— —	12 15	3 —	4 6	2 —	7 4	— —
11 Syphilis	M F	1 —	— —	— —	— —	— —	1 —	— —	2 —	— —	— —	— —	1 —	1 —	— —	9 3	1 —	— —	2 —	2 —	2 —
12 Gen. paralysis of insane, etc.	M F	2 —	— —	— —	— —	2 —	— —	— —	3 —	— —	— —	— —	— —	3 —	— —	— 7	— —	— —	— —	— —	— —
13 Cancer	M F	51 54	1 —	— —	— —	1 4	20 25	29 25	26 44	— —	— —	— —	2 3	9 16	15 25	139 142	— —	— —	— —	11 11	71 72
14 Diabetes	M F	4 14	— —	— —	— —	— 1	25 6	25 7	3 3	— —	— —	— —	— —	— —	3 3	8 21	— —	— —	— —	1 2	3 3
15 Cerebral hæmorrhage	M F	20 17	— —	— —	— —	2 1	6 —	12 —	20 —	— —	— —	— —	10 —	15 —	63 —	63					
16 Heart disease	M F	125 145	— —	— 1	— —	5 7	20 —	14 117	25 100	— —	— —	— 1	3 —	9 12	15 67	61 331	— —	— —	— 1	4 15	28 59
17 Aneurysm	M F	1 1	— —	— —	— —	— —	— —	1 —	2 —	— —	— —	— —	— —	— —	2 —	10 —	— —	— —	1 —	3 —	3 —
18 Other circulatory	M F	39 34	— —	— —	— —	— —	1 4	35 30	11 13	— —	— —	— —	— —	1 3	1 10	4 33	— —	— —	— —	3 1	14 13
19 Bronchitis	M F	8 8	2 —	— —	— —	— —	3 —	3 —	11 6	— —	— —	— —	— —	4 —	7 —	17 21	1 —	— —	— —	2 —	5 —
20 Pneumonia	M F	17 11	5 5	3 3	— —	— —	6 —	3 2	18 19	6 10	5 2	1 —	1 —	4 2	6 4	21 56	15 23	4 2	1 —	5 5	14 8
21 Other respiratory	M F	4 1	— —	— —	— —	— —	1 —	3 —	4 —	— —	— —	— —	2 —	1 —	6 —	4 —	— —	1 —	3 —	— —	2 —
22 Peptic ulcer	M F	7 1	— —	— —	— —	— —	1 —	5 —	5 —	— —	1 —	— —	1 —	3 —	1 —	14 —	— —	— —	— —	4 —	8 —
23 Diarrhoea	M F	4 4	2 3	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	8 17	4 11	1 —	— —	— —	— —
24 Appendicitis	M F	6 1	1 —	— —	— —	3 —	2 —	— —	3 —	2 —	1 —	— —	— —	1 —	— —	4 —	— —	2 —	1 —	— —	— —
25 Cirrhosis of liver	M F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	4 —	— —	— —	— —	— —	4 —
26 Other liver diseases	M F	— 1	— —	— —	— —	— —	— —	— —	3 —	— —	— —	— —	1 —	2 —	1 —	2 —	— —	— —	— —	2 —	2 —
27 Other digestive	M F	4 6	1 —	— —	— —	2 —	1 —	— —	2 —	— —	— —	— —	2 —	— —	— —	19 14	3 —	2 —	— —	3 —	5 —
28 Nephritis	M F	7 14	— —	— —	— —	1 2	4 5	3 7	5 7	1 —	— —	— —	— —	2 4	2 2	14 31	1 —	— —	2 —	10 9	11 —
29 Puerperal sepsis	F	2	—	—	—	2	—	—	1	—	—	—	1	—	—	4	—	—	4	—	—
30 Other puerperal	F	3	—	—	—	3	—	—	3	—	—	—	3	—	—	9	—	—	9	—	—
31 Congenital causes, etc.	M F	24 22	23 22	1 —	— —	— —	— —	— —	17 14	16 —	— —	1 —	— —	— —	— —	71 59	71 —	— —	— —	— —	— —
32 Senility	M F	7 —	— —	— —	— —	— —	— —	7 6	16 11	— —	— —	— —	— —	— —	6 11	16 33	— —	— —	— —	— —	— —
33 Suicide	M F	3 4	— —	— —	— —	1 2	2 —	— —	2 —	— —	— —	— —	— —	1 —	1 —	24 15	— —	— —	— —	7 —	11 —
34 Other violence	M F	21 12	1 —	1 —	3 —	9 2	2 —	5 8	15 7	— —	2 —	1 —	2 —	6 —	4 6	39 75	6 2	6 4	3 —	28 6	15 —
35 Other defined causes	M F	21 22	2 —	1 —	1 —	5 4	4 —	8 —	27 21	1 —	2 —	2 —	4 —	10 7	8 9	89 73	9 5	4 —	5 —	14 26	28 20
36 Ill-defined causes	M F	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

TABLE 24—*contd.* County Boroughs.

Causes of Death first page of Table.		CROYDON							DARLINGTON							DERBY						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	1,228 1,329	73 58	19 10	17 22	132 126	346 285	641 828	497 447	44 27	12 5	10 7	55 40	144 117	232 251	885 782	45 40	15 18	10 11	108 92	260 193	447 428
Typhoid fever, etc.	M F	1 1	— —	— —	— —	1 1	— —	— —	2 —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
Whooping cough	M F	2 1	1 1	1 —	1 —	— —	— —	— —	2 1	1 —	1 1	— —	— —	— —	— —	1 3	1 2	1 —	— —	— —	— —	— —
Diphtheria	M F	6 10	— —	4 2	2 7	— 1	— —	— —	3 1	— —	1 1	2 —	— —	— —	— —	6 8	— —	4 4	1 2	1 2	— —	— —
Influenza	M F	22 26	1 —	— —	— —	4 6	8 8	10 11	6 3	— —	— —	— —	— —	3 1	3 2	13 10	— —	— —	— —	1 3	8 1	4 6
Encephalitis lethargica	M F	— —	— —	— —	— —	— —	— —	— —	3 1	— —	— —	— —	2 —	1 1	— —	1 1	— —	— —	— —	— —	— —	1 1
Cerebro-spinal fever	M F	2 —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
Respiratory tuberculosis	M F	57 32	— —	— —	— —	33 26	22 6	2 —	28 20	— —	1 1	14 13	12 5	— —	1 —	53 30	— —	— —	1 —	23 4	23 —	4 2
Other tuberculosis	M F	11 7	— —	2 —	2 2	5 3	1 1	1 —	4 —	— —	1 —	— —	3 —	— —	— —	5 5	1 1	1 —	1 —	2 3	1 —	— —
Syphilis	M F	4 2	— —	— —	— —	— —	3 —	1 —	1 —	— —	— —	— —	— —	1 —	— —	2 1	— —	— —	— —	1 —	1 —	— —
Gen. paralysis of insane, etc.	M F	8 —	2 —	— —	— —	1 —	6 —	1 —	3 —	1 —	— —	— —	1 —	1 —	1 —	3 1	— —	— —	— —	1 —	2 1	— —
Cancer	M F	184 235	— —	— —	2 —	11 14	65 98	106 123	48 70	— —	— —	— —	— —	21 41	27 26	112 96	— —	— —	— —	8 7	42 38	62 50
Diabetes	M F	16 18	— —	1 —	— —	2 —	6 5	8 12	4 6	— —	— —	— —	— —	1 2	2 2	12 12	— —	— —	— —	— —	4 5	8 7
Cerebral haemorrhage	M F	33 65	— —	— —	— —	2 13	8 52	23 46	36 46	— —	— —	— —	1 1	10 15	25 30	54 65	— —	— —	— —	1 1	15 20	38 44
Heart disease	M F	370 412	— —	— —	1 2	12 13	120 50	237 347	134 123	1 —	1 1	8 1	36 16	88 105	235 236	— 236	— —	— —	2 14	10 49	54 171	171 171
Aneurysm	M F	7 7	— —	— —	— —	2 1	2 2	3 4	— 1	— —	— —	— —	— —	— 1	— —	5 2	— —	— —	— —	2 1	1 1	2 1
Other circulatory	M F	95 91	— —	— —	— —	16 17	79 73	33 39	33 29	— —	— —	— —	1 1	8 5	24 23	47 38	— —	— —	— —	1 10	12 28	34 38
Bronchitis	M F	24 23	2 —	1 —	— —	2 1	5 20	14 23	12 13	2 —	— —	— —	— —	4 1	6 9	21 23	— —	— —	— —	1 2	7 2	13 17
Pneumonia	M F	75 76	12 8	5 4	— 2	6 10	19 18	33 34	26 18	6 6	3 —	2 —	1 3	8 6	3 3	51 29	5 5	2 2	— —	6 3	27 6	11 13
Other respiratory	M F	5 9	— —	— —	— —	1 3	2 2	2 4	10 2	1 —	— —	— —	3 —	3 —	3 —	12 11	1 —	— —	— —	1 2	6 3	4 5
Peptic ulcer	M F	21 8	— —	— —	— —	2 2	11 1	8 5	5 1	— —	— —	— —	— —	2 1	3 —	12 3	— —	— —	— —	3 1	6 1	3 3
Diarrhoea	M F	10 12	8 9	1 1	— —	— 1	— 1	1 —	3 1	2 1	— —	— —	1 —	— —	— —	4 4	2 3	1 —	— —	— —	1 —	— —
Appendicitis	M F	4 11	— —	— —	— 1	— 5	— 2	— 3	— 1	— —	— —	— —	— —	— —	— —	9 4	— —	— —	1 1	5 2	2 1	1 —
Cirrhosis of liver	M F	6 6	— —	— —	— —	— 1	4 3	2 2	1 2	— —	— —	— —	— —	— 2	— —	4 3	— —	— —	— —	2 —	1 —	1 1
Other liver diseases	M F	2 7	— —	— —	— —	— —	1 1	1 6	— 2	— —	— —	— —	— —	— —	— 2	3 8	— —	— —	— —	2 3	3 3	— —
Other digestive	M F	18 24	1 —	— —	— —	4 1	6 4	7 15	9 8	— —	— —	— —	— —	5 1	4 5	15 14	1 —	1 —	— —	4 1	3 4	6 8
Nephritis	M F	32 31	1 —	1 —	3 1	1 4	10 15	15 14	10 10	— —	— —	1 2	1 —	5 3	3 4	14 27	— —	— —	2 4	1 11	8 10	5 —
Puerperal sepsis	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Other puerperal	F	3	—	—	—	3	—	—	3	—	—	—	3	—	—	2	—	—	—	1	—	—
Congenital causes, etc.	M F	40 32	40 31	— —	— —	— —	— —	— —	24 17	24 16	— —	— —	— —	— —	— —	31 27	31 26	— —	— —	— —	— —	— —
Senility	M F	19 23	— —	— —	1 —	— —	— —	19 23	15 14	— —	— —	— —	— —	— —	15 14	22 30	— —	— —	— —	— —	— —	22 30
Suicide	M F	13 15	— —	— —	— —	6 4	5 10	2 1	4 5	— —	— —	— —	3 2	— 2	1 2	9 9	— —	— —	— —	5 2	2 6	2 1
Other violence†	M F	35 42	2 2	2 2	2 2	14 1	8 5	8 30	24 11	2 1	— —	— —	6 2	9 7	7 8	48 24	1 4	1 4	5 1	14 6	12 —	15 13
Other defined causes	M F	105 97	7 3	2 1	5 1	17 20	17 27	57 46	42 34	9 2	2 —	2 —	8 5	9 13	12 2	81 55	3 2	5 1	2 1	12 10	22 24	37 17
Ill-defined causes	M F	1 2	— —	— —	— —	— —	— —	— 2	4 3	— —	— —	— —	— —	— —	— 3	— —	— —	— —	— —	— —	— —	— —

Including Wounds of War.

M | — | 2 | — |

M | 1 | — | — |

Causes of Death first page of Table.		EASTBOURNE							EAST HAM							EXETER						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	314 445	16 10	4 4	4 3	14 28	82 92	194 308	752 648	49 27	6 11	13 6	96 81	205 150	383 373	424 484	23 17	3 9	5 3	39 42	118 95	236 318
Typhoid fever, etc.	M F	— —	— —	— —	— —	— —	— —	— —	2 1	— —	— —	— —	2 —	— —	— 1	— —	— —	— —	— —	— —	— —	
Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
Whooping cough	M F	1 1	— —	1 1	— —	— —	— —	— —	6 —	3 —	3 —	— —	— —	— —	— —	3 2	2 1	1 —	— —	— —	— —	
Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	3 —	— —	1 —	2 —	— —	— —	— —	3 3	— —	— —	3 —	— —	— —	
Influenza	M F	2 9	— 9	— —	— —	— 2	1 7	19 10	19 10	2 —	1 —	1 —	2 2	1 3	7 5	3 9	— —	1 —	1 —	1 —	4 1	
Encephalitis lethargica	M F	2 —	— —	— —	— —	— —	2 —	— —	1 —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	1 —	— —	
Cerebro-spinal fever	M F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	
Respiratory tuberculosis	M F	9 11	— —	— —	— —	1 5	7 5	43 28	— —	— —	— —	1 22	15 20	5 3	22 20	— —	— —	— —	12 12	6 4	4 4	
Other tuberculosis	M F	4 2	— —	— —	— —	2 1	1 1	8 4	— —	1 —	1 —	3 1	2 —	1 —	1 —	5 5	1 —	1 —	2 —	2 —	— 1	
Syphilis	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	
Gen. paralysis of insane, etc.	M F	3 —	— —	— —	— —	— —	2 —	1 —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	
Cancer	M F	34 78	— —	— —	1 4	3 31	9 42	22 119	116 119	— —	— —	— 1	9 10	38 46	69 62	47 80	— —	— —	5 3	12 24	30 53	
Diabetes	M F	7 8	— —	— —	— —	1 1	6 —	14 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
Cerebral hæmorrhage	M F	19 29	— —	— —	— —	1 3	15 36	26 36	— —	— —	— —	2 1	8 11	16 24	26 29	— —	— —	— —	1 —	9 6	16 23	
Heart disease	M F	132 147	— —	— —	1 2	31 21	99 124	170 —	— —	— —	— —	— —	1 14	8 59	22 123	111 141	— —	— —	5 9	32 18	74 114	
Aneurysm	M F	1 2	— —	— —	— —	— —	1 —	4 —	— —	— —	— —	— —	— —	2 2	2 —	— —	— —	— —	— —	— —	— —	
Other circulatory	M F	15 32	— —	— —	— —	— —	3 2	12 30	33 28	— —	— —	— —	1 8	7 20	25 20	24 29	— —	— —	1 —	5 5	18 24	
Bronchitis	M F	4 6	— —	— —	1 —	— —	— —	34 16	2 —	— —	— —	— —	1 7	7 14	24 15	— —	— —	— —	1 —	2 3	11 12	
Pneumonia	M F	11 19	5 2	1 —	— —	1 3	2 3	26 11	38 3	2 —	— —	— —	3 13	15 11	16 14	34 —	5 —	1 2	1 —	2 5	11 11	
Other respiratory	M F	— 3	— —	— —	— —	— —	— —	7 5	— —	— —	— —	— —	2 2	2 2	3 2	3 —	1 —	— —	— —	1 —	1 2	
Peptic ulcer	M F	— 4	— —	— —	— —	— —	— —	— 3	13 2	— —	— —	— —	— 1	— 6	— 2	8 1	— —	— —	— —	4 —	2 4	
Diarrhœa	M F	— 2	2 —	— —	— —	— —	— —	8 2	6 1	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	
Appendicitis	M F	2 1	— —	— —	1 —	— —	1 —	1 5	— —	— —	1 —	1 —	1 —	2 —	— —	2 1	— —	— —	— —	2 —	1 —	
Cirrhosis of liver	M F	3 2	— —	— —	— —	— —	2 —	1 —	1 —	— —	— —	— —	1 —	3 —	— —	1 —	— —	— —	— —	— —	1 —	
Other liver diseases	M F	1 3	— —	— —	— —	— —	— —	3 8	— —	— —	— —	— —	1 —	2 —	5 —	1 —	— —	— —	— —	2 —	1 3	
Other digestive	M F	4 9	1 —	— —	— —	2 —	1 —	20 12	— —	— —	— —	— —	4 2	7 8	9 4	6 —	— —	— —	— —	4 1	2 1	
Nephritis	M F	17 12	— —	— —	1 —	1 —	4 3	12 8	11 20	— —	— —	1 —	3 3	5 5	4 12	14 —	— —	1 —	1 —	5 4	8 7	
Puerperal sepsis	F	1	—	—	—	1	—	—	4	—	—	—	4	—	—	2	—	—	2	—	—	
Other puerperal	F	1	—	—	—	1	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	
Congenital causes, etc.	M F	7 6	7 6	— —	— —	— —	— —	27 19	26 18	— —	— —	— —	1 —	— —	— —	18 10	17 10	— —	— —	1 —	— —	
Senility	M F	2 5	— —	— —	— —	— —	— —	2 5	41 34	— —	— —	— —	— —	— —	41 34	10 15	— —	— —	— —	— —	10 15	
Suicide	M F	3 3	— —	— —	— —	2 —	1 —	13 5	— —	— —	— —	— —	5 —	8 —	— —	6 —	— —	— —	3 —	3 —	— —	
Other violence	M F	6 11	1 2	1 —	— —	1 2	1 —	29 16	29 16	1 —	1 —	1 —	15 7	2 3	7 9	25 13	2 —	— —	1 —	6 10	2 8	
Other defined causes	M F	22 39	— —	1 —	1 —	— —	5 —	15 17	51 47	1 —	2 —	3 —	8 —	11 20	26 13	44 35	— —	— —	1 —	13 15	30 15	
Ill-defined causes	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

Causes of Death See first page of Table		GATESHEAD							GLOUCESTER							GREAT YARMOUTH						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	
All Causes	M	781	74	20	14	124	221	328	370	28	7	5	52	92	186	362	18	4	5	31	92	
	F	712	49	13	15	111	172	352	377	18	6	6	38	88	221	357	14	2	5	29	79	
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Measles	M	2	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Whooping cough	M	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	—	—	—		
5 Diphtheria	M	6	—	1	5	—	—	—	1	—	1	—	—	—	—	4	—	1	3	—		
	F	7	—	3	4	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—		
6 Influenza	M	11	—	—	—	—	4	7	5	—	—	1	1	3	—	—	—	—	—	2		
	F	9	—	1	—	—	2	6	7	—	1	1	1	4	5	—	—	—	—	1		
7 Encephalitis lethargica	M	2	—	—	—	1	1	—	1	—	—	1	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Respiratory tuberculosis	M	71	—	—	1	44	22	4	13	—	—	9	4	—	12	—	—	—	7	5		
	F	46	—	—	1	36	8	1	16	—	—	12	3	1	15	—	—	—	12	2		
10 Other tuberculosis	M	11	1	3	2	4	1	—	1	—	1	—	—	—	2	1	—	1	—	—		
	F	6	1	1	1	3	1	—	2	—	—	—	1	1	—	—	—	—	—	—		
11 Syphilis	M	9	2	—	—	2	4	—	—	—	—	—	—	—	1	—	—	—	—	—		
	F	3	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—		
12 Gen. paralysis of insane, etc.	M	5	—	—	—	—	5	—	1													

TABLE 24—contd. County Boroughs.

Causes of Death first page of Table.		GRIMSBY							HALIFAX							HASTINGS						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	612	38	21	11	72	201	269	736	46	9	9	61	235	376	482	11	—	2	26	123	320
	F	492	45	11	8	68	117	243	752	35	5	9	74	174	455	636	11	5	3	31	117	469
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	3	1	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	4	1	3	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	M	5	—	5	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—
	F	3	—	3	—	—	—	—	3	—	—	2	—	—	—	—	—	—	—	—	—	—
Influenza	M	8	1	3	—	2	3	2	9	—	—	—	—	6	2	1	3	1	—	1	2	9
	F	3	—	—	—	1	—	2	8	1	1	—	—	1	6	10	—	—	—	—	—	—
Encephalitis lethargica	M	1	—	—	—	—	—	1	3	—	—	—	—	2	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal fever	M	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	37	1	—	—	21	14	1	30	—	—	—	11	13	6	26	—	—	—	9	14	3
	F	21	—	—	2	19	—	—	27	1	—	—	20	5	1	17	—	—	9	5	3	3
Other tuberculosis	M	4	1	1	2	2	—	—	5	—	1	1	2	—	—	1	—	—	—	1	1	—
	F	6	1	2	2	1	—	—	3	—	—	1	1	1	2	2	—	—	1	1	—	—
Syphilis	M	8	—	—	—	7	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	4	—	—	—	3	1	—	3	—	—	—	—	1	—	—	—	—	—	—	—	—
Gen. paralysis of insane, etc.	M	9	—	—	1	6	2	—	5	—	—	—	3	1	1	1	—	—	—	1	—	—
	F	3	—	—	—	3	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Cancer	M	88	—	1	1	6	36	44	99	—	—	—	4	47	48	66	—	—	—	3	18	45
	F	77	—	—	3	3	42	42	94	—	—	—	6	42	46	104	—	—	1	4	34	65
Diabetes	M	3	—	—	—	1	—	2	13	—	—	—	1	4	8	5	—	—	—	—	1	4
	F	12	—	—	—	4	8	13	13	—	—	—	1	5	7	10	—	1	1	—	4	4
Cerebral hæmorrhage	M	31	—	—	—	1	11	19	41	1	—	—	—	12	28	34	—	—	—	—	8	26
	F	37	—	—	—	14	23	48	13	—	—	—	2	9	37	46	—	—	—	—	9	37
Heart disease	M	124	—	—	1	6	49	68	207	—	—	—	7	61	139	166	—	—	1	1	34	130
	F	95	—	—	8	28	59	242	242	—	—	—	9	51	182	229	—	—	1	1	25	203
Aneurysm	M	4	—	—	—	2	2	3	—	—	—	—	—	2	1	2	—	—	—	—	—	2
	F	2	—	—	—	1	1	2	—	—	—	—	—	1	1	—	—	—	—	—	—	1
Other circulatory	M	27	—	—	1	4	22	82	82	—	—	—	—	21	61	16	—	—	—	6	10	31
	F	26	—	—	1	—	25	89	89	1	—	—	—	16	72	36	—	—	1	4	—	—
Bronchitis	M	21	1	1	—	2	10	7	12	—	—	—	1	3	8	15	—	—	—	—	3	12
	F	11	2	1	—	2	5	13	1	—	—	—	2	1	9	15	—	—	—	—	1	14
Pneumonia	M	31	9	4	1	2	8	7	37	7	3	1	3	14	9	18	—	—	1	2	4	11
	F	23	10	2	3	—	3	5	22	4	1	1	1	2	13	19	2	—	—	1	5	11
Other respiratory	M	8	—	1	—	1	6	—	9	—	1	1	4	2	1	3	—	—	—	1	2	2
	F	4	—	—	—	3	1	5	—	—	—	—	2	—	3	6	—	—	—	1	4	4
Peptic ulcer	M	6	—	—	—	—	5	1	5	—	—	—	—	5	1	8	—	—	—	1	5	2
	F	2	—	—	—	—	1	1	1	—	—	—	—	1	—	2	—	—	—	—	—	2
Diarrhoea	M	7	6	—	1	—	—	—	2	—	—	—	1	1	—	2	1	—	—	—	—	1
	F	3	3	—	—	—	—	—	3	2	—	—	—	—	—	5	—	—	—	2	3	3
Appendicitis	M	3	—	—	1	1	1	—	4	—	—	—	2	2	—	3	—	—	—	2	1	1
	F	2	—	—	—	1	1	—	9	—	—	—	2	4	3	3	—	—	—	1	2	2
Cirrhosis of liver	M	2	—	—	—	—	2	—	1	—	—	—	—	—	1	2	—	—	—	—	2	2
	F	—	—	—	—	—	—	—	3	—	—	—	—	2	1	1	—	—	—	—	1	1
Other liver diseases	M	10	—	—	—	2	4	4	9	—	—	—	—	3	6	7	—	—	1	1	5	5
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other digestive	M	10	1	—	—	—	3	6	5	—	—	—	—	1	4	9	—	—	—	—	3	6
	F	9	—	—	—	3	4	2	6	1	—	—	2	1	2	14	—	1	—	3	7	7
Nephritis	M	14	—	—	2	3	3	6	19	—	—	—	1	9	9	19	—	—	—	4	15	9
	F	14	—	—	5	3	6	6	16	1	—	—	4	4	7	15	—	—	—	1	5	9
Puerperal sepsis	F	1	—	—	—	1	—	—	3	—	—	—	3	—	—	2	—	—	—	2	—	—
Other puerperal	F	3	—	—	—	3	—	—	3	—	—	—	3	—	—	1	—	—	—	1	—	—
Congenital causes, etc.	M	14	12	2	—	—	—	—	34	34	—	—	—	—	—	9	9	—	—	—	—	—
	F	26	25	1	—	—	—	—	16	16	—	—	—	—	—	8	8	—	—	—	—	—
Senility	M	50	—	—	—	—	—	50	13	—	—	—	—	—	1	5	—	—	—	—	—	5
	F	37	—	—	—	—	—	37	17	—	—	—	—	—	17	18	—	—	—	—	—	18
Suicide	M	9	—	—	—	2	5	2	9	—	—	—	1	6	2	9	—	—	—	1	2	4
	F	6	—	—	—	2	2	2	6	—	—	—	2	2	3	3	—	—	—	3	2	2
Other violence†	M	33	—	2	1	13	8	9	25	1	—	2	10	3	6	15	1	—	—	—	4	7
	F	14	1	—	—	8	2	3	35	2	2	3	3	6	19	20	—	—	—	2	2	16
Other defined causes	M	51	4	3	2	7	18	17	54	2	2	2	9	15	24	43	—	—	—	4	11	28
	F	33	1	1	1	8	7	15	51	2	1	1	9	17	21	39	1	—	—	1	13	21
Ill-defined causes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Including Wounds of War.

M | 2 | 1 | — |

TABLE 24—contd. County Boroughs.

Causes of Death See first page of Table		HUDDERSFIELD							IPSWICH							KINGSTON-UPON-HULL						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	855	64	14	4	70	300	403	543	36	7	3	58	142	297	2,043	184	37	37	240	663	88
	F	914	51	10	9	99	237	508	574	34	3	5	65	109	358	1,765	155	37	33	234	417	88
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	2	—	1	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	1	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
5 Diphtheria	M	3	—	1	—	1	—	1	—	—	—	—	—	—	—	16	—	8	8	—	—	—
	F	5	—	1	4	—	—	—	1	—	1	—	—	—	—	10	—	4	5	—	—	—
6 Influenza	M	9	—	—	—	2	4	3	22	—	—	—	3	5	14	32	1	—	—	4	18	—
	F	18	—	2	—	4	2	10	17	—	—	—	1	2	14	20	1	—	—	4	7	—
7 Encephalitis lethargica	M	1	—	—	—	—	—	1	2	—	—	—	2	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	1	—	—	—
8 Cerebro-spinal fever	M	2	—	—	—	2	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Respiratory tuberculosis	M	31	—	—	1	13	16	1	24	1	—	1	10	10	2	146	—	1	3	82	53	—
	F	22	—	—	—	16	3	3	28	—	—	—	24	4	—	82	—	—	4	62	13	—
10 Other tuberculosis	M	11	1	3	—	6	1	—	5	—	1	—	2	1	1	14	—	3	5	4	2	—
	F	12	1	—	—	8	3	—	4	—	—	1	—	1	2	26	1	8	4	9	3	—
11 Syphilis	M	3	—	—	—	—	2	1	4	—	—	—	—	3	1	14	—	—	—	1	9	—
	F	5	1	—	—	2	2	—	3	—	—	—	1	1	1	11	3	—	—	2	5	—
12 Gen. paralysis of insane, etc.	M	—	—	—	—	—	—	—	2	—	—	—	—	1	—	7	—	—	—	—	7	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
13 Cancer	M	108	—	—	—	3	59	46	91	—	—	—	5	35	51	281	—	—	—	11	138	13
	F	125	—	—	—	13	54	58	86	—	—	—	5	32	49	266	—	—	—	36	113	11
14 Diabetes	M	6	—	—	—	—	3	3	8	—	—	—	1	3	4	14	—	1	1	—	—	—
	F	14	—	—	—	1	7	6	15	—	—	—	2	5	8	26	—	—	1	2	6	1
15 Cerebral hæmorrhage	M	34	—	—	—	1	14	19	27	—	—	—	7	20	78	—	—	—	2	26	50	—
	F	39	—	—	—	—	12	27	36	—	—	—	2	11	23	107	—	—	—	2	24	8
16 Heart disease	M	253	—	—	1	10	92	150	141	—	—	—	7	33	101	531	—	—	3	18	159	35
	F	271	—	—	—	11	57	203	179	—	—	—	5	23	151	447	—	—	1	28	94	32
17 Aneurysm	M	2	—	—	—	—	2	—	2	—	—	—	1	—	—	14	—	—	—	1	7	—
	F	2	—	—	—	—	1	—	2	—	—	—	—	1	—	6	—	—	—	—	—	—
18 Other circulatory	M	50	—	—	—	13	37	29	2	—	—	—	8	21	112	—	—	—	4	26	8	—
	F	60	—	—	—	7	52	39	39	—	—	—	1	5	33	110	—	—	—	4	26	8
19 Bronchitis	M	25	3	1	—	1	5	15	12	1	2	—	—	3	6	49	2	1	—	4	24	11
	F	30	1	—	—	2	25	18	2	—	—	—	—	1	15	46	3	—	—	2	38	—
20 Pneumonia	M	32	6	4	—	4	8	10	29	6	1	—	—	7	15	137	49	13	3	13	38	21
	F	24	5	1	—	3	3	12	18	3	—	—	2	3	10	81	28	10	3	9	17	14
21 Other respiratory	M	3	—	—	—	—	3	—	5	1	—	—	1	—	—	12	1	—	—	1	6	4
	F	9	1	—	—	2	5	5	2	—	—	—	—	2	2	11	—	—	—	2	1	—
22 Peptic ulcer	M	9	—	—	—	2	5	2	6	—	—	—	—	3	3	34	—	—	—	7	17	10
	F	5	—	—	—	1	3	1	2	—	—	—	—	1	1	8	—	—	—	1	4	—
23 Diarrhoea	M	6	4	—	—	—	2	—	5	3	—	—	—	—	2	40	34	1	—	—	3	—
	F	2	1	1	—	—	—	—	1	—	—	—	1	—	—	28	24	—	—	2	1	—
24 Appendicitis	M	5	—	—	—	1	3	1	2	—	—	—	—	2	—	15	—	1	—	7	5	—
	F	5	—	—	—	—	2	2	1	—	—	—	—	—	1	10	—	1	1	4	—	—
25 Cirrhosis of liver	M	1	—	—	—	—	1	—	1	—	—	—	—	1	—	3	—	—	—	—	3	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
26 Other liver diseases	M	2	—	—	—	—	1	1	2	—	—	—	—	—	2	12	—	—	—	1	8	—
	F	8	—	—	—	—	7	1	2	—	—	—	1	—	1	11	—	—	—	1	1	—
27 Other digestive	M	14	1	2	—	1	6	4	10	—	2	—	2	3	3	38	4	1	2	6	11	14
	F	8	1	—	2	—	4	1	6	—	—	—	2	2	2	30	3	2	2	3	11	—
28 Nephritis	M	46	—	1	—	5	18	22	11	—	—	—	5	1	5	27	—	—	1	5	6	15
	F	43	—	—	—	6	18	19	16	—	—	—	2	5	9	45	—	—	1	5	18	21
29 Puerperal sepsis	F	2	—	—	—	2	—	—	1	—	—	—	1	—	—	5	—	—	—	5	—	—
30 Other puerperal	F	8	—	—	—	8	—	—	3	—	—	—	3	—	—	13	—	—	—	13	—	—
31 Congenital causes, etc.	M	47	46	—	—	1	—	—	24	23	—	—	1	—	—	76	75	1	—	—	—	—
	F	36	35	1	—	—	—	—	26	25	1	—	—	—	—	79	78	1	—	—	—	—
32 Senility	M	35	—	—	—	—	—	35	4	—	—	—	—	—	4	55	—	—	—	—	—	—
	F	49	—	—	—	—	—	49	12	—	—	—	—	—	12	66	—	—	—	—	—	—
33 Suicide	M	11	—	—	—	—	9	2	9	—	—	—	5	2	2	35	—	—	1	12	14	—
	F	10	—	—	—	1	7	2	6	—	—	—	3	3	—	17	—	—	—	7	8	—
34 Other violence†	M	37	—	1	8	16	12	20	1	1	2	7	5	4	100	1	5	6	31	30	2	—
	F	29	—	2	1	2	7	17	14	—	1	4	—	8	8	68	4	8	3	6	14	33
35 Other defined causes	M	69	3	2	1	9	19	35	46	—	—	—	5	8	33	142	12	1	4	25	44	50
	F	68	3	—	1	15	35	14	31	1	1	3	—	6	15	130	8	3	8	26	39	40
36 Ill-defined causes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—

† Including Wounds of War.

M | — | 1 | —

TABLE 24—contd. County Boroughs.

Causes of Death first page of Table		LEEDS							LEICESTER							LINCOLN						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	3,426	245	60	39	365	1083	1634	1,531	101	20	33	171	420	786	428	25	4	7	29	113	250
	F	3,108	155	55	35	371	775	1717	1,497	79	20	20	160	332	886	426	16	3	5	38	104	260
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	2	—	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	8	6	2	—	—	—	—	4	3	1	—	—	—	—	2	1	1	—	—	—	—
	F	10	5	5	—	—	—	—	8	5	3	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	M	11	—	5	4	2	—	—	13	—	3	10	—	—	—	—	—	—	—	—	—	—
	F	9	1	4	4	—	—	—	10	—	6	4	—	—	—	—	—	—	—	—	—	—
Influenza	M	37	3	—	—	6	15	13	15	1	—	—	2	5	7	9	—	—	2	3	4	—
	F	43	1	—	—	5	15	22	22	—	1	—	5	7	9	9	—	—	1	2	6	—
Encephalitis lethargica	M	2	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	7	—	—	—	4	1	2	1	—	—	—	—	1	—	2	—	—	1	—	1	—
Cerebro-spinal fever	M	3	1	1	—	—	1	—	3	—	2	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	226	1	—	2	93	119	11	117	—	—	—	61	46	10	18	—	—	7	11	—	—
	F	125	—	2	2	98	20	3	67	—	—	1	46	18	2	10	—	—	7	2	—	—
Other tuberculosis	M	36	3	11	4	10	5	3	15	2	—	2	6	3	2	4	—	—	1	2	1	—
	F	28	3	4	6	8	5	2	10	—	2	2	5	—	1	7	—	—	4	—	1	—
Syphilis	M	16	—	—	—	2	10	2	7	2	—	1	1	2	1	2	—	—	—	—	—	2
	F	7	1	—	—	5	5	1	4	—	—	—	1	3	—	—	—	—	—	—	—	—
Gen. paralysis of insane, etc.	M	22	—	—	—	5	10	7	5	—	—	—	1	3	1	2	—	—	—	1	1	—
	F	15	—	—	—	3	11	1	3	—	—	—	—	3	—	—	—	—	—	—	—	—
Cancer	M	413	—	2	1	19	177	214	191	—	—	—	13	69	109	51	—	—	1	2	22	26
	F	440	—	1	1	41	178	219	232	—	—	—	17	105	110	58	—	—	7	19	32	—
Diabetes	M	26	—	—	—	3	6	17	25	—	—	—	2	6	17	6	—	—	—	—	4	—
	F	63	—	—	2	3	19	39	40	—	—	—	4	9	27	10	—	—	1	2	7	—
Cerebral hæmorrhage	M	168	—	—	—	2	46	120	118	—	—	—	1	24	93	13	—	—	—	2	11	—
	F	280	—	—	—	2	93	185	132	—	—	—	1	23	108	35	—	—	—	11	24	—
Heart disease	M	975	1	—	2	43	294	635	359	—	—	—	19	77	263	120	—	—	4	24	92	—
	F	872	—	—	2	61	186	623	369	—	—	—	19	69	281	115	—	—	2	23	90	—
Aneurysm	M	16	—	—	1	1	10	4	4	—	—	—	—	2	2	5	—	—	—	3	2	—
	F	7	—	—	—	4	3	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—
Other circulatory	M	273	—	—	—	5	39	229	61	—	—	—	—	15	46	45	—	—	—	3	42	—
	F	251	—	—	—	31	220	91	91	—	—	—	2	15	74	37	—	—	8	—	29	—
Bronchitis	M	136	11	3	—	14	51	57	50	2	3	2	—	14	28	18	—	—	—	5	8	—
	F	77	2	5	—	2	12	56	41	2	1	—	3	2	33	29	1	—	2	1	23	—
Pneumonia	M	192	38	13	5	25	65	46	85	17	4	—	9	29	26	20	4	1	—	2	11	—
	F	126	17	15	2	12	28	52	53	9	2	1	3	7	31	12	2	1	1	—	4	—
Other respiratory	M	23	1	1	1	2	14	4	14	—	—	—	2	7	5	4	—	—	—	1	3	—
	F	26	2	3	—	8	8	5	10	—	—	—	2	3	5	4	—	—	2	—	2	—
Peptic ulcer	M	59	—	—	—	11	38	10	27	—	—	—	2	18	7	4	—	—	—	4	—	—
	F	6	—	—	—	1	3	2	6	—	—	—	2	—	4	1	—	—	—	—	1	—
Diarrhoea	M	32	25	1	1	1	3	1	14	9	1	—	—	1	3	3	—	—	—	—	—	—
	F	36	24	1	1	5	2	3	11	8	—	—	1	2	2	2	—	—	—	—	—	—
Appendicitis	M	24	—	2	1	12	4	5	5	—	—	1	3	1	1	—	—	—	—	—	—	—
	F	12	—	1	1	5	4	1	7	—	—	—	—	4	2	2	—	—	—	2	—	—
Cirrhosis of liver	M	14	1	—	—	1	8	4	2	—	—	—	—	—	2	—	—	—	—	—	—	—
	F	5	—	—	—	1	4	—	2	—	—	—	1	1	—	—	—	—	—	—	—	—
Other liver diseases	M	10	—	—	—	—	6	4	3	—	—	—	—	1	2	4	—	—	—	2	2	—
	F	15	—	—	—	4	4	7	3	—	—	—	—	1	2	6	—	—	—	5	1	—
Other digestive	M	39	7	4	—	5	12	11	25	—	1	—	5	12	7	5	—	—	1	2	1	—
	F	35	2	—	—	6	9	18	23	2	3	2	2	6	8	7	1	—	3	3	—	—
Nephritis	M	70	1	—	—	9	29	31	61	—	—	1	9	16	35	13	—	—	1	4	8	—
	F	90	—	—	—	13	33	44	52	—	—	—	5	16	31	12	—	—	1	5	6	—
Puerperal sepsis	F	6	—	—	—	6	—	—	4	—	—	—	4	—	—	—	—	—	—	—	—	—
Other puerperal	F	13	—	—	—	13	—	—	5	—	—	—	5	—	—	2	—	—	—	—	—	—
Congenital causes, etc.	M	119	117	1	1	—	—	—	55	52	2	—	—	1	—	12	12	—	—	—	—	—
	F	81	78	1	—	2	—	—	47	46	1	—	—	—	—	11	11	—	—	—	—	—
Senility	M	36	—	—	—	—	—	—	26	—	—	—	—	—	26	18	—	—	—	—	—	—
	F	78	—	—	—	—	1	36	77	—	—	—	—	1	91	13	—	—	—	2	6	—
Suicide	M	43	—	—	—	12	17	14	37	—	—	—	12	19	6	8	—	—	1	4	3	—
	F	27	—	—	—	10	12	5	24	—	—	—	11	11	2	3	—	—	—	2	1	—
Other violence†	M	153	8	6	9	42	43	45	70	5	1	11	9	21	23	13	—	—	1	4	3	—
	F	99	6	7	3	11	12	60	36	1	1	3	6	4	21	7	—	—	—	2	1	—
Other defined causes	M	242	19	7	6	38	61	111	117	7	2	4	13	27	64	38	1	1	2	3	12	19
	F	216	14	5	9	43	75	70	90	6	1	6	14	22	41	32	—	—	1	5	10	16
Ill-defined causes	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

including Wounds of War.

M | — | 2 | — |

TABLE 24—*contd.* County Boroughs.

Causes of Death See first page of Table		LIVERPOOL							MANCHESTER							MIDDLESBROUGH						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	5,466	643	130	121	689	1711	2172	4,839	367	79	83	600	1651	2059	1,023	119	51	25	143	294	39
	F	5,218	461	117	119	688	1244	2589	4,566	267	70	62	613	1168	2386	805	75	50	33	129	176	34
1 Typhoid fever, etc.	M	2	—	—	—	2	—	—	1	—	—	—	—	1	—	1	—	—	—	—	1	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Measles	M	2	2	—	—	—	1	—	—	—	—	—	—	—	—	6	2	3	1	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4	2	2	—	—	—	—
3 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	1	1	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—
4 Whooping cough	M	21	12	9	5	—	—	—	12	8	3	1	—	—	—	8	4	4	—	—	—	—
	F	15	9	5	1	—	—	—	18	7	10	1	—	—	—	9	2	7	—	—	—	—
5 Diphtheria	M	47	3	23	20	1	—	—	18	2	4	12	—	—	—	12	—	4	8	—	—	—
	F	47	3	16	24	2	1	1	18	4	4	13	1	—	—	19	1	6	13	—	—	—
6 Influenza	M	82	7	2	2	14	25	32	69	3	3	1	9	19	34	10	—	1	—	4	—	—
	F	78	3	3	—	12	19	41	91	4	1	1	10	29	46	11	1	2	—	1	2	—
7 Encephalitis lethargica	M	11	—	—	—	5	4	2	15	—	—	—	7	5	3	1	—	—	—	1	—	—
	F	11	—	—	—	3	6	2	14	—	—	—	5	8	1	—	—	—	—	—	—	—
8 Cerebro-spinal fever	M	17	8	2	1	4	—	—	2	2	—	—	—	—	—	3	2	1	—	—	—	—
	F	13	3	2	2	5	1	—	5	2	2	—	—	1	—	3	1	—	2	—	—	—
9 Respiratory tuberculosis	M	365	1	3	4	190	140	27	365	—	3	1	171	162	28	78	—	2	—	45	29	—
	F	279	2	1	7	202	55	12	236	—	—	5	184	40	6	55	—	1	2	49	2	—
10 Other tuberculosis	M	49	6	8	16	8	8	3	52	—	12	9	15	13	3	18	3	3	6	5	1	—
	F	48	5	9	8	16	9	1	48	3	11	5	26	1	2	17	3	6	5	3	—	—
11 Syphilis	M	41	2	—	1	4	26	8	16	1	—	—	2	10	3	—	—	—	—	—	—	—
	F	17	1	—	—	3	8	5	9	—	—	—	2	3	3	2	1	—	—	—	1	—
12 Gen. paralysis of insane, etc.	M	24	—	—	—	5	17	2	29	—	—	—	8	14	7	7	—	—	—	1	4	—
	F	9	—	—	—	3	5	1	12	—	—	—	5	5	2	1	—	—	—	1	—	—
13 Cancer	M	668	1	2	2	51	317	295	641	—	1	2	42	303	293	96	—	—	—	4	46	4
	F	664	—	3	3	66	279	313	624	—	—	1	67	265	291	84	—	—	2	11	38	3
14 Diabetes	M	51	—	—	1	5	18	27	32	—	—	—	2	15	15	4	—	—	—	—	—	—
	F	88	—	—	—	3	30	55	78	—	1	—	6	23	48	18	—	—	1	—	10	—
15 Cerebral hæmorrhage	M	307	—	—	—	14	103	190	223	—	—	1	10	72	140	28	—	—	—	—	12	1
	F	299	—	—	—	13	91	195	269	—	—	—	4	80	185	41	—	—	—	2	8	3
16 Heart disease	M	1,490	1	1	14	82	481	911	1,150	—	1	6	72	407	664	286	—	—	1	16	86	18
	F	1,618	—	—	12	121	339	1146	1,161	—	2	82	288	789	789	223	—	—	—	13	49	16
17 Aneurysm	M	14	—	—	1	1	8	4	12	—	—	—	5	4	3	6	—	—	—	2	3	—
	F	11	—	—	—	—	8	3	11	—	—	—	3	6	2	1	—	—	—	—	—	—
18 Other circulatory	M	195	—	—	—	5	52	138	222	—	—	—	5	61	156	83	—	—	—	1	14	6
	F	183	—	—	—	3	39	141	225	1	—	—	5	49	170	53	—	—	—	—	17	3
19 Bronchitis	M	162	20	2	—	17	55	68	258	10	1	—	15	95	137	30	8	1	—	1	10	1
	F	138	9	3	—	4	18	104	169	7	2	1	6	35	118	21	7	—	—	—	6	—
20 Pneumonia	M	406	122	41	5	60	107	71	241	45	15	3	21	108	49	83	30	16	1	11	11	1
	F	333	85	35	11	25	60	117	170	35	14	2	27	37	55	69	22	18	3	7	6	1
21 Other respiratory	M	51	2	3	—	7	17	22	47	1	3	1	9	20	13	9	3	1	1	1	2	—
	F	35	1	3	2	11	3	15	31	—	—	—	8	12	11	9	—	1	—	1	5	—
22 Peptic ulcer	M	68	—	—	—	12	44	12	65	—	—	—	11	43	11	11	—	—	—	3	8	—
	F	22	—	—	—	3	14	5	20	—	—	—	1	12	7	1	—	—	—	—	1	—
23 Diarrhoea	M	65	53	1	1	3	6	1	53	38	2	2	6	1	4	14	12	1	—	—	1	—
	F	57	35	7	—	3	6	6	35	22	4	—	3	4	2	11	8	1	—	1	—	—
24 Appendicitis	M	24	—	1	3	5	9	6	22	—	—	5	7	8	2	3	—	—	—	1	2	—
	F	21	—	2	2	7	6	4	20	—	—	3	7	7	3	4	—	—	1	3	—	—
25 Cirrhosis of liver	M	6	—	—	—	1	5	—	11	—	—	—	—	6	5	4	—	—	—	1	3	—
	F	2	—	—	—	—	1	1	6	—	—	—	—	4	2	1	—	—	—	—	—	—
26 Other liver diseases	M	8	—	—	—	1	2	5	13	—	1	—	2	6	4	2	—	—	—	—	2	—
	F	33	—	—	—	4	11	18	19	—	—	—	1	7	11	7	—	—	—	2	2	—
27 Other digestive	M	72	10	5	2	7	24	24	63	11	1	1	4	27	19	13	3	—	—	3	5	—
	F	80	6	3	9	17	19	26	82	7	1	2	8	31	33	10	1	—	—	3	4	—
28 Nephritis	M	143	1	2	2	18	67	53	116	1	—	1	25	45	44	17	—	1	—	3	8	—
	F	153	—	1	3	24	58	67	142	—	—	—	28	52	62	14	—	—	1	2	6	—
29 Puerperal sepsis	F	5	—	—	—	5	—	—	8	—	—	—	—	—	—	4	—	—	—	4	—	—
30 Other puerperal	F	24	—	—	—	24	—	—	23	—	—	—	—	—	—	8	—	—	—	8	—	—
31 Congenital causes, etc.	M	288	285	2	—	1	—	—	207	204	3	—	—	—	—	47	47	—	—	—	—	—
	F	226	220	1	3	2	—	—	150	147	2	—	1	—	—	20	20	—	—	—	—	—
32 Senility	M	93	—	—	—	—	1	92	194	—	—	—	—	—	194	8	—	—	—	—	—	—
	F	125	—	—	—	—	2	123	337	—	—	—	—	3	334	11	—	—	—	—	1	—
33 Suicide	M	58	—	—	1	20	23	14	58	—	—	—	22	25	11	9	—	—	—	3	5	—
	F	47	—	—	—	18	23	6	33	—	—	—	15	14	4	4	—	—	—	2	2	—
34 Other violence†	M	237	12	12	31	73	60	49	228	4	12	20	66	63	63	63	—	7	2	24	20	1
	F	141	8	7	10	18	23	75	148	6	6	5	13	36	82	23	3	3	3	1	4	—
35 Other defined causes	M	396	95	11	14	72	91	113	397	36	14	17	63	116	151	62	5	6	5	13	20	1
	F	389	71	15	21	68	109	105	349	23	11	21	64	114	116	45	4	1	1	15	13	1
36 Ill-defined causes	M	2	—	—	—	—	1	1	8	1	—	—	—	3	3	1	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	3	1	—	—	—	1	1	1	—	—	—	—	—	—

†Including Wounds of War.

M | 1 | — | — |

M | — | 1 | — |

Causes of Death See first page of Table.		NEWCASTLE-UPON-TYNE							NORTHAMPTON							NORWICH						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	1,977	168	36	25	246	609	893	588	29	6	6	58	176	313	745	24	9	10	76	205	421
	F	1,682	121	35	20	207	405	894	568	23	5	9	52	130	349	770	21	6	8	90	140	505
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Measles	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Whooping cough	M	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	6	2	4	—	—	—	—	2	1	1	—	—	—	—	1	1	—	—	—	—	
5 Diphtheria	M	5	1	3	1	—	—	—	2	—	1	1	—	—	—	4	—	4	—	—	—	
	F	6	3	3	—	—	—	—	1	—	—	—	—	—	—	3	—	2	1	—	—	
Influenza	M	26	2	1	—	1	11	11	6	—	—	—	2	1	3	14	1	—	1	3	5	
	F	18	—	—	—	2	5	11	8	—	—	—	2	3	3	16	—	1	1	4	10	
7 Encephalitis lethargica	M	5	—	—	—	1	2	2	2	—	—	—	—	1	1	—	—	—	—	—	—	
	F	3	—	—	—	2	—	1	—	—	—	—	—	—	—	2	—	—	1	—		
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
9 Respiratory tuberculosis	M	152	1	—	—	80	64	7	26	—	—	1	16	9	—	47	—	—	24	20	3	
	F	84	2	2	3	60	15	2	12	—	—	—	12	—	—	26	—	—	21	3	2	
10 Other tuberculosis	M	27	2	2	6	16	—	1	2	—	—	—	1	1	—	5	—	1	3	1	—	
	F	19	—	5	3	6	2	3	4	—	—	1	3	—	—	5	—	1	3	1	—	
11 Syphilis	M	13	—	—	—	1	8	4	2	—	—	—	1	—	1	4	—	—	—	2	2	
	F	6	1	—	—	1	2															

TABLE 24—*contd.* County Boroughs.

Causes of Death <i>See first page of Table.</i>		NOTTINGHAM							OLDHAM							OXFORD						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	1,877	185	41	26	230	555	840	1,009	56	13	13	119	314	494	421	20	6	16	38	127	2
	F	1,785	105	38	20	189	428	1005	929	39	17	9	103	261	500	485	11	7	8	44	94	3
1 Typhoid fever, etc.	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	1	—	—	—	1	—	—	3	—	1	1	1	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	2	—	2	—	—	—	—	2	1	1	—	—	—	—
5 Diphtheria	M	2	—	1	1	—	—	—	4	—	1	1	2	—	—	3	—	1	2	—	—	—
	F	1	—	—	—	—	—	—	2	—	—	—	1	—	—	2	—	—	—	—	—	—
6 Influenza	M	27	—	—	—	6	9	12	14	—	2	—	1	6	5	13	—	—	2	1	5	—
	F	25	1	1	—	1	9	13	16	1	—	3	7	5	4	—	—	—	—	—	—	—
7 Encephalitis lethargica	M	7	—	1	—	2	2	2	2	—	—	—	2	—	—	1	—	—	—	—	—	—
	F	4	—	—	—	3	1	—	3	—	—	—	2	1	—	—	—	—	—	—	—	—
8 Cerebro-spinal fever	M	3	—	—	—	2	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	4	1	1	—	1	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—
9 Respiratory tuberculosis	M	141	—	1	—	70	59	11	49	—	—	1	21	23	4	23	—	1	1	10	9	—
	F	66	—	—	—	49	14	3	22	—	—	1	15	6	—	19	—	—	14	4	—	—
10 Other tuberculosis	M	13	3	7	2	1	—	—	10	—	3	2	3	2	—	3	—	1	1	2	—	—
	F	20	—	6	5	8	1	—	7	—	2	2	3	—	—	5	—	1	2	—	—	—
11 Syphilis	M	17	1	—	—	1	9	6	4	—	—	1	3	—	—	2	—	—	—	—	1	—
	F	6	—	—	—	4	2	—	1	1	—	—	—	—	—	2	—	—	—	—	1	—
12 Gen. paralysis of insane, etc.	M	10	—	—	—	1	6	3	6	—	—	—	—	—	—	3	—	—	—	1	2	—
	F	3	—	1	—	2	—	—	—	—	—	—	—	4	2	—	—	—	—	—	—	—
13 Cancer	M	227	—	1	—	17	91	118	116	—	1	1	7	51	56	56	—	—	1	2	23	3
	F	269	1	1	—	23	125	119	123	—	—	—	6	47	70	71	—	—	6	18	4	—
14 Diabetes	M	18	—	—	—	1	7	10	13	—	—	—	—	5	5	7	—	—	—	—	—	—
	F	34	—	1	—	1	9	23	19	—	1	—	2	8	8	6	—	—	1	3	—	—
15 Cerebral hæmorrhage	M	82	—	—	—	7	25	50	41	—	—	—	14	27	12	—	—	—	—	5	10	—
	F	108	—	—	—	5	28	75	44	—	1	—	1	15	27	33	—	—	—	—	5	2
16 Heart disease	M	504	—	4	—	19	147	334	322	—	—	—	11	97	214	113	—	—	3	29	8	—
	F	527	28	13	1	26	88	411	313	1	—	16	77	219	144	—	—	1	5	19	11	—
17 Aneurysm	M	6	—	—	—	1	3	2	2	—	—	—	—	2	—	5	—	—	—	—	4	—
	F	4	—	—	—	—	1	3	1	—	—	—	—	1	—	2	—	—	—	1	—	—
18 Other circulatory	M	72	—	—	—	—	13	59	73	—	—	—	3	12	58	28	—	—	1	6	2	—
	F	105	—	—	—	—	15	90	64	—	—	—	1	19	44	38	—	—	—	3	3	—
19 Bronchitis	M	69	1	3	1	7	28	29	54	2	—	—	5	21	26	5	—	—	—	2	3	—
	F	50	1	1	—	2	7	39	45	1	1	—	1	15	27	17	—	—	1	2	1	—
20 Pneumonia	M	145	48	11	3	17	36	30	47	7	2	1	8	17	12	16	—	—	—	6	—	—
	F	94	28	13	1	3	14	35	44	9	4	2	8	5	16	13	—	—	1	2	1	—
21 Other respiratory	M	31	1	—	—	8	12	10	5	—	—	—	2	—	3	5	—	1	—	—	2	—
	F	15	1	—	—	2	5	7	5	—	—	—	1	2	2	1	—	—	—	—	—	—
22 Peptic ulcer	M	32	—	—	—	7	20	5	15	—	—	—	—	9	2	8	—	—	—	5	—	—
	F	14	—	—	—	7	7	7	3	—	—	—	4	2	1	3	—	—	—	1	—	—
23 Diarrhoea	M	40	35	2	—	—	2	1	3	1	1	—	—	1	—	1	—	—	—	—	—	—
	F	23	14	4	—	1	2	2	5	2	—	—	1	2	—	2	—	—	1	—	—	—
24 Appendicitis	M	14	—	2	1	3	6	2	4	—	—	1	1	2	—	1	—	—	—	—	1	—
	F	2	—	1	—	—	1	1	2	—	—	—	—	2	—	4	—	2	1	—	—	—
25 Cirrhosis of liver	M	7	—	—	—	1	4	2	1	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	9	—	—	1	1	6	1	2	—	—	—	—	2	—	1	—	—	—	—	—	—
26 Other liver diseases	M	2	—	—	—	—	1	1	9	—	—	—	1	4	4	2	—	—	—	1	—	—
	F	7	—	—	—	3	1	3	9	—	—	—	—	5	4	4	—	—	—	3	—	—
27 Other digestive	M	24	4	1	3	4	6	6	13	2	—	—	1	6	4	8	—	—	—	4	1	—
	F	28	—	—	—	5	9	14	17	—	—	1	2	5	9	9	—	—	—	2	—	—
28 Nephritis	M	32	—	1	1	7	9	14	19	—	—	—	4	7	8	14	—	—	—	3	1	—
	F	35	—	—	1	7	16	11	16	—	—	—	3	5	8	23	—	—	—	1	7	—
29 Puerperal sepsis	F	2	—	—	—	2	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—
30 Other puerperal	F	4	—	—	—	4	—	—	11	—	—	—	11	—	—	2	—	—	—	2	—	—
31 Congenital causes, etc.	M	75	74	1	—	—	—	—	37	37	—	—	—	—	—	15	14	—	1	—	—	—
	F	50	48	1	1	—	—	—	24	23	1	—	—	—	—	7	6	—	—	—	—	—
32 Senility	M	45	—	—	—	—	—	—	12	—	—	—	—	—	—	6	—	—	—	—	—	—
	F	66	—	—	—	—	—	45	16	—	—	—	—	—	12	13	—	—	—	—	—	—
33 Suicide	M	23	—	—	—	6	14	3	7	—	—	—	3	3	1	6	—	—	—	—	5	—
	F	18	—	—	—	5	8	5	9	—	—	—	—	5	—	3	—	—	—	—	—	—
34 Other violence†	M	81	4	8	5	21	19	24	33	—	—	1	10	11	11	21	—	1	5	7	6	—
	F	58	5	2	1	6	14	30	29	2	1	1	4	8	13	14	—	—	—	2	2	—
35 Other defined causes	M	121	11	1	4	19	26	60	75	7	2	3	22	11	30	42	1	1	3	6	4	—
	F	128	5	4	6	26	41	46	57	3	—	—	16	18	20	41	2	1	2	4	14	—
36 Ill-defined causes	M	1	—	—	—	—	—	1	15	—	—	—	—	6	10	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	16	—	—	—	—	4	11	—	—	—	—	—	—	—

†Including Wounds of War.

M | — | 1 | — |

TABLE 24—contd. County Boroughs.

Causes of Death on first page of Table		PLYMOUTH							PORTSMOUTH							PRESTON						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	1,394	96	27	24	181	417	649	1,560	116	22	28	181	441	772	757	62	8	7	82	233	365
	F	1,309	49	21	19	160	299	761	1,498	81	18	13	159	347	880	778	38	9	8	98	188	437
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	3	3	—	—	—	—	—	3	2	1	—	—	—	—
Diphtheria	M	11	—	7	4	—	—	—	3	—	1	2	—	—	—	1	—	1	—	—	—	—
	F	14	—	7	7	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—	—
Influenza	M	13	—	—	—	3	5	5	25	—	—	—	5	14	6	18	—	—	—	2	6	10
	F	7	—	—	—	4	1	2	17	1	—	—	—	6	9	10	—	—	—	2	3	5
Encephalitis lethargica	M	2	—	—	—	1	1	—	2	—	—	—	1	1	—	1	—	1	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	4	—	—	—	1	3	—
Cerebro-spinal fever	M	6	—	2	1	3	—	—	3	—	1	—	1	1	—	1	1	—	—	—	—	—
	F	1	1	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	77	—	—	—	50	25	2	83	—	—	2	45	30	6	42	—	—	—	20	16	6
	F	61	—	—	—	46	11	—	55	—	—	—	40	14	1	31	1	—	—	26	2	2
Other tuberculosis	M	14	1	5	2	5	1	—	16	—	2	1	11	1	1	6	2	—	1	2	—	1
	F	12	2	—	—	7	—	—	5	—	2	—	3	—	—	9	1	1	2	4	1	—
Syphilis	M	6	—	—	—	—	5	1	13	2	—	—	3	5	3	2	—	—	—	—	1	1
	F	3	1	—	—	1	1	—	7	—	—	—	1	—	—	1	—	—	—	1	—	—
Gen. paralysis of insane, etc.	M	12	—	—	—	3	1	—	2	—	—	—	—	3	4	6	—	—	—	2	4	—
	F	4	—	—	—	3	1	—	2	—	—	—	1	1	—	1	—	—	—	1	—	—
Cancer	M	163	1	—	1	14	60	87	214	—	—	—	3	80	131	90	—	—	1	8	40	41
	F	207	1	—	—	17	88	101	214	—	—	—	12	92	110	106	—	—	—	10	42	54
Diabetes	M	16	—	—	—	2	7	14	14	—	—	—	2	3	9	9	—	—	—	5	4	4
	F	32	—	—	—	—	8	24	22	—	—	1	—	11	10	22	—	—	—	1	6	15
Cerebral haemorrhage	M	62	—	—	—	—	24	38	70	—	—	—	1	24	45	42	—	—	—	—	14	28
	F	83	—	—	—	1	19	63	104	—	—	—	5	31	68	41	—	—	—	1	12	28
Heart disease	M	378	—	—	—	11	113	254	439	—	—	6	16	136	281	243	—	—	—	10	69	164
	F	377	—	—	—	22	67	288	478	—	—	—	21	87	370	261	—	—	1	9	50	201
Aneurysm	M	10	—	—	—	1	7	2	9	—	—	—	1	4	4	2	—	—	—	1	—	1
	F	5	—	—	1	1	1	2	6	—	—	—	2	1	3	—	—	—	—	—	—	—
Other circulatory	M	81	—	—	—	—	20	61	65	—	—	—	1	15	49	27	—	—	—	—	5	22
	F	102	—	—	—	1	16	85	61	—	—	—	2	8	52	46	—	—	—	—	7	39
Bronchitis	M	46	2	—	—	3	13	28	42	3	1	—	2	13	23	28	2	—	—	5	11	10
	F	40	1	—	—	2	4	33	33	—	2	—	2	2	29	17	—	—	—	2	15	15
Pneumonia	M	57	17	5	2	8	11	14	68	13	7	2	12	22	38	10	3	—	—	3	11	11
	F	43	8	5	—	7	2	21	67	11	5	1	9	14	27	23	5	3	—	2	—	11
Other respiratory	M	18	1	—	1	2	9	5	9	—	—	1	—	3	5	8	—	—	—	—	4	4
	F	8	—	—	—	2	2	4	7	—	—	—	1	1	5	4	—	—	—	2	—	—
Peptic ulcer	M	21	—	—	—	6	12	3	26	—	—	—	6	13	7	8	—	—	—	1	5	2
	F	4	—	—	—	—	2	2	7	—	—	—	3	3	1	2	—	—	—	—	2	—
Diarrhoea	M	4	3	—	—	1	—	—	22	17	2	—	1	1	1	7	5	1	—	1	—	—
	F	5	—	—	—	—	1	3	15	11	1	—	2	1	—	9	3	1	—	1	2	2
Appendicitis	M	7	—	1	2	2	—	—	17	—	2	1	5	7	2	5	—	1	—	4	—	—
	F	5	—	1	—	1	2	1	5	—	1	—	1	2	1	4	—	—	—	1	2	1
Cirrhosis of liver	M	4	—	—	—	1	2	1	5	—	—	—	2	2	3	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	6	—	—	—	—	2	2	3	—	—	—	—	—	—
Other liver diseases	M	5	—	—	—	2	—	3	1	—	—	—	—	1	—	1	—	—	—	1	—	—
	F	14	—	—	—	1	4	9	10	—	—	—	3	5	2	3	—	1	—	—	—	1
Other digestive	M	34	—	1	1	4	16	12	20	3	3	1	4	3	6	10	—	—	1	1	3	5
	F	16	1	2	—	4	4	5	23	1	1	—	2	7	12	18	1	—	—	2	7	8
Nephritis	M	43	—	—	1	4	14	24	45	—	—	1	5	13	26	23	—	—	—	2	9	12
	F	32	—	—	—	4	12	16	35	—	—	—	4	10	21	29	—	—	2	4	12	11
Puerperal sepsis	F	2	—	—	—	2	—	—	3	—	—	—	3	—	—	2	—	—	—	2	—	—
Other puerperal	F	7	—	—	—	7	—	—	9	—	—	—	9	—	—	4	—	—	—	4	—	—
Congenital causes, etc.	M	66	66	—	—	—	—	—	68	68	—	—	—	—	—	34	34	—	—	—	—	—
	F	30	28	2	—	—	—	—	50	50	—	—	—	—	—	26	23	1	2	—	—	—
Senility	M	29	—	—	—	—	—	29	66	—	—	—	—	2	64	14	—	—	—	—	—	14
	F	50	—	—	—	—	—	50	98	—	—	—	—	2	96	14	—	—	—	—	—	14
Suicide	M	17	—	—	—	7	6	4	28	—	—	—	11	8	9	11	—	—	—	4	3	4
	F	7	—	—	—	3	3	1	24	—	—	—	9	11	4	6	—	—	—	3	3	—
Other violence†	M	65	—	4	6	28	16	11	62	1	2	2	20	14	23	28	—	1	3	6	10	8
	F	35	1	2	2	6	9	15	46	—	5	2	4	6	29	16	—	—	—	1	2	13
Other defined causes	M	127	5	2	3	22	39	56	115	7	2	8	24	22	52	51	7	—	1	9	17	17
	F	96	5	2	8	17	33	31	87	2	2	6	19	30	28	59	2	1	1	18	23	14
Ill-defined causes	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Including Wounds of War.

M | 1 | — | — |

Causes of Death See first page of Table		READING							ROCHDALE							ROTHERHAM						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M F	680 647	49 30	8 11	12 4	65 79	176 123	370 400	654 668	30 25	7 6	8 8	64 58	222 187	323 384	448 387	41 28	7 8	8 7	49 41	136 106	20 19
1 Typhoid fever, etc.	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Scarlet fever	M F	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4 Whooping cough	M F	1 1	1 —	1 —	— —	— —	— —	— —	2 1	1 —	1 —	— —	— —	— —	— —	2 —	2 —	— —	— —	— —	— —	
5 Diphtheria	M F	3 9	— 1	1 —	1 —	1 —	— —	— —	3 12	— —	— —	3 1	— —	— —	— —	2 3	— —	1 1	2 —	— —	1 —	
6 Influenza	M F	1 4	2 —	— —	— —	1 1	4 1	2 2	12 11	— —	— —	— 1	2 —	4 3	6 7	8 3	2 —	— —	— —	2 2	3 —	
7 Encephalitis lethargica	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	1 —	— —	— —	
8 Cerebro-spinal fever	M F	— —	— —	— —	— —	— —	— —	— —	2 1	— 1	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	
9 Respiratory tuberculosis	M F	31 23	— —	1 —	— —	24 18	6 4	— 1	23 18	— —	— —	— —	9 13	13 4	1 2	25 7	— —	— —	— —	9 4	10 3	
10 Other tuberculosis	M F	4 8	1 —	1 1	1 2	— 4	— 1	— —	5 1	— 1	— —	— —	2 —	— —	— —	4 2	— —	— —	1 1	3 1	— —	
11 Syphilis	M F	1 1	— —	— —	— —	— —	— 1	— —	2 8	— —	— —	— —	— 1	— 1	— —	3 1	— —	— —	— —	— 1	— —	
12 Gen. paralysis of insane, etc.	M F	3 —	— —	— —	— —	— —	— 2	— 1	8 1	— —	— —	— —	— 2	— 6	— 1	2 —	— —	— —	— 1	— —	— —	
13 Cancer	M F	80 100	— —	— —	— —	2 13	32 27	46 60	88 100	— —	— —	— —	6 7	37 56	45 37	52 49	— —	1 —	— —	3 2	17 21	
14 Diabetes	M F	11 11	— —	— —	— —	2 1	2 8	8 14	— —	— —	— —	— —	— 7	1 7	7 8	6 -10	— —	— —	— —	2 3	3 —	
15 Cerebral hæmorrhage	M F	17 31	— —	— —	— —	— 2	5 11	12 18	14 28	— —	— —	— —	— —	6 6	8 22	28 20	— —	— —	— —	9 7	1 1	
16 Heart disease	M F	170 169	— —	— —	— —	3 7	42 30	125 132	191 218	— —	— —	2 —	8 9	59 51	124 156	99 93	— —	2 —	6 5	38 28	5 5	
17 Aneurysm	M F	2 1	— —	— —	— —	— —	1 —	1 —	2 —	— —	— —	— —	1 —	1 —	— —	1 —	— —	— —	— —	1 —	— —	
18 Other circulatory	M F	98 92	— —	— —	— —	— 1	16 7	82 84	69 74	— —	— —	— —	2 —	16 12	56 57	25 24	— —	— —	1 —	8 5	1 —	
19 Bronchitis	M F	24 15	1 —	— —	— —	— 1	9 13	14 13	32 27	— —	— —	— —	3 2	17 5	12 19	13 14	2 1	— —	— —	4 3	— —	
20 Pneumonia	M F	25 30	9 7	— —	1 —	5 3	3 14	12 14	23 14	3 1	— —	1 —	5 4	9 1	6 7	21 13	6 5	2 1	1 2	6 2	— —	
21 Other respiratory	M F	6 11	1 —	2 —	— —	2 5	1 2	1 2	7 3	— —	— —	— —	1 —	2 2	4 5	6 8	— 1	1 —	— —	— —	4 5	
22 Peptic ulcer	M F	8 3	— —	— —	— —	— —	— 1	— 2	3 —	— —	— —	— —	1 —	1 1	1 1	8 1	— —	— —	— —	— —	— —	
23 Diarrhœa	M F	3 7	3 4	— 1	— —	— —	— 1	— 1	3 4	1 2	— —	— —	— —	1 1	1 —	7 1	5 1	— —	1 —	— —	— —	
24 Appendicitis	M F	5 2	— —	— —	— —	2 1	— 1	— 3	8 9	— —	1 —	— —	2 2	3 1	2 2	2 4	— —	— —	— —	2 1	— —	
25 Cirrhosis of liver	M F	6 2	— —	— —	— —	2 —	4 1	— 1	2 1	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	
26 Other liver diseases	M F	4 1	— —	— —	— —	2 —	— —	2 1	1 —	— —	— —	— —	— —	— —	— 2	1 2	1 2	— —	— —	— —	— —	
27 Other digestive	M F	18 16	1 —	— 2	— —	1 2	9 4	7 8	10 14	2 1	— 1	— —	1 2	2 3	5 7	7 7	1 —	— —	2 —	2 3	— —	
28 Nephritis	M F	13 17	— —	— —	— —	1 3	7 4	5 10	16 20	— —	— —	— —	— —	2 1	3 9	4 10	— —	— —	— —	1 7	— —	
29 Puerperal sepsis	F	5	—	—	—	1	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	
30 Other puerperal	F	1	—	—	—	5	—	—	—	—	—	—	—	—	—	3	—	—	1	—	—	
31 Congenital causes, etc.	M F	29 16	28 15	— —	1 —	— —	— —	— —	19 19	19 19	— —	— —	— —	— —	— —	23 20	23 19	— —	— —	— —	— —	
32 Senility	M F	9 13	— —	— —	— —	— —	— —	9 13	5 16	— —	— —	— —	— —	— —	— —	5 16	— —	— —	— —	— —	— —	
33 Suicide	M F	6 6	— —	— —	— —	2 1	4 2	— 3	16 5	— —	— —	— —	3 1	10 3	3 1	6 2	— —	— —	— —	3 2	3 2	
34 Other violence	M F	34 24	1 2	— 1	7 5	6 8	9 8	11 8	22 24	2 2	2 2	2 1	8 2	6 4	4 13	28 9	— —	1 —	4 —	11 4	3 3	
35 Other defined causes	M F	58 36	2 1	4 3	1 —	7 8	18 11	26 13	47 41	2 1	2 —	2 —	5 9	15 15	21 16	37 43	2 —	2 —	1 1	16 15	— —	
36 Ill-defined causes	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

Causes of Death first page of Table		ST. HELEN'S							SALFORD							SHEFFIELD						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	655	81	25	14	91	186	258	1,356	125	24	15	160	457	575	3,302	225	56	59	387	1062	1513
	F	583	67	16	20	87	127	266	1,342	83	18	15	201	326	699	2,898	162	40	52	324	697	1623
Typoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	
Scarlet fever	M	1	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping cough	M	1	—	1	—	—	—	—	1	1	—	—	—	—	7	7	4	3	—	—	—	
	F	3	1	2	—	—	—	—	5	3	2	—	—	—	10	9	1	—	—	—	—	
Diphtheria	M	11	—	8	3	—	—	—	9	—	5	3	—	1	—	10	1	3	6	—	—	
	F	12	1	4	7	—	—	—	3	—	3	—	—	—	14	—	3	8	2	1	—	
Influenza	M	21	4	—	—	3	3	11	12	1	1	—	2	6	2	43	2	1	—	2	9	
	F	15	—	—	—	6	5	4	31	—	—	3	10	18	55	—	1	2	6	13	33	
Encephalitis lethargica	M	1	—	—	—	—	1	—	4	—	—	—	1	3	11	—	—	—	5	5	1	
	F	1	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	3	—	—	
Cerebro-spinal fever	M	1	—	—	—	1	—	—	3	1	1	—	1	—	3	2	—	—	1	—	—	
	F	2	—	—	—	—	2	—	2	—	—	—	1	—	1	—	—	—	—	—	—	
Respiratory tuberculosis	M	30	—	—	—	18	10	2	101	1	1	—	43	52	4	193	—	—	2	101	72	
	F	19	—	—	—	15	4	—	86	—	2	6	14	6	111	—	1	2	89	14	5	
Other tuberculosis	M	8	—	—	—	—	—	—	10	1	2	—	5	2	37	3	6	7	16	4	1	
	F	13	1	2	4	5	—	1	19	—	5	2	11	1	30	2	3	10	11	1	3	
Syphilis	M	2	—	—	—	—	2	—	2	—	—	—	—	2	—	14	—	—	—	1	2	
	F</																					

TABLE 24—*contd.* County Boroughs.

Causes of Death <i>See first page of Table.</i>		SMETHWICK							SOUTHAMPTON							SOUTHEND-ON-SEA						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	
All Causes	M	400	27	6	6	41	121	199	1,166	90	17	14	115	341	589	781	24	10	8	70	243	
	F	425	36	8	7	46	108	220	1,022	57	17	16	111	225	596	927	33	6	4	72	210	
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
2 Measles	M	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
4 Whooping cough	M	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	1	1	—	—	—	3	2	1	—	—	—	—	—	—	1	1	—	—	
5 Diphtheria	M	4	—	1	3	—	—	—	4	—	—	4	—	—	—	—	—	—	2	1	—	
	F	5	—	1	3	1	—	—	4	—	3	1	—	—	—	—	—	—	—	—	—	
6 Influenza	M	6	1	—	—	—	3	2	9	—	—	—	—	2	7	10	—	—	1	2	4	
	F	4	—	—	—	—	1	3	16	1	—	1	3	2	9	18	1	—	—	2	4	
7 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
	F	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	4	—	3	—	1	—	—	—	—	—	—	1	—	
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
9 Respiratory tuberculosis	M	28	—	—	—	10	15	3	77	—	—	—	36	33	8	56	1	1	—	22	29	
	F	12	—	—	—	9	3	—	41	—	—	1	27	12	1	31	—	—	—	26	3	
10 Other tuberculosis	M	—	—	—	—	—	—	—	10	1	3	—	4	2	—	3	—	—	2	1	—	
	F	4	1	2	—	—	—	1	9	2	3	4	—	—	—	4	—	2	—	—	—	
11 Syphilis	M	1	—	—	—	—	1	—	7	—	—	—	—	5	2	2	—	—	—	—	1	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12 Gen. paralysis of insane, etc.	M	1	—	—	—	—	1	—	3	—	—	—	—	3	—	1	—	—	—	1	1	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
13 Cancer	M	67	—	—	—	4	23	40	136	—	—	—	5	59	72	118	—	1	—	5	51	
	F	71	—	—	—	7	34	30	166	—	—	—	12	57	97	146	—	—	—	6	60	
14 Diabetes	M	2	—	—	—	—	—	2	16	—	—	2	—	5	9	13	—	—	—	—	1	
	F	11	—	—	—	1	6	4	19	—	—	—	—	5	14	16	—	—	1	—	6	
15 Cerebral hæmorrhage	M	28	—	—	—	1	11	16	53	—	—	—	—	18	35	40	—	—	—	—	10	
	F	36	—	—	—	7	29	68	—	—	—	—	1	21	46	78	—	—	—	—	16	
16 Heart disease	M	99	—	—	—	2	25	72	356	—	—	—	13	101	242	216	—	—	—	6	42	
	F	106	—	—	—	5	21	80	311	2	10	54	23	151	245	292	—	1	—	6	44	
17 Aneurysm	M	2	—	—	—	—	1	1	6	—	—	—	1	3	2	4	—	—	—	—	3	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18 Other circulatory	M	21	1	—	—	1	7	12	50	—	—	—	—	9	41	52	—	—	—	—	17	
	F	20	—	—	—	—	8	12	49	1	—	—	1	5	42	63	—	—	—	3	13	
19 Bronchitis	M	20	1	—	—	2	5	12	21	2	1	—	1	5	12	18	—	—	—	1	7	
	F	16	1	—	—	3	12	17	17	1	—	—	—	1	15	16	—	—	—	1	1	
20 Pneumonia	M	13	5	1	—	1	3	5	53	14	4	—	—	23	12	33	5	—	—	1	10	
	F	19	8	—	—	3	5	3	39	9	4	1	7	7	11	41	4	—	—	1	9	
21 Other respiratory	M	6	—	—	—	2	2	2	8	—	1	—	1	5	1	11	—	—	—	2	3	
	F	6	1	—	—	—	5	5	10	—	2	—	2	4	2	6	—	—	—	1	1	
22 Peptic ulcer	M	5	—	—	—	—	4	1	25	—	—	—	6	10	9	12	—	—	—	—	9	
	F	3	—	—	—	1	2	—	8	—	—	—	2	4	2	7	—	—	—	—	3	
23 Diarrhoea	M	3	2	—	—	—	—	1	17	14	2	—	—	—	—	7	2	—	—	3	1	
	F	6	4	—	—	—	2	2	13	6	—	—	2	5	—	5	1	—	—	2	1	
24 Appendicitis	M	4	—	—	—	1	2	1	5	—	1	1	1	1	1	6	—	—	—	1	3	
	F	1	—	—	—	—	1	1	2	—	—	—	1	1	—	7	—	1	—	1	4	
25 Cirrhosis of liver	M	—	—	—	—	—	—	—	3	—	—	—	1	1	1	4	—	—	—	1	2	
	F	—	—	—	—	—	—	—	3	—	—	—	—	1	2	4	—	—	—	—	1	
26 Other liver diseases	M	1	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	1	
	F	2	—	—	—	—	1	1	2	—	—	—	—	2	—	11	—	—	1	—	3	
27 Other digestive	M	5	—	—	—	2	1	2	7	1	1	1	1	2	1	20	—	—	—	1	9	
	F	2	—	1	—	1	—	—	14	—	—	—	1	3	10	12	—	—	—	1	4	
28 Nephritis	M	4	—	—	—	2	—	2	46	—	—	—	3	11	32	19	—	—	—	1	8	
	F	10	—	—	—	3	7	—	36	—	—	—	4	6	26	19	—	—	—	3	5	
29 Puerperal sepsis	F	1	—	—	—	1	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	
30 Other puerperal	F	3	—	—	—	3	—	—	6	—	—	—	6	—	—	2	—	—	—	2	—	
31 Congenital causes, etc.	M	14	14	—	—	—	—	—	48	47	—	—	1	—	—	16	22	—	—	1	—	
	F	16	16	—	—	—	—	—	31	30	—	—	—	—	—	22	22	—	—	—	—	
32 Senility	M	5	—	—	—	—	—	5	15	—	—	—	—	—	15	8	—	—	—	—	—	
	F	20	—	—	—	—	—	20	26	—	—	—	—	1	25	30	—	—	—	—	—	
33 Suicide	M	6	—	—	—	1	2	3	23	—	—	—	4	9	10	11	—	—	—	1	10	
	F	2	—	—	—	1	1	—	7	—	—	—	3	2	2	8	—	—	—	—	7	
34 Other violence†	M	22	—	1	1	8	4	8	64	4	1	5	20	16	18	27	—	2	2	11	10	
	F	11	2	1	2	—	1	5	28	—	2	—	4	10	12	16	1	—	—	1	5	
35 Other defined causes	M	31	3	1	2	4	9	12	93	4	—	1	14	17	57	67	1	1	1	9	11	
	F	34	3	1	1	9	8	12	88	8	—	5	18	22	35	65	2	1	1	11	20	
36 Ill-defined causes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	

† Including Wounds of War.

M — | 1 | —

M — | 1 | 1

TABLE 24—contd. County Boroughs.

Causes of Death first page of Table.		SOUTHPORT							SOUTH SHIELDS							STOCKPORT						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	606	25	6	9	44	176	346	780	70	21	25	105	247	312	921	65	15	13	113	297	418
	F	732	16	7	4	55	172	478	650	50	32	27	85	160	296	912	69	6	12	89	211	525
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	2	—	—	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	2	—	1	1	—	—	—	3	—	1	—	2	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	3	—	1	—	2	—	—	—	—	—	—	—	—	—
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—
	F	1	—	1	—	—	—	—	4	2	2	—	—	—	—	3	3	—	—	—	—	—
Diphtheria	M	7	—	1	5	1	—	—	18	—	8	8	2	—	—	6	—	2	4	—	—	—
	F	11	—	—	1	—	—	—	26	—	13	12	4	—	—	3	—	—	—	1	—	—
Influenza	M	11	—	—	—	—	4	7	18	—	1	—	4	8	3	15	1	—	—	4	4	6
	F	18	—	—	—	1	7	10	8	2	—	—	3	2	2	16	—	2	—	1	7	6
Encephalitis lethargica	M	3	—	—	—	—	3	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	2	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	25	—	—	—	9	14	2	58	—	—	1	36	20	1	41	—	1	—	21	17	2
	F	15	—	—	—	12	3	—	35	—	—	—	22	11	2	26	—	—	1	14	9	2
Other tuberculosis	M	3	—	—	—	1	1	1	10	1	—	3	5	—	—	6	—	2	—	3	—	1
	F	4	—	2	—	2	—	—	13	—	3	7	3	—	—	7	—	2	2	—	—	—
Syphilis	M	1	—	—	—	1	—	—	2	—	—	—	—	—	2	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Gen. paralysis of insane, etc.	M	2	—	—	—	1	—	—	5	—	—	—	—	—	1	4	—	—	—	1	2	1
	F	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	M	77	—	—	—	3	24	50	101	—	—	—	5	43	53	122	—	—	—	7	60	55
	F	127	—	—	—	6	61	60	101	—	—	—	13	50	38	108	1	—	—	10	46	51
Diabetes	M	12	—	—	—	1	5	6	5	—	—	—	1	—	—	10	—	—	—	3	6	6
	F	13	—	—	—	—	3	10	11	—	—	—	—	6	5	21	—	—	1	5	15	15
Cerebral haemorrhage	M	42	—	—	—	1	8	33	34	—	—	—	—	10	24	26	—	—	—	2	13	11
	F	69	—	—	—	13	56	40	40	—	—	—	—	20	20	50	—	—	—	2	19	29
Heart disease	M	167	—	—	—	5	49	113	171	—	—	1	11	71	88	275	1	—	—	15	84	175
	F	198	—	—	—	8	32	158	142	2	1	10	30	99	309	307	—	—	1	20	49	237
Aneurysm	M	1	—	—	—	—	1	—	2	—	—	—	—	2	—	1	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—	—
Other circulatory	M	49	—	—	—	—	11	38	44	—	—	—	—	11	33	82	—	—	—	1	25	56
	F	54	—	—	—	1	6	47	35	—	—	—	1	5	29	82	—	—	—	15	67	67
Bronchitis	M	14	1	—	—	—	3	10	38	4	1	—	—	15	18	17	—	—	1	3	6	7
	F	20	—	—	—	1	3	16	30	4	2	1	—	1	22	25	2	—	—	—	1	22
Pneumonia	M	20	2	—	—	5	6	7	40	16	5	—	4	12	3	40	—	—	—	5	15	14
	F	23	3	1	—	3	3	13	27	4	7	1	3	6	6	37	5	1	—	4	11	16
Other respiratory	M	5	—	—	—	1	3	1	7	—	1	—	—	6	—	5	—	—	—	—	1	3
	F	3	—	—	—	—	3	—	5	—	—	—	—	2	1	3	1	—	—	—	—	—
Peptic ulcer	M	11	—	—	—	—	8	3	10	—	—	—	—	3	4	14	—	—	—	5	7	2
	F	3	—	—	—	—	1	2	2	—	—	—	—	2	—	5	—	—	—	1	3	1
Diarrhoea	M	4	3	—	—	—	—	1	9	—	—	—	2	—	2	15	—	—	—	—	3	1
	F	3	1	—	—	—	1	1	7	7	—	—	—	—	—	5	3	—	—	1	—	—
Appendicitis	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—
	F	6	—	—	2	2	—	—	2	—	—	1	—	—	—	3	—	—	1	2	—	3
Cirrhosis of liver	M	3	—	—	—	—	2	1	2	—	—	—	1	1	—	6	—	—	—	1	2	3
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Other liver diseases	M	3	—	—	—	—	1	2	1	—	—	—	1	—	—	2	—	—	—	—	—	—
	F	4	—	—	—	—	2	2	5	—	1	—	—	1	3	11	—	—	—	1	4	6
Other digestive	M	8	—	—	—	—	3	5	10	3	1	2	—	2	2	13	—	—	1	1	4	7
	F	7	—	—	—	—	2	3	4	1	—	—	—	1	2	12	—	—	1	4	4	3
Nephritis	M	20	—	—	—	3	7	10	12	1	—	—	1	4	6	30	—	—	1	8	10	11
	F	31	—	—	—	2	6	23	15	—	—	1	4	5	5	28	—	—	—	7	9	12
Puerperal sepsis	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Other puerperal	F	1	—	—	—	1	—	—	6	—	—	—	6	—	—	2	—	—	—	2	—	—
Congenital causes, etc.	M	12	12	—	—	—	—	—	33	32	1	—	—	—	—	46	43	2	—	1	—	—
	F	12	12	—	—	—	—	—	22	22	—	—	—	—	—	45	43	1	—	1	—	—
Senility	M	22	—	—	—	—	2	—	37	—	—	—	—	2	35	7	—	—	—	—	—	7
	F	33	—	—	—	—	—	—	40	—	—	—	—	1	39	16	—	—	—	—	—	16
Suicide	M	7	—	—	—	1	4	2	9	—	—	—	2	5	2	14	—	—	—	3	6	5
	F	—	—	—	—	2	2	2	1	—	—	—	—	1	—	5	—	—	—	2	2	1
Other violence†	M	22	1	3	—	3	4	11	45	—	2	4	14	10	15	47	2	2	3	16	13	11
	F	6	—	—	—	1	5	—	11	—	1	—	—	3	6	28	3	—	2	2	4	17
Other defined causes	M	46	6	1	1	6	10	22	54	6	—	6	11	13	18	64	1	1	—	10	21	31
	F	64	—	3	1	8	21	31	49	8	—	1	11	12	17	55	6	2	2	11	16	18
Ill-defined causes	M	3	—	—	—	—	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	1	2	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—

Including Wounds of War.

M | 1 | — | —

TABLE 24—contd. County Boroughs.

Causes of Death See first page of Table		STOKE-ON-TRENT							SUNDERLAND							TYNEMOUTH						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	
All Causes		M F	1,716 1,590	152 117	36 25	42 36	202 249	599 431	685 732	1,272 1,181	144 118	45 44	36 41	154 140	335 275	558 563	455 339	44 32	10 6	9 2	73 49	144 78
1	Typhoid fever, etc.	M F	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2	Measles	M F	8 7	4 2	3 3	1 2	— —	— —	— —	3 6	— —	3 5	1 —	— —	— —	— —	— —	— —	— —	— —	— —	
3	Scarlet fever	M F	1 2	— —	1 1	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4	Whooping cough	M F	11 5	5 3	6 2	— —	— —	— —	— —	6 10	4 6	2 2	2 —	— —	— —	— —	1 1	— —	1 —	— —	— —	
5	Diphtheria	M F	7 7	— —	2 2	5 5	— —	— —	— —	16 15	— —	6 4	10 11	— —	— —	— —	— —	— —	— —	— —	— —	
6	Influenza	M F	26 30	1 —	— —	1 —	8 8	11 10	5 12	15 11	1 —	1 —	2 —	4 1	2 6	4 5	1 5	— —	— —	— —	— —	
7	Encephalitis lethargica	M F	— 2	— —	— —	— —	— —	— —	— —	4 5	— —	1 —	— —	1 —	2 —	— —	1 —	— —	— —	— —	— —	
8	Cerebro-spinal fever	M F	3 2	1 —	— —	— —	2 —	— —	— —	3 3	— —	2 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	
9	Respiratory tuberculosis	M F	113 91	— —	— —	1 —	40 62	57 23	15 5	53 54	— —	— —	— —	31 42	20 10	2 2	34 14	— —	— —	— —	23 13	
10	Other tuberculosis	M F	24 20	4 3	1 3	6 5	8 6	3 —	2 —	12 15	2 1	2 1	3 9	7 9	1 1	5 5	9 5	1 —	3 —	4 3	1 1	
11	Syphilis	M F	7 6	1 2	— —	— —	— —	6 —	— —	6 1	— —	— —	— —	1 —	4 1	1 —	5 —	— —	— —	— —	— —	
12	Gen. paralysis of insane, etc.	M F	7 1	— —	— —	— —	— —	6 —	1 —	7 1	— —	— —	— —	2 —	4 1	1 —	3 —	— —	— —	— —	— —	
13	Cancer	M F	198 189	— —	— —	— —	12 19	102 79	84 89	160 151	— —	— —	— —	8 12	71 72	81 67	60 39	— —	— —	— —	3 4	
14	Diabetes	M F	18 23	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	2 2	2 6	4 3	— —	— —	— —	— —	
15	Cerebral hæmorrhage	M F	88 117	— —	— —	— —	1 4	35 43	52 70	40 60	— —	— —	— —	1 1	12 22	27 37	20 26	— —	— —	— —	1 1	
16	Heart disease	M F	475 425	— —	— —	3 —	26 46	186 113	260 263	304 313	— —	— —	— —	22 22	73 56	209 233	93 87	— —	— —	— —	— —	
17	Aneurysm	M F	3 2	— —	— —	— —	1 —	1 —	— —	5 —	— —	— —	— —	2 —	— —	3 —	3 —	— —	— —	— —	— —	
18	Other circulatory	M F	73 91	— —	— —	— —	— —	21 19	52 71	97 91	— —	— —	— —	— —	19 14	78 77	34 25	— —	— —	— —	— —	
19	Bronchitis	M F	53 56	3 8	— —	— —	3 2	21 13	26 33	54 47	6 4	1 1	3 —	2 5	14 10	28 27	20 25	5 3	— —	— —	— —	
20	Pneumonia	M F	73 75	16 19	6 6	3 —	11 6	18 21	19 23	89 56	29 22	10 5	2 1	11 5	23 8	14 15	23 17	6 —	— —	— —	— —	
21	Other respiratory	M F	25 17	2 1	— —	— —	4 4	15 6	4 5	11 7	— —	1 —	— —	1 1	8 3	1 2	— —	— —	— —	— —	— —	
22	Peptic ulcer	M F	17 8	— —	— —	— —	6 2	6 4	5 2	13 2	— —	— —	— —	— —	5 1	3 1	9 —	— —	— —	— —	— —	
23	Diarrhœa	M F	13 8	11 3	1 1	— —	— —	— —	— —	50 32	37 18	6 11	— —	1 —	4 2	2 1	7 6	4 5	3 —	— —	— —	
24	Appendicitis	M F	10 7	— —	2 —	1 —	1 3	5 2	— —	6 4	— —	— —	2 —	1 3	2 1	— —	— —	— —	— —	— —	— —	
25	Cirrhosis of liver	M F	2 1	— —	— —	— —	— —	2 —	— —	3 —	— —	— —	— —	— —	3 —	— —	4 —	— —	— —	— —	— —	
26	Other liver diseases	M F	3 6	— —	— —	— —	1 3	1 —	1 3	6 13	— —	— —	— —	— —	4 8	2 5	3 5	— —	— —	— —	— —	
27	Other digestive	M F	25 26	2 —	— —	— —	5 6	12 10	6 9	25 26	1 3	1 2	5 8	2 2	10 3	6 8	4 2	— —	— —	— —	— —	
28	Nephritis	M F	44 43	1 1	1 —	— —	7 11	17 17	18 13	40 31	1 1	— —	— —	10 2	8 14	21 12	9 9	— —	— —	— —	— —	
29	Puerperal sepsis	F	10	—	—	—	10	—	—	8	—	—	—	2	—	—	—	—	—	—	—	
30	Other puerperal	F	9	—	—	—	8	1	—	—	—	—	—	8	—	—	2	—	—	—	—	
31	Congenital causes, etc.	M F	88 66	87 64	1 2	— —	— —	— —	— —	59 59	58 58	— —	— —	1 —	— —	— —	23 14	22 14	1 —	— —	— —	
32	Senility	M F	62 65	— —	— —	— —	— —	— —	62 65	17 28	— —	— —	— —	— —	— —	17 28	13 9	— —	— —	— —	— —	
33	Suicide	M F	25 12	— —	— —	— —	10 5	12 6	3 —	13 6	— —	— —	— —	4 5	5 —	4 —	7 3	— —	— —	— —	— —	
34	Other violence†	M F	101 40	5 —	7 2	11 3	34 8	29 10	15 16	59 39	2 2	5 6	6 5	15 6	14 3	17 17	26 7	1 —	1 —	2 —	— —	
35	Other defined causes	M F	112 121	9 10	5 1	10 9	20 31	28 34	40 36	91 68	5 2	4 2	8 4	19 16	24 24	31 20	36 30	6 3	— —	— —	— —	
36	Ill-defined causes	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 1	— —	— —	— —	— —	

†Including Wounds of War.

M — | 1 — |

M | 1 — |

Causes of Death first page of Table		WAKEFIELD							WALLASEY							WALSALL						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	414	24	4	9	43	150	184	603	36	19	6	51	179	312	659	66	14	12	78	198	291
	F	335	22	9	9	38	69	188	666	27	6	4	74	160	395	604	47	14	14	92	147	290
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	4	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	1	—	—	—	1	—	1	—	—	—	—	2	2	1	—	—	—	
Diphtheria	M	4	—	—	4	—	—	—	10	—	9	1	—	—	—	2	—	—	2	—	—	
	F	6	—	2	4	—	—	—	1	—	1	—	—	—	—	3	—	—	3	—	—	
Influenza	M	5	—	1	—	1	2	1	7	1	1	—	—	3	2	15	1	—	1	3	7	
	F	7	—	—	—	1	2	4	22	1	—	—	2	5	14	16	2	—	1	3	6	
Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	2	—	—	—	—	—	2	1	—	—	—	1	—	
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
Respiratory tuberculosis	M	19	—	—	—	8	9	2	26	—	—	—	12	13	1	36	—	—	1	21	10	
	F	15	—	—	1	8	5	1	18	—	—	—	15	3	—	46	—	—	37	8	4	
Other tuberculosis	M	8	—	—	—	5	2	—	4	—	2	1	—	—	—	1	—	—	1	—	—	
	F	4	—	3	1	1	—	—	8	—	2	—	4	1	1	5	—	3	1	1	—	
Syphilis	M	—	—	—	—	—	—	—	2	—	—	—	1	1	—	3	1	—	—	2	—	
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	
Gen. paralysis of insane, etc.	M	4	—	—																		

TABLE 24—contd. County Boroughs.

Causes of Death See first page of Table		WARRINGTON							WEST BROMWICH							WEST HAM						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	460	41	10	4	67	150	188	513	46	31	28	86	134	188	1,517	101	25	27	182	463	
	F	404	28	12	12	57	109	186	441	41	23	10	53	99	215	1,261	63	18	13	157	295	
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	
2 Measles	M	—	—	—	—	—	—	—	9	—	7	2	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	4	1	3	—	—	—	—	—	—	—	—	—	—	
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
4 Whooping cough	M	2	1	1	—	—	—	—	5	2	3	—	—	—	—	5	3	2	—	1	—	
	F	2	—	1	1	—	—	—	1	—	1	—	—	—	—	5	2	3	—	—	—	
5 Diphtheria	M	2	—	2	—	—	—	—	6	—	4	—	—	—	—	2	—	1	1	—	—	
	F	3	—	1	1	—	—	—	7	—	6	—	—	—	—	—	—	—	—	—	—	
6 Influenza	M	10	1	—	—	2	4	3	16	—	—	1	5	3	7	21	—	—	—	3	5	
	F	15	—	1	—	2	6	6	10	—	—	1	2	1	6	25	—	—	—	2	6	
7 Encephalitis lethargica	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8 Cerebro-spinal fever	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	2	—	2	—	—	—	
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	
9 Respiratory tuberculosis	M	33	—	—	—	12	15	6	37	—	—	1	19	15	2	118	—	1	—	59	46	
	F	23	—	1	2	14	5	1	19	—	1	2	14	2	—	62	—	—	3	47	10	
10 Other tuberculosis	M	4	—	—	—	3	1	—	7	—	4	2	—	—	—	10	—	1	—	6	3	
	F	2	—	—	—	1	—	1	4	1	1	1	—	—	1	16	2	4	1	5	3	
11 Syphilis	M	1	—	—	—	—	1	—	3	—	—	—	—	2	—	6	—	—	—	—	6	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	
12 Gen. paralysis of insane, etc.	M	2	—	—	—	—	2	—	1	—	—	—	—	—	—	10	—	—	—	1	8	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	
13 Cancer	M	61	—	—	—	10	25	26	49	—	—	—	4	17	28	204	—	—	1	18	83	
	F	50	—	—	—	8	18	24	58	—	—	—	—	29	24	185	—	—	—	16	83	
14 Diabetes	M	6	—	—	—	—	2	4	1	—	—	2	3	—	—	1	—	—	1	—	—	
	F	10	—	—	—	—	3	7	7	—	—	—	—	2	5	22	—	—	—	5	8	
15 Cerebral hæmorrhage	M	14	—	—	—	8	6	29	—	—	—	3	9	17	54	—	—	—	2	16	24	
	F	24	—	—	—	10	14	32	—	—	—	1	6	25	66	—	—	—	—	—	—	
16 Heart disease	M	128	—	—	—	10	45	73	77	—	—	3	9	22	43	365	—	—	3	23	107	
	F	112	—	1	13	30	68	91	—	—	—	6	21	64	328	—	—	3	19	65	65	
17 Aneurysm	M	2	—	—	—	—	2	3	—	—	—	—	1	2	—	4	—	—	—	3	1	
	F	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
18 Other circulatory	M	9	—	—	—	2	7	30	—	—	1	—	—	6	23	49	—	—	—	11	9	
	F	11	—	—	—	2	9	15	—	—	—	—	1	2	12	49	—	—	—	—	—	
19 Bronchitis	M	21	2	—	—	1	7	11	32	2	—	—	3	10	17	83	—	—	—	—	—	
	F	14	—	1	—	3	10	20	20	—	1	—	—	10	17	54	2	1	—	1	30	
20 Pneumonia	M	27	7	3	1	7	7	2	46	5	7	2	7	13	12	98	21	5	4	11	27	
	F	25	6	3	3	7	3	3	28	6	5	—	3	5	9	77	11	6	—	6	17	
21 Other respiratory	M	6	—	1	—	1	1	3	6	—	—	—	—	2	4	20	—	—	1	3	9	
	F	7	—	—	—	1	1	6	6	—	—	—	—	2	3	7	—	—	1	2	—	
22 Peptic ulcer	M	12	—	—	—	3	7	2	11	—	—	1	—	2	9	20	—	—	—	4	9	
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	6	—	—	—	—	3	
23 Diarrhoea	M	4	3	—	—	1	—	—	5	3	2	—	—	—	—	10	7	—	—	—	—	
	F	4	3	—	—	1	—	—	7	5	—	—	—	1	1	13	8	—	—	2	2	
24 Appendicitis	M	—	—	—	—	—	—	—	3	—	1	—	—	—	—	12	—	1	2	4	3	
	F	2	—	1	—	—	—	1	2	—	—	—	1	1	—	7	—	—	—	3	1	
25 Cirrhosis of liver	M	—	—	—	—	—	—	—	3	—	—	—	—	1	2	2	—	—	—	2	—	
	F	1	—	—	—	—	1	—	1	—	—	—	—	1	—	4	—	—	—	4	—	
26 Other liver diseases	M	—	—	—	—	—	—	—	2	—	—	—	—	1	—	2	—	—	—	1	—	
	F	—	—	—	—	—	—	—	1	—	—	—	1	—	6	—	—	—	—	1	—	
27 Other digestive	M	1	—	—	—	—	1	—	6	1	1	1	—	2	1	29	4	2	1	3	8	
	F	4	—	—	—	—	2	2	7	1	—	—	1	2	2	22	1	—	1	3	7	
28 Nephritis	M	9	—	—	—	1	6	2	7	—	—	—	4	2	1	36	—	—	1	4	15	
	F	10	—	1	1	6	2	10	10	—	—	—	1	4	5	34	—	—	—	6	10	
29 Puerperal sepsis	F	—	—	—	—	—	—	—	2	—	—	—	—	—	—	6	—	—	—	—	—	
30 Other puerperal	F	4	—	—	—	—	—	—	2	—	—	—	—	—	—	4	—	—	—	—	—	
31 Congenital causes, etc.	M	24	24	—	—	—	—	—	29	29	—	—	—	—	—	58	56	1	1	—	—	
	F	19	19	—	—	—	—	—	26	26	—	—	—	—	—	36	35	—	—	—	—	
32 Senility	M	17	—	—	—	—	—	17	13	—	—	—	—	—	13	92	—	—	—	—	1	
	F	14	—	—	—	—	—	14	15	—	—	—	—	1	24	86	—	—	—	—	1	
33 Suicide	M	5	—	—	—	2	2	1	5	—	—	—	3	2	—	11	—	—	—	3	5	
	F	1	—	—	—	1	—	—	7	—	—	—	3	3	1	13	—	—	—	5	—	
34 Other violence	M	25	1	2	3	7	6	6	40	1	2	9	15	9	4	48	1	1	6	17	16	
	F	5	—	1	—	—	2	—	15	—	3	2	4	3	3	36	2	—	—	4	8	
35 Other defined causes	M	28	2	1	—	6	5	14	32	3	2	2	7	8	10	131	7	6	5	18	42	
	F	35	—	1	2	4	14	14	30	1	2	—	7	9	11	81	1	2	2	18	19	
36 Ill-defined causes	M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	4	—	—	—	1	1	2	1	—	—	—	—	—	1	—	—	—	—	—	—	

TABLE 24—*contd.* County Boroughs.

Causes of Death first page of Table		WEST HARTLEPOOL							WIGAN							WOLVERHAMPTON						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	469	48	16	7	64	133	201	522	57	13	9	53	158	232	840	70	20	20	95	241	394
	F	413	46	18	8	49	90	202	547	42	11	16	74	141	263	762	57	15	13	95	157	425
Typhoid fever, etc.	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	1	1	2	—	—	—
Scarlet fever	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	3	—	3	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	7	4	3	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	M	4	—	3	1	—	—	—	4	—	2	2	—	—	—	4	—	1	2	1	—	—
	F	3	—	2	—	1	—	—	6	—	2	4	—	—	—	2	—	2	—	1	3	3
Influenza	M	3	—	—	—	—	1	—	14	—	1	—	3	5	5	8	—	—	—	1	2	4
	F	4	—	—	—	—	1	3	19	—	—	1	5	5	8	7	—	—	—	1	2	—
Encephalitis lethargica	M	1	—	—	—	—	1	—	1	—	—	—	—	2	—	1	—	—	—	—	—	1
	F	1	—	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—	—
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	21	—	—	—	14	7	—	34	—	—	2	13	15	6	56	—	1	1	27	24	3
	F	17	—	—	—	12	4	1	28	—	—	—	21	5	—	30	—	—	22	7	1	
Other tuberculosis	M	7	—	2	3	2	—	—	4	1	2	1	—	—	—	5	—	2	1	1	—	—
	F	7	1	2	1	2	—	—	4	—	1	1	2	—	—	3	—	1	2	—	—	—
Syphilis	M	—	—	—	—	—	—	—	2	1	—	—	—	—	1	4	—	—	—	—	2	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	1	
Gen. paralysis of insane, etc.	M	3	—	—	—	2	1	—	—	—	—	—	—	—	—	5	—	—	—	2	2	1
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cancer	M	58	—	—	—	7	25	26	45	—	—	—	3	20	22	112	—	—	1	12	40	59
	F	63	—	—	—	5	28	30	63	—	—	—	3	32	28	98	—	—	—	15	35	48
Diabetes	M	2	—	—	—	—	1	—	3	—	—	—	—	—	3	3	—	—	—	1	—	2
	F	8	—	—	—	2	2	4	11	—	—	—	—	2	9	12	—	—	—	—	3	9
Cerebral haemorrhage	M	27	—	—	—	1	7	19	39	—	—	—	2	10	27	49	—	—	—	—	18	31
	F	33	—	—	1	—	9	23	39	—	—	—	—	17	22	60	—	—	—	3	17	40
Heart disease	M	112	—	—	—	5	40	67	127	—	—	1	6	48	72	225	—	—	2	9	64	150
	F	100	—	—	—	7	19	74	117	—	—	2	6	32	77	221	—	—	3	20	33	165
Aneurysm	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	3	—	—	1	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Other circulatory	M	28	—	—	—	1	7	20	21	—	—	—	—	7	14	45	—	—	—	1	12	32
	F	16	—	—	—	—	2	14	17	—	—	—	1	3	13	33	—	—	—	1	3	29
Bronchitis	M	12	3	—	—	—	3	6	33	2	1	—	1	11	18	35	3	2	—	4	9	17
	F	16	10	1	—	—	1	3	39	—	—	1	2	6	27	26	4	—	—	—	3	19
Pneumonia	M	34	10	2	1	4	6	11	32	13	5	1	4	5	4	41	5	6	—	2	15	13
	F	22	3	7	—	2	4	6	30	9	3	3	3	9	3	43	10	6	1	3	5	18
Other respiratory	M	8	—	—	—	1	3	4	3	—	—	—	—	2	1	5	—	—	—	1	2	2
	F	2	—	—	—	—	2	—	3	—	1	—	—	1	—	6	1	1	—	—	1	3
Peptic ulcer	M	3	—	—	—	1	1	1	1	—	—	—	—	—	1	9	—	—	—	4	3	2
	F	2	—	—	—	1	1	—	2	—	—	—	1	1	—	2	—	—	—	1	—	1
Diarrhoea	M	6	6	—	—	—	—	—	2	1	1	—	1	—	—	7	6	1	—	—	—	—
	F	4	4	—	—	—	—	—	3	1	1	—	—	1	—	8	6	—	—	—	2	—
Appendicitis	M	—	—	—	—	—	—	—	2	—	—	1	—	—	—	4	—	—	1	1	2	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	6	—	—	—	4	2	—
Cirrhosis of liver	M	1	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Other liver diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1
	F	3	—	—	—	—	—	3	2	—	—	—	—	1	1	—	—	—	—	—	—	4
Other digestive	M	7	—	—	—	1	5	1	11	2	—	—	2	4	3	17	2	2	—	2	6	5
	F	6	—	—	—	1	3	2	7	2	—	—	—	1	4	14	—	—	—	—	3	11
Nephritis	M	8	—	—	—	3	1	4	15	—	—	—	2	8	5	13	—	—	1	4	2	6
	F	7	—	—	—	1	5	1	10	—	—	—	5	1	4	22	—	—	1	1	6	13
Puerperal sepsis	F	3	—	—	—	3	—	—	2	—	—	—	2	—	—	1	—	—	—	9	—	—
Other puerperal	F	5	—	—	—	5	—	—	7	—	—	—	—	—	—	9	—	—	—	—	—	—
Congenital causes, etc.	M	23	23	—	—	—	—	—	32	32	—	—	—	—	—	48	46	1	1	—	—	—
	F	18	17	1	—	—	—	—	22	21	1	—	—	—	—	29	29	—	—	—	—	—
Senility	M	13	—	—	—	—	—	13	35	—	—	—	—	—	1	25	—	—	—	—	1	24
	F	16	—	—	—	—	—	16	51	—	—	—	—	—	—	30	—	—	—	—	—	30
Suicide	M	4	—	—	—	—	1	1	5	—	—	—	—	3	2	10	—	—	—	4	4	2
	F	1	—	—	—	—	—	—	2	—	—	—	—	1	1	5	—	—	—	1	2	2
Other violence†	M	24	1	1	1	8	6	7	15	4	1	3	8	7	4	41	1	2	6	9	12	11
	F	13	1	1	—	—	—	9	24	1	—	2	2	2	5	26	—	—	1	4	4	15
Other defined causes	M	47	5	4	1	9	13	15	31	4	1	—	6	12	8	61	5	—	3	8	19	26
	F	28	6	—	2	3	10	7	43	2	—	—	13	19	9	53	—	—	4	4	26	13
Ill-defined causes	M	6	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Including Wounds of War.

M | — | 1 | — |

TABLE 24—contd. County Boroughs.

Causes of Death See first page of Table		WORCESTER							YORK							CARDIFF						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes		M 386 F 351	20 11	4 2	7 2	42 30	101 66	212 240	589 512	52 28	9 5	6 5	68 58	180 114	274 302	1,564 1,368	112 72	31 28	21 28	200 188	487 319	
1	Typhoid fever, etc.	M — F —	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	
2	Measles	M — F —	—	—	—	—	—	—	—	—	—	—	—	—	—	6 6	2 1	3 5	1	—	—	
3	Scarlet fever	M — F —	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	
4	Whooping cough	M — F —	—	—	—	—	—	—	6 1	5 1	1 1	—	—	—	—	2 2	1 1	1 1	—	—	—	
5	Diphtheria	M — F —	1	—	1	—	—	—	1	—	1	—	—	—	—	8 6	1 1	3 3	4 2	—	—	
6	Influenza	M — F —	5 3	—	—	1	—	1 3	9 3	—	—	—	1	3	5 3	27 30	1	—	—	5 3	13 8	
7	Encephalitis lethargica	M — F —	—	—	—	—	—	—	1	—	—	—	1	—	—	2	—	—	1	1		
8	Cerebro-spinal fever	M — F —	—	—	—	—	—	—	2	—	—	—	1	1	—	2 1	—	—	1	1		
9	Respiratory tuberculosis	M — F —	20 16	—	—	1 9	11 9	6 5	28 18	—	—	—	17 14	11 3	—	115 85	3	1	—	58 70	49 12	
10	Other tuberculosis	M — F —	3 6	1 1	1 2	—	—	—	8 4	1 1	3 1	1 1	2 1	1 1	—	16 17	4 1	1 1	7	5	1	
11	Syphilis	M — F —	1	—	—	—	1	—	5	1	—	—	1	2	1	10	1	—	1	5		
12	Gen. paralysis of insane, etc.	M — F —	3 1	—	—	—	—	—	1 1	—	—	—	—	1	—	4 2	—	—	—	3 2		
13	Cancer	M — F —	55 51	—	—	—	5 5	21 15	29 31	—	—	1	4	28 29	36 42	186 192	—	1	1	6 20	71 92	
14	Diabetes	M — F —	4 5	—	—	—	—	4 1	8 10	—	—	—	—	5 3	3 7	15 27	—	—	1	—	6	
15	Cerebral hæmorrhage	M — F —	26 23	—	—	—	—	6 3	20 19	—	—	—	1	9	19	38	—	2	2	15		
16	Heart disease	M — F —	115 133	—	—	—	6 4	25 19	84 110	146 124	—	1 1	8 7	50 28	87 88	444 362	—	—	—	22 21	113 59	
17	Aneurysm	M — F —	2 1	—	—	—	1 1	—	2 2	—	—	—	—	2	—	5 3	—	—	—	—	5	
18	Other circulatory	M — F —	15 27	—	—	—	—	15 3	25 24	—	—	—	1	6 7	18 17	120 119	—	1	—	4 32	21	
19	Bronchitis	M — F —	5 6	—	—	—	—	4 5	21 16	2	—	—	2	6 4	11 11	65 44	5	4	—	6 4	19	
20	Pneumonia	M — F —	13 14	1 3	—	—	1 3	8 1	3 7	2 2	2 1	—	—	14 1	5 5	54 64	15 20	1 7	2	6 10	21 13	
21	Other respiratory	M — F —	5 4	—	—	—	2 1	3 2	6 7	1	—	—	—	2 1	3 6	11 6	—	—	—	3 3	6	
22	Peptic ulcer	M — F —	5 1	—	—	—	2 3	—	7 2	—	—	—	3 1	4 1	—	22 3	—	—	—	1 18	2	
23	Diarrhoea	M — F —	2	2	—	—	—	—	2	2	—	—	—	—	—	10	8	1	—	1		
24	Appendicitis	M — F —	6	—	—	2	—	3	3	1	—	—	1	—	1	9	4	3	—	—		
25	Cirrhosis of liver	M — F —	2 2	—	—	—	—	1 2	4 3	—	—	—	—	1 2	3	4	—	—	—	1	2	
26	Other liver diseases	M — F —	3 1	—	—	1	—	1 1	2 3	—	—	—	1	—	1	2	1	—	—	—	—	
27	Other digestive	M — F —	2 1	—	—	—	—	2 —	9 8	2	—	—	1	—	6	27	5	2	2	4	8	
28	Nephritis	M — F —	12 7	—	—	—	—	6 1	26 21	1	—	—	—	11 4	5 12	19 32	—	—	—	4 2	12 14	
29	Puerperal sepsis	M — F —	1	—	—	—	—	—	3	—	—	—	—	—	—	2	—	—	1	1		
30	Other puerperal	M — F —	—	—	—	—	—	—	6	—	—	—	3	—	—	7	—	—	6	—		
31	Congenital causes, etc.	M — F —	14 5	13 5	—	1	—	—	28 20	28 20	—	—	—	—	—	61 41	58 38	—	—	—	—	
32	Senility	M — F —	14 16	—	—	—	—	—	20 29	—	—	—	—	—	—	16 46	2	1	—	—	—	
33	Suicide	M — F —	3	—	—	—	1	—	11	—	—	—	5	—	—	16	—	—	—	—		
34	Other violence	M — F —	16 4	—	—	—	—	5 1	33 13	3 1	1 1	—	13 8	7 10	93 46	4 1	9 2	2	28 9	31 9	1	
35	Other defined causes	M — F —	34 23	3	2	—	6	17	47	3	1	1	7	9	26	130	7	1	6	27	33	
36	Ill-defined causes	M — F —	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	

TABLE 24—contd. County Boroughs.

Causes of Death first page of Table.		MERTHYR TYDFIL							NEWPORT (MON.)							SWANSEA						
		All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—	All Ages	0—	1—	5—	15—	45—	65—
All Causes	M	495	46	10	5	79	145	210	664	40	10	17	82	209	306	1,038	77	21	17	119	354	450
	F	397	31	13	7	60	102	184	573	40	11	8	65	122	327	960	71	13	11	141	247	477
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—
	F	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	M	2	1	1	—	—	—	—	3	2	1	1	—	—	—	3	3	—	—	—	—	—
	F	2	1	1	—	—	—	—	2	—	—	—	—	—	—	2	2	—	—	—	—	—
Diphtheria	M	1	—	—	—	1	—	—	3	—	—	3	—	—	—	5	—	2	2	1	—	—
	F	2	—	1	1	—	—	—	2	—	1	1	—	—	—	3	—	1	1	1	—	—
Influenza	M	17	—	—	—	3	7	7	7	—	—	—	3	1	3	20	—	—	—	2	8	12
	F	4	—	—	—	—	4	—	9	—	—	—	—	3	6	23	—	—	—	6	15	—
Encephalitis lethargica	M	1	—	—	—	1	—	—	2	—	—	—	—	1	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	23	—	—	—	19	4	—	35	—	—	—	18	17	—	63	—	—	—	28	28	7
	F	21	—	—	—	19	1	1	32	—	—	2	22	6	2	51	—	2	2	42	4	1
Other tuberculosis	M	3	—	1	1	—	—	—	5	—	1	2	1	1	—	10	—	1	3	3	—	1
	F	3	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	M	—	—	—	—	—	—	—	6	—	—	—	—	5	1	2	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	3	—	—	—	1	2	—	2	—	—	—	1	—	—
Gen. paralysis of insane, etc.	M	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	M	41	—	—	—	3	20	18	71	—	—	—	5	38	28	128	—	—	—	10	56	62
	F	34	—	—	—	2	11	21	87	—	—	1	7	31	48	137	—	—	1	13	71	52
Diabetes	M	5	—	—	—	—	—	—	6	—	—	—	—	2	3	15	—	—	—	—	1	7
	F	4	—	—	—	1	2	1	17	—	—	—	—	6	11	—	—	—	—	—	5	9
Cerebral haemorrhage	M	41	—	—	—	1	17	23	22	—	—	—	1	9	12	49	—	—	—	2	18	30
	F	31	—	—	—	—	10	21	26	—	—	—	—	9	17	263	—	—	1	15	34	—
Heart disease	M	124	—	—	—	9	50	65	221	—	—	2	9	54	156	238	—	—	—	17	93	152
	F	112	—	—	2	15	40	55	179	—	—	2	10	35	132	—	—	—	—	28	59	151
Aneurysm	M	—	—	—	—	—	—	—	2	—	—	—	—	1	1	5	—	—	—	1	2	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	1	—
Other circulatory	M	14	—	—	—	1	1	12	35	—	—	—	1	14	20	60	—	—	—	1	16	43
	F	7	—	—	—	2	5	5	47	—	—	—	—	6	40	71	—	—	—	9	62	—
Bronchitis	M	28	5	—	1	—	3	18	15	—	—	—	1	8	6	47	4	2	—	1	17	23
	F	21	5	—	—	—	—	16	17	3	1	—	—	1	11	32	2	—	—	9	21	—
Pneumonia	M	25	3	3	1	9	7	2	33	8	1	—	6	8	10	40	9	4	—	4	17	11
	F	20	3	4	1	4	5	3	19	5	3	—	1	6	4	—	—	—	6	4	17	—
Other respiratory	M	7	—	—	—	2	3	2	7	—	—	—	1	3	3	19	—	—	—	2	12	5
	F	4	—	—	—	1	2	1	1	—	—	—	—	—	1	14	1	—	—	1	4	8
Peptic ulcer	M	5	—	—	—	5	—	—	15	—	—	—	2	7	6	16	—	—	—	2	9	5
	F	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—	—	1	—	—
Diarrhoea	M	6	3	2	—	—	1	—	4	3	1	—	—	—	—	5	2	—	1	1	—	—
	F	3	1	1	—	—	1	—	2	—	—	—	—	1	—	4	2	—	—	2	—	—
Appendicitis	M	—	—	—	—	—	—	—	8	—	1	3	4	—	—	2	—	—	1	—	—	—
	F	1	—	—	—	1	—	—	2	—	—	—	—	—	2	3	—	—	2	—	1	—
Cirrhosis of liver	M	3	—	—	—	—	2	1	2	—	—	—	—	2	—	2	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Other liver diseases	M	3	—	—	—	—	3	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	5	—	—	—	—	4	—
Other digestive	M	6	1	—	—	—	3	2	14	—	—	—	2	6	6	14	1	—	—	3	4	6
	F	6	—	—	—	1	2	3	7	—	1	—	—	3	3	12	2	—	—	2	5	3
Nephritis	M	8	—	—	—	1	2	5	24	—	1	3	3	7	10	42	—	—	—	4	15	23
	F	14	—	—	—	5	4	5	8	—	—	—	1	3	4	41	—	—	1	5	11	24
Puerperal sepsis	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—	2	—	—
Other puerperal	F	3	—	—	—	3	—	—	8	—	—	—	1	8	—	5	—	—	—	5	—	—
Congenital causes, etc.	M	24	24	—	—	—	—	—	26	26	—	—	—	—	—	49	48	—	—	1	—	—
	F	16	15	1	—	—	—	—	29	28	1	—	—	—	—	45	44	1	—	—	—	—
Senility	M	25	—	—	—	—	—	25	7	—	—	—	—	—	7	28	—	—	—	—	—	28
	F	46	—	—	—	—	—	46	17	—	—	—	—	1	16	38	—	—	—	—	—	38
Suicide	M	6	—	—	—	3	2	1	1	—	—	—	1	—	—	12	—	—	—	5	5	2
	F	4	—	—	—	—	3	1	1	—	—	—	—	—	—	9	—	—	—	3	4	2
Other violence †	M	34	1	—	1	15	13	4	33	2	2	1	2	—	10	47	3	3	7	16	14	4
	F	2	1	—	—	1	—	—	17	—	—	—	—	—	—	18	1	—	2	2	4	9
Other defined causes	M	37	8	1	1	4	6	17	53	3	3	2	8	13	24	75	6	5	4	11	25	24
	F	30	4	3	2	5	11	5	37	1	1	1	8	9	17	85	7	4	1	17	32	24
Ill-defined causes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—

Including Wounds of War.

M | 1 | — | —

TABLE 24—contd. Administrative County of Bedford.

Administrative Co

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	
All Causes	M	998	61	18	18	113	279	509	504	26	7	6	65	98	302	485	23	3	9	60	135	
	F	1,019	50	14	14	117	232	592	477	25	2	4	45	91	310	536	17	5	7	41	92	
1 Typhoid fever, etc.	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Whooping cough	M	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	4	2	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	
5 Diphtheria	M	5	—	3	1	1	—	—	1	—	—	1	—	—	—	4	—	—	4	—	—	
	F	4	—	1	3	—	—	—	1	—	—	1	—	—	—	1	—	—	1	—	—	
6 Influenza	M	22	—	—	—	6	8	8	14	1	—	—	4	5	4	6	—	—	—	1	4	
	F	24	—	—	—	1	4	19	11	—	—	—	3	2	6	5	—	—	—	1	1	
7 Encephalitis lethargica	M	1	—	—	—	—	1	—	2	—	—	—	1	—	1	—	—	—	—	—	—	
	F	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8 Cerebro-spinal fever	M	3	3	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Respiratory tuberculosis	M	41	—	—	—	21	18	2	20	1	—	—	14	5	—	20	—	—	—	12	7	
	F	42	—	1	1	28	9	3	13	—	—	—	8	4	1	14	—	—	—	9	5	
10 Other tuberculosis	M	11	3	2	5	—	1	—	4	—	—	—	3	1	—	5	—	—	1	1	1	
	F	3	—	1	—	1	1	—	3	—	—	—	1	1	1	3	—	—	2	—	—	
11 Syphilis	M	1	—	—	—	—	1	—	2	—	—	—	—	1	1	2	—	—	—	1	1	
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12 Gen. paralysis of insane, etc.	M	6	—	—	—	—	4	2	—	—	—	—	—	—	—	4	—	—	1	—	—	
	F	1	—	—	—	—	1	—	2	—	—	—	—	2	—	—	—	—	—	—	—	
13 Cancer	M	116	—	—	1	2	42	71	72	—	1	—	2	19	50	59	—	—	—	7	18	
	F	144	—	—	—	11	67	66	62	—	—	—	8	23	31	93	—	—	—	6	28	
14 Diabetes	M	18	—	—	—	1	5	12	7	—	—	—	—	3	4	11	—	—	—	4	4	
	F	20	—	—	1	1	6	12	10	—	—	—	1	2	7	11	—	—	2	2	2	
15 Cerebral hæmorrhage	M	80	—	—	—	3	21	56	28	—	—	—	2	3	23	31	—	—	—	1	2	
	F	64	—	—	—	—	17	47	46	—	—	—	—	7	37	39	—	—	—	2	3	
16 Heart disease	M	253	—	—	—	16	76	161	122	—	—	—	1	4	28	89	112	—	—	4	37	
	F	285	—	—	—	19	55	211	124	—	—	—	1	3	17	103	138	—	—	6	17	
17 Aneurysm	M	4	—	—	—	1	2	1	—	—	—	—	—	—	—	2	—	—	—	1	1	
	F	1	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	
18 Other circulatory	M	50	—	—	—	—	5	45	30	—	—	—	—	3	27	41	—	—	—	—	5	
	F	52	—	—	—	—	1	51	31	—	—	—	—	3	28	54	—	—	2	—	6	
19 Bronchitis	M	26	—	2	—	1	8	15	21	—	—	—	—	2	19	20	—	—	—	—	1	
	F	28	3	1	—	1	2	21	19	1	1	1	—	2	14	15	—	—	—	—	—	
20 Pneumonia	M	44	6	4	—	5	20	9	18	4	1	—	3	2	8	18	1	—	—	1	8	
	F	33	1	5	1	5	6	15	24	6	—	—	1	3	14	20	1	—	—	1	4	
21 Other respiratory	M	7	1	—	—	2	2	2	3	—	—	—	—	2	1	3	—	—	—	1	2	
	F	8	—	1	—	1	3	3	3	—	—	—	—	—	3	3	—	—	—	—	—	
22 Peptic ulcer	M	21	—	—	—	9	7	5	5	—	—	—	1	1	3	15	—	—	—	4	1	
	F	4	—	—	—	—	2	2	5	—	—	—	—	1	4	3	—	—	—	—	—	
23 Diarrhœa	M	2	1	—	—	1	—	—	1	—	—	—	1	—	—	3	1	—	—	—	2	
	F	2	1	—	—	1	—	—	6	3	—	—	—	3	—	7	—	—	—	—	2	
24 Appendicitis	M	6	—	—	1	3	—	2	3	—	—	—	2	1	—	6	—	—	2	2	3	
	F	7	—	—	2	2	3	—	2	—	—	—	1	—	—	—	—	—	—	—	—	
25 Cirrhosis of liver	M	3	—	—	—	—	1	2	—	—	—	—	—	—	—	2	—	—	—	—	1	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	
26 Other liver diseases	M	5	—	—	—	—	2	3	—	—	—	—	—	—	—	2	—	—	—	—	2	
	F	5	—	—	—	—	4	1	1	—	—	—	—	1	—	5	—	—	—	—	1	
27 Other digestive	M	11	1	—	—	1	5	4	3	—	—	—	1	—	2	6	—	—	—	—	—	
	F	15	—	—	—	6	3	6	9	—	—	—	2	2	4	9	—	—	2	1	2	
28 Nephritis	M	16	—	—	—	2	4	10	10	—	—	—	—	6	4	9	—	—	—	3	2	
	F	28	—	—	1	5	10	12	13	—	—	—	1	6	6	7	—	—	1	—	—	
29 Puerperal sepsis	F	5	—	—	—	5	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	
30 Other puerperal	F	4	—	—	—	4	—	—	4	—	—	—	4	—	—	3	—	—	—	3	—	
31 Congenital causes, etc.	M	29	39	—	—	—	—	—	17	16	1	—	—	—	—	20	20	—	—	—	—	
	F	37	37	—	—	—	—	—	16	14	—	—	—	—	—	12	12	—	—	—	—	
32 Senility	M	31	—	—	—	—	—	31	29	—	—	—	—	—	—	11	—	—	—	—	—	
	F	66	—	—	—	—	—	66	31	—	—	—	—	—	29	37	—	—	—	—	—	
33 Suicide	M	31	—	—	—	8	13	10	6	—	—	—	1	1	4	7	—	—	—	3	2	
	F	7	—	—	—	4	1	2	2	—	—	—	1	1	—	3	—	—	—	—	—	
34 Other violence	M	49	3	1	4	21	8	12	44	1	1	3	22	9	8	19	—	—	—	7	8	
	F	31	2	1	3	4	6	15	9	1	1	1	2	1	4	12	—	—	1	—	3	
35 Other defined causes	M	85	4	4	6	8	22	41	39	3	3	1	4	5	23	43	1	—	2	7	13	
	F	84	3	—	2	17	29	33	26	—	—	—	5	8	13	37	2	2	2	6	12	
36 Ill-defined causes	M	8	—	—	—	—	3	5	3	—	—	—	—	2	1	2	—	—	—	—	—	
	F	6	—	—	—	—	—	6	3	—	—	—	—	1	—	1	—	—	—	—	—	

Berks.

Administrative County of Buckingham.

Aggregate of Rural Districts.						Aggregate of Urban Districts.						Aggregate of Rural Districts.						Causes of Death					
0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.			
75	55	14	13	72	229	534	883	49	24	15	118	230	447	877	46	19	7	87	193	525	M	All Causes	
24	26	5	6	74	200	513	806	51	12	10	95	169	469	867	42	11	8	56	183	567	F		
1	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	M	Typhoid fever, etc.	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Measles	2
—	—	—	—	—	—	—	2	2	—	—	—	—	—	1	—	—	1	—	—	—	M	Scarlet fever	3
1	—	—	—	1	—	—	2	1	1	—	—	—	—	3	3	—	—	—	—	—	M	Whooping cough	4
—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria	5
—	1	—	—	1	2	15	21	2	—	—	6	5	8	12	—	—	1	3	2	7	M	Influenza	6
26	2	—	—	1	11	12	22	—	1	—	2	7	12	15	1	—	—	2	4	8	F		
—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	M	Encephalitis lethargica	7
—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—	—	M	Cerebro-spinal fever	8
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
26	—	—	2	12	12	—	35	—	—	—	20	12	3	28	—	—	—	19	8	1	M	Respiratory tuberculosis	9
21	—	1	—	15	4	1	33	—	—	—	24	8	1	16	—	—	1	10	4	1	F	Other tuberculosis	10
3	—	3	—	3	—	—	5	4	—	—	1	1	2	8	1	4	2	3	1	—	M		
2	1	—	—	—	1	—	2	—	—	—	2	—	—	2	—	—	—	—	—	—	M	Syphilis	11
5	—	—	—	—	3	—	2	—	—	—	1	—	2	2	—	—	—	2	1	—	M	Gen. paralysis of insane, etc.	12
2	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	F		
33	—	—	2	2	45	84	126	—	—	—	8	43	75	130	—	—	—	8	48	74	M	Cancer	13
15	—	—	—	14	51	71	129	—	—	—	3	47	79	134	—	—	—	4	52	78	F	Diabetes	14
12	—	—	—	—	5	7	17	—	1	—	—	—	3	13	22	—	—	1	4	17	F		
39	—	—	—	—	10	28	53	—	—	—	2	15	36	50	—	—	—	1	4	45	M	Cerebral hæmorrhage	15
25	—	—	—	—	3	15	36	—	—	—	2	9	43	81	—	—	—	2	14	65	F	Heart disease	16
27	—	—	—	—	6	61	158	—	—	—	11	61	139	246	—	—	—	8	47	191	M		
6	—	—	—	—	6	52	169	—	1	—	13	40	152	241	—	—	—	3	42	196	F		
67	—	—	—	—	2	4	4	—	—	—	2	1	1	3	—	—	—	1	1	1	M	Aneurysm	17
64	—	—	—	—	1	1	1	—	—	—	1	—	—	3	—	—	—	1	2	—	F	Other circulatory	18
32	—	—	—	—	4	63	49	—	—	—	11	37	59	57	—	—	—	10	49	47	F		
44	—	—	—	—	10	54	52	—	—	—	—	9	43	57	—	—	—	10	47	—	F		
36	1	—	—	—	5	26	20	—	—	—	1	2	17	23	1	—	—	—	5	17	M	Bronchitis	19
43	6	3	2	7	4	21	21	—	—	—	3	8	16	35	7	2	—	3	10	13	M	Pneumonia	20
14	4	1	—	2	9	19	36	—	—	—	5	4	15	33	5	3	1	4	6	14	F		
12	—	—	—	—	3	8	9	—	—	—	1	4	4	9	—	—	—	1	4	4	M	Other respiratory	21
3	—	—	—	—	2	5	6	—	—	—	2	1	3	15	1	—	1	4	7	8	F	Peptic ulcer	22
4	1	—	—	—	1	1	4	—	—	—	1	3	—	16	—	—	—	2	—	3	F		
3	—	—	—	—	2	—	4	—	—	—	1	1	1	7	3	1	—	1	—	—	M	Diarrhoea	23
5	2	—	—	—	—	—	7	2	2	—	1	3	1	10	2	4	1	—	1	1	F	Appendicitis	24
2	—	—	—	—	—	—	6	—	—	—	3	—	—	5	—	—	—	2	—	2	F		
1	—	—	—	—	—	—	4	—	—	—	1	—	—	2	—	—	—	—	—	—	M	Cirrhosis of liver	25
3	—	—	—	—	—	—	3	—	—	—	—	—	—	1	—	—	—	—	—	—	M	Other liver diseases	26
17	1	—	—	—	1	—	4	—	—	—	—	—	—	3	—	—	—	—	—	—	F		
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other digestive	27
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Nephritis	28
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Puerperal sepsis	29
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other puerperal	30
39	13	1	—	—	—	—	30	—	—	—	—	—	—	27	25	1	—	—	—	—	M	Congenital causes, etc.	31
44	13	—	—	—	—	—	37	36	1	1	—	—	—	26	26	—	—	—	—	—	F	Senility	32
59	—	—	—	—	—	—	26	—	—	—	—	—	—	26	—	—	—	—	—	—	M		
14	—	—	—	—	—	—	3	—	—	—	—	—	—	4	—	—	—	3	3	3	M	Suicide	33
51	—	—	—	—	—	—	7	—	—	—	—	—	—	1	—	—	—	—	—	—	F		
15	3	3	1	20	16	8	66	—	4	4	29	3	9	46	3	4	3	19	10	7	M	Other violence†	34
68	3	3	3	9	16	34	86	6	4	7	12	15	42	17	6	4	3	9	19	44	M	Other defined causes	35
3	1	2	4	7	20	27	47	3	2	2	16	11	13	21	1	3	1	8	21	27	F	Ill-defined causes	36
4	—	—	—	—	1	2	2	—	—	—	—	—	—	1	—	—	—	—	—	—	M		

including Wounds of War.

M | 1 | — | — |

TABLE 24—*contd.* Administrative County of Cambridge.

Administrative Co

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	
All Causes		M F	409 447	21 14	1 2	2 6	40 31	115 104	230 290	447 523	21 17	2 5	3 4	43 26	84 99	294 372	3,538 3,575	220 176	57 55	72 48	368 361	1060 849
1	Typhoid fever, etc.	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 3	— —	— —	— —	2 2	
2	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 3	— 3	1 —	— —	— —	
3	Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 4	— —	— 1	2 2	1 1	
4	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 5	— 2	1 3	— —	— —	
5	Diphtheria	M F	— —	— —	— —	— —	— —	— —	2 3	— —	— —	2 1	— —	— —	— —	— —	37 30	— —	11 8	26 18	— —	
6	Influenza	M F	3 4	— —	— —	— —	1 3	2 1	12 18	— 1	— 1	— 1	2 —	4 2	6 14	92 96	2 —	— 1	— —	19 17	31 17	
7	Encephalitis lethargica	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	6 5	— —	— —	3 2	2 1	
8	Cerebro-spinal fever	M F	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	1 —	— —	— —	— —	4 2	2 2	1 —	1 —	— —	
9	Respiratory tuberculosis	M F	19 10	— —	— —	— —	7 4	10 4	2 2	16 12	— —	— —	— —	10 10	5 2	1 —	149 88	— —	— 1	3 3	73 64	
10	Other tuberculosis	M F	1 1	— —	1 —	— —	— —	— —	— 4	— —	— 1	— —	— 1	— 1	— 1	— 1	21 21	— 6	5 3	10 7	6 4	
11	Syphilis	M F	2 2	— —	— —	— —	— 1	2 1	— —	— 1	— —	— —	— —	— —	— —	— —	14 3	2 1	— —	— —	8 1	
12	Gen. paralysis of insane, etc.	M F	2 2	— —	— —	— —	— 1	— —	— 2	— 1	— —	— —	— —	— —	— —	— 1	13 5	— —	— —	3 1	6 4	
13	Cancer	M F	75 86	— —	— —	— 1	3 5	23 34	49 46	77 87	— —	— —	— —	5 5	21 37	51 45	464 540	— —	1 1	— —	25 44	
14	Diabetes	M F	6 4	— —	— —	— —	— 1	— 1	— 3	8 7	— —	— —	— —	— 1	— 1	6 6	42 52	— —	— —	1 3	208 16	
15	Cerebral hæmorrhage	M F	30 32	— —	— —	— —	— —	8 9	22 23	31 42	— —	— —	— —	— —	8 5	23 37	189 241	— —	— —	3 10	69 74	
16	Heart disease	M F	88 112	— —	— —	— —	3 3	25 16	60 93	111 150	— —	— —	— —	1 2	14 25	96 123	999 1,141	— —	5 1	42 51	306 218	
17	Aneurysm	M F	2 4	— —	— —	— —	— —	2 1	— 3	— —	1 —	— —	— —	1 —	— —	— —	9 10	— —	— —	— 2	6 54	
18	Other circulatory	M F	32 38	— —	— —	— —	— —	4 7	28 31	32 23	— —	— —	— —	— —	7 1	25 22	242 210	— —	— —	— 6	2 40	
19	Bronchitis	M F	12 10	2 —	— —	— —	1 —	3 6	10 16	— —	— —	— —	— —	— —	1 9	9 86	— 92	3 4	— 1	4 2	27 7	
20	Pneumonia	M F	17 18	2 3	— —	1 —	7 3	5 2	2 10	8 9	3 1	— —	— —	— —	2 1	3 7	154 132	25 18	11 10	2 1	14 10	
21	Other respiratory	M F	5 7	— —	— —	— —	— —	3 3	2 1	5 5	— —	— —	— —	— —	— —	5 2	27 19	— —	— —	1 1	12 5	
22	Peptic ulcer	M F	4 3	— —	— —	— —	— —	3 1	3 2	10 2	— —	— —	1 —	— —	3 1	2 1	4 11	— —	— —	— —	27 5	
23	Diarrhoea	M F	3 2	1 1	— —	— —	1 —	— 1	— 1	3 4	1 1	— —	— —	1 —	— 1	1 2	17 20	7 12	4 2	— —	4 3	
24	Appendicitis	M F	1 4	— —	— —	— —	— 1	— —	— 1	— 2	— —	— —	— —	— —	— —	— 2	16 17	— —	1 1	9 6	4 4	
25	Cirrhosis of liver	M F	2 1	— —	— —	— —	— —	2 —	— —	1 3	— —	— —	— —	— —	— —	1 2	11 4	— —	— —	— —	6 2	
26	Other liver diseases	M F	1 2	— —	— —	— —	— —	— 1	— —	2 3	— —	— —	— —	— —	— 1	— 2	9 1	— —	— —	— 1	5 —	
27	Other digestive	M F	7 11	— 1	1 —	— —	— —	4 6	2 3	5 3	— 1	— —	— —	— —	— 1	— 2	53 64	1 3	3 3	2 1	14 10	
28	Nephritis	M F	9 4	— —	— —	— —	— —	4 4	5 2	5 9	— —	— —	— —	— —	— 1	— 3	104 90	— —	— —	— —	31 28	
29	Puerperal sepsis	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	2	—	—	2	—	
30	Other puerperal	F	3	—	—	—	3	—	—	1	—	—	—	1	—	—	19	—	—	—	—	
31	Congenital causes, etc.	M F	15 7	15 7	— —	— —	— —	— —	— —	19 10	17 10	— —	— —	2 —	— —	— —	167 124	165 116	— 4	1 2	— —	
32	Senility	M F	23 41	— —	— —	— —	— —	— 23	— 41	25 61	— —	— —	— —	— —	— —	— 25	84 61	— 130	— —	— —	— —	
33	Suicide	M F	7 5	— —	— —	— —	5 2	3 1	— —	8 3	— —	— —	— —	3 —	3 —	2 —	44 25	— —	— —	13 7	20 15	
34	Other violence†	M F	13 12	1 —	— —	— —	5 4	3 3	7 —	11 13	— 1	— 1	— —	— —	6 3	5 8	155 93	1 5	6 6	8 3	54 20	
35	Other defined causes	M F	27 26	— 2	— —	1 —	3 8	8 6	15 10	32 28	— 1	— 1	— 2	5 4	8 10	17 11	248 253	11 10	13 6	8 5	42 97	
36	Ill-defined causes	M F	— —	— —	— —	— —	— —	— —	— —	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

†Including Wounds of War.

M | 1 | — | — |

M | — | 1 | — |

Administrative County of Cornwall.

Aggregate of Rural Districts.						Aggregate of Urban Districts.						Aggregate of Rural Districts.						Causes of Death			
0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.	
58	57	11	20	100	227	553	1,238	79	21	19	128	290	701	995	64	17	10	114	226	564	M All Causes
85	49	17	12	86	196	525	1,350	46	11	18	111	267	897	1,033	42	11	9	87	202	682	F Typhoid fever, etc.
																					M Measles
																					F Scarlet fever
																					M Whooping cough
																					F Diphtheria
																					M Influenza
																					F Encephalitis lethargica
																					M Cerebro-spinal fever
																					F Respiratory tuberculosis
																					M Other tuberculosis
																					F Syphilis
																					M Gen. paralysis of insane, etc.
																					F Cancer
																					M Diabetes
																					F Cerebral hæmorrhage
																					M Heart disease
																					F Aneurysm
																					M Other circulatory
																					F Bronchitis
																					M Pneumonia
																					F Other respiratory
																					M Peptic ulcer
																					F Diarrhœa
																					M Appendicitis
																					F Cirrhosis of liver
																					M Other liver diseases
																					F Other digestive
																					M Nephritis
																					F Puerperal sepsis
																					M Other puerperal
																					F Congenital causes, etc.
																					M Senility
																					F Suicide
																					M Other violence†
																					F Other defined causes
																					M Ill-defined causes

TABLE 24—*contd.*

Administrative County of Cumberland

Administrative County of Cumberland

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	535	39	11	11	61	148	265	800	56	9	18	89	180	448	2,036	149	50	42	203	578	
	F	569	36	3	8	76	129	317	764	42	14	9	97	140	462	1,915	95	36	39	205	471	
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Measles	M	1	—	1	—	—	—	—	1	—	—	1	—	—	—	2	3	1	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	2	—	—	—	
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	2	2	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	
4 Whooping cough	M	2	1	1	—	—	—	—	3	2	1	—	—	—	—	4	3	1	—	—	—	
	F	—	—	—	—	—	—	—	8	6	2	—	—	—	—	11	7	4	—	—	—	
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	—	3	9	—	—	
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	10	—	8	—	—	—	
6 Influenza	M	10	—	—	1	2	5	2	10	1	—	1	3	1	4	33	—	—	2	—	13	
	F	10	—	—	—	4	3	3	14	—	—	—	3	3	8	24	—	—	4	—	10	
7 Encephalitis lethargica	M	2	—	—	—	—	2	—	1	—	—	—	1	—	—	5	—	—	2	—	2	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	3	—	—	
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
9 Respiratory tuberculosis	M	32	—	—	3	18	9	2	23	—	—	—	14	7	2	59	—	—	—	30	26	
	F	29	—	—	—	25	3	1	40	—	—	2	30	5	3	52	—	—	—	44	6	
10 Other tuberculosis	M	10	—	2	1	5	2	—	11	1	1	1	7	—	2	23	2	4	5	7	1	
	F	12	—	1	—	—	—	—	7	—	—	—	3	1	1	23	2	3	4	6	1	
11 Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12 Gen. paralysis of insane, etc.	M	2	—	—	—	1	—	—	1	—	—	—	1	—	—	5	—	—	—	2	2	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	3	2	
13 Cancer	M	53	—	—	—	3	19	31	85	—	—	—	9	22	54	249	—	—	—	14	95	
	F	77	—	—	—	6	26	45	116	—	—	—	6	34	76	268	—	—	—	29	110	
14 Diabetes	M	5	—	—	—	1	3	1	4	—	—	—	—	2	2	20	—	—	—	2	8	
	F	10	—	—	—	1	5	4	17	—	—	—	4	3	10	37	—	—	1	5	11	
15 Cerebral hæmorrhage	M	42	—	—	—	2	9	31	61	—	—	—	1	14	46	97	—	—	—	3	32	
	F	41	—	—	—	1	12	28	56	—	—	—	1	8	47	106	—	—	—	3	29	
16 Heart disease	M	131	—	—	1	3	35	92	206	—	—	—	6	43	157	534	—	—	—	16	139	
	F	123	—	—	—	6	30	87	190	—	—	1	7	33	149	525	—	—	—	34	115	
17 Aneurysm	M	—	—	—	—	—	—	—	2	—	—	—	—	1	1	9	—	—	—	1	5	
	F	1	—	—	—	—	—	1	2	—	—	—	—	1	1	3	—	—	—	2	—	
18 Other circulatory	M	24	—	—	—	—	6	18	55	1	1	—	—	9	44	114	—	—	—	—	29	
	F	22	—	—	—	—	4	18	62	—	—	—	2	9	51	141	—	—	—	—	30	
19 Bronchitis	M	16	2	—	—	—	3	11	27	5	—	—	1	3	18	77	6	2	—	8	20	
	F	22	2	1	—	—	2	17	16	2	1	—	3	2	8	69	4	1	—	5	10	
20 Pneumonia	M	26	5	3	3	3	8	4	34	6	3	1	5	9	10	95	19	6	1	10	32	
	F	25	6	1	1	5	4	8	23	3	4	—	4	3	9	58	6	11	2	3	12	
21 Other respiratory	M	5	—	—	—	—	3	2	7	1	—	—	2	3	1	27	—	—	—	5	10	
	F	11	1	—	—	2	2	6	6	—	—	—	1	1	4	19	—	—	—	4	7	
22 Peptic ulcer	M	6	—	—	—	2	3	1	11	—	—	—	2	5	4	38	—	—	—	6	27	
	F	2	—	—	—	—	1	1	4	—	—	—	2	1	1	7	—	—	—	—	6	
23 Diarrhoea	M	4	1	1	—	—	—	2	4	1	—	2	—	—	—	10	3	2	—	1	2	
	F	6	2	—	—	1	2	1	4	1	—	—	—	—	—	10	6	1	1	—	2	
24 Appendicitis	M	2	—	1	—	—	—	1	6	—	—	—	—	2	4	10	—	—	—	3	3	
	F	4	—	1	2	—	1	—	1	—	—	—	—	1	—	8	—	—	1	2	4	
25 Cirrhosis of liver	M	4	—	—	—	—	3	1	1	—	—	—	—	1	—	4	—	—	—	—	—	
	F	2	—	—	—	—	—	2	3	—	—	—	1	1	1	4	—	—	—	—	3	
26 Other liver diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	
	F	4	—	—	—	—	—	4	5	—	—	—	—	1	4	17	—	—	—	1	6	
27 Other digestive	M	14	3	—	—	3	5	3	14	—	1	—	1	6	6	28	—	2	2	4	10	
	F	13	1	—	—	2	5	5	11	1	—	—	3	3	4	27	—	1	4	3	9	
28 Nephritis	M	13	—	—	—	2	9	2	23	—	—	1	3	3	14	57	2	2	—	8	19	
	F	21	—	—	—	2	12	7	17	—	—	—	2	8	7	59	—	1	—	10	24	
29 Puerperal sepsis	F	1	—	—	—	1	—	—	4	—	—	—	4	—	—	1	—	—	—	1	—	
30 Other puerperal	F	9	—	—	—	9	—	—	8	—	—	—	—	—	—	6	—	—	—	6	—	
31 Congenital causes, etc.	M	24	24	—	—	—	—	—	35	35	—	—	—	—	—	102	101	1	—	—	—	
	F	20	20	—	—	—	—	—	29	28	—	1	—	—	—	86	59	1	—	—	—	
32 Senility	M	28	—	—	—	—	1	27	36	—	—	—	—	2	34	86	—	—	—	—	—	
	F	57	—	—	—	—	—	57	45	—	—	—	—	—	45	116	—	—	—	—	—	
33 Suicide	M	6	—	—	—	—	2	4	6	—	—	—	3	—	—	31	—	—	—	5	22	
	F	4	—	—	—	—	4	—	1	—	—	—	1	3	—	14	—	—	—	8	8	
34 Other violence†	M	22	1	1	—	9	7	4	56	1	6	21	21	7	121	57	5	12	11	50	26	
	F	11	—	1	—	2	—	8	22	—	1	2	6	2	11	57	2	3	8	7	8	
35 Other defined causes	M	38	2	1	2	6	10	17	68	4	3	4	8	17	32	157	8	9	7	23	46	
	F	33	4	—	4	7	9	9	46	1	2	2	6	18	17	162	7	3	8	24	52	
36 Ill-defined causes	M	13	—	—	—	—	3	9	8	—	—	—	—	3	5	14	—	—	—	—	—	
	F	8	—	—	—	—	3	5	5	—	—	—	—	2	3	9	—	—	—	1	4	

†Including Wounds of War.

Administrative County of Devon.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death See first page of Table.			
0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-					
14 26	113 111	36 25	28 24	189 180	432 338	846 848	1,648 1,877	57 44	14 15	16 13	119 136	411 372	1031 1297	1,498 1,458	80 42	17 11	11 7	124 117	327 311	939 970	M F	All Causes		
1	—	—	—	1	—	—	3	—	—	—	1	2	—	—	—	—	—	—	—	—	—	M F	Typhoid fever, etc.	1
1	—	1	—	—	—	—	1	—	1	—	—	—	—	1	—	—	1	—	—	—	—	M F	Measles	2
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Scarlet fever	3
3 6	2 4	1 1	—	—	—	—	1 3	1 2	—	—	—	—	—	2 2	1 1	1 1	—	—	—	—	—	M F	Whooping cough	4
8 7	—	3	5	6	—	—	4 3	—	1	3	2	—	—	4 3	—	2	2	2	1	—	—	M F	Diphtheria	5
29	—	2	—	4	13	14	37 55	1	—	—	2	9	25	41 38	1	1	—	1	16	23	23	M F	Influenza	6
2	—	—	—	—	2	—	4	—	—	1	1	3	—	—	—	—	—	—	—	—	—	M F	Encephalitis lethargica	7
3	1	—	1	1	—	—	1	—	1	—	—	—	—	2	—	—	1	—	1	—	—	M F	Cerebro-spinal fever	8
47 45 16	—	—	—	26	18	3	75 52	—	—	—	33 28	33 13	9 10	48 53	—	—	—	26 35	12 14	10 4	10 4	M F	Respiratory tuberculosis	9
12	1	3	—	4	1	3	12	1	1	1	5	2	2	13 4	1	2	1	6 2	2	1	—	1 F	Other tuberculosis	10
5 4 1	—	—	—	—	5	—	4	—	1	—	—	2	1	1	—	—	—	—	1	—	—	M F	Syphilis	11
1	—	—	—	—	1	—	4	—	—	—	1	2	1	6	—	—	—	5	1	—	—	M F	Gen. paralysis of insane, etc.	12
28 22 11	—	1	—	7	84	136	209 307	—	—	—	9 19	53 91	147 195	201 241	—	—	2	4 19	63 91	132 131	132 131	M F	Cancer	13
01 00 36	—	—	—	2	28	61	93 150	—	—	—	2 2	20 31	71 117	82 109	—	—	—	18 16	64 93	64 93	64 93	M F	Cerebral hæmorrhage	15
04 06	—	—	2	19	103	282	473 559	—	1	1	12	114 87	346 460	395 403	—	—	1	16 7	82 69	297 326	297 326	M F	Heart disease	16
3 1 94 90	—	—	—	—	2	1	7 1	—	—	—	—	1 1	5 —	1 3	—	—	—	—	2	1	100 117	M F	Aneurysm Other circulatory	17 18
46 47 79	4 4	2 1	1	3	10	26	63 57	—	1	1	—	3	14 5	46 49	—	—	—	8 4	43 33	43 33	43 33	M F	Bronchitis	19
50	18 14	6 5	2 1	10	23 14	20 19	58 56	10 3	1 3	—	5 8	13 8	29 34	63 44	9 3	2 1	—	7 4	12 7	33 29	33 29	M F	Pneumonia	20
25 18 27 7	—	1 1	1	6	10	8	19 8	—	—	—	1 5	5 1	13 6	17 5	1	—	—	2 3	6 1	8 5	8 5	M F	Other respiratory	21
12 9	6	2	—	—	4	—	12 7	4	3	—	1 1	3 2	3 3	6 8	4	1	—	1 2	—	—	—	1 F	Diarrhœa	23
11	—	1	2	5	3	2	14	—	1	1	1	3	6	10	—	1	2	4	3	—	—	M F	Appendicitis	24
3 5 5 13	—	—	—	—	1	2	5 1	—	—	—	—	3 1	2 —	8 8	—	—	—	1	3	4	5	M F	Cirrhosis of liver Other liver diseases	25 26
40 29 34 43	4 1	2 1	2	4	13	15	33 26	2	—	2	1	9 2	19 13	26 32	—	—	1	3	7	15	8	M F	Other digestive	27
34	1	—	—	8	8	18	49 44	—	—	1	4	16 13	32 26	44 39	—	—	—	4 2	8 18	32 19	32 19	M F	Nephritis	28
3 11	—	—	—	3	—	—	1 4	—	—	—	1 4	—	—	1 5	—	—	—	1 5	—	—	—	F F	Puerperal sepsis Other puerperal	29 30
68 71 73 88	64 68	1 2	1	2	—	—	37 36	35 32	1 2	—	—	1 —	—	58 32	55 32	1	—	—	2	—	—	M F	Congenital causes, etc.	31
77	—	—	—	—	—	73	48 87	—	—	—	—	—	48 87	51 73	—	—	—	—	—	51 73	M F	Senility	32	
12 7	—	—	—	2	10	—	20 11	—	—	—	6 4	12 2	2 2	18 4	—	—	—	6 2	9	3	2	M F	Suicide	33
01 34	5	2	2	5	48	23	63 36	1	3	4	19 19	16 6	32 21	44 39	1	3	2	22	16	17	13	M F	Other violence	34
08 7 3	8 7	4 3	7	21	28	72	136 129	2	1	1	12 3	31 23	89 35	128 67	7 1	3	1	16 18	26 32	75 53	75 53	M F	Other defined causes	35
3	1	—	—	—	2	5	3 4	—	1	—	—	2 1	2	4 2	—	—	—	—	1	3	2	M F	Ill-defined causes	36

TABLE 24—*contd.* Administrative County of Dorset.

Administrative County of Dorset.

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	
All Causes		M F	923 1,023	43 39	10 11	13 16	88 71	228 181	541 705	675 646	33 30	6 9	6 6	49 51	124 124	457 426	3,975 3,403	351 264	85 79	89 82	502 481	1145 815
1	Typhoid fever, etc.	M F	— 1	—	—	—	—	1	—	1	—	—	—	1	—	1	—	—	—	1	—	
2	Measles	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	4 5	1 2	3 3	—	—	
3	Scarlet fever	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	1 2	—	1 1	—	—	
4	Whooping cough	M F	— 3	— 1	— 2	—	—	—	—	—	—	—	—	—	—	—	9 14	9 3	— 11	—	—	
5	Diphtheria	M F	2 4	— —	1 —	1 2	—	—	—	2 2	1 —	—	—	1	—	—	29 37	—	11 8	18 25	—	
6	Influenza	M F	11 27	— —	— 1	—	1	4 9	6 17	13 18	— —	— —	— —	— 1	6 1	7 16	37 64	2 3	8 2	—	12 9	
7	Encephalitis lethargica	M F	— —	—	—	—	—	—	—	—	—	—	—	—	—	—	7 8	—	—	4 —		
8	Cerebro-spinal fever	M F	— —	—	—	—	—	—	—	1	1	—	—	—	—	—	4 2	—	1 —	2 1		
9	Respiratory tuberculosis	M F	39 25	— —	—	—	21 16	17 4	1 4	9 16	— —	— —	— —	3 13	6 3	—	213 153	—	—	126 117	75 23	
10	Other tuberculosis	M F	11 8	1 1	1 2	2 3	4 1	3 1	—	3 2	1 —	— —	— 2	— —	— —	—	50 49	4 5	9 11	19 22	3 4	
11	Syphilis	M F	2 —	—	—	—	—	1 —	1 —	2 —	—	—	—	—	1 —	1 —	11 10	2 3	—	1 3	6 3	
12	Gen. paralysis of insane, etc.	M F	7 1	—	—	—	—	5 1	2 —	—	—	—	—	—	—	—	15 6	—	—	3 4	3 2	
13	Cancer	M F	121 153	—	—	—	6 8	39 54	76 91	89 97	—	1 —	—	3 7	18 39	67 51	455 437	—	1 1	2 2	28 49	
14	Diabetes	M F	12 14	—	—	—	1 1	2 4	9 9	5 10	—	—	—	—	—	5 5	25 71	—	—	5 30	—	
15	Cerebral hæmorrhage	M F	60 81	—	—	—	2 —	12 8	46 73	39 47	—	—	—	—	6 10	33 37	234 215	—	—	5 9	61 58	
16	Heart disease	M F	271 287	—	—	1 1	10 7	65 35	195 244	191 191	—	1 —	1 —	1 7	28 23	160 161	1,012 916	—	7 6	57 67	308 203	
17	Aneurysm	M F	4 3	—	—	—	—	3 1	1 —	2 —	—	—	—	—	2 1	—	10 2	—	—	3 —	5 2	
18	Other circulatory	M F	61 75	—	—	—	3 —	5 10	53 65	55 25	—	—	—	1 —	8 2	47 23	312 267	—	—	2 2	68 46	
19	Bronchitis	M F	31 26	1 3	2 —	—	2 —	5 2	21 24	24 16	—	—	—	—	2 5	22 11	146 107	18 25	6 6	—	9 37	
20	Pneumonia	M F	32 34	2 5	2 1	1 1	4 3	9 6	14 18	29 23	5 2	—	1 1	4 2	9 11	183 16	69 50	18 13	1 6	23 24	43 19	
21	Other respiratory	M F	8 10	—	—	—	—	3 3	5 7	6 4	—	—	—	—	3 2	3 2	39 18	3 1	—	6 3	21 14	
22	Peptic ulcer	M F	11 3	—	—	—	4 1	3 2	3 4	9 2	—	—	—	1 —	5 2	3 —	51 10	—	—	2 2	32 6	
23	Diarrhoea	M F	5 7	4 3	—	—	1 1	—	—	3 4	—	—	1 —	—	—	1 2	33 33	18 14	5 5	3 1	4 8	
24	Appendicitis	M F	5 3	—	—	—	1 —	—	1 4	4 5	—	—	—	1 —	1 2	3 —	13 20	—	—	5 8	—	
25	Cirrhosis of liver	M F	5 6	—	—	—	—	1 —	3 —	4 3	—	—	—	—	—	—	12 3	—	—	—	7 —	
26	Other liver diseases	M F	3 4	—	—	—	—	—	2 2	3 2	—	—	—	1 —	—	2 2	14 33	—	—	1 1	7 14	
27	Other digestive	M F	15 10	1 —	1 —	1 —	2 —	4 1	6 4	10 8	—	—	—	3 —	3 2	4 6	63 45	7 2	4 —	15 13	14 13	
28	Nephritis	M F	34 32	— —	1 —	—	—	15 3	18 7	14 22	—	2 —	—	—	5 3	9 8	102 86	—	—	2 16	35 36	
29	Puerperal sepsis	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	17	—	—	17	—	
30	Other puerperal	F	5	—	—	—	5	—	—	2	—	—	—	2	—	—	28	—	—	26	2	
31	Congenital causes, etc.	M F	32 25	32 22	1 —	—	2	—	—	22 24	21 23	1 1	—	—	—	—	190 129	180 128	3 1	3 —	1 —	
32	Senility	M F	16 65	—	—	—	—	—	16 65	33 51	—	—	—	—	—	33 51	127 137	—	—	—	1 1	
33	Suicide	M F	12 6	—	—	—	3 5	5 1	4 —	12 26	—	—	—	5 14	6 3	1 5	42 11	—	—	16 2	18 8	
34	Other violence†	M F	44 30	1 4	1 1	4 3	16 3	11 5	11 14	26 21	1 3	2 3	1 2	14 1	3 4	5 8	210 68	5 7	12 4	24 5	59 14	
35	Other defined causes	M F	68 74	1 2	1 1	3 3	8 11	15 18	40 39	66 48	3 1	1 —	3 2	8 —	12 12	39 25	268 248	31 21	9 10	17 12	53 55	
36	Ill-defined causes	M F	74 1	—	—	—	—	—	1 1	—	—	—	—	—	—	—	27 15	—	—	2 2	12 5	

†Including Wounds of War.

M | — | 2 |

erham.

Rate of Rural Districts.						Aggregate of Urban Districts.						Aggregate of Rural Districts.						Causes of Death				
0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.		
177	44	48	254	418	773	317	21	5	5	23	77	186	212	12	3	7	14	46	130	M	All Causes	
137	39	28	190	372	710	275	12	8	4	31	55	165	165	7	2	5	11	34	106	F		
																				M	Typhoid fever, etc.	
																				F		
	1	1																		M	Measles	
	1	4																		F		
		1	1										1			1				M	Scarlet fever	
		1	1	1																F		
	3	2	2			1	1						1	1	1					M	Whooping cough	
	6	1																		F		
		6	16	2		3			3											M	Diphtheria	
		12	8	3		2	1		1				2		1			1		F		
	2	1		6	11	5				1	1	4	2						2	M	Influenza	
	1	1		4	4	9						6	1						1	F		
																				M	Encephalitis lethargica	
				3	3															F		
	1	1			1								1			1				M	Cerebro-spinal fever	
																				F		
			48	25	1	14				7	6	1	4				3	1		M	Respiratory tuberculosis	
			2	40	12	12				9	2	1								F		
	4	4	2	15	2	3			2	1			1			1				M	Other tuberculosis	
	4	2	4	4		7		1	1	5			2				1			F		
					3						1		1						1	M	Syphilis	
	1				1	1														F		
				2	5	3							1						1	M	Gen. paralysis of insane, etc.	
					1	1														F		
	1		1	19	75	104	57				17	40	35					7	28	M	Cancer	
			18	77	94	39				4	13	22	28					8	18	F		
			1	3	6	5					2	3	3						3	M	Diabetes	
			2	15	19	7					3	4	5					2	3	F		
			2	28	70	20					3	17	7					2	5	M	Cerebral hæmorrhage	
			4	47	65	23					4	19	16					3	13	F		
			3	26	103	269	78			1	3	17	57	68				16	52	M	Heart disease	
	1		30	98	261	64				2	12	50	58				3	9	46	F		
																				M	Aneurysm	
				1	1															F		
				18	85	14					3	11	12							M	Other circulatory	
			2	16	77	18				1	2	15	2						1	11	F	
11	1		4	13	33	16					2	14	4	1						3	M	Bronchitis
15			1	5	33	12					1	10	4							3	F	
33	6		5	19	17	18	5			1	5	7	8	2		1			3	2	M	Pneumonia
12	5	1	10	9	6	11	2			2	3	4	8	1	1				3	3	F	
											1		1							M	Other respiratory	
				5	8	7							1						1	1	F	
				3	7	3							4						1	2	M	Peptic ulcer
				6	6	4				1	3		3						1	1	F	
				2	2																	
																				M	Diarrhoea	
7	2		2	2	1	1					1		1							F		
6	1		1	3	2	1			1				1	1						M	Appendicitis	
			1	3	2	3			1	1			1			1				F		
																				M	Cirrhosis of liver	
				2	1															F		
				1	1									2						M	Other liver diseases	
				3	8	1							1							2	F	
	5	3	1	3	4	9	4		1		1	1	4						2	2	M	Other digestive
		1	3	1	7	2					1	1	4	1						1	F	
				5	11	20	4				2	2	4						1	2	M	Nephritis
			2	5	13	13	6		1	1	2	2	2						1	1	F	
				3																F	Puerperal sepsis	
			11			1				1			1							F	Other puerperal	
88	1					14	14						8	8						M	Congenital causes, etc.	
80	1	1				8	8						2	2						F		
						9							9							M	Senility	
						20							20							F		
																				M	Suicide	
				5	11	3	1						1						1		F	
				2	7	1														M	Other violence	
	3	12	13	64	37	21	15		1		5		17	3		2	3		5	4	M	
					11	10	6				1		3						2	2	F	
19	3	8	22	23	43	27	27	1	1	1	1	9	13	1		2	4		3	3	M	Other defined causes
11	3	4	28	36	27	19	19	3	1	1	3	10	15	1		2	2		6	6	F	
																				1	M	Ill-defined causes
																					F	

TABLE 24—contd. Administrative County of Essex.

Administrative Cou

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	5,915	374	97	109	742	1710	2883	1,254	50	16	16	121	268	783	801	42	16	12	81	188	
	F	5,443	264	74	66	662	1255	3122	1,172	48	9	9	86	251	769	878	33	13	7	75	183	
1 Typhoid fever, etc.	M	5	—	—	—	3	2	—	1	—	—	—	—	1	—	—	—	—	—	1	—	
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Whooping cough	M	5	1	4	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—	1	
	F	10	8	2	—	—	—	—	1	1	—	—	—	—	—	3	1	2	—	—	—	
5 Diphtheria	M	23	1	9	12	1	—	—	2	—	1	1	—	—	—	5	—	3	2	—	—	
	F	14	—	4	9	—	1	—	1	—	—	—	1	—	—	3	—	—	—	—	—	
6 Influenza	M	104	1	2	2	17	37	45	23	—	2	—	2	8	11	18	1	1	2	3	3	
	F	98	1	2	2	14	24	55	19	—	—	—	1	5	13	20	—	—	—	—	—	
7 Encephalitis lethargica	M	13	—	—	—	11	2	—	1	—	—	—	—	1	—	2	—	—	1	1	1	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
8 Cerebro-spinal fever	M	3	—	2	1	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Respiratory tuberculosis	M	343	—	3	—	166	151	23	33	—	—	—	16	14	3	31	—	—	—	19	8	
	F	235	1	2	—	179	45	8	16	—	—	—	14	1	1	23	—	—	1	19	3	
10 Other tuberculosis	M	53	1	13	10	17	11	1	8	—	1	1	3	2	1	10	3	—	1	6	—	
	F	34	3	13	6	12	—	—	4	—	—	1	—	2	1	4	—	1	2	—	—	
11 Syphilis	M	23	1	—	—	2	12	8	5	—	—	—	2	2	1	4	1	—	—	—	3	
	F	5	—	—	—	2	1	2	2	—	—	—	1	—	1	—	—	—	—	—	—	
12 Gen. paralysis of insane, etc.	M	19	—	—	—	3	12	4	2	—	—	—	1	1	—	4	—	—	—	—	3	
	F	3	—	—	—	3	3	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
13 Cancer	M	868	1	—	4	69	331	463	171	—	—	—	9	48	114	95	—	1	—	2	33	
	F	949	1	3	2	84	403	456	186	—	1	—	16	68	101	142	—	1	—	9	52	
14 Diabetes	M	66	—	—	1	7	10	48	15	—	—	—	3	7	5	16	—	—	—	1	6	
	F	105	—	—	1	10	35	59	29	—	—	1	1	5	22	16	—	—	—	—	4	
15 Cerebral hæmorrhage	M	289	—	—	—	7	77	205	65	—	—	—	1	11	53	45	—	—	—	—	8	
	F	379	—	—	—	8	104	267	93	—	—	—	1	19	73	71	—	—	—	—	17	
16 Heart disease	M	1,513	—	8	74	414	1017	367	326	—	—	—	7	75	285	229	—	—	7	52	40	
	F	1,458	—	4	84	241	1129	326	—	—	—	—	4	53	269	253	—	—	12	40	—	
17 Aneurysm	M	30	—	—	—	7	19	4	13	—	—	—	—	4	9	7	—	—	1	2	—	
	F	27	—	—	—	5	11	11	—	—	—	—	—	—	—	1	—	—	—	—	—	
18 Other circulatory	M	243	—	—	—	2	62	179	88	—	—	—	2	10	76	52	—	—	—	—	6	
	F	271	—	—	—	3	51	217	71	—	—	—	—	11	60	63	—	—	—	—	15	
19 Bronchitis	M	174	9	2	1	7	54	101	35	—	—	—	—	5	30	22	—	1	—	1	4	
	F	172	12	4	—	10	25	121	29	—	—	—	2	3	24	19	—	—	—	2	2	
20 Pneumonia	M	281	45	19	10	32	78	97	51	4	4	—	2	9	29	33	8	3	1	3	9	
	F	216	40	16	3	21	42	94	48	8	4	—	3	8	25	36	4	2	2	3	3	
21 Other respiratory	M	66	1	2	3	12	24	24	11	—	1	—	1	2	7	7	—	1	—	—	5	
	F	48	—	1	—	11	13	23	10	—	—	—	1	2	6	1	—	—	—	—	—	
22 Peptic ulcer	M	101	—	—	—	16	58	27	14	—	—	—	1	7	6	13	—	—	5	—	4	
	F	20	—	—	—	2	6	12	2	—	—	—	—	2	—	3	—	—	—	—	—	
23 Diarrhœa	M	51	33	7	1	3	3	4	7	3	1	—	1	1	1	5	3	—	—	—	1	
	F	31	19	2	2	5	1	2	8	3	—	—	1	2	2	4	—	—	—	—	1	
24 Appendicitis	M	39	—	2	4	10	13	10	7	—	1	2	1	—	3	4	—	1	—	1	1	
	F	29	—	2	2	8	12	7	6	—	1	—	2	2	1	4	—	1	—	—	—	
25 Cirrhosis of liver	M	18	—	—	—	2	10	6	3	—	—	—	—	1	2	6	—	—	—	1	4	
	F	12	—	—	1	1	3	7	2	—	—	—	—	—	2	2	—	—	—	—	—	
26 Other liver diseases	M	16	—	—	—	4	5	7	3	—	—	1	—	—	2	2	—	—	—	—	1	
	F	42	—	—	1	4	16	21	10	—	—	—	2	2	6	6	—	—	—	—	3	
27 Other digestive	M	99	9	5	3	15	32	35	24	1	—	1	4	5	13	17	—	1	2	1	5	
	F	84	5	2	1	17	24	35	27	2	—	—	1	11	13	17	—	1	1	4	4	
28 Nephritis	M	126	—	2	3	23	45	53	29	—	—	—	7	9	13	18	—	—	2	5	4	
	F	105	—	—	—	12	35	58	27	—	—	—	4	10	13	30	—	—	6	—	—	
29 Puerperal sepsis	F	9	—	—	—	9	—	—	3	—	—	—	3	—	—	1	—	—	—	1	—	
Other puerperal	F	36	—	—	—	36	—	—	6	—	—	—	6	—	—	3	—	—	—	3	—	
31 Congenital causes, etc.	M	247	238	3	2	3	1	—	38	38	—	—	—	—	—	22	22	—	—	—	—	
	F	159	151	3	2	3	—	—	30	29	1	—	—	—	—	23	22	1	—	—	—	
32 Senility	M	204	—	—	—	—	2	202	49	—	—	—	—	—	49	21	—	—	—	—	—	
	F	310	—	—	—	—	—	310	94	—	—	—	—	1	93	36	—	—	—	—	—	
33 Suicide	M	89	—	—	—	26	48	15	22	—	—	—	8	10	4	17	—	—	—	5	6	
	F	50	—	—	—	17	21	12	2	—	—	—	1	1	—	7	—	—	—	1	4	
34 Other violence†	M	283	13	11	19	110	68	62	57	1	3	4	29	12	8	36	1	1	3	13	8	
	F	113	7	9	17	17	54	18	18	—	—	—	2	3	12	28	1	1	—	3	5	
35 Other defined causes	M	515	20	13	23	91	129	239	104	3	1	6	18	22	54	61	2	2	1	9	9	
	F	409	16	9	20	85	121	158	98	4	1	7	18	38	30	58	4	1	1	10	16	
36 Ill-defined causes	M	4	—	—	—	—	—	—	5	—	—	—	—	—	—	1	—	—	—	—	—	
	F	6	—	1	—	1	—	4	3	—	—	—	1	1	1	—	—	—	—	—	—	

† Including Wounds of War.

M | 1 | — | — |

Aggregate of Rural Districts.						Aggregate of Urban Districts.						Aggregate of Rural Districts.						Causes of Death			
0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.	
103	13	15	172	368	862	315	25	9	3	29	73	176	458	19	4	9	48	104	274	M	All Causes
71	19	15	132	326	912	316	10	3	6	22	63	212	443	17	9	3	34	91	289	F	
																				M	Typhoid fever, etc.
																				F	1
																				M	Measles
																				F	2
																				M	Scarlet fever
																				F	3
																				M	Whooping cough
																				F	4
																				M	Diphtheria
																				F	5
																				M	Influenza
																				F	6
																				M	Encephalitis lethargica
																				F	7
																				M	Cerebro-spinal fever
																				F	8
																				M	Respiratory tuberculosis
																				F	9
																				M	Other tuberculosis
																				F	10
																				M	Syphilis
																				F	11
																				M	Gen. paralysis of insane, etc.
																				F	12
																				M	Cancer
																				F	13
																				M	Diabetes
																				F	14
																				M	Cerebral hæmorrhage
																				F	15
																				M	Heart disease
																				F	16
																				M	Aneurysm
																				F	17
																				M	Other circulatory
																				F	18
																				M	Bronchitis
																				F	19
																				M	Pneumonia
																				F	20
																				M	Other respiratory
																				F	21
																				M	Peptic ulcer
																				F	22
																				M	Diarrhœa
																				F	23
																				M	Appendicitis
																				F	24
																				M	Cirrhosis of liver
																				F	25
																				M	Other liver diseases
																				F	26
																				M	Other digestive
																				F	27
																				M	Nephritis
																				F	28
																				M	Puerperal sepsis
																				F	29
																				M	Other puerperal
																				F	30
																				M	Congenital causes, etc.
																				F	31
																				M	Senility
																				F	32
																				M	Suicide
																				F	33
																				M	Other violence†
																				F	34
																				M	Other defined causes
																				F	35
																				M	Ill-defined causes
																				F	36

TABLE 24—contd.

Administrative County of Hertford.

Administrative Co

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Dis						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	
	All Causes	M F	1,928 1,903	146 79	33 22	25 19	242 176	502 467	980 1140	685 690	36 32	9 10	8 15	71 83	159 135	402 415	190 171	9 6	5 3	1 3	18 16	4 3
1	Typhoid fever, etc.	M F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	
2	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3	Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4	Whooping cough	M F	2 4	2 4	— —	— —	— —	— —	— —	1 1	1 1	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	
5	Diphtheria	M F	3 7	— —	— 3	2 4	1 —	— —	— —	2 5	— —	— 1	2 3	— 1	— —	— —	1 —	1 —	— —	— —	— —	
6	Influenza	M F	18 34	1 —	— —	— —	6 3	6 8	4 23	10 7	1 —	— —	— 1	— 1	5 —	4 5	9 4	— —	— —	1 —	— —	
7	Encephalitis lethargica	M F	2 1	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
8	Cerebro-spinal fever	M F	3 —	— —	— —	1 —	1 —	— —	— —	2 —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	
9	Respiratory tuberculosis	M F	85 54	— —	— —	— 2	51 39	31 11	3 2	28 15	— —	— —	— 1	12 11	16 3	— —	9 5	— —	— —	6 5	— —	
10	Other tuberculosis	M F	20 13	2 1	6 1	2 4	5 3	5 3	— 1	4 4	1 —	2 2	— —	— 2	— —	— —	— 2	— —	— —	— —	— —	
11	Syphilis	M F	2 2	— —	— —	— —	1 —	1 —	— —	1 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
12	Gen. paralysis of insane, etc.	M F	8 —	— —	— —	— —	— 3	— 4	— 1	— 2	— —	— —	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	
13	Cancer	M F	248 337	1 —	— —	— —	11 25	111 151	125 161	88 101	— —	— —	— —	— 9	34 35	49 57	18 42	— —	1 —	— —	— —	
14	Diabetes	M F	22 43	— —	— —	— —	2 2	4 15	16 26	5 9	— —	— —	— —	— —	1 6	4 3	6 3	— —	— —	5 1	15 2	
15	Cerebral hæmorrhage	M F	78 88	— —	— —	— —	1 —	13 29	64 58	32 32	— —	— —	— —	— 1	6 5	26 26	7 8	— —	— —	— —	— 2	
16	Heart disease	M F	553 570	— —	— —	— 2	21 15	127 99	405 454	209 202	— —	— —	— —	— 3	38 33	168 155	38 38	— —	— —	2 2	1 8	
17	Aneurysm	M F	5 4	— —	— —	— —	1 —	3 1	1 2	3 3	— —	— —	— —	— —	— —	2 1	1 —	— —	— —	— —	— —	
18	Other circulatory	M F	135 138	— —	2 —	— —	2 2	15 21	116 115	37 65	— —	— —	— —	— 4	2 9	5 52	11 15	— —	— —	— —	— 1	
19	Bronchitis	M F	58 52	2 1	2 3	— —	3 1	16 3	35 44	18 33	1 —	— —	— 1	— —	3 2	14 29	7 5	— —	— —	1 1	1 1	
20	Pneumonia	M F	90 75	17 11	6 2	2 1	12 7	29 14	24 40	36 24	5 2	1 1	— —	6 2	7 7	17 12	16 2	3 —	1 —	— —	— 3	
21	Other respiratory	M F	17 11	1 —	— —	— —	3 3	8 3	5 4	5 4	— —	— —	— —	— —	3 3	2 3	3 2	— —	— —	— —	— 2	
22	Peptic ulcer	M F	29 10	— —	— —	— —	3 2	21 4	5 4	6 6	— —	— —	— —	— 2	2 3	2 3	1 —	— —	1 —	— —	— 1	
23	Diarrhoea	M F	15 11	6 4	2 1	1 —	4 1	1 2	3 —	2 6	— 2	— —	— —	1 1	1 —	— —	— —	1 —	— —	— —	— —	
24	Appendicitis	M F	25 13	— 1	5 2	2 —	9 4	6 —	3 6	3 3	— —	1 —	— —	— 1	— —	— —	— —	— —	— —	— —	— 1	
25	Cirrhosis of liver	M F	5 9	— —	— —	— —	— —	3 4	2 5	3 3	— —	— —	— —	— —	2 —	1 2	3 —	— —	— —	— —	— 3	
26	Other liver diseases	M F	7 10	— —	— —	— —	— —	4 4	5 3	— 8	— —	— —	1 —	— 4	— 1	— 3	— 1	— —	— —	— —	— —	
27	Other digestive	M F	27 36	1 —	— —	1 —	6 8	5 14	14 13	23 12	1 —	— —	1 —	4 4	9 4	8 3	3 8	— —	1 —	— —	— —	
28	Nephritis	M F	37 37	— —	— —	— —	1 4	11 9	21 25	19 13	— —	— —	— 1	4 2	7 8	8 8	4 3	— —	— —	— —	— 1	
29	Puerperal sepsis	F	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30	Other puerperal	F	6	—	—	—	6	—	—	5	—	—	—	5	—	—	—	—	—	—	—	
31	Congenital causes, etc.	M F	103 53	100 52	2 —	— —	1 —	— —	— —	24 23	23 22	— 1	— —	1 —	— —	— —	4 5	4 5	— —	— —	— —	
32	Senility	M F	35 73	— —	— —	— —	— —	— 1	35 72	15 16	— —	— —	— —	— —	— —	15 16	9 9	— —	— —	— —	— —	
33	Suicide	M F	27 25	— —	— —	— —	9 12	15 9	3 4	7 5	— —	— —	— —	2 2	3 3	2 —	2 —	— —	— —	— —	— 2	
34	Other violence†	M F	95 56	3 —	3 —	4 —	43 12	22 11	20 27	46 22	1 —	1 2	3 3	23 3	8 10	11 —	10 3	— —	1 —	— —	— —	
35	Other defined causes	M F	169 126	10 3	5 —	8 4	37 19	38 49	71 46	54 57	— 2	4 3	1 —	6 12	7 16	36 20	25 14	2 —	— —	1 —	8 4	
36	Ill-defined causes	M F	5 2	— —	— —	— —	1 —	2 1	1 —	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

†Including Wounds of War.

M | 1 | — | — |

Huntingdon.

Administrative County of Kent.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.		
26	11	3	3	23	43	143	6,298	372	96	87	689	1723	3331	1,837	101	28	36	191	426	1055	M All Causes	
08	4	3	3	18	34	146	6,113	227	69	57	636	1293	3831	1,593	77	14	21	130	355	996	F	
							3		1	2			1								M Typhoid fever, etc.	
							1	1													M Measles	
							3			2	1										M Scarlet fever	
							13	8	5	1	1	1		6	2	4					M Whooping cough	
							15	6	7	1				2	2						M	
1					1		12	1	3	7	1			4		2	1	1			M Diphtheria	
5					4	8	102	2	1	5	1			37	3	1		4	8	22	M Influenza	
8	1	2		1		5	125	1	2		18	36	47	29		1	1	4	9	14	F	
							5			1	2	1	1	1					1		M Encephalitis lethargica	
							4			2	2	1	1								M Cerebro-spinal fever	
							3		1		2			3	2	1					M	
							2		1	1	1			1		1					F	
3				1	2		336		1	1	197	117	20	74				41	25	8	M Respiratory tuberculosis	
9				6	2	1	223		2	1	155	53	12	52			1	29	20	2	F	
							50	2	9	9	18	6	6	14	2	2	1	6	2	1	M Other tuberculosis	
							36	1	9	4	13	7	2	8	1	3	1	2	1		F	
							25	4			16	5	3						1	2	M Syphilis	
							10	2			2	4	2	2	1					1	F	
1					1		20				2	14	4	4					3	1	M Gen. paralysis of insane, etc.	
							3				2		1	5					4		F	
4					5	29	891		2	1	47	304	537	262			1	17	84	160	M Cancer	
4					8	22	942		1		69	367	505	249			2	17	105	125	F	
1							84		1	1	4	27	51	32				3	2	9	18	M Diabetes
3					1		126			1	6	46	73	28				1	8	19	F	
3																						
3					1	2	286				5	71	210	83				2	16	65	M Cerebral hæmorrhage	
5					3	12	412				10	104	298	113				3	23	87	F	
3					1	10	1,747		2	9	54	447	1235	515				2	9	123	M Heart disease	
					3	9	1,859			4	79	257	1519	458			1	14	69	374	F	
							24		1	3	11	9	5						1	4	M Aneurysm	
							10			3	2	5	5					2	1	2	F	
8					1	9	374			3	87	284	112						1	22	89	M Other circulatory
0					1	1	407			8	65	334	120					1	15	105	F	
5					1		185	4	3	2	10	41	125	46	5			2	5	34	M Bronchitis	
9					1		167	5	2	1	12	146	54	4	1			3	7	39	F	
0					2		263	54	20	3	28	74	84	71	5	6	2	8	19	31	M Pneumonia	
7					1		216	23	17	4	25	45	102	68	7	5		7	17	32	F	
1							70		2		14	29	25	16				2	5	9	M Other respiratory	
1					1		59			1	8	10	40	9			1	2	9	6	F	
							111				8	76	27	18				2	9	7	M Peptic ulcer	
							24				4	13	7	9				2	1	6	F	
1							49	31	6		1	3	8	13	7	3		2		1	M Diarrhoea	
1					1		46	21	4	1	2	7	11	9	3				1	3	2	F
4							43		1	4	17	12	9	15				2	8	4	1	M Appendicitis
					2		22		1	1	6	7	7	10		1	3	2	2	2	2	F
3							20				2	8	10	11			1	1	6	3	M Cirrhosis of liver	
							17				1	8	8	2					1	1	F	
2							16					9	7	8			2		2	4	M Other liver diseases	
					2		38				5	9	24	8				1	3	4	F	
5							123	6	4	4	16	36	57	37	2	2		3	8	20	M Other digestive	
3					2		100	5		6	14	29	46	32				2	4	7	19	F
6					3		138			2	19	57	60	34				6	3	25	M Nephritis	
4					1		141			3	21	34	83	25				4	9	12	F	
							10				10			2				2			F Puerperal sepsis	
							27				27			6				6			F Other puerperal	
7							239	230	3	3				63							M Congenital causes, etc.	
3	6						150	142	6		1			57	53			2			M	
6							180						180	59							59	M Senility
0							253				2			62							62	F
							67				26	24	17	28				11	12	5	M Suicide	
1					1		38				13	18	7	9				4	3	2	F	
4					3		287	7	17	16	122	67	58	104	4	3	9	40	28	20	M Other violence†	
5					3		170	6	6	9	31	26	92	41	1	1	1	8	6	24	F	
9	2				3	12	517	22	14	18	67	148	248	156	6	5	10	23	29	83	M Other defined causes	
5					4	10	443	14	10	13	95	137	174	115	5	2	4	12	38	54	F	
2							12	1	1	1		2	7	3					1	2	M Ill-defined causes	
							6				1	2	2	2					1	1	F	

Including Wounds of War.

M | 5 | — | — |

TABLE 24—*contd.* Administrative County of Lancaster.

Administrative County of Lancaster.

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	
All Causes		M 10949 F 10975	753 593	193 148	160 179	1184 1159	3275 2782	5384 6114	1,495 1,425	122 81	33 14	21 20	132 152	418 356	769 802	781 779	72 43	17 15	30 14	88 92	210 182	
1	Typhoid fever, etc.	M 1 F 1	— —	— —	— —	1 1	1 —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	
2	Measles	M 3 F 1	1 —	— 2	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	
3	Scarlet fever	M 3 F 5	1 —	1 —	— 1	1 2	— 2	— —	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	1 —	— 1	— —	
4	Whooping cough	M 25 F 29	15 16	8 13	— —	— —	— —	— —	1 3	— 2	1 1	— —	— —	— —	— —	— —	3 4	1 2	2 —	— —	— —	
5	Diphtheria	M 63 F 79	3 —	21 26	35 49	4 3	— 1	— —	7 30	— —	4 2	2 6	1 —	— —	— —	11 10	— —	1 4	10 4	— 2	— —	
6	Influenza	M 201 F 247	4 5	4 1	2 3	31 46	70 66	90 126	38 33	— 1	2 1	— —	— 5	15 7	14 19	10 7	1 —	— —	— —	— —	4 1	
7	Encephalitis lethargica	M 20 F 21	— —	1 —	— —	7 8	11 6	1 —	3 7	— —	— —	— —	1 1	1 —	1 —	— —	— —	— —	— —	— —	— —	
8	Cerebro-spinal fever	M 16 F 14	5 3	4 4	1 —	6 5	— —	— 2	2 2	1 —	— —	1 —	— 1	— —	— —	2 2	— —	— —	— —	1 1	— —	
9	Respiratory tuberculosis	M 441 F 295	1 1	4 2	1 6	215 222	187 54	33 10	38 40	— —	— —	— —	15 30	21 7	2 2	33 26	— —	— —	— —	19 19	13 7	
10	Other tuberculosis	M 87 F 84	7 6	20 9	13 16	24 38	20 12	3 3	19 5	2 —	6 —	1 1	2 3	7 1	— —	8 6	3 —	2 1	2 1	4 —	1 —	
11	Syphilis	M 24 F 15	— 5	— 1	— —	3 3	17 6	3 —	2 —	— —	— —	— —	1 1	— 1	— —	— 1	— —	— —	— —	— —	1 3	
12	Gen. paralysis of insane, etc.	M 42 F 13	— —	— —	— —	5 2	32 7	5 4	3 2	— —	— —	— —	1 1	1 1	1 1	4 1	— —	— —	— —	— —	— —	
13	Cancer	M 1,250 F 1,479	— —	3 —	1 4	90 121	550 652	606 702	173 185	— —	2 —	— —	7 11	76 70	88 104	89 128	— —	— —	— 1	6 15	44 54	
14	Diabetes	M 141 F 226	— —	— 1	— 1	16 15	34 72	90 137	29 36	— —	1 —	— —	— 2	10 16	16 18	12 21	— —	— 3	— —	2 3	6 6	
15	Cerebral hæmorrhage	M 666 F 811	— —	— —	— —	9 21	223 231	434 559	85 99	— —	— —	— —	4 1	28 23	53 75	42 54	— —	— —	— —	2 —	8 16	
16	Heart disease	M 3,020 F 3,199	— —	— —	6 5	141 170	908 742	1965 2282	437 429	— —	— 1	— 2	13 25	122 100	301 302	191 199	— —	— —	1 —	8 9	58 37	
17	Aneurysm	M 36 F 12	— —	— —	1 —	11 15	15 7	9 5	6 —	— —	— —	— —	2 —	3 —	1 —	1 —	— —	— —	— —	— —	1 —	
18	Other circulatory	M 749 F 673	— —	1 —	— —	8 5	152 130	588 538	91 85	— —	— —	— —	1 1	13 13	77 71	42 49	— —	— —	1 —	7 4	— —	
19	Bronchitis	M 388 F 363	21 20	4 5	1 2	15 10	109 60	238 266	44 42	7 6	— —	— —	5 1	8 11	24 24	24 19	3 —	— —	1 —	4 3	— —	
20	Pneumonia	M 492 F 362	94 66	49 37	10 12	69 49	153 75	117 123	58 59	7 9	5 1	2 —	8 5	18 15	18 22	37 25	13 8	5 5	1 1	4 4	8 2	
21	Other respiratory	M 87 F 66	3 1	4 1	— 2	16 7	33 22	31 33	9 4	— —	— —	— —	2 5	5 14	2 1	9 3	— —	— —	1 —	3 8	4 1	
22	Peptic ulcer	M 131 F 34	— —	— —	— —	36 5	63 20	32 9	20 7	— —	— —	— —	1 5	14 6	1 1	10 4	— —	— —	— —	— —	— —	
23	Diarrhœa	M 74 F 73	43 39	5 5	1 2	6 13	7 6	12 8	8 6	6 4	— —	— —	— 1	— 1	— 1	6 1	2 3	2 1	1 —	— —	— —	
24	Appendicitis	M 69 F 39	— —	— —	2 10	25 15	24 14	8 5	10 11	— —	— —	2 1	4 5	3 3	1 2	1 6	— —	— —	— —	— —	— —	
25	Cirrhosis of liver	M 26 F 18	— —	— —	— —	4 3	11 9	11 6	1 —	— —	— —	— —	— —	— 1	1 4	5 6	— —	— —	— —	— —	— —	
26	Other liver diseases	M 26 F 108	— —	— —	— —	2 9	7 37	17 62	7 13	— —	— —	— —	2 1	1 9	4 3	6 3	— —	— —	1 —	— —	— —	
27	Other digestive	M 180 F 171	11 8	6 2	7 10	20 22	66 43	70 86	20 22	— 1	1 —	1 2	2 3	6 5	10 11	15 10	— —	— —	— —	— —	— —	
28	Nephritis	M 356 F 336	— —	1 2	5 4	58 48	143 131	149 151	43 30	— —	1 —	1 —	5 4	13 9	23 17	22 20	— —	— —	— —	— —	— —	
29	Puerperal sepsis	F 22	—	—	—	22	—	—	4	—	—	—	—	—	—	1	—	—	—	—	—	
30	Other puerperal	F 67	—	—	—	67	—	—	14	—	—	—	4	—	—	—	—	—	1	—	—	
31	Congenital causes, etc.	M 471 F 381	463 376	3 3	2 1	— —	1 —	— —	90 55	88 55	2 —	— —	— —	— —	— —	43 20	41 20	1 —	1 —	— —	— —	
32	Senility	M 381 F 534	— —	— —	— —	— —	— 5	381 529	48 62	— —	— —	— —	— —	— —	48 62	40 54	— —	— —	— —	— —	— —	
33	Suicide	M 146 F 89	— —	— —	— —	44 33	78 41	24 15	18 9	— —	— —	— —	5 3	7 3	6 1	8 6	— —	— —	— —	2 2	4 2	
34	Other violence†	M 485 F 274	11 11	30 17	27 23	170 143	115 32	132 39	74 44	2 —	5 2	3 3	27 3	21 11	16 24	37 16	3 —	2 3	7 —	12 7	2 2	
35	Other defined causes	M 814 F 806	68 36	22 17	34 31	143 161	232 284	315 277	118 106	9 1	4 1	6 2	12 22	29 43	58 37	59 62	4 5	1 —	3 2	7 12	17 22	
36	Ill-defined causes	M 37 F 26	— —	— —	— 1	— 1	— 7	— 17	2 4	— —	— —	— —	— —	— 1	— 3	— 3	— —	— —	— —	— —	— —	

† Including Wounds of War.

M | 2 | — | — |

M | — | — | — |

Aggregate of Rural Districts.								Aggregate of Urban Districts.								Aggregate of Rural Districts.								Causes of Death	
0-	1-	5-	15-	45-	65-	All Ages		0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-					
See first page of Table.																									
22	62	15	14	105	215	511	233	13	8	10	28	56	118	315	32	6	5	35	77	160	M	All Causes			
56	35	16	14	102	187	512	190	8	3	3	22	32	122	327	23	8	3	31	76	186	F				
1						1															M	Typhoid fever, etc.			
																					F				
																					M	Measles			
																					F				
3		1	2				1		1												M	Scarlet fever			
1	1	2	1				1	1						2	2	1	1				M	Whooping cough			
6		2	4				2			2											M	Diphtheria			
3		3					1			1				2		2					M	Influenza			
5		1		4	8	12	3			1			2	8	2			3	1	2	M				
7				3	3	11	1						1	2		1				1	F				
2				1	1																M	Encephalitis lethargica			
1					1																M	Cerebro-spinal fever			
														1	1						F				
9				18	11		15				9	6		8				4	4		M	Respiratory tuberculosis			
4			1	17	6		13			1	11		1	9				7	2		M	Other tuberculosis			
5	3						5			2	1	1		4		1		2		1	F				
0	1	2	1	5	1		2														M	Syphilis			
1					1		1				1										M	Gen. paralysis of insane, etc.			
1					1		4					2	2	2					2		F				
1																					M	Cancer			
5				4	39	68	30			1	1	11	17	44				2	20	22	M				
0				17	51	77	24				2	8	14	59				2	27	30	M	Diabetes			
9					6	4	3						1	6					2	3	F				
0				2	4		2											1	2		M	Cerebral hæmorrhage			
4					1	14	11					2	9	14					3	11	M	Heart disease			
2					13	41	12					3	9	37					28	29	M				
9		1	6	46	179	48	62		1	1	12	34	72	140				3	16	53	M				
		1	13	25	180	62				2	7	53	53				1	2	10	40	F				
					1		1				1			1											

TABLE 24—contd. Administrative County of Lincoln.
(Parts of Kesteven)

Administrative Coun

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	294	12	6	4	32	93	147	434	24	6	8	60	83	253	799	56	23	10	95	221	3
	F	255	10	4	2	20	52	167	422	26	7	5	34	69	281	772	37	9	8	84	170	4
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	1	1	—	—	—	—	—	2	1	1	—	—	—	—	2	2	1	—	—	—	—
	F	3	1	2	—	—	—	—	5	3	2	—	—	—	—	1	1	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	5	—	3	2	—	—	—
	F	—	—	—	—	—	—	—	2	—	1	1	—	—	—	2	—	2	—	—	—	—
6 Influenza	M	3	—	—	—	—	2	1	3	—	—	—	—	—	2	21	—	—	1	5	6	7
	F	1	—	—	—	—	—	1	9	1	—	—	2	1	5	22	—	—	—	2	7	—
7 Encephalitis lethargica	M	2	—	—	—	—	1	1	1	—	—	—	—	—	—	4	—	—	—	2	2	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	1	—
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Respiratory tuberculosis	M	19	—	—	—	9	8	2	11	—	1	—	7	1	2	29	—	—	—	14	12	—
	F	3	—	—	—	2	1	—	7	—	—	—	7	—	—	34	—	—	—	25	9	—
10 Other tuberculosis	M	6	—	2	2	1	1	—	—	—	—	—	—	—	—	9	—	4	3	2	1	—
	F	1	—	—	—	—	—	—	4	—	—	—	4	—	—	4	—	—	2	1	—	—
11 Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
12 Gen. paralysis of insane, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	—	1	5	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
13 Cancer	M	37	—	—	—	2	15	20	63	—	—	—	6	17	40	108	—	—	—	6	38	—
	F	49	—	—	—	5	18	26	55	—	—	—	3	15	37	124	—	—	—	10	40	—
14 Diabetes	M	3	—	—	—	—	3	—	9	—	—	—	—	—	—	14	—	—	—	—	4	—
	F	3	—	—	—	—	—	—	9	—	1	—	1	4	3	13	—	—	—	—	2	—
15 Cerebral hæmorrhage	M	21	—	—	—	—	5	16	25	—	—	—	1	4	20	53	—	—	—	3	18	—
	F	28	—	—	—	—	6	22	35	—	—	—	1	4	30	61	—	—	—	1	15	—
16 Heart disease	M	81	—	—	—	4	29	48	119	—	—	1	—	21	96	218	1	—	—	10	64	—
	F	70	—	—	—	2	11	57	111	—	—	—	1	14	96	199	—	—	—	12	45	—
17 Aneurysm	M	1	—	—	—	1	—	—	2	—	—	—	—	—	—	3	—	—	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	1	2	—
18 Other circulatory	M	16	—	1	—	—	2	13	28	—	—	—	—	—	4	24	—	—	—	—	8	—
	F	19	—	—	—	—	2	17	30	—	—	—	—	—	2	28	—	—	—	—	8	—
19 Bronchitis	M	5	—	—	—	—	2	3	10	—	—	—	1	—	9	19	2	1	—	2	4	—
	F	13	—	—	—	—	13	9	9	—	1	—	—	—	8	32	1	2	—	2	2	—
20 Pneumonia	M	11	—	2	—	1	3	4	13	3	1	1	3	4	2	28	10	5	1	2	6	—
	F	5	1	1	—	—	3	3	10	3	1	1	—	—	4	17	3	1	—	2	3	—
21 Other respiratory	M	2	—	—	—	—	1	1	6	—	1	—	1	1	3	12	—	4	2	—	2	—
	F	2	—	—	—	—	1	1	1	—	—	—	—	—	1	8	—	—	—	—	4	—
22 Peptic ulcer	M	6	—	—	—	1	—	5	6	—	—	—	2	4	—	12	—	—	—	4	7	—
	F	1	—	—	—	—	1	—	1	—	—	—	—	—	1	3	—	—	—	1	—	—
23 Diarrhoea	M	4	2	1	—	1	—	—	2	—	1	—	—	—	1	6	—	—	—	1	1	—
	F	2	—	—	—	1	1	—	3	—	—	—	—	—	1	6	—	—	—	—	—	—
24 Appendicitis	M	4	—	—	—	—	2	1	5	—	—	1	2	1	1	3	—	—	—	2	—	—
	F	2	—	—	—	1	1	—	—	—	—	—	—	—	3	3	—	—	1	—	1	—
25 Cirrhosis of liver	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	3	—	—	—	—	3	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
26 Other liver diseases	M	3	—	—	—	1	1	1	1	—	—	—	—	1	1	3	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	4	—	—	—	1	1	2	5	—	—	—	1	1	—
27 Other digestive	M	7	—	—	—	—	2	5	4	—	—	—	2	—	2	6	—	1	—	1	1	—
	F	5	—	1	—	—	1	3	9	1	1	—	—	3	4	9	—	—	—	—	3	—
28 Nephritis	M	10	—	—	—	1	4	5	9	—	—	1	1	1	6	17	—	—	—	2	4	—
	F	6	—	—	—	1	2	3	19	—	—	1	3	5	10	21	—	—	—	2	7	—
29 Puerperal sepsis	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	5	—	—	—	5	—	—
30 Other puerperal	F	1	—	—	—	1	—	—	3	—	—	—	3	—	—	2	—	—	—	2	—	—
31 Congenital causes, etc.	M	8	—	—	—	—	—	—	18	18	—	—	—	—	—	33	—	—	—	—	—	—
	F	7	—	—	—	—	—	—	15	15	—	—	—	—	—	28	—	—	—	—	—	—
32 Senility	M	3	—	—	—	—	—	—	11	—	—	—	—	—	—	24	—	—	—	—	—	—
	F	10	—	—	—	—	—	3	31	—	—	—	—	—	—	43	—	—	—	—	—	—
33 Suicide	M	1	—	—	—	1	—	—	8	—	—	—	3	—	3	9	—	—	—	4	1	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—
34 Other violence	M	11	—	—	2	3	4	2	35	—	1	—	26	4	4	52	2	2	1	22	13	—
	F	4	—	1	—	—	—	3	10	—	—	—	2	2	5	18	—	—	—	2	2	—
35 Other defined causes	M	24	—	—	—	5	7	12	36	2	1	2	3	11	17	67	3	3	—	10	19	—
	F	12	—	—	—	4	4	2	36	2	—	—	3	18	13	59	2	2	—	12	15	—
36 Ill-defined causes	M	5	—	—	—	—	1	4	4	—	—	—	—	—	2	2	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	1	—	—	—	—	—	1	2	—	—	—	—	—	—

Lincoln.
Parts of Lindsey)

Administrative County of Middlesex.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.	
910	66	13	10	104	172	545	9,583	761	131	152	1,233	2,872	4,434	M	All Causes
851	50	11	9	79	167	535	9,712	601	116	119	1,190	2,185	5,501	F	
—	—	—	—	—	—	—	1	—	—	—	1	—	—	M	Typhoid
—	—	—	—	—	—	—	3	—	—	—	1	2	—	F	fever, etc.
—	—	—	—	—	—	—	1	—	1	1	—	—	—	M	Measles
—	—	—	—	—	—	—	1	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	1	—	1	—	—	—	—	M	Scarlet
—	—	—	—	—	—	—	2	—	1	1	—	—	—	F	fever
6	3	3	—	—	—	—	18	10	8	—	—	—	—	M	Whooping
4	1	3	—	—	—	—	29	15	14	—	—	—	—	F	cough
1	1	—	—	—	—	—	33	—	8	21	4	—	—	M	Diphtheria
5	—	1	2	1	1	—	26	1	10	14	1	—	—	F	
15	—	1	—	—	5	9	137	6	3	2	21	50	55	M	Influenza
14	1	—	—	—	5	8	177	4	2	1	29	39	102	F	
1	—	—	—	1	—	—	13	—	—	—	4	6	3	M	Encephalitis
1	—	—	—	—	—	—	10	—	—	—	3	5	2	F	lethargica
1	—	1	—	—	—	—	12	4	2	1	3	2	—	M	Cerebro-spinal
1	—	—	—	—	—	—	10	5	1	2	2	—	—	F	fever
20	—	—	—	—	5	4	569	2	5	3	294	217	48	M	Respiratory
26	—	—	1	17	5	3	443	—	4	13	318	81	27	F	tuberculosis
7	1	1	1	3	1	1	83	2	16	13	37	13	2	M	Other
12	1	3	—	4	2	2	79	8	13	11	33	7	7	F	tuberculosis
3	—	—	—	—	1	2	32	—	1	—	2	17	12	M	Syphilis
1	—	—	—	—	1	—	15	5	—	—	3	3	4	F	
1	—	—	—	—	—	1	60	—	—	—	9	42	9	M	Gen. paralysis
—	—	—	—	—	—	—	13	—	—	—	5	6	2	F	of insane, etc.
108	—	—	—	5	36	67	1,395	—	—	3	115	577	698	M	Cancer
121	—	1	—	7	48	65	1,654	2	6	1	164	698	783	F	
10	—	—	—	2	2	6	124	—	—	1	7	29	87	M	Diabetes
15	—	—	—	4	11	—	189	—	—	1	10	37	141	F	
44	—	—	—	—	9	35	365	—	—	—	16	126	223	M	Cerebral
65	—	—	—	2	13	50	505	—	1	—	17	111	376	F	hæmorrhage
245	—	1	7	43	194	—	2,569	—	7	7	128	724	1,710	M	Heart
221	—	—	4	25	192	—	2,695	—	1	7	123	449	2,115	F	disease
3	—	—	—	1	2	—	62	1	—	1	10	33	17	M	Aneurysm
1	—	—	—	—	1	—	35	—	—	—	4	12	19	F	
58	—	—	—	—	7	51	550	—	—	—	5	138	407	M	Other
39	—	—	—	6	33	—	650	—	—	—	10	117	523	F	circulatory
22	2	1	—	—	—	19	259	13	2	2	21	77	144	M	Bronchitis
24	1	—	—	—	2	21	208	8	3	1	11	26	159	F	
28	4	1	1	7	6	9	543	130	32	2	48	152	179	M	Pneumonia
34	9	2	2	6	5	10	460	83	20	5	52	99	201	F	
5	—	—	—	1	4	—	88	1	—	3	19	42	23	M	Other
11	—	—	—	—	3	8	66	3	—	—	6	19	36	F	respiratory
5	—	—	—	—	3	2	168	1	—	—	36	74	57	M	Peptic
3	—	—	—	1	1	1	44	—	—	—	8	16	20	F	ulcer
8	4	1	—	1	1	1	88	67	3	—	10	5	3	M	Diarrhoea
7	4	—	—	2	1	1	105	59	8	—	16	12	10	F	
7	—	—	—	2	2	3	65	—	3	8	22	17	15	M	Appendicitis
6	—	—	—	1	4	1	61	—	2	6	19	15	19	F	
1	—	—	—	—	1	—	32	—	—	1	3	21	7	M	Cirrhosis of
1	—	—	—	—	—	1	26	—	—	—	1	8	17	F	liver
3	—	—	—	1	—	2	33	1	2	2	4	11	13	M	Other liver
12	—	—	—	1	1	10	62	1	—	—	5	24	32	F	diseases
18	2	—	1	1	7	7	138	8	3	4	34	48	41	M	Other
13	2	—	1	3	4	3	169	4	5	2	24	41	93	F	digestive
28	—	—	1	5	6	16	192	3	1	6	26	62	94	M	Nephritis
24	—	—	—	1	7	16	209	2	1	3	34	57	112	F	
3	—	—	—	3	—	—	22	—	—	—	22	—	—	F	Puerperal sepsis
3	—	—	—	3	—	—	71	—	—	—	71	—	—	F	Other puerperal
41	41	—	—	—	—	—	459	449	3	2	4	1	—	M	Congenital
27	27	—	—	—	—	—	354	343	4	2	2	3	—	F	causes, etc.
55	—	—	—	—	—	55	118	—	—	—	—	2	116	M	Senility
50	—	—	—	—	—	50	263	—	—	—	—	2	261	F	
6	—	—	—	2	3	1	144	—	—	—	41	74	29	M	Suicide
9	—	—	—	1	4	4	97	—	—	—	40	37	20	F	
88	3	4	5	46	16	14	495	19	26	42	177	121	110	M	Other
20	—	1	1	2	3	13	306	22	12	16	50	51	155	F	violence†
69	4	—	—	8	16	41	729	43	10	26	131	190	329	M	Other defined
79	4	—	1	20	23	31	653	36	7	31	106	208	265	F	causes
3	1	—	—	—	1	1	7	1	—	1	—	1	—	M	Ill-defined
—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	causes

Including M | 2 | 1 | — |
Wounds of War.

M | — | 1 | — |

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	395	25	4	9	42	71	244	1,738	95	19	17	149	341	1117	711	31	7	10	87	162	
	F	463	15	4	1	29	92	322	1,588	69	17	13	119	292	1078	617	37	6	9	71	128	
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	2	—	—	—	1	—	1	—	—	—	—	—		
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Whooping cough	M	4	3	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
5 Diphtheria	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	2	—	2	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Influenza	M	4	—	—	—	1	—	3	24	—	1	—	2	5	13	—	—	—	3	3		
	F	9	—	—	—	—	3	6	45	2	1	1	6	11	24	9	—	1	2	2		
7 Encephalitis lethargica	M	1	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	1	—		
	F	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	1	—	—		
	F	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—		
9 Respiratory tuberculosis	M	13	—	—	—	6	6	1	54	—	—	—	31	19	4	27	—	—	—	17	10	
	F	16	—	—	—	10	6	—	39	—	—	—	23	11	5	28	—	—	23	3		
10 Other tuberculosis	M	4	—	2	—	1	—	1	18	1	4	3	7	3	8	7	—	—	3	4		
	F	3	—	—	—	2	—	1	12	1	4	1	5	—	4	4	—	—	2	—		
11 Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	3	1	—	—	—	1	—	—	—	—	—	—		
12 Gen. paralysis of insane, etc.	M	2	—	—	—	1																

Northampton.

Administrative County of Northumberland.

Aggregate of Rural Districts.						Aggregate of Urban Districts.						Aggregate of Rural Districts.						Causes of Death				
0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-		See first page of Table.	
32	6	11	68	165	441	1,960	161	39	41	249	521	949	626	45	9	7	60	142	363	M	All Causes	
37	9	4	54	128	475	1,750	105	23	45	243	419	915	547	24	3	9	48	118	345	F		
—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	1	—	M	Typhoid fever, etc.	
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	M	Measles	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	1	—	—	—	—	3	—	1	—	2	—	—	—	—	—	—	—	—	—	M	Scarlet fever	
—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	F		
2	—	—	—	—	—	7	—	5	—	—	—	—	6	5	1	—	—	—	—	M	Whooping cough	
—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	F		
—	—	—	—	—	—	20	—	6	14	—	—	—	—	—	—	—	—	—	—	M	Diphtheria	
—	—	—	—	—	—	22	—	6	15	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	16	—	—	—	5	5	5	5	—	—	—	—	2	3	3	M	Influenza
—	—	—	—	—	—	14	—	—	—	4	5	5	10	—	—	—	—	3	7	F		
—	—	—	—	—	—	3	—	—	—	3	—	—	4	—	—	—	3	1	—	M	Encephalitis lethargica	
—	—	—	—	—	—	5	—	—	—	2	2	1	1	—	—	—	—	—	—	F		
—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	M	Cerebro-spinal fever	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	F		
—	—	—	—	—	—	98	—	—	—	58	38	2	18	1	—	—	1	9	5	2	M	Respiratory tuberculosis
—	—	—	—	—	—	79	—	—	—	58	15	5	21	—	—	—	1	14	6	—	F	
—	—	—	—	—	—	21	—	1	4	9	3	—	6	—	—	—	3	3	—	—	M	Other tuberculosis
—	—	—	—	—	—	29	—	6	6	12	3	2	2	—	—	—	1	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Syphilis
—	—	—	—	—	—	7	—	—	—	1	6	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	4	—	—	—	3	—	—	1	—	—	—	—	1	—	—	M	Gen. paralysis of insane, etc.
—	—	—	—	—	—	2	—	—	—	2	—	—	2	—	—	—	—	1	—	—	F	
—	—	—	—	—	—	256	—	—	—	13	110	133	79	—	—	—	7	24	48	M	Cancer	
—	—	—	—	—	—	230	—	—	—	27	106	97	81	—	—	—	4	32	45	F		
—	—	—	—	—	—	15	—	—	—	1	3	11	10	—	—	—	—	7	3	3	M	Diabetes
—	—	—	—	—	—	36	—	—	—	5	10	21	10	—	—	—	—	4	6	6	F	
—	—	—	—	—	—	11	—	—	—	1	33	93	44	—	—	—	2	6	36	M	Cerebral hæmorrhage	
—	—	—	—	—	—	28	—	—	—	4	43	79	47	—	—	—	—	9	38	F		
—	—	—	—	—	—	126	—	—	—	1	23	129	306	174	—	—	3	36	135	M	Heart disease	
—	—	—	—	—	—	459	—	—	—	4	22	107	323	163	—	—	1	4	32	126	F	
—	—	—	—	—	—	456	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Aneurysm
—	—	—	—	—	—	4	—	—	—	—	3	1	1	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	6	—	—	—	2	1	2	—	—	—	—	—	—	—	—	M	Other circulatory
—	—	—	—	—	—	43	—	—	—	1	25	118	41	—	—	—	—	6	35	23	F	
—	—	—	—	—	—	118	—	—	—	3	23	92	26	—	—	—	—	3	23	23	F	
—	—	—	—	—	—	58	—	—	—	9	14	26	18	1	1	—	1	2	13	13	M	Bronchitis
—	—	—	—	—	—	9	—	—	—	4	4	29	10	—	—	—	—	4	9	9	F	
—	—	—	—	—	—	40	—	—	—	9	16	17	20	5	—	—	—	4	5	5	M	Pneumonia
—	—	—	—	—	—	30	—	—	—	1	12	19	15	2	2	—	—	2	3	6	F	
—	—	—	—	—	—	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other respiratory
—	—	—	—	—	—	2	—	—	—	—	5	7	5	1	—	—	—	—	1	—	F	
—	—	—	—	—	—	14	—	—	—	5	2	6	2	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	13	—	—	—	4	8	5	8	—	—	—	—	1	4	—	M	Peptic ulcer
—	—	—	—	—	—	17	—	—	—	1	1	4	2	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diarrhoea
—	—	—	—	—	—	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Appendicitis
—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	5	—	—	—	2	—	3	2	—	—	—	—	—	—	—	M	Cirrhosis of liver
—	—	—	—	—	—	4	—	—	—	—	4	—	1	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	9	—	—	—	—	5	9	5	—	—	—	—	—	—	—	M	Other liver diseases
—	—	—	—	—	—	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	23	—	—	—	3	8	8	6	1	—	—	—	—	—	—	M	Other digestive
—	—	—	—	—	—	24	—	—	—	1	6	12	11	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	58	—	—	—	10	16	32	16	—	—	—	—	—	—	—	M	Nephritis
—	—	—	—	—	—	66	—	—	—	7	16	43	17	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	M	Puerperal sepsis
—	—	—	—	—	—	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other puerperal
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Congenital causes, etc.
—	—	—	—	—	—	91	—	—	—	—	—	—	21	21	—	—	—	—	—	—	F	
—	—	—	—	—	—	65	—	—	—	—	—	—	18	18	—	—	—	—	—	—	M	Senility
—	—	—	—	—	—	56	—	—	—	—	—	—	22	22	—	—	—	—	—	—	F	
—	—	—	—	—	—	52	—	—	—	—	—	—	27	27	—	—	—	—	—	—	M	
—	—	—	—	—	—	79	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Suicide
—	—	—	—	—	—	16	—	—	—	7	5	4	8	—	—	—	3	4	1	1	F	
—	—	—	—	—	—	2	—	—	—	4	6	—	1	—	—	—	—	—	—	—	M	Other violence†
—	—	—	—	—	—	10	—	—	—	4	38	24	37	2	1	1	14	13	6	6	F	
—	—	—	—	—	—	131	—	—	—	49	8	5	27	—	—	—	3	2	5	5	M	Other defined causes
—	—	—	—	—	—	9	—	—	—	24	32	53	54	—	—	—	—	9	12	28	F	
—	—	—	—	—	—	134	—	—	—	1	4	8	5	—	—	—	—	2	2	3	M	Ill-defined causes
—	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	1	1	1	F	

cluding Wounds of War.

TABLE 24—*contd.*

Administrative County of Nottingham.

Administrative County of Nottingham.

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	1,919	165	32	34	239	561	888	802	63	7	14	111	179	428	250	11	4	3	30	65	13
	F	1,843	126	33	28	245	423	988	772	47	11	13	69	160	472	267	11	3	4	21	54	17
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Measles	M	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	1	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	5	3	2	—	—	—	—	5	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	6	2	4	—	—	—	—	1	3	2	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	3	—	—	3	—	—	—	3	—	1	2	—	—	—	—	—	—	—	—	—	—
	F	12	1	3	6	—	—	—	24	—	3	3	—	—	—	—	—	—	—	—	—	—
6 Influenza	M	45	2	—	—	7	22	14	27	1	—	—	2	5	16	3	1	—	—	—	—	1
	F	38	2	—	1	4	8	23	25	1	—	—	1	5	18	4	—	—	—	—	—	1
7 Encephalitis lethargica	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	5	—	—	—	3	1	1	4	—	—	—	2	2	—	—	—	—	—	—	—	—
8 Cerebro-spinal fever	M	5	3	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
9 Respiratory tuberculosis	M	91	1	—	2	53	33	2	25	—	—	—	18	7	—	10	—	—	—	7	3	—
	F	79	—	—	1	2	67	8	1	—	—	—	14	4	1	9	—	—	—	7	1	—
10 Other tuberculosis	M	14	1	1	1	3	—	—	7	—	—	2	5	—	—	3	—	—	2	1	—	—
	F	10	2	2	2	3	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—
11 Syphilis	M	5	1	—	—	—	3	1	2	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Gen. paralysis of insane, etc.	M	4	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13 Cancer	M	255	—	—	1	19	111	124	102	—	—	—	10	36	56	30	—	—	—	4	13	—
	F	261	—	—	1	21	104	135	116	—	—	—	14	42	60	39	—	—	—	2	18	—
14 Diabetes	M	20	—	—	1	4	14	11	11	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	42	—	—	—	1	15	23	18	—	—	1	1	9	7	9	—	—	—	2	1	—
15 Cerebral hæmorrhage	M	121	—	—	—	2	31	88	42	—	—	—	—	11	31	15	—	—	—	—	3	—
	F	151	—	—	—	4	47	100	66	—	—	—	1	11	53	17	—	—	—	2	6	—
16 Heart disease	M	490	—	—	1	25	141	323	178	—	—	1	6	43	128	59	—	—	—	3	10	—
	F	462	—	—	2	27	90	343	192	—	—	—	7	34	151	88	—	—	—	—	12	—
17 Aneurysm	M	5	—	—	—	2	1	2	3	—	—	—	—	2	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
18 Other circulatory	M	69	—	—	—	2	19	48	44	—	—	—	—	2	42	23	—	—	—	—	3	—
	F	88	—	—	—	—	17	71	53	—	—	—	—	6	47	13	—	—	—	—	1	—
19 Bronchitis	M	75	4	—	1	4	18	48	36	3	—	1	—	6	26	9	—	—	—	1	—	—
	F	58	6	2	1	1	10	38	18	2	—	—	—	1	15	5	—	—	—	—	—	—
20 Pneumonia	M	92	28	8	1	8	25	22	24	9	1	—	2	5	7	13	3	—	—	—	5	—
	F	82	15	8	1	14	16	28	34	5	2	1	2	6	18	11	—	1	—	—	1	—
21 Other respiratory	M	20	—	1	—	5	10	4	15	—	—	—	2	5	8	4	—	—	—	1	—	—
	F	18	—	—	—	6	4	8	10	—	—	—	—	4	6	2	—	—	—	—	—	—
22 Peptic ulcer	M	31	—	—	—	10	15	6	11	—	—	—	5	3	3	2	—	—	—	—	—	—
	F	9	—	—	—	1	4	4	6	—	—	—	2	3	1	—	—	—	—	—	—	—
23 Diarrhœa	M	20	9	3	1	4	2	1	5	4	—	—	—	—	1	1	—	—	—	1	—	—
	F	18	10	2	—	2	1	3	6	1	—	—	—	1	4	1	—	—	—	—	—	—
24 Appendicitis	M	7	—	—	2	3	2	—	4	—	—	—	1	2	—	—	—	—	—	—	—	—
	F	3	—	—	1	—	2	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
25 Cirrhosis of liver	M	3	—	—	—	—	2	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	4	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26 Other liver diseases	M	6	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	16	—	—	—	1	5	10	3	—	—	—	—	1	2	1	—	—	—	—	—	—
27 Other digestive	M	33	2	3	—	7	7	14	20	2	—	1	5	6	6	2	—	—	—	—	—	—
	F	30	4	1	2	4	4	15	16	1	—	1	2	3	9	4	—	—	—	—	—	—
28 Nephritis	M	25	—	—	—	2	14	9	17	—	—	—	5	5	7	7	—	—	—	—	—	—
	F	38	1	1	—	5	12	19	16	—	—	—	1	3	12	6	—	—	—	—	—	—
29 Puerperal sepsis	F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other puerperal	F	13	—	—	—	3	—	—	4	—	—	—	4	—	—	—	—	—	—	—	—	—
31 Congenital causes, etc.	M	96	95	—	—	1	—	—	38	37	—	—	—	—	—	6	6	—	—	—	—	—
	F	72	66	2	2	1	—	—	32	31	1	—	—	—	—	10	10	—	—	—	—	—
32 Senility	M	64	—	—	—	—	—	—	23	—	—	—	—	—	—	11	—	—	—	—	—	—
	F	83	—	—	—	—	—	—	34	—	—	—	—	—	—	15	—	—	—	—	—	—
33 Suicide	M	24	—	—	—	8	13	3	6	—	—	—	2	3	1	6	—	—	—	—	—	—
	F	13	—	—	—	5	8	—	2	—	—	—	—	1	—	1	—	—	—	—	—	—
34 Other violence	M	112	2	5	12	46	30	7	80	4	3	4	36	17	16	19	1	—	3	8	—	—
	F	50	5	3	5	9	6	22	23	2	2	2	4	3	12	6	—	—	1	2	—	—
35 Other defined causes	M	153	13	5	8	18	41	68	72	3	1	2	9	10	47	17	—	2	—	—	—	—
	F	145	12	2	1	40	44	46	54	2	1	3	11	17	20	21	—	—	—	—	—	—
36 Ill-defined causes	M	21	1	—	—	—	8	10	7	—	—	—	—	4	3	—	—	—	—	—	—	—
	F	25	—	—	—	2	8	15	3	—	—	—	—	2	1	—	—	—	—	—	—	—

[illegible]

Causes of Death			Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
See first page of Table			All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	
All Causes	M	F	1528	1	1	1	23	35	819	10183	53	—	—	179	1319	6652	864820	4842	1614	1312	9285	222161	
1 Typhoid fever, etc.	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Measles	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21	—	21	—	—		
3 Scarlet fever	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Whooping cough	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21	11	11	—	—		
5 Diphtheria	M	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	36	—	12	14	1		
6 Influenza	M	F	1	—	—	—	—	1	—	32	—	—	—	—	—	32	1721	2	—	—	24		
7 Encephalitis lethargica	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	31	—	—	11	2		
8 Cerebro-spinal fever	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21	1	—	11	—		
9 Respiratory tuberculosis	M	F	—	—	—	—	—	—	52	—	—	—	42	—	1	—	2624	—	—	1817	86		
10 Other tuberculosis	M	F	—	—	—	—	—	—	22	—	—	—	11	—	—	—	107	11	31	44	—		
11 Syphilis	M	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	22	—	—	—	1		
12 Gen. paralysis of insane, etc.	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	33	—	—	21	21		
13 Cancer	M	F	31	—	—	—	—	11	11	—	—	—	11	17	9	111	—	—	—	37	44		
14 Diabetes	M	F	11	—	—	1	11	11	121	—	—	—	—	7	5	129	—	—	—	46	46		
15 Cerebral hæmorrhage	M	F	—	—	—	—	—	67	—	—	—	—	—	—	66	6585	—	—	11	16			
16 Heart disease	M	F	36	—	—	—	1	25	2426	—	—	—	136	136	2019	232228	—	—	21	1256			
17 Aneurysm	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	28			
18 Other circulatory	M	F	—	—	—	—	—	—	69	—	—	—	—	—	—	69	4345	—	—	69			
19 Bronchitis	M	F	11	—	—	—	—	11	42	—	—	—	11	—	3	3817	23	—	2	142			
20 Pneumonia	M	F	12	—	—	—	11	11	334	—	—	—	11	1	2	2727	45	43	12	84			
21 Other respiratory	M	F	—	—	—	—	—	—	1	—	—	—	—	—	1	57	11	21	—	21			
22 Peptic ulcer	M	F	—	—	—	—	—	—	2	—	—	—	11	1	—	99	—	—	—				

Salop.

Administrative County of Somerset.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death		
0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	See first page of Table.		
36	51	11	14	79	178	473	1,236	67	11	14	127	310	707	1,331	53	17	19	139	321	782	M	All Causes	
36	41	10	16	70	132	467	1,309	40	7	11	89	270	892	1,388	58	11	13	88	265	953	F		
																					M	Typhoid fever, etc.	
																					F		
4			4											1			1				M	Measles	
																					F		
														1			1				M	Scarlet fever	
1			1				1	1						1		1					F	Whooping cough	
2	2													2	1	1					F		
																					M	Diphtheria	
1		1					1		1					3			2				F		
26		1	1	2	5	17	27	1	1		2	9	14	38			2	3	12	21	M	Influenza	
29				2	4	23	29				2	3	24	38			2	8	4	24	F		
																					M	Encephalitis lethargica	
1				1		1	3				2	1		1					1		F		
1				1			1	1													M	Cerebro-spinal fever	
																					F		
19			1	9	9	59	30				35	22	2	40			1	15	16	8	M	Respiratory tuberculosis	
18				14	2	2	11				18	8	4	23				11	9	3	F		
6		3		3			4		1	3	6	1		8	2	1		4	1		M	Other tuberculosis	
10	2	2	2	3	1				2		1	1		8			1	3	2	2	F		
					1		1					1		2					1	1	M	Syphilis	
1							2				1	1									F		
							5				1	4		3					3		M	Gen. paralysis of insane, etc.	
																					F		
97				5	39	53	153	1			4	60	88	181				8	56	117	M	Cancer	
10	1	1		10	34	58	182				7	68	107	211	1			9	66	135	F		
10				2	4	7	33			1		1	4	16				2	8	13	M	Diabetes	
14			1	2									3	29				1	7	18	F		
58					15	42	63				2	12	49	73				2	11	60	M	Cerebral hæmorrhage	
64				1	13	50	93					20	73	120					24	95	F		
13				4	36	173	313				15	77	221	336			1	10	82	243	M	Heart disease	
22				8	21	173	400			1	14	65	320	385				10	68	307	F		
3				1	1	1	2				1	1		5	1			1	1	2	M	Aneurysm	
							4				2	1		1					2		F		
50				6	44	99	101				15	84	88	88				22	66	101	M	Other circulatory	
40				7	37	101					3	17	81	81	1			9	71	F			
30	1			2	4	23	31	1				10	20	36	3	1		2	6	24	M	Bronchitis	
13				1	2	10	36				1	4	31	30				1	4	25	F		
27	9	2		1	5	10	46	7	3		6	10	20	38	4		1	2	12	19	M	Pneumonia	
33	5	1		5	3	19	42	5	2	1	6	8	20	38	5	3	1	1	4	24	F		
9				3	2	4	15				4	5	6	13					6	7	M	Other respiratory	
6				1	1	4	9	1				2	6	8				2	1	5	F		
5				2	3		18				2	9	7	23				7	6	10	M	Peptic ulcer	
5				1	2	2	1						1	4				2	2	2	F		
7	3		1	1	2		2	1				1		11	3	3	1	1	2	1	M	Diarrhoea	
3	2			1			11	3			2	1	5	12	3	1		2	3	3	F		
6		1	1				6				2	1	3	8		1	1	1	1	4	M	Appendicitis	
4				3	1		9		1		3	2	3	10			1	4	1	4	F		
3					1	2	4					4		7			1	1	2	3	M	Cirrhosis of liver	
1							4					1	3	7					4	3	F		
7							3						3	6					1	5	M	Other liver diseases	
					3	4	8				1	3	4	12				1	4	7	F		
8				1	3	4	11		1			1	9	25		1		5	7	12	M	Other digestive	
14		1		3	4	6	18		1			7	10	21		1	1	2	3	14	F	Nephritis	
17		1		2	9	5	63			2	3	19	39	49				6	16	27	M		
16			1	2	4	9	50			2	2	9	37	41				4	11	26	F		
1							1				1			2				2			F	Puerperal sepsis	
6				1	6									1				1			F	Other puerperal	
34	33						53	51	2					39	37	1		1			M	Congenital causes, etc.	
28	27	1					30	29		1				44	44						F		
36							36	52						61							61	M	Senility
34							34	74						74	112						112	F	
9				4	4	1	17				5	8	4	12				5	6	1	M	Suicide	
5				1	1		10				2	5	3	9				4	3	2	F		
53	1		4	21	13	14	54	1		3	21	16	13	79	1	6	7	45	11	9	M	Other violence	
14		3			2	8	22	1		1	1	1	19	24			2	5	5	12	F		
68	3	2	5	12	14	32	103	3	3	5	16	19	57	119	2	2	3	14	31	67	M	Other defined causes	
47	1	4	2	4	18	18	100		2	3	20	36	39	111	3	2	4	16	28	58	F		
4	1				1	1	2						2	1					1	1	M	Ill-defined causes	

TABLE 24—contd.

Administrative County of Southampton.

Administrative Cou

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	
All Causes		M F	1,686 1,550	110 88	38 18	27 13	181 140	415 360	915 931	1,329 1,202	82 54	8 13	17 11	153 93	276 259	793 772	3,397 3,015	338 253	82 70	85 55	455 373	931 707
1	Typhoid fever, etc.	M F	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	1 —	— —	— —	— —	— 1	
2	Measles	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	9 17	2 4	4 9	3 4	— —	
3	Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 2	— —	2 1	— —	— —	
4	Whooping cough	M F	5 6	5 2	— 4	— —	— —	— —	5 3	4 1	1 2	— —	— —	— —	— —	— —	6 11	5 6	4 5	— —	— —	
5	Diphtheria	M F	3 —	— —	2 —	— —	1 —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	24 13	— —	4 5	18 7	2 1	
6	Influenza	M F	25 29	1 —	— 1	4 3	9 6	12 18	23 29	3 1	1 —	— —	3 4	4 10	12 14	64 59	2 3	2 3	1 1	12 5	23 17	
7	Encephalitis lethargica	M F	1 —	— —	— —	— —	— —	1 —	— 3	— —	— —	— —	— —	— —	— 2	1 —	4 3	— —	— —	3 2	1 —	
8	Cerebro-spinal fever	M F	4 —	1 —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 5	1 —	1 —	1 —	2 —	
9	Respiratory tuberculosis	M F	63 41	— —	— 1	— —	35 29	24 7	4 4	45 29	— —	— —	— —	26 24	16 5	3 —	188 114	1 3	1 7	3 5	107 90	
10	Other tuberculosis	M F	21 8	2 2	8 2	5 1	2 2	1 —	4 —	1 —	2 —	— —	— —	2 1	— —	— —	33 21	3 3	7 6	2 4	14 6	
11	Syphilis	M F	3 1	— —	— —	— —	2 —	1 —	— 5	— 2	— —	— —	— —	— —	2 1	1 —	2 6	— —	— —	2 1	— 4	
12	Gen. paralysis of insane, etc.	M F	4 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	5 5	— —	— —	3 1	1 4	
13	Cancer	M F	228 222	— —	2 1	1 —	11 20	76 95	138 106	171 213	— —	— 1	1 —	10 12	49 77	111 123	397 394	— —	— 2	19 29	166 174	
14	Diabetes	M F	18 30	— —	— —	— —	— 1	— 10	— 19	— 21	— —	— —	— 2	— —	— —	— —	— 56	— —	— 1	— 2	7 18	
15	Cerebral hemorrhage	M F	87 103	— —	— —	— —	3 6	25 19	59 78	65 82	— —	— —	— —	3 1	15 18	47 63	163 232	— —	— —	3 5	52 69	
16	Heart disease	M F	463 465	— —	— —	1 1	16 12	118 84	328 368	434 352	— —	— —	— —	21 7	86 61	327 284	875 817	1 —	1 1	5 7	73 61	
17	Aneurysm	M F	6 4	— —	— —	— —	1 —	3 2	2 2	5 1	— —	— —	— —	2 —	2 —	1 —	8 4	— —	— —	3 —	3 —	
18	Other circulatory	M F	94 111	1 1	— —	— —	2 1	20 22	71 87	79 102	— —	— —	— —	1 —	11 15	68 86	153 136	— —	— —	— —	26 29	
19	Bronchitis	M F	54 43	3 4	— 1	4 —	3 —	11 7	33 31	27 32	2 1	— 1	— —	— 1	4 20	131 92	16 11	2 2	2 2	4 5	40 15	
20	Pneumonia	M F	77 43	16 11	12 2	3 1	7 4	21 11	18 36	36 30	5 7	1 —	1 —	5 2	7 6	17 14	205 135	44 48	26 28	2 2	38 44	
21	Other respiratory	M F	11 11	— —	— —	— —	2 1	4 4	5 6	8 4	— —	— —	— —	1 —	4 2	3 2	40 28	— 2	1 4	— 1	15 3	
22	Peptic ulcer	M F	33 6	— —	— —	— —	4 1	18 1	11 4	21 5	— —	— —	— —	— 4	10 3	7 2	43 14	— —	— —	3 1	25 8	
23	Diarrhoea	M F	6 12	1 5	2 3	2 —	1 —	— 2	— 1	7 5	4 4	— 1	— —	1 —	— —	— —	35 30	23 23	3 —	— 1	4 4	
24	Appendicitis	M F	13 11	— —	— —	— —	2 4	4 5	4 2	11 2	— —	1 —	1 —	— 4	— —	— 3	21 10	— —	1 4	8 4	4 1	
25	Cirrhosis of liver	M F	7 3	— —	— —	— —	— —	6 1	1 2	5 4	— —	— —	— —	— —	1 3	4 1	7 1	— —	— —	1 —	3 —	
26	Other liver diseases	M F	8 10	— —	— —	— —	— —	2 4	6 6	3 9	— —	— —	— —	— 1	— 5	— 3	6 23	— —	— —	— —	4 11	
27	Other digestive	M F	26 26	1 —	— —	— —	4 3	5 7	16 16	12 21	— 1	— 1	— —	3 3	3 7	6 13	50 56	6 4	3 2	2 8	12 21	
28	Nephritis	M F	48 35	— —	— —	— 1	2 6	17 15	29 13	33 42	— —	1 —	— —	— 5	— 8	— 29	80 72	— —	— 1	17 3	27 33	
29	Puerperal sepsis	F	5	—	—	—	5	—	—	1	—	—	—	1	—	—	10	—	—	9	—	
30	Other puerperal	F	7	—	—	—	7	—	—	13	—	—	—	13	—	—	19	—	—	—	—	
31	Congenital causes, etc.	M F	67 52	66 51	— —	— —	1 —	— —	— —	46 34	46 34	— —	— —	— —	— —	— —	209 137	209 129	— 2	— 2	— —	— —
32	Senility	M F	72 89	— —	— —	— —	— —	1 3	71 86	52 51	— —	— —	— —	— —	— —	— 51	130 177	— —	— —	— —	13 17	
33	Suicide	M F	19 12	— —	— —	— —	9 6	7 4	3 2	19 5	— —	— —	— —	11 2	5 3	3 —	33 14	— —	— —	7 6	20 6	
34	Other violence†	M F	85 45	8 4	3 3	6 —	40 6	11 10	17 19	86 31	4 1	2 3	7 —	35 3	23 9	15 —	187 87	7 2	9 4	22 3	66 15	
35	Other defined causes	M F	133 119	6 7	6 1	4 5	24 21	26 39	67 46	109 69	12 2	— 2	4 5	17 8	19 20	57 32	254 220	18 18	11 7	12 10	58 46	
36	Ill-defined causes	M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

† Including Wounds of War.

M | — | 1 | — |

M | — | 1 | — |

Stafford.

Administrative County of Suffolk East.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.	
101	109	17	11	126	258	580	578	28	8	7	52	141	342	797	47	10	14	64	149	513	M	All Causes
23	70	20	26	106	194	607	594	17	9	3	43	128	394	680	22	4	7	49	125	473	F	
														1				1			M	Typhoid fever, etc.
							1	1													F	
2			2																		M	Measles
																					F	
1																					M	Scarlet fever
5	1						1							1	1						F	Whooping cough
	3	1	1					1													F	
5			2				1			1				1			1				M	Diphtheria
13			10																		F	
26	2	2		2	9	11	11					4	7	14	1	1		1	4	7	M	Influenza
17					4	13	14					2	12	23				5	4	14	F	
1						1	1				1										M	Encephalitis lethargica
1							1	1						1	1						F	Cerebro-spinal fever
							1														F	
38				20	14	4	24				13	10	1	21			1	14	4	2	M	Respiratory tuberculosis
28				19	6	1	13		1		7	3	2	5				13	6	2	F	
12	2	3	1	3	3		3		1	1	2			2	2			1	1	1	M	Other tuberculosis
9		3		4		2	6		1	2			1					2			F	
2						1	1			1				2	1						M	Syphilis
2	1						3				1	2		1					1		F	
2					2		1					1		2					1		M	Gen. paralysis of insane, etc.
							1														F	
07		1		10	34	62	83				4	29	50	119			1	4	30	84	M	Cancer
48			1	14	51	82	106				11	41	54	109				2	30	77	M	Diabetes
19					7	12	10					3	7	11					1	5	F	
44												15	30	50					12	38	M	Cerebral hæmorrhage
53				1	12	32	45					7	30	68				1	13	54	F	
51					65	223	146			6	33	107	238					5	39	194	M	Heart disease
53		1		12	38	198	175		1	2	27	145	181					5	27	148	F	
2						1	2					1	1	1					1		M	Aneurysm
1														3					3		F	
39					7	32	40				1	7	33	42					2	40	M	Other circulatory
77					13	64	37					7	29	43					5	38	F	
28	6			2	6	19	18				1	1	16	26					3	23	M	Bronchitis
22	1				19	22	22		2			3	3	17	1				3	12	F	
39	6	1			2	16	14			1	3	3	4	10	3	3	1		7	7	M	Pneumonia
24	5	1		4	3	11	18		2	1	3	3	9	21	1			2	1	6	F	
10											3	1	6	5				1	1	3	M	Other respiratory
14					2	6	10		1			7	7	8					7	1	M	Peptic ulcer
4					5	6	9				1	5	3	3				1	1	2	F	
9	6																				M	Diarrhœa
4	3				1	2	2		2	1				1	3						F	
7		1	1	3	2	1	2							5				2	1	3	M	Appendicitis
2					1						1										F	
3				1	2		2				1	1		1							M	Cirrhosis of liver
2					2		1							1							F	
6					3		3				1	2		5					1	4	M	Other liver diseases
														3							F	
25	1	1		1	11	7	13	2	2		3	1	5	14	1	1		3	3	6	M	Other digestive
21	3				8	9	5					4	1	9					5	3	F	Nephritis
41					14	21	9				1	2	6	24				1	5	19	M	
33				6	8	19	24				4	7	13	21				1	6	14	F	
3																					F	Puerperal sepsis
71				3	9			1						5				2			F	Other puerperal
9	69	1					15							33	32		1				M	Congenital causes, etc.
49	47	2					13							18	17	1					F	Senility
57							31							31	32					32	M	
80						80	43						43	53						53	F	
9				4	3	2	6				1	3	2	8				3	5		M	Suicide
86				2	2		5				2	3	1	1					1		F	
41	2	2	3	38	26	15	22		1	1	9	8	3	40	1	3	4	19	10	3	M	Other violence†
109	14	2	3	6	9	58	9				2	2	4	13			1	2	3	1	F	
82	4	2	3	17	24	28	34	3	2	6	10	26	69	53	5	2	4	11	11	36	M	Other defined causes
2					1		3	1		5	11	17	53	2	1	5		3	14	28	F	Ill defined causes
														1						1	F	

Including Wounds of War

M | 2 | — | — |

TABLE 24—*contd.*

Administrative County of Suffolk West.

Administrative County

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.							
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	
	All Causes	M F	269 263	11 12	3 1	4 1	27 19	64 41	160 189	464 442	21 10	4 4	1 4	48 33	91 106	299 285	5,202 5,249	324 249	63 53	79 56	563 603	1421 1134	2752 3154
1	Typhoid fever, etc.	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	—
2	Measles	M F	— 1	— —	— —	— —	1 —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
3	Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— 1	— —	—
4	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	10 11	1 6	8 5	— —	— —	— —	—
5	Diphtheria	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	12 8	— 4	1 3	8 3	2 2	1 —	—
6	Influenza	M F	8 5	— —	— —	— —	2 —	5 1	1 4	15 20	3 —	— —	— —	1 —	1 3	10 17	109 127	4 2	4 2	2 2	13 11	30 28	58 84
7	Encephalitis lethargica	M F	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	6 5	— —	— —	1 1	— —	2 1	3 2
8	Cerebro-spinal fever	M F	1 —	— —	1 —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	6 2	2 2	— —	— —	1 1	— —	—
9	Respiratory tuberculosis	M F	13 7	— —	— —	— —	8 6	5 1	— —	18 13	— —	— —	1 1	11 8	6 4	— —	253 200	1 1	3 1	1 1	132 158	91 28	25 12
10	Other tuberculosis	M F	7 2	— —	— —	— —	2 —	1 1	— 1	4 —	— —	1 —	1 —	2 —	— —	— —	38 39	3 2	4 3	5 5	21 18	4 8	1 3
11	Syphilis	M F	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	2 —	— —	20 5	2 —	— —	— —	2 3	11 1	5 —
12	Gen. paralysis of insane, etc.	M F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	25 5	— —	— —	— —	4 1	16 5	— —
13	Cancer	M F	37 43	— —	— —	— —	3 4	12 15	22 24	60 71	— —	— —	— —	3 30	20 40	37 889	794 889	— —	1 —	3 —	45 82	285 370	460 437
14	Diabetes	M F	2 5	— —	— —	— —	— —	1 1	24 4	7 9	— —	— —	— —	1 1	3 5	3 3	57 83	— —	2 1	— —	3 5	20 21	32 56
15	Cerebral hæmorrhage	M F	21 16	— —	— —	— —	— —	3 4	18 12	22 37	— —	— —	— —	1 6	15 27	216 314	— —	— —	— —	— —	5 7	62 72	149 235
16	Heart disease	M F	75 86	— —	— —	— —	— 2	15 8	60 76	134 131	— —	— —	— —	7 5	19 15	108 111	1,348 1,430	— —	— —	5 4	46 63	355 210	942 1153
17	Aneurysm	M F	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	1 —	1 —	41 23	— —	— —	1 1	5 2	12 10	23 10
18	Other circulatory	M F	16 20	— —	— 1	— —	— 1	3 4	13 14	40 27	— —	— —	— —	— —	3 3	37 24	345 407	— —	— —	— 1	2 7	10 64	267 335
19	Bronchitis	M F	8 9	1 —	— —	— —	1 1	— 1	6 7	16 5	1 —	— —	— —	— —	5 10	10 94	120 92	5 —	1 —	1 1	5 3	36 6	72 82
20	Pneumonia	M F	9 8	— 1	— 2	— —	— —	1 3	7 2	6 10	— 1	— 1	— —	— 2	10 2	5 5	94 228	5 42	1 10	1 9	3 15	6 62	72 90
21	Other respiratory	M F	3 3	— —	— —	— —	— —	2 —	1 2	2 9	— —	— —	1 —	— —	1 3	46 37	1 2	1 1	1 —	8 6	14 7	21 21	
22	Peptic ulcer	M F	5 —	— —	— —	— —	1 —	— 1	3 2	9 1	— —	— —	— —	— —	4 1	103 28	4 —	— —	— —	— —	14 3	52 12	37 13
23	Diarrhoea	M F	1 1	— —	— —	— —	1 —	— —	— 1	1 1	— 1	— —	— —	— —	— —	1 28	28 15	— 1	3 1	— 1	1 10	2 3	— 4
24	Appendicitis	M F	— —	— —	— —	— —	— —	— —	— —	2 2	— —	— —	— —	— 1	— 1	1 30	— —	— —	— 1	— 3	12 10	6 9	— 10
25	Cirrhosis of liver	M F	1 —	— —	— —	— —	— —	1 —	— —	4 —	— —	— —	— —	— —	— 4	13 10	— —	— —	— —	— —	2 6	6 4	5 —
26	Other liver diseases	M F	— 1	— —	— —	— —	— —	— —	1 1	— 3	— —	— —	— —	— —	— —	18 28	— —	— 1	— —	— 9	2 5	6 10	— 13
27	Other digestive	M F	3 5	— —	— —	— —	1 —	— —	2 5	12 9	— —	— —	— —	1 1	3 2	8 6	93 113	3 1	2 1	4 4	12 28	44 67	
28	Nephritis	M F	9 6	— —	— —	— —	— 2	4 5	— 4	9 12	— —	— —	— —	— 1	3 5	5 6	132 122	— —	— 2	2 2	18 22	43 29	69 67
29	Puerperal sepsis	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	7	—	—	—	7	—	
30	Other puerperal	F	—	—	—	—	—	—	—	3	—	—	—	3	—	—	27	—	—	—	—	—	
31	Congenital causes, etc.	M F	5 10	5 10	— —	— —	— —	— —	— —	16 6	14 5	1 —	— —	— —	— —	— —	224 171	217 157	2 5	2 3	— —	— —	— —
32	Senility	M F	3 13	— —	— —	— —	— —	— —	— —	20 17	— —	— —	— —	— —	— —	— 20	97 176	— —	— —	— —	— —	— —	97 176
33	Suicide	M F	3 3	— —	— —	— —	1 —	— —	2 —	3 3	— —	— —	— —	1 3	2 —	— —	70 42	— —	— —	— —	17 19	36 51	17 5
34	Other violence	M F	11 7	2 1	— —	1 —	3 —	1 1	4 5	15 14	1 —	— —	— —	— 1	3 4	3 7	259 163	8 17	10 5	21 4	104 25	18 25	239 87
35	Other defined causes	M F	30 11	2 —	— —	2 —	4 —	6 3	16 7	41 27	2 1	1 —	— —	7 —	6 —	25 7	452 422	18 19	10 8	10 15	68 69	107 123	239 188
36	Ill-defined causes	M F	— 1	— —	— —	— —	— —	— —	— —	1 3	— —	— —	— —	— —	— —	— 1	— 2	— —	— —	— —	— —	— —	— —

Administrative County of Sussex East.

Aggregate of Rural Districts.								Aggregate of Urban Districts.								Aggregate of Rural Districts.								Causes of Death				
0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-		
37	44	7	4	65	158	459	1,059	33	9	13	98	262	644	892	45	15	11	77	214	530	M	All Causes						
83	30	6	6	53	151	437	1,353	28	9	9	86	234	987	874	21	6	5	72	182	588	F							
							1					1		1					1		F	Typhoid fever, etc.						1
																					M	Measles						2
																					F							
							1							1					1		M	Scarlet fever						3
1				1			3	1	1	1				1	1						M	Whooping cough						4
2	2						2							2		1			1		F							
							3		2	1				3		2		1			F	Diphtheria						5
																					M	Influenza						6
1	1	1	1	3	3	8	8				1	3	4	18	1	1		2	8	8	M							
17							18							13						10	F							
12																					M	Encephalitis lethargica						7
																					M	Cerebro-spinal fever						8
																					F							
																					M	Respiratory tuberculosis						9
17				9	6	2	38				26	9	3	25				11	13	1	F							
14				8	5	1	33				25	5	3	23		1		15	7	1	M	Other tuberculosis						10
5				1	2	1	7	1	3	1	1	1	2	5	1	1	2	4			F							
							6				2	2	1	2					1	1	F	Syphilis						11
5				2	3		6	1			1	2	1	2					1	1	F							
2							1					3	2	3						2	F	Gen. paralysis of insane, etc.						12
1							6														M	Cancer						13
																					M	Diabetes						14
02				3	38	61	160				13	53	94	126				7	43	76	M							
41				9	48	84	219	1	1		16	66	135	135				5	53	77	M							

Causes of Death <i>See first page of Table</i>		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	
	All Causes	M	960	38	6	12	76	261	567	814	42	12	9	33	186	482	1,381	107	24	19	152	384
		F	1,152	25	7	7	66	243	804	741	30	4	5	51	173	478	1,374	77	22	17	161	298
1	Typhoid fever, etc.	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
2	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
3	Scarlet fever	M	1	—	—	1	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Whooping cough	M	—	—	—	—	—	—	—	2	2	—	—	—	—	—	2	2	—	—	—	
		F	2	1	1	—	—	—	—	—	—	—	—	—	—	5	2	3	—	—	—	
5	Diphtheria	M	3	—	—	3	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	
		F	3	—	2	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	
6	Influenza	M	16	—	—	—	—	7	9	18	1	—	—	2	5	10	31	1	1	1	4	
		F	24	—	—	—	4	4	16	13	—	1	—	2	10	23	—	2	1	4	11	
7	Encephalitis lethargica	M	2	—	—	—	1	1	—	2	—	—	—	1	—	1	2	—	—	—	1	
		F	1	—	—	—	—	—	1	1	—	—	—	1	—	2	—	—	—	—	—	
8	Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	1	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	
9	Respiratory tuberculosis	M	30	—	—	—	14	12	4	30	—	—	1	15	12	2	75	—	—	—	37	
		F	25	—	—	—	14	9	2	21	—	—	—	10	4	7	58	—	—	—	47	
10	Other tuberculosis	M	5	1	—	1	1	1	1	5	—	2	—	2	1	—	20	1	1	3	5	
		F	5	—	—	—	2	2	1	6	2	1	—	—	—	2	8	—	1	2	5	
11	Syphilis	M	2	—	—	—	—	2	—	2	—	—	—	—	1	1	2	1	—	—	1	
		F	3	—	—	—	—	2	—	1	—	—	—	—	—	3	—	—	—	—	—	
12	Gen. paralysis of insane, etc.	M	—	—	—	—	1	2	—	1	—	—	—	—	1	6	—	—	—	—	1	
		F	—	—	—	—	—	—	—	1	—	—	1	—	—	3	—	—	—	—	2	
13	Cancer	M	135	—	1	—	5	48	81	115	—	1	—	4	43	67	187	1	—	—	16	
		F	195	—	—	—	6	70	119	119	—	—	—	7	38	74	224	—	—	—	18	
14	Diabetes	M	16	—	—	—	—	3	13	6	—	—	—	—	2	4	28	—	—	1	8	
		F	24	—	—	1	1	6	16	10	—	—	—	—	2	8	34	—	—	—	6	
15	Cerebral hæmorrhage	M	43	—	—	—	—	9	34	48	—	—	—	1	15	32	76	—	—	—	2	
		F	97	—	—	—	—	22	75	60	—	—	—	—	19	41	103	—	—	—	18	
16	Heart disease	M	295	—	—	1	9	75	210	223	—	—	—	4	43	176	365	—	—	1	19	
		F	361	—	—	—	7	49	305	242	—	2	—	6	47	187	349	—	—	2	13	
17	Aneurysm	M	6	—	—	—	—	2	4	2	—	—	—	1	—	1	4	—	—	—	—	
		F	4	—	—	—	—	2	2	—	—	—	—	—	2	3	3	1	—	—	2	
18	Other circulatory	M	45	—	—	—	—	7	38	47	—	—	—	—	4	43	78	—	—	—	—	
		F	74	—	—	1	11	62	33	33	—	—	—	—	6	27	85	—	—	2	8	
19	Bronchitis	M	28	2	—	—	—	8	18	13	1	—	—	—	1	11	39	2	—	—	7	
		F	24	1	1	—	1	1	20	16	1	—	—	—	2	13	43	3	1	—	4	
20	Pneumonia	M	43	6	1	2	5	13	16	29	2	1	2	3	7	14	65	16	8	—	10	
		F	30	2	2	—	1	6	19	20	3	—	2	1	6	8	48	19	3	2	3	
21	Other respiratory	M	9	—	—	—	—	5	4	9	—	1	1	—	—	7	12	—	—	—	7	
		F	7	—	—	—	—	2	5	6	—	—	—	—	4	11	—	1	—	—	3	
22	Peptic ulcer	M	16	—	—	—	5	7	4	14	—	—	—	1	9	3	19	—	—	—	3	
		F	8	—	—	—	1	4	3	5	—	—	—	2	3	2	5	—	—	—	12	
23	Diarrhœa	M	3	2	1	—	—	—	—	6	3	1	—	1	—	1	12	11	1	—	—	
		F	5	3	—	—	1	—	1	4	1	—	—	—	1	2	8	6	—	—	—	
24	Appendicitis	M	9	—	—	—	3	4	2	6	—	—	—	2	2	2	10	—	—	3	3	
		F	8	—	—	—	3	3	2	4	—	—	—	3	1	—	10	—	—	4	4	
25	Cirrhosis of liver	M	7	—	—	1	—	—	6	4	—	—	—	—	2	2	3	—	—	—	2	
		F	3	—	—	—	—	1	2	—	—	—	—	—	—	5	—	—	—	—	3	
26	Other liver diseases	M	1	—	—	—	—	1	1	—	—	—	—	—	—	3	—	—	—	1	—	
		F	6	—	—	—	1	2	3	4	—	—	—	—	1	3	8	—	—	1	2	
27	Other digestive	M	14	—	—	—	1	5	8	14	2	—	—	3	3	6	18	2	—	3	—	
		F	15	—	—	—	1	5	9	11	—	—	—	1	5	5	20	1	1	—	7	
28	Nephritis	M	36	—	—	1	3	10	22	19	—	—	—	2	7	10	30	—	—	—	3	
		F	28	—	—	—	1	7	20	15	—	—	—	4	5	6	18	—	—	1	11	
29	Puerperal sepsis	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	3	—	—	2	—	
30	Other puerperal	F	4	—	—	—	4	—	—	6	—	—	—	—	—	—	8	—	—	3	—	
31	Congenital causes, etc.	M	25	24	1	—	—	—	—	30	29	—	1	—	—	—	59	59	—	—	—	
		F	16	15	—	—	—	—	—	21	21	—	—	—	—	—	40	37	1	2	—	
32	Senility	M	27	—	—	—	—	—	—	33	—	—	—	—	—	—	30	—	—	—	—	
		F	50	—	—	—	—	—	—	36	—	—	—	—	—	—	64	—	—	—	—	
33	Suicide	M	18	—	—	—	4	8	6	9	—	—	—	3	3	3	23	—	—	—	7	
		F	42	—	—	—	3	3	2	6	—	—	—	1	3	2	13	—	—	—	6	
34	Other violence	M	30	1	1	1	16	12	12	55	2	4	2	26	9	12	67	4	3	3	23	
		F	30	—	—	—	3	4	20	21	—	1	—	2	5	13	53	3	5	4	11	
35	Other defined causes	M	80	3	2	—	8	19	48	70	—	1	2	11	16	40	108	5	4	4	17	
		F	90	2	2	1	9	29	47	56	2	—	—	8	19	26	112	5	1	3	11	
36	Ill-defined causes	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—	35	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	

Administrative County of Westmorland.

[illegible]

TABLE 24—contd. Administrative County of Wight, Isle of. Administrative Coun

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	485	16	5	4	38	123	299	119	3	—	—	4	23	89	971	51	13	9	103	244	5
	F	482	9	4	4	32	113	320	113	1	1	—	11	19	81	935	44	11	19	67	192	6
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	3	1	2	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—
6 Influenza	M	7	—	—	—	1	2	4	2	—	—	—	—	—	2	9	—	—	—	1	1	—
	F	10	—	—	—	—	1	9	—	—	—	—	—	—	—	11	—	—	1	—	4	—
7 Encephalitis lethargica	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Respiratory tuberculosis	M	18	—	—	—	9	7	2	3	—	—	—	1	2	—	31	—	—	—	18	9	—
	F	10	—	—	—	6	3	1	2	—	—	—	1	1	—	21	—	—	1	14	5	—
10 Other tuberculosis	M	2	—	—	1	1	—	—	1	—	—	—	1	—	—	5	—	—	2	3	—	—
	F	4	—	—	1	2	1	—	2	—	—	—	2	—	—	4	—	1	1	2	—	—
11 Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Gen. paralysis of insane, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	5	—
13 Cancer	M	69	—	—	—	5	23	41	18	—	—	—	—	4	14	154	—	—	—	13	55	—
	F	69	—	—	—	4	33	32	25	—	—	—	1	6	18	140	—	—	—	11	57	—
14 Diabetes	M	6	—	—	—	1	1	4	2	—	—	—	—	1	—	9	—	—	—	—	3	—
	F	5	—	—	1	—	3	1	1	—	—	—	—	—	2	20	—	—	—	1	6	—
15 Cerebral hæmorrhage	M	24	—	—	—	6	18	9	—	—	—	—	—	9	56	—	—	—	—	—	17	—
	F	31	—	—	—	8	23	8	—	—	—	—	—	7	80	—	—	—	—	—	21	—
16 Heart disease	M	164	—	—	—	1	37	126	39	—	—	—	8	31	287	—	—	—	1	10	66	—
	F	158	—	—	—	4	29	125	44	—	—	—	2	5	37	315	—	—	2	5	47	—
17 Aneurysm	M	1	—	—	—	—	—	1	3	—	—	—	—	—	2	2	—	—	—	—	1	—
	F	3	—	—	—	—	3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
18 Other circulatory	M	23	—	—	—	1	18	7	7	—	—	—	—	1	6	60	—	—	—	—	11	—
	F	35	—	—	—	8	27	7	—	—	—	—	—	2	5	49	—	—	—	—	5	—
19 Bronchitis	M	11	—	1	—	1	3	6	4	—	—	—	—	1	3	37	1	—	—	—	8	—
	F	13	—	—	1	—	11	3	—	—	—	—	—	1	1	26	—	—	—	—	1	—
20 Pneumonia	M	13	1	—	2	2	5	3	1	—	—	—	—	1	—	39	4	2	—	6	17	—
	F	6	—	1	—	1	—	4	2	—	—	—	1	—	—	22	6	3	2	—	3	—
21 Other respiratory	M	5	—	—	—	—	3	2	—	—	—	—	—	—	—	9	—	—	—	5	4	—
	F	4	—	—	—	2	2	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—
22 Peptic ulcer	M	10	—	—	—	2	5	3	1	—	—	—	—	—	—	12	—	—	—	3	5	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	1	5	—	—	—	—	1	—
23 Diarrhœa	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	6	2	—	—	1	1	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	1	—
24 Appendicitis	M	2	—	1	—	1	—	—	1	—	—	—	—	1	—	5	—	—	—	1	1	—
	F	3	—	—	—	—	2	1	—	—	—	—	—	—	—	1	—	—	—	—	3	—
25 Cirrhosis of liver	M	4	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26 Other liver diseases	M	3	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	2	—	—	—	1	1	—	6	—	—	—	1	1	—
27 Other digestive	M	5	—	—	—	1	1	3	1	—	—	—	—	—	1	8	1	—	—	1	2	—
	F	12	—	—	—	2	3	7	4	—	—	—	—	4	—	10	1	—	—	2	3	—
28 Nephritis	M	16	—	—	—	7	7	9	6	—	—	—	1	—	5	37	—	—	—	4	13	—
	F	14	—	—	—	—	5	9	1	—	—	—	—	—	1	35	—	—	—	3	12	—
29 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	2	—	—	2	—	—	—	2	—	—	1	—	—	—	1	—	—
30 Other puerperal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Congenital causes, etc.	M	14	13	—	1	—	—	—	2	1	—	—	—	1	—	40	38	1	—	—	1	—
	F	8	7	—	—	—	—	—	1	1	—	—	—	—	—	36	33	—	—	—	—	—
32 Senility	M	22	—	—	—	—	—	22	4	—	—	—	—	—	4	24	—	—	—	—	—	—
	F	45	—	—	—	—	—	45	2	—	—	—	—	—	2	42	—	—	—	—	—	—
33 Suicide	M	8	—	—	—	2	3	3	1	—	—	—	—	—	1	9	—	—	—	4	2	—
	F	4	—	—	—	2	3	2	—	—	—	—	—	—	—	8	—	—	—	4	4	—
34 Other violence†	M	18	—	—	—	8	3	7	3	—	—	—	1	2	—	44	3	1	4	15	8	—
	F	9	—	1	—	2	2	4	1	—	—	—	—	—	—	24	1	1	3	3	5	—
35 Other defined causes	M	35	—	—	—	2	10	23	10	1	—	—	—	—	9	69	1	2	2	16	11	—
	F	21	—	—	—	2	10	8	6	—	—	—	—	3	2	55	1	1	4	10	15	—
36 Ill-defined causes	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

†Including Wounds of War.

M | — | 1 | —

M | — | 1 | — |

TABLE 24—*contd.* Administrative County of Yorks (E.R.).

Administrative County

Causes of Death <i>See first page of Table</i>		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	583	39	17	12	61	140	314	567	41	11	10	63	119	323	1,234	94	32	20	139	344	608
	F	612	31	9	2	51	141	378	505	29	7	9	45	107	308	1,218	77	28	12	125	273	703
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	4	7	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2	4	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
4 Whooping cough	M	1	1	—	—	—	—	—	2	1	1	—	—	—	—	2	1	1	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	5	3	2	—	—	—	—
5 Diphtheria	M	3	—	—	3	—	—	—	4	—	1	3	—	—	—	2	—	—	2	—	—	—
	F	1	—	1	—	—	—	—	4	—	2	2	—	—	—	5	1	1	2	—	—	—
6 Influenza	M	9	1	—	—	2	2	4	4	—	—	—	1	—	3	18	—	—	—	5	7	6
	F	11	—	—	—	4	4	3	16	1	—	—	1	5	9	25	—	—	—	4	7	14
7 Encephalitis lethargica	M	3	—	—	—	2	1	—	1	—	—	—	—	—	1	4	1	—	—	2	1	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	3	—	—	—	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Respiratory tuberculosis	M	18	—	—	—	12	6	—	16	—	—	—	9	7	—	43	—	—	1	24	15	3
	F	13	—	—	—	8	5	—	13	—	—	—	11	1	1	26	—	—	—	17	7	2
10 Other tuberculosis	M	9	1	5	3	—	—	—	5	1	2	—	2	—	—	9	—	—	3	3	1	—
	F	7	—	3	1	2	1	—	4	—	—	1	1	2	—	13	1	2	2	6	—	—
11 Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Gen. paralysis of insane, etc.	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	2	—	—	—	—	—
	F	2	—	—	—	1	1	—	2	—	—	—	—	—	—	4	—	—	—	4	1	—
13 Cancer	M	85	—	—	—	5	35	45	62	—	—	—	4	26	32	132	—	—	1	5	63	63
	F	100	—	—	—	6	37	57	72	—	—	—	7	27	38	169	—	—	—	17	68	83
14 Diabetes	M	9	—	—	1	1	—	—	5	—	—	1	—	—	—	4	—	—	1	—	6	13
	F	14	—	—	—	1	5	8	10	—	—	1	1	4	4	19	—	—	—	—	—	—
15 Cerebral hæmorrhage	M	27	—	—	—	6	21	20	—	—	—	—	—	—	20	65	—	—	2	13	50	
	F	49	—	—	—	12	37	39	—	—	—	—	8	31	90	—	—	—	—	23	67	
16 Heart disease	M	162	—	—	2	9	36	115	140	—	—	—	4	30	106	354	—	—	1	12	96	244
	F	165	—	—	—	4	29	132	121	—	—	—	6	16	99	359	—	—	1	20	67	272
17 Aneurysm	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	4	—	—	—	1	1	2
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	3	—	—	—	2	—	—
18 Other circulatory	M	52	—	—	—	1	10	41	48	—	—	—	—	2	46	96	—	—	—	1	20	73
	F	40	—	—	—	1	8	31	43	—	—	—	—	5	38	101	—	—	—	1	15	85
19 Bronchitis	M	12	—	1	—	3	2	6	8	1	—	—	1	—	6	49	4	1	—	3	13	28
	F	8	—	—	—	—	8	—	9	2	—	—	—	2	5	36	3	—	—	—	6	27
20 Pneumonia	M	20	3	5	—	3	4	5	30	8	1	1	2	6	12	63	16	12	1	9	15	10
	F	18	3	2	—	4	4	5	18	5	2	1	1	5	4	44	13	10	2	1	3	15
21 Other respiratory	M	6	—	—	1	1	2	2	8	—	—	1	1	1	5	16	—	—	1	3	8	4
	F	6	—	—	—	3	—	3	4	—	—	1	2	2	—	15	—	—	—	2	5	8
22 Peptic ulcer	M	8	—	—	—	—	5	3	10	—	—	—	2	5	3	14	—	—	—	—	7	3
	F	1	—	—	—	—	1	—	2	—	—	—	—	2	—	5	—	—	—	2	—	—
23 Diarrhœa	M	3	2	1	—	—	—	—	6	5	—	—	1	—	—	5	3	2	—	—	—	—
	F	3	2	—	—	1	—	—	4	2	1	—	—	—	1	14	9	3	—	—	2	—
24 Appendicitis	M	2	—	—	—	—	1	1	3	—	—	—	1	—	—	5	—	—	—	4	—	—
	F	4	—	—	—	—	1	3	—	—	—	—	—	—	—	7	—	—	—	3	1	—
25 Cirrhosis of liver	M	3	—	—	—	—	—	3	1	—	—	—	—	1	—	5	—	—	—	1	2	2
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26 Other liver diseases	M	2	—	—	—	1	—	1	3	—	—	—	—	—	3	3	—	—	—	—	2	1
	F	5	—	—	—	1	1	3	4	—	1	—	—	1	2	9	—	—	—	5	3	—
27 Other digestive	M	13	1	2	—	1	4	5	13	1	—	—	2	3	7	13	2	—	1	3	4	3
	F	7	1	1	—	2	2	1	5	—	—	—	1	3	1	15	1	—	1	3	5	—
28 Nephritis	M	12	—	—	—	1	1	10	24	—	1	1	3	7	12	37	—	—	—	2	11	24
	F	21	—	—	—	2	5	14	11	—	—	—	1	5	5	40	—	—	1	7	16	16
29 Puerperal sepsis	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	3	—	—	—	3	—	—
30 Other puerperal	F	1	—	—	—	—	—	—	2	—	—	—	2	—	—	7	—	—	—	6	1	—
31 Congenital causes, etc.	M	27	26	—	—	1	—	—	20	19	1	—	—	—	—	53	52	1	—	—	—	—
	F	19	19	—	—	—	—	—	18	17	—	—	—	—	—	33	32	—	—	1	—	—
32 Senility	M	15	—	—	—	—	—	15	17	—	—	—	—	—	17	21	—	—	—	—	—	21
	F	34	—	—	—	—	—	34	40	—	—	—	—	1	39	32	—	—	—	—	—	32
33 Suicide	M	8	—	—	—	5	3	—	7	—	—	—	2	3	2	20	—	—	—	3	13	4
	F	6	—	—	—	3	2	1	3	—	—	—	2	1	—	7	—	—	—	3	4	—
34 Other violence†	M	29	1	2	3	5	7	48	1	2	3	19	14	9	72	5	2	4	28	20	13	—
	F	19	—	1	—	4	3	15	10	—	1	3	1	5	27	5	1	1	3	5	12	—
35 Other defined causes	M	45	3	1	2	5	11	23	59	4	—	—	9	12	34	96	6	1	4	22	24	39
	F	51	5	—	—	7	19	19	47	2	—	2	5	13	25	97	5	3	3	24	21	41
36 Ill-defined causes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

†Including Wounds of War.

M | 1 | — | — |

Works (N.R.).

Administrative County of Yorks (W.R.).

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	See first page of Table.	
44	64	17	19	114	200	530	7,265	508	138	113	782	2104	3620	2,140	193	50	40	257	567	1033	M	All Causes
80	49	17	4	81	171	558	7,050	381	119	90	724	1749	3987	1,929	156	58	38	243	448	986	F	
1	—	—	—	1	—	—	3	—	—	1	1	—	1	2	—	—	—	1	1	—	M	Typhoid fever, etc.
—	—	—	—	—	—	—	1	—	1	—	—	—	—	3	1	2	—	—	—	—	M	Measles
—	—	—	—	—	—	—	1	—	—	—	—	—	—	3	1	1	1	—	—	—	M	Scarlet fever
3	—	2	—	1	—	—	6	1	1	2	1	1	—	2	—	1	1	—	—	—	M	Whooping cough
1	1	—	—	1	—	—	5	—	—	—	—	—	—	1	—	—	—	—	—	—	M	Diphtheria
2	1	1	—	—	—	—	16	5	11	—	—	—	—	6	3	3	—	—	—	—	M	Influenza
2	1	1	—	—	—	—	24	9	13	2	—	—	—	15	5	10	—	—	—	—	F	
3	—	—	—	—	—	—	40	1	20	17	2	—	—	12	—	5	7	—	—	—	M	Encephalitis lethargica
1	—	—	—	—	—	—	33	1	14	12	4	—	—	10	—	2	7	—	—	—	F	Cerebro-spinal fever
22	1	1	—	—	—	—	119	10	3	1	20	45	40	50	—	1	1	13	17	18	M	Respiratory tuberculosis
15	—	—	—	—	—	—	117	2	3	1	20	29	62	43	2	2	2	11	6	20	F	Other tuberculosis
1	—	—	—	—	—	—	9	—	1	—	3	3	2	6	—	—	—	3	2	—	M	Syphilis
1	—	—	—	—	—	—	8	—	1	—	3	3	1	4	—	—	—	1	3	—	F	Gen. paralysis of insane, etc.
24	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—	—	—	—	—	M	Cancer
7	1	1	—	—	—	—	10	—	—	—	1	7	1	2	1	—	—	1	—	—	F	Diabetes
5	1	—	—	—	—	—	12	—	—	3	8	1	—	3	—	—	—	1	2	—	F	
1	—	—	—	—	—	—	25	1	—	—	4	18	2	8	—	—	1	—	5	—	M	Cerebral hæmorrhage
99	—	—	—	—	—	—	10	—	—	—	1	7	1	2	—	—	—	—	—	—	M	Heart disease
49	—	—	—	—	—	—	31	—	—	—	7	17	7	7	—	—	—	4	—	—	F	Aneurysm
18	—	—	—	—	—	—	12	—	—	—	3	8	1	3	—	—	—	1	2	—	M	Other circulatory
51	—	—	—	—	—	—	25	1	—	—	4	18	2	8	—	—	—	—	—	—	M	Bronchitis
75	—	—	—	—	—	—	12	—	—	—	1	7	1	2	—	—	—	—	—	—	M	Pneumonia
48	—	—	—	—	—	—	12	—	—	—	1	7	1	2	—	—	—	—	—	—	M	Other respiratory
2	—	—	—	—	—	—	12	—	—	—	1	7	1	2	—	—	—	—	—	—	F	Peptic ulcer
60	—	—	—	—	—	—	12	—	—	—	1	7	1	2	—	—	—	—	—	—	M	Diarrhoea
28	1	3	1	—	—	—	11	49	491	—	6	84	363	123	—	—	—	3	15	102	M	Appendicitis
21	—	—	—	—	—	—	7	63	454	1	—	—	—	125	—	—	—	3	15	102	F	
37	5	2	1	—	—	—	11	49	491	—	6	84	363	123	—	—	—	3	15	102	M	Cirrhosis of liver
30	4	7	—	—	—	—	7	63	454	1	—	—	—	125	—	—	—	3	15	102	F	Other liver diseases
10	—	—	—	—	—	—	11	49	491	—	6	84	363	123	—	—	—	3	15	102	M	Other digestive
10	—	—	—	—	—	—	11	49	491	—	6	84	363	123	—	—	—	3	15	102	F	Nephritis
3	1	—	—	—	—	—	11	49	491	—	6	84	363	123	—	—	—	3	15	102	M	Puerperal sepsis
4	2	1	—	—	—	—	11	49	491	—	6	84	363	123	—	—	—	3	15	102	F	Other puerperal
6	—	—	—	—	—	—	11	49	491	—	6	84	363	123	—	—	—	3	15	102	M	Congenital causes, etc.
2	—	—	—	—	—	—	11	49	491	—	6	84	363	123	—	—	—	3	15	102	F	Senility
7	—	—	—	—	—	—	11	49	491	—	6	84	363	123	—	—	—	3	15	102	M	Suicide
10	—	—	—	—	—	—	11	49	491	—	6	84	363	123	—	—	—	3	15	102	F	Other violence†
18	1	1	—	—	—	—	11	49	491	—	6	84	363	123	—	—	—	3	15	102	M	Other defined causes
30	—	—	—	—	—	—	11	49	491	—	6	84	363	123	—	—	—	3	15	102	F	Ill-defined causes
27	—	—	—	—	—	—	11	49	491	—	6	84	363	123	—	—	—	3	15	102	M	
3	—	—	—	—	—	—	11	49	491	—	6	84	363	123	—	—	—	3	15	102	F	
46	44	1	1	—	—	—	305	300	3	—	—	—	—	108	106	1	—	—	—	—	M	
35	33	1	—	—	—	—	250	240	3	2	5	—	—	93	90	3	—	—	—	—	F	
15	—	—	—	—	—	—	15	167	—	—	—	—	—	71	—	—	—	—	—	—	M	
22	—	—	—	—	—	—	21	262	—	—	—	—	—	2	260	—	—	—	—	—	F	
9	—	—	—	—	—	—	90	—	—	—	23	44	23	28	—	—	—	13	11	—	M	
1	—	—	—	—	—	—	47	—	—	—	19	26	2	13	—	—	—	7	5	—	F	
73	1	1	6	38	5	13	401	4	16	27	149	117	88	168	3	9	9	64	55	28	M	
26	1	1	1	5	13	171	171	6	12	13	12	32	96	40	3	4	8	4	18	17	F	
91	8	4	5	13	19	42	582	26	15	24	98	163	256	160	15	4	6	21	42	72	M	
81	6	—	—	18	23	34	536	22	14	20	103	192	185	154	14	6	12	33	49	40	F	
2	—	—	—	—	—	—	4	—	—	—	—	—	—	3	—	—	—	—	—	—	M	

Including M | 1 | — | — |
Wounds of War.

M | — | 1 | — |

M | 1 | — | — |

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	138	5	3	4	22	34	70	259	21	5	4	22	54	153	118	2	—	3	13	33	
	F	154	11	3	2	11	40	87	216	10	2	—	27	39	138	107	6	2	2	10	17	
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
5 Diphtheria	M	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
6 Influenza	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	3	—	—	1	2	—	—	20	—	—	—	1	5	10	1	—	—	—	—	1	
	F	10	—	—	—	2	3	5	13	—	—	—	1	2	10	1	—	—	—	—	—	
7 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	1	—	—	1	—	—	—	1	—	—	1	—	—	1	—	—	
9 Respiratory tuberculosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	11	—	—	—	3	6	2	9	—	—	—	4	5	—	3	—	—	—	1	2	
10 Other tuberculosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	2	—	—	—	8	3	1	5	—	—	—	4	1	

Administrative County of Caernarvon.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death		
	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.		
100	19	4	3	23	66	135	467	28	8	5	52	122	252	475	26	8	8	49	117	267	M	All Causes	
0	12	2	1	30	53	112	463	23	8	7	45	102	278	429	22	9	5	53	88	252	F		
																					M	Typhoid fever, etc.	
																					F		
							1		1												M	Measles	
																	1				F		
																					M	Scarlet fever	
							1		1												F		
																1					M	Whooping cough	
																1					F		
1			1				2		1	1								1			M	Diphtheria	
3							1			1								1	3		F		
4					1		2				2	6	1				1			3	M	Influenza	
				2		2	12				1	3	8							3	F		
																					M	Encephalitis lethargica	
							2					2							1		M	Cerebro-spinal fever	
							1					1									F		
							2		1			1						1					
7				3	3	1	31				18	10	3					10	12	9	M	Respiratory tuberculosis	
9				7	1	1	12				8	3	1				1	20	6	3	F		
2							3		1		1	1					2	3	2	2	M	Other tuberculosis	
3				2	2		4			2			1								F		
				1														3					
1						1	2	1				1									M	Syphilis	
1						1	1						1			1					F		
																					M	Gen. paralysis of insane, etc.	
																					F		
24					1	8	68					3	26	39					1	23	32	M	Cancer
30					3	17	72					4	30	38			1		4	19	32	F	
3					1	2	3						1	2					1	1	1	M	Diabetes
7			1		1	5	6							6					2	3	3	F	
10					4	6	19					4	15	27					1	4	22	M	Cerebral hæmorrhage
16					5	11	37				1	10	26	29					8	21	F		
68				2	18	48	106			1	1	30	74	109				3	29	77	M	Heart disease	
62				6	17	39	98				3	20	75	102				3	16	83	F		
1						1	2		1		1										1	M	Aneurysm
8																					1	F	
7						8	46					6	40	38					10	28	M	Other circulatory	
						7	48					5	43	24					3	21	F		
12	1				3	8	13				2	3	8	10							10	M	Bronchitis
13	2				1	10	13						13	11							10	F	
16	4	3	1		4	4	17	2	2		3	1	9	16	3	2		2	2	7	M	Pneumonia	
2							15	3	2		2		8	11	7	1			1	2	F		
5					3	2	7				1	3	3	1							1	M	Other respiratory
8						1	3				1	1	2	3			1	1	2	2	F		
					5	3	5				1	1	3	4							M	Peptic ulcer	
							4														M	Diarrhœa	
1	1						7	3					1	3	2				1		F		
1		1					1	4	1	1			1	1			1				M	Appendicitis	
3						1	2			1			1								F		
2					1	1					1	1									M	Cirrhosis of liver	
1						1	1														F		
1					1		4				1	1	2	1							1	M	Other liver diseases
6		1			1	3	7			1	1		5	2					2		M	Other digestive	
10					1	1	13				2	2	7	4				2	1	6	2	F	
9				4	3	6	17				2	3	2	11			1		6	19	M	Nephritis	
					1	4	14							9				1	12		F		
1					1							6						3			F	Puerperal sepsis	
3					3			6							3						F	Other puerperal	
8		8					16														M	Congenital causes, etc.	
7		7					14	16	13	1				7							F		
13							13														M	Senility	
14							14	16						16							F		
4					1	3	5				2	2	1					3			1	M	Suicide
											1	1		6					1		F		
13			1		7	4	22	1		1	6	3	7	7			1		8	5	6	M	Other violence
2					1		14	1			1		5	5					3	1	2	F	
22	5				4	5	47	5	1	1	7	13	20	63	4	2	4	9	13	31	M	Other defined causes	
14	1				2	6	44	2	3	2	8	11	18	42		1	1	9	11	20	F	Ill-defined causes	
														3				1					

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	124	5	1	3	12	25	78	285	21	3	2	25	72	162	472	29	11	14	57	135	
	F	146	3	—	1	11	37	94	302	9	1	1	25	69	197	404	28	3	5	47	97	
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	3	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—		
5 Diphtheria	M	1	—	1	—	—	—	—	1	—	1	—	—	—	—	3	—	—	3	—		
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	2	—	—	1	—		
6 Influenza	M	2	—	—	—	—	—	2	1	—	—	—	—	1	—	22	1	1	—	1		
	F	2	—	—	—	—	—	2	1	—	—	—	—	—	1	11	—	1	1	9		
7 Encephalitis lethargica	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	2	—	1	—	—		
	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—		
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—		
9 Respiratory tuberculosis	M	3	—	—	—	3	—	—	20	—	—	—	6	9	5	19	—	—	—	12		
	F	8	—	—	—	4	1	3	4	—	—	—	3	1	—	16	—	—	15	6		
10 Other tuberculosis	M	—	—	—	—	—	—	—	2	—	—	—	2	—	—	6	—	1	4	1		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	3	1	1	—	1		
11 Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1		
12 Gen. paralysis of insane, etc.	M	1	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—		
13 Cancer	M	9	—	—	—	2	2	5	27	—	—	—	1	10	16	51	—	—	—	3		
	F	24	—	—	—	—	12	12	48	—	—	—	2	29	17	52	—	—	—	18		
14 Diabetes	M	2	—	—	—	—	—	2	4	—	—	—	—	2	2	6	—	—	—	3		
	F	2	—	—	—	—	1	1	3	—	—	—	—	1	2	9	—	—	—	5		
15 Cerebral hæmorrhage	M	7	—	—	—	—	—	7	20	—	—	—	—	2	18	22	—	—	—	5		
	F	14	—	—	—	—	2	12	18	—	—	—	—	4	14	19	—	—	—	9		
16 Heart disease	M	38	—	—	—	1	8	29	77	—	—	1	—	19	57	117	—	—	9	37		
	F	31	—	—	—	2	7	22	102	—	—	—	4	15	83	111	—	—	9	16		
17 Aneurysm	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—		
18 Other circulatory	M	8	—	—	—	—	2	6	13	—	—	—	—	2	11	38	—	—	—	13		
	F	14	—	—	—	—	2	12	17	—	—	—	—	2	15	29	—	—	2	6		
19 Bronchitis	M	3	—	—	—	—	1	2	8	1	—	—	—	1	6	14	1	—	—	4		
	F	5	—	—	—	—	—	5	16	—	—	—	1	4	14	18	3	—	2	5		
20 Pneumonia	M	1	—	—	—	—	1	—	12	2	—	—	1	1	5	20	2	1	—	3		
	F	7	1	—	—	1	—	5	5	1	—	—	1	1	2	12	3	—	—	4		
21 Other respiratory	M	3	—	—	—	1	1	1	3	—	—	—	1	1	1	6	1	—	1	2		
	F	1	—	—	—	—	1	—	1	—	—	—	—	1	1	1	—	—	—	1		
22 Peptic ulcer	M	1	—	—	—	—	—	1	3	—	—	—	—	2	1	10	—	—	5	4		
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	3	—	—	—	2		
23 Diarrhœa	M	—	—	—	—	—	—	—	3	1	—	1	—	1	—	2	1	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—		
24 Appendicitis	M	1	—	—	—	—	—	1	3	—	—	—	—	1	—	2	1	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	2	4	—	1	—	3		
25 Cirrhosis of liver	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
26 Other liver diseases	M	1	—	—	—	—	—	1	4	—	—	—	—	2	2	3	—	1	—	1		
	F	2	—	—	—	—	1	1	2	—	—	—	—	—	2	5	—	—	—	3		
27 Other digestive	M	6	1	—	—	1	1	3	5	—	—	—	1	2	2	4	—	1	—	—		
	F	3	—	—	—	—	2	1	3	—	—	—	—	2	2	6	—	—	—	2		
28 Nephritis	M	7	—	—	—	—	2	5	16	—	—	—	3	1	12	15	—	—	1	4		
	F	11	—	—	—	1	2	8	17	—	—	—	2	2	13	18	—	—	3	6		
29 Puerperal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—		
30 Other puerperal	F	—	—	—	—	—	—	—	2	—	—	—	2	—	—	1	—	—	1	—		
31 Congenital causes, etc.	M	3	3	—	—	—	—	—	14	13	1	—	—	—	—	19	18	—	—	—		
	F	1	1	—	—	—	—	—	5	5	—	—	—	—	—	16	16	—	—	—		
32 Senility	M	2	—	—	—	—	—	—	7	—	—	—	—	—	—	7	—	—	—	—		
	F	5	—	—	—	—	—	5	16	—	—	—	—	—	16	20	—	—	—	—		
33 Suicide	M	4	—	—	—	1	1	2	7	—	—	—	2	3	2	2	—	—	1	1		
	F	1	—	—	—	—	—	1	6	—	—	—	—	4	2	1	—	—	1	—		
34 Other violence	M	6	1	—	2	2	—	1	9	—	1	—	5	1	2	15	—	3	1	4		
	F	2	—	—	—	1	—	1	8	—	—	—	3	2	3	5	—	—	1	2		
35 Other defined causes	M	14	—	—	1	1	4	8	23	4	—	—	1	7	11	45	2	1	4	7		
	F	11	1	—	—	2	5	3	22	2	1	1	4	6	8	34	1	—	2	14		
36 Ill-defined causes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

Carmarthen.

Administrative County of Denbigh.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.	
695	51	4	7	86	191	356	507	28	13	5	46	131	284	*626	48	12	8	70	160	328	M	All Causes
659	55	13	10	82	157	342	509	22	8	4	54	94	327	547	30	5	12	45	135	320	F	
																					M	Typhoid fever, etc.
														1		1					M	Measles
																					F	
																					M	Scarlet fever
																					F	Whooping cough
2	2	1	1				1	1						1	1						M	Diphtheria
2							2														F	
23	1						7							1							M	Influenza
15	1						10							11							F	
							4							5							M	Encephalitis lethargica
1							1														F	Cerebro-spinal fever
1	1						1	1						1							M	Respiratory tuberculosis
30							15							20							F	Other tuberculosis
25							21							24							M	Syphilis
3							4							5							F	Gen. paralysis of insane, etc.
9							2							3							M	Cancer
1							1														F	Diabetes
1																					F	
65							68							80							M	Cerebral hemorrhage
90							74							73							F	Heart disease
6							9							7							M	Aneurysm
15							10							11							F	Other circulatory
40							30							19							M	Bronchitis
41							42							34							F	Pneumonia
195							43							105							M	Other respiratory
84							132							169							F	Peptic ulcer
							1							1							M	Diarrhoea
39							47							38							F	Appendicitis
34							39							38							M	Cirrhosis of liver
19	1						16	2	1					9	1						F	Other liver diseases
18	2						14	1						11							M	Other digestive
30	6	1					20							11							F	Nephritis
20	6	2	1				17	2	1					8							M	Puerperal sepsis
26							8							5							F	Other puerperal
3							3							4							M	Congenital causes, etc.
9							7							12							F	Senility
5							1							4							M	Suicide
6	3	1					1							1							F	Other violence†
3	1						1							3							M	Other defined causes
4							3							7							F	Ill-defined causes
3							1							1							M	
1							2							2							F	
7	1						9	2	2					2							M	
11							9	1						2							F	
24	1						8							5							M	
27							17							9							F	
							2							1							M	
2							4							2							F	
11							2							31							M	
23	20	1	1				18	18						17							F	
30	30						12	12						13							M	
16							5							14							F	
27							15							15							M	
9							5							1							F	
4							2							10							M	
37							2							7							F	
11	2						21		1	1				4							M	
							10							1							F	
71	10	1	3	11	19	31	46	4	3	1	7	9	22	58	2	2	3	10	11	11	M	
58	12	2	1	9	15	15	55	5	1		8	18	23	34	2	1	1	6	11	14	F	
4							2							8					3	5	M	
1							2							2					2	2	F	

Including M | — | 1 | — |

Wounds of War.

In addition to these numbers 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934.

For ages see Table 25, page 256.

TABLE 24—contd.

Administrative County of Flint.

Administrative County of Flint.

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	433	38	5	7	53	115	215	403	30	6	7	52	100	208	4024	275	95	87	527	1236	181
	F	409	25	8	6	45	91	234	365	18	4	6	36	92	209	3160	238	83	72	521	782	118
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Measles	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	10	2	8	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	3	6	2	—	—	—
3 Scarlet fever	M	2	1	—	—	1	—	—	—	—	—	—	—	—	—	3	—	1	1	1	—	—
	F	—	—	—	—	—	—	—	1	—	—	1	—	—	—	4	—	1	1	1	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	8	3	4	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	5	5	1	—	—	—
5 Diphtheria	M	6	1	1	3	1	—	—	2	—	1	1	—	—	—	34	—	17	16	1	—	—
	F	2	—	—	1	1	—	—	2	—	—	—	—	—	—	21	—	8	13	—	—	—
6 Influenza	M	16	2	—	—	2	6	6	14	—	1	1	1	—	6	111	1	1	2	22	53	—
	F	8	—	—	—	1	1	6	13	—	—	—	—	2	10	84	—	3	2	7	35	—
7 Encephalitis lethargica	M	5	—	—	—	3	1	1	1	—	—	—	—	1	—	6	—	—	—	1	4	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
8 Cerebro-spinal fever	M	1	—	—	—	1	—	—	1	1	—	—	—	—	—	16	3	2	2	8	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	1	7	2	2	—	—
9 Respiratory tuberculosis	M	11	—	—	—	6	3	2	16	—	—	—	11	5	—	190	—	1	3	114	63	—
	F	8	—	—	—	7	1	1	13	—	—	—	7	2	1	42	—	2	3	162	30	—
10 Other tuberculosis	M	2	—	1	—	1	—	—	4	—	2	—	—	—	—	201	1	5	10	22	3	—
	F	1	—	—	—	1	—	—	1	—	1	—	—	—	—	32	1	7	3	15	3	—
11 Syphilis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	7	2	1	—	—	4	—
	F	2	—	—	—	—	2	—	—	—	—	—	—	—	—	3	—	—	—	1	1	—
12 Gen. paralysis of insane, etc.	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	18	3	—	—	1	12	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—
13 Cancer	M	68	—	—	1	4	31	32	44	—	—	—	3	23	18	381	1	2	2	17	182	—
	F	59	—	—	—	3	20	36	48	—	—	—	6	23	19	350	2	1	—	48	147	—
14 Diabetes	M	4	—	—	—	1	1	2	3	—	—	—	—	—	—	9	—	—	—	9	12	—
	F	4	—	—	—	—	2	1	6	—	—	—	—	2	4	60	—	—	1	4	28	—
15 Cerebral hæmorrhage	M	25	—	—	—	—	10	15	24	—	—	—	—	6	18	267	—	—	—	8	78	—
	F	31	—	—	—	1	6	24	40	—	—	—	1	9	30	255	—	—	1	6	75	—
16 Heart disease	M	105	—	2	—	1	28	74	80	—	—	—	1	14	65	1,124	—	—	8	60	368	—
	F	106	—	—	—	7	35	64	91	—	—	1	3	17	70	830	—	—	5	62	214	—
17 Aneurysm	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	13	—	—	6	7	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	6	—	—	—	2	3	—
18 Other circulatory	M	20	—	—	—	—	3	17	28	—	—	—	—	5	23	173	—	—	—	—	33	—
	F	25	—	—	—	1	4	20	24	—	—	—	1	5	18	107	—	—	—	—	28	—
19 Bronchitis	M	3	1	—	—	—	1	1	14	—	—	—	—	3	10	188	13	1	—	5	61	—
	F	7	2	—	—	—	1	4	3	—	—	—	1	3	10	126	10	7	—	7	20	—
20 Pneumonia	M	26	5	1	—	6	9	5	19	1	1	—	3	9	5	161	36	19	4	23	49	—
	F	14	6	1	—	1	5	6	10	2	1	—	—	2	5	114	32	15	6	13	16	—
21 Other respiratory	M	4	—	—	—	1	2	1	7	—	—	—	1	4	2	80	1	2	—	12	43	—
	F	2	—	—	—	—	—	—	1	—	—	—	—	1	—	27	—	—	1	5	8	—
22 Peptic ulcer	M	9	—	—	—	3	5	—	8	—	—	—	5	2	1	44	—	—	—	16	22	—
	F	1	—	—	—	—	—	1	3	—	—	—	—	2	1	7	—	—	—	1	5	—
23 Diarrhoea	M	3	3	—	—	—	—	—	3	—	—	1	—	1	1	36	20	2	3	3	5	—
	F	3	—	—	—	1	1	—	3	1	—	—	2	—	—	26	11	3	2	—	—	—
24 Appendicitis	M	2	—	—	—	2	—	—	5	—	—	1	2	1	1	19	—	1	2	10	6	—
	F	—	—	1	—	—	—	1	2	—	—	—	—	2	—	22	—	6	—	8	5	—
25 Cirrhosis of liver	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	8	—	—	—	2	4	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
26 Other liver diseases	M	1	1	—	—	—	—	—	2	—	—	—	—	1	—	11	—	—	—	4	4	—
	F	4	—	—	—	—	1	3	1	—	—	—	1	—	2	23	—	—	—	3	10	—
27 Other digestive	M	5	1	—	—	2	—	2	8	—	1	1	2	2	2	49	9	3	2	4	14	—
	F	2	—	—	—	1	—	—	13	—	—	1	1	6	5	45	7	2	1	11	11	—
28 Nephritis	M	4	—	—	—	—	1	3	15	—	—	—	2	4	9	114	—	1	1	21	34	—
	F	13	—	1	1	3	2	6	9	—	—	—	3	3	3	87	—	—	1	20	37	—
29 Puerperal sepsis	F	—	—	—	—	—	—	—	4	—	—	—	4	—	—	12	—	—	—	12	—	—
30 Other puerperal	F	4	—	—	—	4	—	—	2	—	—	—	2	—	—	34	—	—	—	34	—	—
31 Congenital causes, etc.	M	14	14	—	—	—	—	—	20	20	—	—	—	—	—	148	141	3	2	2	—	—
	F	13	12	1	—	—	—	—	12	11	—	1	—	—	—	136	131	1	3	1	—	—
32 Senility	M	26	—	—	—	—	—	26	15	—	—	—	—	—	15	151	—	—	—	—	—	—
	F	38	—	—	—	—	—	38	24	—	—	—	—	—	24	136	—	—	—	—	—	—
33 Suicide	M	2	—	—	—	1	—	1	6	—	—	—	1	2	3	43	—	—	—	10	26	—
	F	2	—	—	—	1	—	1	1	—	—	—	—	—	—	14	—	—	—	5	8	—
34 Other violence	M	24	2	1	—	8	6	7	22	1	—	2	11	2	6	202	3	9	9	84	63	—
	F	11	—	—	—	2	1	8	8	2	—	—	—	1	5	52	4	4	3	10	6	—
35 Other defined causes	M	38	7	1	1	9	6	14	37	6	—	—	8	7	16	319	39	12	18	53	81	—
	F	45	5	4	3	9	14	10	23	1	1	1	4	9	7	298	29	11	14	75	85	—
36 Ill-defined causes	M	4	—	—	—	—	1	3	2	—	—	—	—	1	1	10	—	—	—	2	5	—
	F	2	—	—	—	—	—	2	4	—	—	—	—	1	3	8	—	—	—	—	—	—

Aggregate of Rural Districts.						Aggregate of Urban Districts.						Aggregate of Rural Districts.						Causes of Death			
																		See first page of Table.			
0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-		
90	31	19	139	354	518	148	6	4	2	13	49	74	204	13	1	1	23	57	109	M All Causes	
62	19	18	145	247	496	142	11	2	2	11	31	85	145	4	2		16	28	95	F	
																				M Typhoid	1
																				F fever, etc.	
						2		2												M Measles	2
						1			1											F	
																				M Scarlet	3
																				F fever	
																				M Whooping	4
																				F cough	
																				M Diphtheria	5
																				F	
																				M Influenza	6
																				F	
																				M Encephalitis	7
																				F lethargica	
																				M Cerebro-spinal	8
																				F fever	
																				M Respiratory	9
																				F tuberculosis	
																				M Other	10
																				F tuberculosis	
																				M Syphilis	11
																				F	
																				M Gen. paralysis	12
																				F of insane, etc.	
																				M Cancer	13
																				F	
																				M Diabetes	14
																				F	
																				M Cerebral	15
																				F hæmorrhage	
																				M Heart	16
																				F disease	
																				M Aneurysm	17
																				F	
																				M Other	18
																				F circulatory	
																				M Bronchitis	19
																				F	
																				M Pneumonia	20
																				F	
																				M Other	21
																				F respiratory	
																				M Peptic	22
																				F ulcer	
																				M Diarrhoea	23
																				F	
																				M Appendicitis	24
																				F	
																				M Cirrhosis of	25
																				F liver	
																				M Other liver	26
																				F diseases	
																				M Other	27
																				F digestive	
																				M Nephritis	28
																				F	
																				M Puerperal sepsis	29
																				F Other puerperal	30
																				M Congenital	31
																				F causes, etc.	
																				M Senility	32
																				F	
																				M Suicide	33
																				F	
																				M Other	34
																				F violence†	
																				M Other defined	35
																				F causes	
																				M Ill-defined	36
																				F causes	

Causes of Death See first page of Table		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
	All Causes	M F	1,917 1,498	160 120	57 58	35 49	266 210	513 397	886 664	278 228	12 8	3 2	9 5	22 22	83 44	149 147	141 135	13 6	2 4	6 2	10 7	33 27
1	Typhoid fever, etc.	M F	1 1	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2	Measles	M F	4 9	2 5	2 3	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	
3	Scarlet fever	M F	2 1	— —	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4	Whooping cough	M F	7 8	3 3	4 5	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5	Diphtheria	M F	11 11	— 1	4 5	7 4	— —	— 1	— —	2 —	— —	— —	2 —	— —	— —	— —	2 1	— —	1 —	1 —	— —	
6	Influenza	M F	41 39	1 —	5 3	2 1	7 8	8 10	20 20	3 10	— 1	— —	— —	2 2	— 4	3 3	1 5	— —	— —	1 —	1 —	
7	Encephalitis lethargica	M F	5 5	— —	— 1	— 1	1 2	2 —	2 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	— —	— —	
8	Cerebro-spinal fever	M F	17 14	1 3	2 2	3 3	8 4	3 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
9	Respiratory tuberculosis	M F	89 87	— —	— —	— 6	65 67	21 13	3 1	10 12	— —	— —	— 1	5 5	3 2	2 4	4 3	— —	— —	2 1	1 2	
10	Other tuberculosis	M F	15 15	— —	5 4	3 4	5 6	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
11	Syphilis	M F	4 1	1 —	1 —	— —	— —	2 1	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	
12	Gen. paralysis of insane, etc.	M F	9 2	— —	— —	1 —	2 1	5 1	1 —	2 —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	
13	Cancer	M F	181 162	— —	— 1	2 1	11 17	66 78	102 65	40 28	— —	— —	1 —	3 4	18 9	18 15	19 23	— —	— —	1 1	4 10	
14	Diabetes	M F	18 37	— —	— —	— 2	3 3	7 17	7 15	5 —	— —	— —	— —	— 1	— 3	— 2	— —	— —	— —	— —	— —	
15	Cerebral hæmorrhage	M F	103 97	— —	— —	— —	3 1	34 28	66 68	6 11	— —	— —	— —	— —	3 4	3 7	15 10	— —	— —	— —	2 1	
16	Heart disease	M F	524 394	— 1	1 1	— 4	29 28	159 113	335 247	82 83	— —	— —	— —	— 2	22 10	58 70	24 39	— —	— —	1 1	6 5	
17	Aneurysm	M F	2 2	— —	— —	— —	— 1	1 1	1 —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	1 —	
18	Other circulatory	M F	97 50	— —	— —	— —	— 1	13 11	84 38	17 12	— —	— —	— —	— —	— 2	15 12	13 8	— —	— —	— —	1 —	
19	Bronchitis	M F	82 54	6 4	4 3	— 1	3 2	22 10	47 34	6 4	— —	— —	— —	— 1	2 4	2 7	5 2	— —	1 —	— —	— —	
20	Pneumonia	M F	119 80	31 24	14 12	2 4	13 8	28 14	31 18	7 8	1 —	2 1	— 1	— 1	3 4	2 3	4 4	1 1	— —	— —	2 —	
21	Other respiratory	M F	35 12	1 —	— 2	1 —	7 4	18 1	8 5	4 1	— —	— —	1 —	— —	1 1	2 1	2 1	— —	— —	— —	1 —	
22	Peptic ulcer	M F	21 11	— —	— —	— —	2 —	14 5	5 6	— —	— —	— —	— —	1 —	2 —	— —	2 2	— —	— —	— —	1 2	
23	Diarrhoea	M F	25 20	18 8	3 3	1 —	1 1	1 4	1 4	2 —	— —	— —	— —	— —	— —	2 —	1 —	1 —	— —	— —	— —	
24	Appendicitis	M F	11 6	— —	— —	2 —	7 3	3 2	1 —	1 1	— —	— —	— —	1 —	— —	— —	2 1	— —	2 —	— —	— —	
25	Cirrhosis of liver	M F	4 3	— —	— —	— —	— —	3 2	1 1	2 —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	
26	Other liver diseases	M F	5 12	— —	— —	— —	— —	2 6	3 6	2 2	— —	— —	— —	— —	— 2	2 —	— —	— —	— —	— —	— —	
27	Other digestive	M F	28 24	4 1	— 2	1 —	4 2	8 6	11 11	5 3	— —	— —	— —	— 2	5 6	3 1	1 —	— —	1 —	1 —	— —	
28	Nephritis	M F	53 51	— —	— 1	— —	9 7	17 23	27 20	10 8	— —	— —	— —	2 1	2 2	6 6	8 3	— —	— —	— —	3 1	
29	Puerperal sepsis	F	1	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
30	Other puerperal	F	14	— —	— —	— —	14 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 —	— —	— —	2 —	1 —	
31	Congenital causes, etc.	M F	75 58	75 54	— 2	— 1	— —	— —	— —	10 7	10 6	— —	— —	— —	— —	— —	10 5	— —	— —	— —	— —	
32	Senility	M F	50 61	— —	— —	— —	— —	— 1	50 60	11 8	— —	— —	— —	— —	— —	11 8	3 4	— —	— —	— —	— —	
33	Suicide	M F	14 5	— —	— —	— —	5 —	4 —	5 —	4 —	— —	— —	— —	1 2	2 2	1 4	3 —	— —	— —	1 —	2 —	
34	Other violence	M F	126 33	2 3	8 6	4 4	49 4	35 10	27 7	12 7	— —	— 1	2 2	3 1	2 2	3 1	6 1	— —	— —	1 —	4 —	
35	Other defined causes	M F	137 117	15 13	4 4	7 8	31 24	34 32	46 36	31 11	— —	1 —	3 —	2 —	10 3	15 8	10 15	— —	1 —	1 —	4 4	
36	Ill-defined causes	M F	2 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-	See first page of Table.		
16	4	2	25	36	122	301	18	3	7	40	84	149	311	14	3	2	33	69	190	M	All Causes	
14	2	3	16	32	116	289	21	2	4	24	69	169	341	18	6	2	34	79	202	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid fever, etc.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Measles	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Whooping cough	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Influenza	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Encephalitis lethargica	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Cerebro-spinal fever	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Respiratory tuberculosis	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other tuberculosis	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Syphilis	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Gen. paralysis of insane, etc.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cancer	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Diabetes	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cerebral hæmorrhage	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Heart disease	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Aneurysm	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other circulatory	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Bronchitis	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Pneumonia	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other respiratory	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Peptic ulcer	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diarrhoea	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Appendicitis	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cirrhosis of liver	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other liver diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other digestive	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Nephritis	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Puerperal sepsis	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other puerperal	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Congenital causes, etc.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Senility	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Suicide	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other violence	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other defined causes	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Ill-defined causes	

Causes of Death		Aggregate of Urban Districts.							Aggregate of Rural Districts.						
See first page of Table		All Ages	0-	1-	5-	15-	45-	65-	All Ages	0-	1-	5-	15-	45-	65-
All Causes	M	43	1	1	2	2	10	27	100	7	—	2	5	26	60
	F	36	1	1	—	2	5	27	102	5	—	2	8	25	62
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Influenza	M	—	—	—	—	—	—	—	5	—	—	—	—	2	3
	F	—	—	—	—	—	—	—	5	—	—	—	—	2	3
7 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Respiratory tuberculosis	M	1	—	—	—	1	—	—	3	—	—	—	1	2	—
	F	2	—	—	—	2	—	—	3	—	—	—	2	1	—
10 Other tuberculosis	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Gen. paralysis of insane, etc.	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13 Cancer	M	2	—	—	—	1	1	—	6	—	—	—	—	6	—
	F	5	—	—	—	—	—	5	8	—	—	—	1	5	2
14 Diabetes	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	2	—	—	—	—	—	1
15 Cerebral hæmorrhage	M	4	—	—	—	1	3	—	3	—	—	—	—	—	3
	F	2	—	—	—	1	1	—	10	—	—	—	—	3	6
16 Heart disease	M	9	—	—	—	1	8	—	35	—	—	—	—	5	30
	F	11	—	—	—	1	10	—	29	—	—	—	—	7	22
17 Aneurysm	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18 Other circulatory	M	7	—	—	—	2	5	—	7	—	—	—	—	—	—
	F	4	—	—	—	—	4	—	6	—	—	—	—	—	—
19 Bronchitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	2	—	—	—	1	2	2
20 Pneumonia	M	—	—	—	—	—	1	—	5	—	—	—	—	—	—
	F	2	—	1	—	—	1	—	3	1	—	—	—	—	—
21 Other respiratory	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—
22 Peptic ulcer	M	2	—	—	—	—	1	—	3	1	—	1	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Diarrhœa	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	1	—	—	—	—	—
24 Appendicitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Cirrhosis of liver	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26 Other liver diseases	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—
27 Other digestive	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—
28 Nephritis	M	4	—	—	—	—	3	—	1	—	—	—	—	—	1
	F	1	—	—	1	—	—	1	6	—	—	—	—	1	5
29 Puerperal sepsis	F	—	—	—	—	—	—	—	4	—	—	—	—	—	3
30 Other puerperal	F	—	—	—	—	—	—	—	2	—	—	2	—	—	—
31 Congenital causes, etc.	M	1	1	—	—	—	—	—	5	5	—	—	—	—	—
	F	1	1	—	—	—	—	—	2	2	—	—	—	—	—
32 Senility	M	2	—	—	—	—	—	—	8	—	—	—	—	—	8
	F	2	—	—	—	—	—	2	6	—	—	—	—	—	6
33 Suicide	M	—	—	—	—	—	—	—	3	—	—	—	1	2	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—
34 Other violence	M	7	—	1	2	1	—	3	5	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	4	1	—	—	1	2	3
35 Other defined causes	M	1	—	—	—	—	—	1	3	—	—	1	1	—	1
	F	2	—	—	—	—	—	2	10	—	—	—	—	4	4
36 Ill-defined causes	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 25.—VIOLENT DEATHS, 1939.—ENGLAND AND WALES.

(Non-Civilian deaths are included up to 3rd September but excluded thereafter).

Note (1). The deaths in this table have been classified to the several forms of violence (e.g., suicide, accident, etc.), in accordance with the information furnished by H.M. Coroners.

(2). The relation of the full detailed International List to the Intermediate International List will be found in the first column of Table 6.

Inter- national List No.	Cause or Character of Violence.	All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards	
	Total	M F	16180 8329	412 328	593 362	554 245	369 107	794 207	1045 217	2040 535	1817 604	2109 831	2712 1088	2128 1456	1607 2349
163-171	Suicide	M F	3307 1747	—	—	—	2 1	62 21	122 59	364 254	469 323	639 429	911 377	558 213	180 70
172-175	Homicide	M F	90 117	25 18	9 16	8 8	5 5	11 5	3 11	6 15	12 15	8 10	8 10	5 2	2 4
196	Wounds of War	M	73	—	—	—	—	1 2	8 20	20 28	28 13	13 1	—	—	—
198	Execution	M	5	—	—	—	—	2 —	—	—	—	—	—	—	—
176-194	Accident	M F	11940 6163	369 290	575 342	532 234	356 98	703 173	878 131	1576 219	1209 219	1299 340	1600 657	1467 1204	1376 2256
195	Open Verdicts	M F	765 302	18 20	9 4	14 3	6 3	19 8	40 16	84 47	114 47	135 52	180 46	97 37	49 19
163-171	Suicide :—														
163.	By solid or liquid poisons and corrosive substances	M F	276 243	—	—	—	—	8 3	9 11	30 39	36 44	59 67	78 43	40 24	16 12
	Hydrochloric acid	M F	39 21	—	—	—	—	— 1	2 1	3 7	7 3	8 5	12 3	6 3	1 2
	Potassium cyanide	M F	24 3	—	—	—	—	3 —	— —	1 —	3 5	5 8	8 3	1 1	—
	Carbolic acid	M F	16 9	—	—	—	—	— —	— —	2 3	4 2	4 1	1 2	1 1	—
	Ammonia	M F	11 17	—	—	—	—	— 1	— 1	— 4	— 4	1 5	6 3	3 10	—
	Lysol	M F	67 79	—	—	—	—	3 5	10 13	10 14	17 26	16 13	10 5	1 2	—
	Aspirin	M F	13 23	—	—	—	—	— 1	— 5	2 12	1 6	7 4	4 3	—	—
	Other solid or liquid poisons (or kind not stated) ¹	M F	106 91	—	—	—	—	5 1	3 4	12 18	11 24	22 15	25 12	6 12	—
164	By poisonous gas	M F	1164 817	—	—	—	—	17 9	49 27	158 104	185 152	228 202	292 181	184 104	51 37
	Coal gas	M F	1111 811	—	—	—	—	16 7	41 26	150 102	177 152	214 201	282 181	104 104	30 50
	Others ²	M F	53 6	—	—	—	—	1 2	8 1	8 2	8 —	14 1	10 —	3 —	—
165	Hanging or strangulation	M F	562 144	—	—	—	2	15 1	17 13	59 73	73 40	97 34	171 48	98 30	30 7
166	Drowning	M F	475 312	—	—	—	—	1 3	15 9	44 39	45 47	90 78	154 84	100 42	26 10
167	Firearms	M F	237 11	—	—	—	—	10 2	17 1	34 4	49 3	45 1	26 —	7 —	—
168	Cutting or piercing instru- ments	M F	363 59	—	—	—	—	1 2	1 8	18 9	46 17	65 16	116 7	77 17	39 5
169	Jumping from high places	M F	84 61	—	—	—	—	1 1	4 2	7 8	12 14	24 10	14 11	17 11	5 4
170	Crushing	M F	137 33	—	—	—	—	9 —	8 —	13 10	22 9	23 4	40 7	16 3	6 —
	On railway	M F	126 33	—	—	—	—	9 —	8 —	12 10	19 9	19 4	38 7	16 3	—
	Motor vehicles	M	11	—	—	—	—	—	—	1	3	4	2	—	1

* In addition to these numbers, 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934.

¹ Antimony, 1 M.; antimony chloride, 1 M.; arsenic (weed killer), 1 M., 1 F.; arsenic (sheep dip), 1 M.; mercuric chloride, 1 M.; mercury, 1 M.; copper sulphate, 2 F.; zinc chloride, 2 M.; phosphorus (rat poison), 1 M., 1 F.; potassium bichromate, 1 M.; potassium mixture, 1 M.; potassium acid oxalate, 2 F.; iodine, 1 F.; prussic acid, hydrocyanic acid, 12 M., 2 F.; oxalic acid, 6 M., 7 F.; acetic acid, 1 M.; sulphuric acid, 6 M., 2 F.; nitric acid, 1 F.; sodium fluoride, 1 F.; surgical spirit, 1 F.; chloroform, 1 M.; amido pyrin, 1 F.; benzene, 1 M.; phenol, 3 M., 2 F.; cresol, 1 M., 2 F.; creosote, 2 M., 2 F.; tricresol, 2 M.; coal tar fluid, 1 F.; T.C.P. 1 F.; lyce deth (nicotine), 1 F.; insecticide (nicotine), 1 F.; cyanide (not stated), 3 M., 1 F.; dial, 2 M.; luminal 5 M., 4 F.; medinal, 8 F.; omnopon, 1 M.; phanodorm, 1 M., 2 F.; soneryl, 1 M., 1 F.; sulphonal, 1 M.; 5 M., 4 F.; veronal, 3 M., 2 F.; phenobarbitone, 4 F.; barbiturate (not stated), 2 M., 7 F.; medicine (containing potassium chloride), 1 F.; chloral, 1 F.; salicylate compounds, 1 F.; nembital, 1 F.; opium, laudanum, morphia, 2 M., 2 F.; aconite, 1 M.; atropine, 1 F.; strychnine, 2 M., 2 F.; liniment (aconite, belladonna and chloroform), 1 M.; 1 F.; strychnine (vermin killer), 5 M.; strychnine (belladonna and chloroform), 1 M.; liniment (belladonna and aconite), 1 F.; liniment (camphor), 2 M.; liniment (turpentine), 1 M.; liniment (wintergreen), 1 F.; Izal, 4 M., 3 F.; killgerm, 1 M.; Jeyes fluid, 5 M., 2 F.; sanizal, 2 M., 1 F.; disinfectant (carbolic), 1 M., 3 F.; insecticide (not stated), 1 M.; disinfectant (corrosive), 2 M.; metaldehyde (meta tablets), 1 F.; leather dye (not stated), 1 M.; insulin, 1 M.; weed killer (not stated), 2 F.; corrosive (not stated), 3 M., 2 F.

² Carbon monoxide from motor car exhaust, 44 M., 4 F.; carbon dioxide from motor car exhaust, 2 M.; exhaust fumes from motor car, 7 M., 2 F.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
171	Suicide by other means .. {M F	9 67	—	—	—	—	—	2	1	1	4	1	—	—
	Abortion {M F	60 9	—	—	—	—	2	6	28	24	—	—	—	—
	Others (or not stated) ¹ .. {M F	7 —	—	—	—	—	—	2	1	1	2	1	2	—
173	Homicide by firearms .. {M F	5 16	—	1	—	1	—	1	—	—	—	1	1	—
174	Homicide by cutting or {M F	9 13	2 1	2 —	1 —	1 —	—	1	2	5	4	1	—	—
	piercing instruments .. {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
175	Homicide by other means .. {M F	76 88	23 17	6 2	7 —	4 —	8 3	1 10	4 11	3 9	8 5	6 3	4 2	2 1
	By blow {M F	17 11	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	„ strangulation {M F	9 20	8 2	— 3	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Others (or not stated how) ¹ {M F	50 57	13 13	6 13	6 4	4 2	5 1	3 5	3 5	2 5	5 4	2 2	2 1	1 1
	Accident :—													
176	Attack by venomous animals ² {M F	5 15	— 1	— 1	1 —	— —	— —	— —	1 2	— 2	2 3	— 5	— 2	— 1
177	Food poisoning ⁴ {M F	15 15	1 1	1 —	— —	— —	1 —	— —	2 2	2 1	3 2	— 5	— 2	— —
178	Accidental absorption of {M F	119 84	2 —	2 5	2 3	— —	7 1	6 2	15 5	16 7	21 11	15 12	14 18	19 20
	irrespirable or poisonous gas .. {M F	62 71	2 —	2 4	2 3	— —	1 —	2 —	4 5	4 5	9 11	7 17	11 18	18 18
	Coal gas {M F	33 9	— —	— —	— —	— —	5 —	2 —	3 2	5 2	7 2	4 —	— —	— —
	Carbon monoxide ⁵ {M F	24 4	— —	— —	— —	— —	1 —	2 —	3 —	7 —	5 —	4 —	1 —	1 —
	Others (or not stated) ⁶ .. {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Other acute accidental poison- {M F	31 41	1 —	8 6	— —	1 —	— —	— —	5 4	3 3	2 11	6 7	3 5	2 4
	ing (not by gas) ⁷ {M F	48 55	1 4	6 9	2 2	1 —	1 2	2 3	7 2	7 —	2 5	6 7	5 10	8 11
180	Conflagration {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Accidental burns {M F	520 727	34 34	220 158	21 54	4 20	20 28	13 14	31 35	22 32	30 48	34 55	42 100	49 149
	(conflagration excepted)													
	1. Burns {M F	244 536	9 15	41 46	11 26	2 17	16 26	8 13	19 29	15 28	17 40	20 49	38 90	48 137
	By clothes ⁸ {M F	58 281	1 2	11 27	8 26	1 13	6 17	3 16	4 16	1 16	4 23	6 43	7 63	6 69
	„ falling into fire .. {M F	34 43	1 6	6 2	— 1	— —	— —	— —	1 1	— 1	— 3	— 7	9 14	14 15
	Otherwise (or not stated ⁹ {M F	152 212	7 7	24 17	3 19	4 —	10 9	5 7	14 12	14 11	13 14	11 19	22 40	28 53

¹ Including electrocution, 5 M.; blows with glass bottle, 1 M.; starvation, 1 F.; burns (not stated), 3 F.; setting fire to clothing, 1 M., 3 F.

² Coal gas, 17 M., 22 F.; motor car exhaust, 1 M., 2 F.; carbon monoxide (not stated), 1 F.; motor car, 11 M., 3 F.; motor lorry, 2 M., 2 F.; railway train, 2 M.; abortion, 13 F.; suffocation, 3 M., 2 F.; carbolic, 1 F.; lysol, 1 F.; morphine, 1 M.; inattention at birth, 3 F.; neglect, 1 F.; thrown from window, 1 F.; burns, 1 F.; drowning, 5 M., 2 F.; explosion of bomb, 5 M., 1 F.; injuries (not stated how caused), 3 M., 1 F.

³ Insect (not further defined), 2 M., 4 F.; bee sting, 2 M.; mosquito bite, 1 M., 1 F.

⁴ Food poisoning, 3 M., 4 F.; bacillus aertrycke, 5 M., 5 F.; salmonella infection, 1 M., 5 F.; bacterium Newport, 1 M.; shellfish, 1 M.; potted meat, 1 M.; roast pork, 1 M.; poisonous fungi, 2 M., 1 F.

⁵ Motor car, 8 M.; petrol engine, 2 M.; geyser, 7 M., 4 F.; gas fire, 2 M., 1 F.; anthracite stove, 2 M., 1 F.; oil stove, 1 M.; domestic boiler, 1 M.; coal fire, 1 M.; coke boiler, 1 F.; burning clothing, 1 F.; burning paper, 1 F.; blast furnace, 1 M.; nickel works, 1 M.; lime kiln, 2 M.; flint quarry, 1 M.; fire damp, 1 M.; not stated how, 3 M. For other deaths from carbon monoxide poisoning see No. 195.

⁶ Sulphuretted hydrogen, 2 M.; sulphuretted hydrogen in coal mine, 2 M.; trichlorethylene, 3 M.; sewer gas, 2 M.; marsh gas, 2 M.; fire damp (colliery), 1 M.; gas not stated (colliery), 2 M.; blast furnace 1 M.; coke fumes in stokehold, 1 M.; in well, 1 M.; nitrous oxide, 1 M.; chloroform, 1 M.; chemical works, 1 M.; fumes from ashes, 1 M.; petrol fumes, 1 M.; fumes from burning bedding, clothing, etc., 1 M., 2 F.; fumes from burning tar, 1 M.; fumes from gas water heater, 1 F.; fumes from domestic fire, 1 F.

⁷ Arsenic, 1 M.; ammonia, 1 M., 6 F.; acetic acid, 1 M.; oxalic acid, 1 F.; carbolic acid, 1 M., 1 F.; hydrochloric acid, 2 F.; caustic soda, 1 F.; potassium sulphide, 1 F.; potassium cyanide, 1 M.; potassium bichromate, 1 M.; Easton syrup, 2 F.; strychnine tonic pills, 1 F.; strychnine, 1 M.; whisky, 1 F.; alcohol, 1 M., 1 F.; surgical spirit, 1 M.; aspirin, 2 M., 5 F.; luminal, 1 M., 2 F.; dial and luminal, 1 M.; medinal, 1 M., 3 F.; veronal, 1 F.; nembutal, 1 F.; nepenthe, 1 F.; phenobarbitone, 1 F.; barbiturate (not stated) 2 F.; chloral hydrate, 1 M.; opium, laudanum, morphia, 4 M.; paraldehyde, 1 F.; stramonium, 1 F.; chloral (overdose of medicine), 1 F.; sleeping draught (not stated), 1 F.; turpentine, 1 F.; bitter sweet (woody nightshade), 1 M.; privet berries, 1 M.; borax and pyrethrum powder, 1 M.; quinine tablets, 1 M.; oil of wintergreen, 1 M.; lysol, 2 M.; Jeyes fluid, 1 M.; meta tablet, 1 M.; adalim, 1 M.; fersolete tablets, 1 M.; smelling fluid (not stated), 1 F., corrosive fluid (not stated), 1 M., narcotic (unknown), 1 F.; drug (unknown), 1 F.

⁸ Including candle, 4 M., 14 F.; unguarded grate, 2 M., 11 F.; flannelette clothes, 1 F.; copper fire, 2 F.; gas stove, ring, etc., 10 F.; electric fire, 1 M., 6 F.; oil stove, lamp, etc., 1 M., 9 F.; matches, 3 M., 7 F.; paraffin, 1 F.; petrol, 3 M., 1 F.; paper, 1 M., 6 F.; celluloid doll, 1 F.

⁹ Including motor cycle, 4 M.; motor coach, 4 M., 2 F.; motor lorry, 2 M., 3 F.; motor bus, 1 M.; motor car, 1 M.; railway, 1 M.; candle, 3 M., 5 F.; lamp accident, 1 M., 3 F.; oil stove, 2 M., 4 F.; gas stove, ring, etc., 1 M., 5 F.; electric stove, 1 F.; playing with fire, 6 M., 1 F.; bedding, 7 M., 2 F.; matches, 1 M.; molten metal, 4 M.; petrol, 5 M., 1 F.; paraffin, 1 F.; methylated spirits, 1 M., 1 F.; into lime kiln, 1 M.; poultice, 1 M.; hot water bottle, 1 M., 5 F.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.		All Ages	Under 1 year	1--	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwards
181	2. Scalds ¹	M	249	25	179	9	2	1	2	3	5	7	12	3	1
		F	190	19	112	8	3	1	1	6	4	8	6	10	12
	3. Explosions ²	M	27	—	—	1	—	—	3	9	2	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	—	—	—
182	Accidental mechanical suffo- cation	M	305	230	10	6	12	—	3	4	7	7	11	6	7
		F	184	154	11	—	1	—	—	1	2	4	7	4	—
	In bed	M	131	127	2	—	1	—	—	—	—	1	—	—	—
		F	88	84	2	—	—	—	—	—	—	—	—	—	—
	In cot, cradle, etc.	M	42	40	2	—	—	—	—	—	—	—	2	—	—
		F	24	24	—	—	—	—	—	—	—	—	—	—	—
	Heavy substance on	M	20	—	—	4	10	—	1	1	—	2	2	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—
	Food, etc.	M	98	51	6	2	1	2	2	2	7	4	9	5	7
		F	61	38	8	—	1	—	1	1	2	3	4	4	—
	Others ³	M	14	12	—	—	—	—	—	1	—	—	—	1	—
		F	10	8	1	—	—	—	—	—	—	—	1	—	—
183	Accidental drowning	M	703	6	85	128	71	72	37	81	65	49	65	32	12
		F	110	2	22	18	2	5	4	9	8	10	13	8	9
	Bathing	M	75	—	—	8	14	22	9	11	6	2	2	—	1
		F	5	—	—	—	1	2	—	—	1	—	1	—	—
	Pleasure craft	M	23	—	—	2	1	10	2	4	4	—	—	—	—
		F	5	—	—	1	—	1	1	1	—	—	—	1	—
	Other ships and boats	M	71	—	—	—	—	5	8	19	21	5	9	4	—
	Docks, etc.	M	16	—	—	—	—	1	3	4	4	—	—	—	—
		F	16	—	—	—	—	1	3	4	4	—	—	—	—
	Otherwise (or not stated) ⁴ ..	M	518	6	85	118	56	34	15	47	30	38	50	28	11
		F	100	2	22	17	1	2	3	8	7	10	12	7	9
184	Accidental injury by firearms	M	84	—	1	2	7	17	10	16	7	10	7	4	3
		F	6	—	—	—	1	2	1	1	—	1	—	—	—
185	Accidental injury by cutting or piercing instruments	M	14	2	1	1	1	2	1	1	1	1	3	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—
186	Accidental injury by fall, crushing, etc.	M	9592	14	220	346	235	544	770	1347	1032	1108	1390	1332	1254
		F	4746	13	118	145	68	132	103	150	151	238	534	1041	2053
	1. Accidental injury by fall ..	M	2405	11	36	33	29	54	63	161	162	214	353	515	774
		F	3018	8	21	12	7	12	11	17	36	89	287	703	1815
	In ships, docks, etc.	M	77	—	1	—	—	—	8	7	12	19	13	11	6
		F	1	—	—	—	—	—	—	—	—	—	—	—	—
	Down hold	M	34	—	—	—	—	7	4	3	9	4	4	3	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated) ⁵ ..	M	43	—	1	—	—	1	3	9	10	9	7	3	—
	In building operations	M	224	—	—	—	—	11	23	64	34	35	37	19	1
		F	408	2	5	1	—	1	1	5	22	32	72	118	149
	Downstairs	M	638	3	1	2	1	2	5	11	13	32	99	166	303
		F	347	4	4	—	—	1	—	3	5	7	39	72	211
	In house, room, etc.	M	931	1	5	1	1	1	1	2	6	21	53	207	632
		F	29	2	3	—	—	—	—	—	—	—	4	6	14
	Out of bed	M	67	2	—	—	—	—	—	—	—	—	7	11	47
		F	47	—	6	3	—	2	1	1	1	6	5	12	10
	From window	M	36	—	6	—	—	1	—	1	2	7	9	4	6
		F	41	—	6	—	—	2	5	6	5	9	8	5	1
	Window cleaning	M	2	—	—	—	—	—	—	—	—	—	2	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—
	From ladder	M	66	—	1	—	2	1	2	5	7	10	14	15	9
		F	9	—	1	—	—	—	—	1	1	1	2	3	1
	In street	M	249	—	3	4	3	2	2	5	7	16	47	73	87
		F	187	1	1	—	2	—	1	—	2	6	28	70	76
	From horse	M	18	—	—	2	—	—	—	2	2	3	4	—	—
		F	6	—	—	—	1	—	2	—	1	—	—	2	—
	From cliff	M	25	—	2	3	1	5	4	3	2	1	2	—	—
		F	6	—	—	—	—	4	—	1	1	—	—	—	—
	Otherwise (or not stated how) ⁶	M	874	3	11	20	20	21	18	55	58	82	110	184	292
		F	1135	1	7	9	2	4	2	2	10	21	87	240	750
	2. Mines and quarries	M	610	—	—	—	3	44	42	128	157	139	75	21	1
		F	225	—	1	1	4	23	18	43	34	51	37	13	—
	3. Machinery	M	9	—	2	1	1	1	1	1	—	—	—	—	—
		F	9	—	2	1	1	1	1	1	—	—	—	—	—
	4. Railway, road and air transport	M	6120	3	177	304	193	415	629	956	639	668	885	773	478
		F	1704	5	93	127	60	118	91	129	112	149	246	336	238

¹ Including by steam, 7 M.; by drinking hot liquids, 4 M., 3 F.² Including in ships, docks, etc., 1 M.; in colliery, 6 M.; in other mines and quarries, 2 M.; at arsenal, 2 M.; at cake mill, 2 M.; at gas works, 1 M.; at glass works, 1 M.; at chemical works, 2 M.; at iron works, 1 M.; petrol, 3 M.; butane gas (public house), 2 M.; gas boiler, 1 F. For other deaths caused by explosions but not resulting from burns or scalds see No. 194.³ Including at breast, 2 M., 3 F.; cat on perambulator, 1 M.; falling on face, 1 M.; into boiler fuel at colliery, 1 M.⁴ Including motor car, 4 M., 1 F.; motor lorry, 2 M.; bicycle, 3 M., 1 F.; building operations, 1 M.; attempting rescue, 11 M., 2 F.⁵ Including from staging, 4 M.; into dock, 14 M.⁶ Including 83 M., 259 F., age 65 and upwards from fracture of leg; down area, 4 M., 1 F.; diving, 7 M.; from tree, 22 M., 1 F.; down lift well, 17 M., 1 F.; from bridge, 6 M.; from haycart, rick, etc., 12 M., 1 F.; from telegraph pole, 3 M.; in colliery, 13 M.; in quarry, 9 M.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
186	5. Other crushing { F	232 15	—	6 2	8 5	6 —	8 1	18 —	59 1	40 3	36 —	40 1	10 2	1
	Fall of heavy substance :—													
	In building operations .. . { M	41	—	—	—	—	—	4	14	11	3	7	2	—
	Others (or not stated) ¹ .. . { M	177	—	6	8	6	8	13	38	27	31	32	7	1
	Other crushing (or not stated) ³ .. . { M	15 14	— —	2 —	5 —	— —	1 —	— 1	1 7	3 2	— 2	1 1	2 1	—
187	Cataclysm { F	—	—	—	—	—	—	—	—	—	—	—	—	—
188	Injury by animals (poisoning by venomous animals .. . { M	36	—	—	1	1	2	—	2	1	9	8	6	6
	Horse { M	16	—	—	—	1	1	—	1	1	4	4	3	1
	Bull or cow, etc. { F	20 4	— —	— —	1 —	— —	1 —	— —	— —	— —	5 —	4 —	3 2	5 2
189	Hunger or thirst { M	5	—	—	—	—	—	—	—	—	—	3	—	2
	Excessive cold { M	14	—	—	—	—	—	1	—	—	1	5	1	—
190	Excessive heat { M	9	—	—	—	—	—	—	—	—	1	3	4	2
191	Excessive heat { F	12 4	1 —	3 1	— —	— —	— —	— —	1 —	1 —	4 —	2 —	1 —	—
192	Lightning { F	20	—	—	2	—	1	1	5	3	2	2	3	1
193	Electricity (lightning exceptd.) .. . { M	79	—	6	5	1	12	12	23	12	2	4	1	1
	Railways { M	12	—	1	—	1	2	3	3	2	—	—	—	—
	Others { M	14	—	5	5	1	1	—	1	—	—	—	—	1
	Others { F	65 11	— —	1 —	— —	1 —	1 —	3 —	3 —	2 —	— —	— —	— —	—
194	Other and unstated forms of accidental violence .. . { M	338	77	12	14	22	22	22	36	33	42	35	14	9
	Inattention at birth { F	153	82	10	12	3	1	1	4	11	5	12	6	6
	Swallowing foreign body .. . { M	69	69	—	—	—	—	—	—	—	—	—	—	—
	Blow ⁴ { F	78	78	—	—	—	—	—	—	—	—	—	—	—
	Explosion ⁵ { M	38	3	10	2	1	—	1	3	1	6	5	3	3
	Other accidents (otherwise or not stated) ⁶ { M	22	2	5	1	—	—	—	1	3	2	4	2	—
	Blow ⁴ { F	99	3	1	4	5	7	5	9	17	20	19	6	3
	Explosion ⁵ { M	21	—	4	4	1	—	2	2	2	1	2	1	4
	Other accidents (otherwise or not stated) ⁶ { M	51	—	—	1	—	1	6	12	13	12	5	1	—
	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.) { M	81	2	1	7	16	14	10	12	2	4	6	4	3
	Found drowned { F	30	2	1	7	2	1	1	1	4	2	6	3	—
195	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.) { M	765	18	9	14	6	19	40	84	114	135	180	97	49
	Found drowned { F	302	20	4	3	3	8	16	47	47	52	46	37	19
	Irrespirable or poisonous gas :—													
	Coal gas { M	514	4	6	10	5	9	24	57	82	94	124	67	32
	Carbon monoxide ⁷ { M	140	6	3	—	—	4	2	18	13	31	33	22	8
	Other acute poisonings ⁸ { F	19	—	—	1	1	1	—	1	2	2	5	2	4
	Crushing on railways and by road vehicles { M	17	—	—	—	2	—	1	—	5	—	2	5	2
	Crushing on railways and by road vehicles { F	25	—	—	—	—	1	2	2	4	5	7	3	2
	Crushing on railways and by road vehicles { F	36	—	—	—	—	2	2	10	11	12	6	2	1
	Crushing on railways and by road vehicles { M	69	—	—	—	4	4	10	11	12	13	11	4	1
	Crushing on railways and by road vehicles { F	16	—	1	1	1	—	2	2	3	3	1	1	1

¹ Including in excavations, 8 M.; in ships, docks, etc., 16 M.; trees, 6 M., 2 F.

² Including in ships, docks, etc., 5 M.

³ Including in ships, docks, etc., 9 M.

⁴ Including shot firing, 18 M.; in colliery, 2 M.; at steelworks, 1 M.; acetylene gas generator, 2 M.; factory, 2 M.; in ships, docks, etc., 2 M.; coal gas, 1 M., 1 F.; domestic boiler, 1 F. For other deaths from explosion but resulting from burns or scalds see No. 181.

⁵ In addition to these numbers 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934. The ages of those men were as follows :—

⁶ Including ships, docks, etc., 1 M.; fight, 5 M.; boxing, 1 M.; football, cricket, etc., 19 M.; amusement machines, 4 M.; strangulation, 10 M., 6 F.; strain, 2 M., 1 F.; exposure, 1 M., 2 F.; abortion (verdict of misadventure or accident), 3 F.; by broken glass, etc., 2 M., 3 F.; falling on spiked railings, 9 M., 1 F.; other wounds, 4 M., 3 F.; caisson disease, 1 M.

⁷ Motor car exhaust, 1 M.; carbon monoxide (unstated), 1 M. For other deaths from carbon monoxide poisoning see No. 178.

⁸ Antimony, 1 F.; antimony, tin and lead, 1 M.; salts of antimony and tin, 1 M.; arsenic, 1 M.; arsenic ("Weedicide"), 1 F.; ammonia, 1 F.; sedormid, 1 F.; lysol, 1 M.; 1 F.; Izal, 1 M.; carbolic acid, 1 M.; 3 F. hydrochloric acid, 2 F.; oxalic acid, 2 M.; nitric acid, 1 F.; aspirin, 3 M., 1 F.; phenol, 1 F.; nembutal, 1 M.; morphine, 1 F.; chlorodyne, 1 F.; paraldehyde, 1 M., 1 F.; luminal, 2 M., 4 F.; medinal, 2 M., 1 F.; opium, 1 M.; veronal, 1 M., 3 F.; allonal, 2 F.; barbiturate (not stated), 3 M., 6 F.; liniment, (aconite, belladonna and chloroform), 1 M.; meta fuel (metalddehyde), 1 F.; narcotic (not stated), 1 M., 2 F.; poison (not stated), 1 F.; corrosive poison (not stated), 1 M.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
195	Falls	M 32 F 15	—	—	—	—	—	1	3	2	6	13	5	2
	Otherwise (or not stated) ¹	M 104 F 78	14 14	3	3	—	2	4	10	13	16	17	9	5
196	Wounds of war	M	73	—	—	—	1	2	8	20	28	13	1	—
197	Execution of civilians by belligerent armies	M	—	—	—	—	—	—	—	—	—	—	—	—
198	Execution	M	5	—	—	—	1	—	2	2	—	—	—	—

**SUPPLEMENTARY TABULATION OF CERTAIN DEATHS FROM ACCIDENTS
(including "OPEN VERDICTS").**

Note.—In this section the figures are in some cases duplicated—e.g. the number of deaths caused by machinery in mining, etc., appear both under "Machinery" and under "Mining and Quarrying."

I	Mining and quarrying	M	726	—	—	—	3	57	50	154	177	164	95	25	1
	(a) Coal mines	M	657	—	—	—	3	56	41	139	163	148	85	21	1
	Fall of coal	M	413	—	—	—	1	18	23	91	117	109	44	9	1
	Machinery	M	39	—	—	—	—	8	1	10	8	6	5	1	—
	Trams, tubs	M	138	—	—	—	2	23	11	25	26	21	21	9	—
	Otherwise (or not stated how) ²	M	67	—	—	—	—	7	6	13	12	12	15	2	—
	(b) Other mines ³	M	6	—	—	—	—	—	3	1	—	—	2	—	—
	(c) Quarries	M	63	—	—	—	—	1	9	12	13	16	8	4	—
	Fall of stone, etc.	M	33	—	—	—	—	—	4	7	7	8	5	2	—
	Others ⁴	M	30	—	—	—	—	1	5	5	6	8	3	2	—
II	Machinery	M	228	—	1	1	4	24	18	45	34	51	37	13	—
	Agricultural machinery	M	9	—	2	1	1	1	1	3	—	—	—	—	—
	Crane ⁵	M	12	—	—	—	—	2	1	1	2	3	3	—	—
	Lift	M	40	—	—	—	—	3	4	7	7	8	7	4	—
	Lift	F	13	—	—	—	2	1	1	—	2	5	1	1	—
	Other machinery	M	3	—	1	1	1	1	—	—	—	—	—	—	—
	Building operations	F	163	—	1	1	2	18	12	37	23	35	26	8	—
	In collieries and mines	M	6	—	2	—	—	—	1	3	—	—	—	—	—
	In metal works	M	9	—	—	—	—	1	2	3	3	—	—	—	—
	In ships, docks, etc.	M	39	—	—	—	—	8	1	11	7	6	5	1	—
	In factories other than textile	M	16	—	—	—	1	—	1	5	2	1	6	—	—
	textile	M	10	—	—	—	—	—	1	2	—	3	4	—	—
	Others ⁶	F	35	—	—	—	—	3	3	6	7	9	5	2	—
	Others ⁶	F	4	—	—	—	—	1	3	—	—	—	—	—	—
	Others ⁶	F	54	—	1	1	1	7	5	11	4	13	6	5	—
	Others ⁶	F	2	—	2	—	—	—	—	—	—	—	—	—	—
III	Transport	M	6385	4	183	309	195	437	649	1008	692	708	923	793	484
	Transport	F	1729	5	94	128	61	122	95	132	116	153	247	337	239
	1. On railways and tramways	M	503	—	9	12	6	18	22	65	76	94	120	49	32
	(a) Railways	F	55	—	1	1	2	2	3	3	9	9	5	16	4
	Crushing by carriage or engine	M	421	—	9	12	6	17	22	63	70	83	104	22	13
	Fall from carriage or engine	F	37	—	1	1	2	2	3	2	7	8	3	7	1
	Run over on line	M	61	—	—	—	1	3	8	7	10	12	17	3	—
	Others (or not stated) ⁷	M	23	—	1	—	—	—	1	4	5	3	5	4	—
	Run over on line	F	9	—	1	—	1	—	—	—	3	1	—	—	—
	Others (or not stated) ⁷	F	296	—	3	7	3	13	12	45	51	59	77	15	11
	Others (or not stated) ⁷	F	25	—	—	1	1	1	2	2	4	5	3	5	2
	Others (or not stated) ⁷	F	41	—	5	5	2	1	1	7	4	9	5	—	—
	(b) Tramways	M	3	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated) ⁷	F	82	—	—	—	—	1	—	2	6	11	16	27	19
	Others (or not stated) ⁷	F	18	—	—	—	—	—	—	1	2	1	2	9	3
	2. Other mechanical transport	M	5103	4	165	282	164	350	504	800	509	537	705	668	415
	Motor cab	F	1558	5	90	123	54	104	83	120	101	132	227	302	217
	Motor car	M	23	—	—	1	—	1	—	2	1	4	6	7	1
	Motor coach	F	9	—	—	—	—	—	—	—	—	—	—	—	—
	Motor cycle	M	1554	2	31	78	25	42	81	164	136	187	264	324	220
	Motor cycle	F	671	4	19	32	10	27	25	48	44	61	110	159	132
	Motor cycle	M	28	—	3	—	—	4	—	3	1	1	4	7	4
	Motor cycle	F	10	—	—	—	—	2	—	—	—	—	—	—	—
	Motor cycle	F	516	1	4	4	4	36	120	152	49	34	48	37	27
	Motor cycle	F	98	—	2	5	—	6	6	8	5	6	11	30	19

¹ Including firearms, 15 M., 4 F.; cutting or piercing instruments, 4 M., 1 F.; suffocation, 9 M., 10 F.; strangulation, 7 M., 10 F.; blow, 13 M.; burns, 1 M., 1 F.; abortion, 38 F.

² Including blow, 12 M.; crushing, 7 M.; electric shock, 2 M.; shot firing, 12 M.; explosion of gas, 2 M.; explosion (other or not stated), 6 M.; fall down shaft, 7 M.; fall (not otherwise described), 8 M.

³ In addition to these numbers, 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934. For ages see page 256.

⁴ Blasting operations, 2 M.; crushing, 1 M.; fall of stone, etc., 3 M.

⁵ Including blasting operation, 4 M.; fall (not otherwise described), 11 M.; machinery, 2 M.

⁶ Including in mines and quarries, 2 M.; in ships and docks, 4 M.; in metal works, 12 M.; in building operations, 2 M.

⁷ Including circular saw, 8 M.; in textile factories, 8 M.

⁸ Including blow, 6 M.; collision, 5 M.; fall (not otherwise described), 5 M.; striking bridge, 4 M.; electrocution, 15 M., 1 F.

* The collisions in these cases are those in which the information recorded in the Death Register did not show which vehicle caused death. In the following analysis these deaths are assigned to each type of vehicle involved and accordingly amount to twice the number of actual deaths.

[illegible]

NOTE.—Rates based upon less than 20 notifications are distinguished by *italic type* (see note to Table 17, page 56).

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Mon-month).	London Administrative County.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-month).	England.	Wales (including Mon-month).	England (excluding London).	Wales (including Mon-month).	England.	Wales (including Mon-month).
Smallpox	1929	0.28	0.27	0.40	0.43	0.21	0.36	0.30	0.55	0.24	0.58	0.16	0.03
	1930	0.29	0.29	0.31	1.15	0.14	0.32	0.23	0.27	0.18	0.52	0.09	0.01
	1931	0.14	0.15	0.10	0.33	0.07	0.13	0.19	0.00	0.03	0.21	0.08	0.01
	1932	0.05	0.05	0.00	0.25	0.02	0.01	0.04	0.00	0.00	0.01	0.01	—
	1933	0.02	0.02	—	0.12	0.00	—	0.00	—	0.01	—	0.00	—
	1934	0.00	0.00	—	0.03	0.00	—	0.00	—	0.00	—	0.00	—
	1935	0.00	0.00	—	—	0.00	—	0.00	—	0.00	—	—	—
	1936	0.00	0.00	—	—	0.00	—	0.00	—	0.00	—	—	—
	1937	0.00	0.00	—	—	0.00	—	0.00	—	0.00	—	—	—
	1938	0.00	0.00	—	—	0.00	—	0.00	—	0.00	—	0.00	—
	1939	0.00	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	1929	3.05	3.15	1.68	3.60	2.78	1.66	3.56	1.73	2.97	1.79	2.44	1.47
	1930	2.76	2.81	2.02	3.76	2.02	2.02	2.98	2.98	2.65	2.22	2.19	1.70
	1931	2.05	2.03	2.28	2.77	1.79	2.00	2.15	3.28	1.90	2.27	1.60	1.58
	1932	2.12	2.09	2.53	3.26	1.77	2.13	2.19	4.05	1.96	2.63	1.41	1.33
	1933	3.21	3.21	3.13	5.12	3.55	3.30	3.36	5.19	3.11	3.31	1.99	1.41
	1934	3.76	3.79	3.26	4.34	3.55	3.30	4.00	3.11	3.74	4.05	3.16	2.08
	1935	2.96	3.01	2.19	2.64	2.79	2.32	3.50	1.72	2.83	2.70	2.69	1.68
	1936	2.53	2.53	2.39	2.57	2.34	2.58	2.84	1.71	2.42	3.02	2.17	1.86
	1937	2.33	2.29	3.01	2.09	2.06	2.97	2.74	3.13	2.21	3.51	1.72	2.10
	1938	2.41	2.33	3.58	2.05	2.16	3.33	2.72	4.45	2.30	3.98	1.84	2.27
	1939	1.80	1.87	2.19	1.53	1.82	2.08	2.07	2.59	1.84	2.21	1.77	1.87
Diphtheria	1929	1.59	1.58	1.78	2.68	1.22	1.49	1.74	2.87	1.38	1.74	0.95	1.09
	1930	1.84	1.79	2.47	3.03	1.39	1.39	1.98	2.98	1.57	2.47	1.08	2.13
	1931	1.26	1.21	1.97	1.95	0.91	1.87	1.43	1.80	0.99	1.84	0.77	1.90
	1932	1.08	1.05	1.55	1.88	0.66	1.50	1.38	1.71	0.74	1.42	0.52	1.63
	1933	1.18	1.15	1.54	2.25	0.74	1.39	1.45	1.82	0.83	1.46	0.56	1.29
	1934	1.70	1.68	2.02	2.81	1.22	1.39	2.05	2.79	1.37	2.04	0.89	1.46
	1935	1.60	1.60	1.58	2.25	1.22	1.43	2.01	2.11	1.33	1.66	1.00	1.06
	1936	1.39	1.38	1.54	1.69	1.08	1.49	1.78	1.73	1.18	1.45	0.87	1.55
	1937	1.49	1.45	2.12	1.93	1.10	1.94	1.90	2.76	1.20	3.02	0.88	1.80
	1938	1.58	1.54	2.14	1.90	1.25	2.06	1.92	2.43	1.38	2.40	0.94	1.51
	1939	1.15	1.10	1.92	0.98	0.96	1.99	1.37	1.68	1.02	2.35	0.81	1.42
Enteric fever	1929	0.07	0.07	0.04	0.08	0.08	0.04	0.06	0.05	0.08	0.03	0.08	0.05
	1930	0.07	0.07	0.05	0.07	0.08	0.05	0.07	0.05	0.08	0.05	0.08	0.04
	1931	0.06	0.06	0.04	0.04	0.07	0.04	0.04	0.02	0.08	0.04	0.06	0.05
	1932	0.06	0.06	0.02	0.05	0.08	0.02	0.05	0.02	0.09	0.02	0.07	0.02
	1933	0.04	0.04	0.02	0.04	0.05	0.03	0.03	0.01	0.05	0.03	0.06	0.03
	1934	0.03	0.03	0.02	0.03	0.03	0.02	0.02	0.01	0.03	0.02	0.05	0.02
	1935	0.04	0.04	0.03	0.05	0.05	0.03	0.03	0.02	0.05	0.03	0.05	0.03
	1936	0.06	0.06	0.04	0.06	0.06	0.04	0.05	0.02	0.07	0.05	0.05	0.03
	1937	0.05	0.05	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.03
	1938	0.03	0.03	0.05	0.05	0.03	0.05	0.02	0.06	0.03	0.02	0.03	0.10
	1939	0.04	0.04	0.03	0.03	0.03	0.04	0.04	0.02	0.04	0.04	0.03	0.03

TABLE 26—*contd.*

Disease	Year	England and Wales (including Ports)	England	Wales (including Mon-mouth)	London Administrative County	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London)	Wales (including Mon-mouth)	England	Wales (including Mon-mouth)	England (excluding London)	Wales (including Mon-mouth)	England	Wales (including Mon-mouth)
*Puerperal fever and puerperal pyrexia	1929	0.20	0.20	0.19	0.25	0.17	0.15	0.24	0.34	0.17	0.16	0.17	0.12
	1930	0.20	0.20	0.20	0.24	0.17	0.15	0.24	0.38	0.17	0.16	0.18	0.13
	1931	0.20	0.20	0.19	0.26	0.17	0.16	0.24	0.32	0.17	0.18	0.16	0.13
	1932	0.20	0.19	0.18	0.22	0.16	0.16	0.23	0.25	0.17	0.17	0.15	0.14
	1933	0.20	0.20	0.17	0.26	0.16	0.13	0.24	0.29	0.17	0.15	0.14	0.15
	1934	0.21	0.20	0.20	0.24	0.17	0.16	0.25	0.38	0.19	0.18	0.15	0.12
	1935	0.20	0.20	0.20	0.22	0.16	0.16	0.25	0.35	0.17	0.19	0.14	0.11
	1936	0.20	0.20	0.21	0.20	0.16	0.16	0.25	0.36	0.17	0.19	0.14	0.12
	1937	0.22	0.22	0.18	0.26	0.17	0.15	0.29	0.32	0.18	0.16	0.13	0.12
	1938	0.23	0.23	0.20	0.26	0.18	0.16	0.29	0.31	0.20	0.20	0.14	0.11
	1939	0.22	0.23	0.20	0.24	0.19	0.18	0.29	0.26	0.20	0.21	0.15	0.13
Erysipelas	1929	0.45	0.46	0.28	0.49	0.39	0.27	0.56	0.30	0.42	0.32	0.33	0.20
	1930	0.45	0.47	0.30	0.54	0.38	0.28	0.57	0.36	0.41	0.35	0.33	0.17
	1931	0.38	0.39	0.27	0.53	0.32	0.26	0.45	0.35	0.33	0.33	0.28	0.15
	1932	0.36	0.37	0.27	0.51	0.30	0.28	0.43	0.25	0.33	0.35	0.25	0.17
	1933	0.45	0.45	0.36	0.65	0.35	0.37	0.55	0.33	0.37	0.45	0.29	0.24
	1934	0.51	0.52	0.40	0.62	0.44	0.39	0.61	0.43	0.46	0.46	0.40	0.27
	1935	0.42	0.43	0.28	0.45	0.35	0.29	0.54	0.28	0.35	0.32	0.31	0.24
	1936	0.40	0.40	0.29	0.44	0.33	0.27	0.52	0.35	0.37	0.31	0.28	0.21
	1937	0.37	0.38	0.26	0.44	0.31	0.26	0.47	0.35	0.33	0.32	0.25	0.15
	1938	0.40	0.41	0.34	0.46	0.35	0.32	0.50	0.39	0.37	0.38	0.29	0.23
	1939	0.34	0.35	0.27	0.37	0.30	0.26	0.42	0.32	0.31	0.30	0.26	0.20
Cerebro-spinal fever	1929	0.02	0.02	0.01	0.03	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.00
	1930	0.02	0.02	0.01	0.02	0.01	0.00	0.02	0.01	0.01	0.01	0.02	0.01
	1931	0.05	0.06	0.01	0.04	0.06	0.01	0.06	0.02	0.06	0.01	0.07	0.01
	1932	0.05	0.06	0.02	0.06	0.05	0.01	0.06	0.05	0.05	0.01	0.05	0.00
	1933	0.04	0.04	0.02	0.05	0.03	0.01	0.05	0.03	0.04	0.01	0.03	0.01
	1934	0.03	0.03	0.02	0.03	0.02	0.01	0.04	0.03	0.02	0.02	0.02	0.00
	1935	0.02	0.02	0.01	0.03	0.01	0.01	0.03	0.03	0.02	0.01	0.01	0.00
	1936	0.02	0.02	0.02	0.03	0.02	0.01	0.04	0.03	0.02	0.01	0.01	0.01
	1937	0.03	0.03	0.02	0.05	0.02	0.02	0.04	0.04	0.02	0.02	0.01	0.01
	1938	0.03	0.03	0.03	0.05	0.02	0.03	0.04	0.04	0.02	0.05	0.02	0.00
	1939	0.04	0.03	0.12	0.05	0.02	0.13	0.04	0.10	0.02	0.19	0.02	0.04
Polio-myelitis and polio-encephalitis	1929	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.02	0.01
	1930	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.02	0.02	0.01	0.02	0.00
	1931	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
	1932	0.02	0.01	0.02	0.02	0.02	0.01	0.02	0.02	0.02	0.02	0.02	0.02
	1933	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.02	0.01
	1934	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.02	0.00
	1935	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.01	0.01	0.01	0.03	0.01
	1936	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.00
	1937	0.02	0.02	0.01	0.03	0.02	0.01	0.01	0.01	0.02	0.01	0.02	0.01
	1938	0.04	0.04	0.06	0.03	0.02	0.01	0.03	0.04	0.03	0.03	0.06	0.07
	1939	0.02	0.02	0.01	0.03	0.02	0.01	0.01	0.01	0.02	0.01	0.03	0.02

TABLE 27.—SEASONAL INCIDENCE OF CERTAIN INFECTIOUS DISEASES, 1939 (INCLUDING NON-CIVILIANS). } England and Wales.

Note.—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week, where the seasonal excess is more than 30 per cent. over the weekly average the proportionate figure is shown in heavy type.

Week ended			Scarlet fever.	Diphtheria.	Enteric fever.	Cerebro-spinal fever.	Polio-myelitis.	Encephalitis lethargica.
Jan.	7	94	127	103	79	164	—
"	14	104	128	72	148	121	—
"	21	121	146	79	128	64	250
"	28	115	148	62	117	100	100
Feb.	4	113	134	69	124	57	150
"	11	111	139	90	110	100	200
"	18	109	131	69	148	43	—
"	25	112	128	107	134	36	200
March	4	110	120	62	172	43	50
"	11	112	113	41	166	21	50
"	18	116	105	38	121	14	—
"	25	118	98	55	128	57	50
April	1	112	100	41	131	7	—
"	8	105	82	24	121	21	150
"	15	112	91	41	117	21	—
"	22	98	89	55	172	57	—
"	29	108	88	90	114	50	—
May	6	111	84	72	110	21	100
"	13	134	87	66	107	29	100
"	20	119	86	72	107	29	—
"	27	113	80	79	110	36	150
June	3	96	77	76	100	93	—
"	10	88	82	114	100	14	50
"	17	103	82	76	72	107	50
"	24	106	84	186	69	86	—
July	1	117	95	103	90	21	100
"	8	125	98	110	107	100	50
"	15	122	90	79	114	114	—
"	22	128	94	72	97	121	100
"	29	120	97	66	83	164	100
Aug.	5	101	85	79	69	114	200
"	12	88	77	114	69	114	150
"	19	84	81	162	59	179	150
"	26	78	81	221	66	243	100
Sept.	2	71	84	272	59	150	50
"	9	74	87	269	55	221	100
"	16	76	89	266	52	207	100
"	23	77	97	248	34	279	100
"	30	78	97	234	72	307	200
Oct.	7	85	105	134	66	314	100
"	14	96	103	145	79	221	—
"	21	90	106	107	59	264	150
"	28	90	109	114	90	150	250
Nov.	4	89	98	121	55	129	150
"	11	98	94	59	90	129	150
"	18	90	105	76	124	93	50
"	25	93	117	66	93	86	150
Dec.	2	90	109	48	93	121	50
"	9	82	108	97	97	29	100
"	16	79	94	55	86	21	50
"	23	72	88	55	83	21	100
"	30	70	87	41	155	29	—
			100	100	100	100	100	100
Average weekly number of cases notified ..			1,504	919	29	29	14	2

TABLE 28—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED, 1929-1939

* By virtue of the Public Health Act, 1936, in all areas outside London A.C., conditions notifiable as puerperal fever prior to the 1st October, 1937, are, from that date, notifiable as and included with notifications of puerperal pyrexia.

England and Wales

(a) Civilians (excluding cases in Port Health Districts).

Diseases.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.	1938.	1939.
Cerebro-spinal fever	650	661	2152	2087	1668	1079	864	967	1112	1258	1411
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued fever	18	21	16	16	8	12	11	8	11	1	3
Diphtheria (including Membranous croup)	62739	73928	50208	43339	47388	68634	64976	57729	61289	64937	47061
Dysentery	536	501	785	895	752	717	1125	1303	4119	4144	1901
Encephalitis lethargica (acute) ..	1034	735	651	557	430	409	328	268	213	192	154
Enteric fever	2774	2899	2241	2489	1721	1152	1714	2443	2107	1294	1445
Erysipelas	17701	18296	15229	14515	17975	20616	16905	16469	15139	16633	14089
Malaria (contracted in England and Wales)	—	1	1	—	1	3	5	1	—	2	1
Ophthalmia neonatorum	5448	5481	5158	4730	4056	4487	4369	4586	5050	5168	4594
Plague	—	—	—	—	—	—	—	—	—	—	—
Pneumonia (acute primary and acute influenza)	86137	50818	60716	57271	64809	51332	46796	46062	55757	44966	42033
Polio-encephalitis (acute)	91	85	55	94	83	81	67	52	95	96	87
Poliomyelitis (acute)	531	506	339	656	711	589	630	528	758	1485	732
*Puerperal fever	2359	2582	2341	2121	2094	2471	2247	2093	1581	9307	9251
*Puerperal pyrexia	5610	5647	5744	5446	5805	5960	5895	6174	7268		
Relapsing fever	—	—	1	1	2	2	3	4	8	6	9
Scarlet fever	120193	111026	81548	84960	129397	151841	120295	104698	95551	98778	77568
Small-pox	10957	11837	5664	2036	627	179	—	12	4	16	—
Typhus fever	1	—	—	—	—	—	—	—	1	—	1

(b) Civilians in Port Health Districts.

Cerebro-spinal fever	—	3	5	6	1	1	1	—	2	—	3
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued fever	—	2	—	—	—	—	—	—	—	—	—
Diphtheria (including Membranous croup)	35	25	28	23	15	14	15	20	13	18	15
Dysentery	37	37	24	12	13	24	20	14	28	17	13
Encephalitis lethargica (acute) ..	2	—	—	1	1	—	1	—	1	—	1
Enteric fever	61	53	35	46	29	50	24	31	33	25	23
Erysipelas	6	11	7	10	5	5	10	2	9	13	8
Ophthalmia neonatorum	—	—	—	—	—	—	—	—	—	—	—
Plague	—	1	—	—	—	—	—	—	—	—	—
Pneumonia (acute primary and acute influenza)	101	71	74	50	40	46	36	31	41	54	40
Polio-encephalitis (acute)	—	—	—	—	—	—	—	—	—	—	—
Poliomyelitis (acute)	1	—	—	—	2	1	2	—	3	1	2
*Puerperal fever	—	—	—	—	—	—	—	—	—	—	—
*Puerperal pyrexia	—	—	—	—	1	—	—	—	1	—	1
Relapsing fever	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	39	51	21	22	39	26	22	12	18	37	23
Small-pox	10	2	—	3	4	—	—	—	—	2	1
Typhus fever	—	—	—	—	—	—	1	—	—	—	1

(c) Non-Civilians (including cases in Port Health Districts).

Cerebro-spinal fever	17	10	59	43	26	14	18	27	26	30	86
Continued fever	—	—	—	—	—	—	—	—	1	—	—
Diphtheria (including Membranous croup)	66	90	54	37	32	111	93	46	39	53	267
Dysentery	11	27	27	17	18	22	32	16	20	9	27
Encephalitis lethargica (acute) ..	2	3	3	6	1	2	—	1	3	2	4
Enteric fever	35	12	14	9	8	11	12	16	9	3	11
Erysipelas	10	7	9	2	17	22	11	16	18	25	44
Malaria (contracted in England and Wales)	1	—	—	—	—	—	—	—	—	—	1
Pneumonia (acute primary and acute influenza)	79	52	83	80	160	105	69	74	98	140	239
Poliomyelitis (acute)	—	4	2	—	1	—	1	2	7	3	10
Relapsing fever	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	90	68	94	72	92	202	139	152	166	463	510
Small-pox	1	—	—	—	—	—	—	—	—	—	—
Typhus fever	—	—	—	—	—	—	—	—	—	—	—

For Tuberculosis see the Annual Reports of the Chief Medical Officer of the Ministry of Health.

TABLE 29. NUMBER OF CASES (INCLUDING NON-CIVILIANS) OF INFECTIOUS DISEASES NOTIFIED DURING THE 52 WEEKS ENDED 31ST DECEMBER, 1939, WITH CERTAIN ATTACK-RATES.

England and Wales; Geographical Regions; Counties; County Boroughs; Other Urban Districts; Rural Districts.

The mid-year populations of the several areas will be found in Table 17.

NOTE.—Rates based upon less than 20 notifications are distinguished by *italic type* (see note to Table 17, page 56). This table includes notified cases amongst non-civilians throughout the year, and in a few areas where hospitals for infectious diseases were located the proportion of non-civilian notifications was considerable. The rates are based upon the populations in col. 2 in the estimation of which non-civilians were excluded during the latter part of the year, but the errors so resulting are not appreciable except in the areas referred to above.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Fuerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ENGLAND AND WALES.*	41,246,000	78,101	1·89	47,341	1·15	9,250	1,479	14,141	42,312	1500	744	159	4594	1941
Port Health Districts.		24	—	16	—	1	25	8	50	3	6	1	—	22
REGIONAL SUMMARY:														
South East ..	14,358,400	22,678	1·58	9,924	0·60	3,219	430	3,991	10,505	398	378	37	938	685
Greater London ..	8,375,200	14,134	1·60	6,455	0·77	1,950	226	2,590	7,233	279	181	18	628	419
Remainder of South East.	5,983,200	8,544	1·43	3,469	0·58	1,269	204	1,401	3,272	119	197	19	310	266
North ..	13,072,500	27,874	2·13	21,528	1·65	3,054	593	5,717	17,329	452	171	60	1693	879
North I ..	2,184,200	4,018	1·84	4,524	2·07	430	56	1,096	3,154	70	13	8	233	188
North II ..	1,302,900	2,636	2·02	1,408	1·08	297	100	499	1,179	32	7	8	79	26
North III ..	3,452,900	6,776	1·96	4,876	1·41	905	146	1,740	5,179	56	54	15	238	197
North IV ..	6,132,500	14,444	2·36	10,720	1·75	1,422	291	2,382	7,817	294	97	29	1143	468
Midland ..	7,309,000	16,675	2·28	8,074	1·10	1,686	220	2,718	8,739	261	92	37	1517	176
Midland I ..	4,827,400	11,050	2·29	4,943	1·02	1,166	128	1,758	6,053	179	54	33	1363	122
Midland II ..	2,481,600	5,625	2·27	3,131	1·26	520	92	960	2,686	82	38	4	154	54
East ..	1,878,300	2,363	1·26	1,531	0·82	392	63	481	1,402	34	27	3	148	56
South West ..	2,141,300	3,046	1·42	1,482	0·69	413	70	543	1,626	45	48	6	101	102
Wales ..	2,486,500	5,441	2·10	4,786	1·92	485	78	683	2,661	307	22	15	197	20
Wales I ..	1,788,300	4,242	2·37	3,736	2·09	376	61	521	2,133	276	13	10	169	18
Wales II ..	698,200	1,199	1·72	1,050	1·50	109	17	162	528	31	9	5	28	2
DENSITY SUMMARY OF ALL AREAS OUTSIDE GREATER LONDON:														
County Boroughs ..	12,711,400	26,849	2·11	17,964	1·41	3,770	488	5,397	17,655	549	167	60	2709	576
Other Urban Districts ..	12,766,900	23,900	1·87	16,418	1·29	2,456	516	4,237	11,733	501	229	48	875	349
Rural Districts ..	7,392,500	13,194	1·78	6,488	0·88	1,073	224	1,909	5,641	168	161	32	382	575
SUPPLEMENTARY SUB-DIVISIONS OF SOUTH EAST REGION:														
Midland Section ..	5,300,270	9,339	1·76	3,367	0·64	1,214	158	1,414	3,811	116	89	10	244	198
Southern Section ..	9,058,130	13,339	1·47	6,557	0·72	2,005	272	2,577	6,694	282	289	27	694	487

One case of Small pox was notified from Liverpool Port Health district

* Including Port Health Districts.

† See note at end of table.

REGIONAL SUMMARY.—For Constitution of Regions see note on first page of Table 17.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal pyrexia.	Enteric Fever. (Typhoid and paratyphoid)	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ENGLAND (excluding Monmouth)														
BEDFORDSHIRE:														
ADMIN. COUNTY ..	272,240	477	1.75	175	0.64	36	11	52	213	4	8	2	14	3
URBAN DISTRICTS ..	183,900	225	1.22	125	0.68	32	6	33	124	3	3	1	9	3
Amphill ..	2,511	6	2.39	1	0.40	—	—	—	2	—	—	—	—	—
Bedford M.B. ..	48,160	105	2.18	17	0.35	17	4	3	47	3	2	1	2	1
Biggleswade ..	6,169	1	0.16	17	2.76	1	—	—	—	—	—	—	—	—
Dunstable M.B. ..	14,720	18	1.22	8	0.54	1	—	1	1	—	—	—	1	—
Kempston ..	7,638	3	0.39	1	0.13	—	—	—	1	—	1	—	—	—
Leighton Buzzard ..	7,260	3	0.41	14	1.93	1	—	3	9	—	—	—	—	—
Luton M.B. ..	94,110	88	0.94	66	0.70	12	2	26	64	—	—	—	6	2
Sandy ..	3,332	1	0.30	1	0.30	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS ..	88,340	252	2.85	50	0.57	4	5	19	89	1	5	1	5	—
Amphill ..	19,900	12	0.60	11	0.55	2	2	8	20	—	—	—	1	—
Bedford ..	28,040	125	4.46	13	0.46	—	—	1	37	1	1	—	1	—
Biggleswade ..	23,870	96	4.02	15	0.63	—	3	9	19	—	4	1	2	—
Luton ..	16,530	19	1.15	11	0.67	—	—	1	13	—	—	—	1	—
BERKSHIRE:														
COUNTY BOROUGH	344,110	488	1.42	355	1.03	56	6	92	156	6	9	—	12	24
Reading ..	103,900	189	1.82	139	1.34	31	3	33	31	2	3	—	8	3
ADMIN. COUNTY ..	240,210	299	1.24	216	0.90	25	3	59	125	4	6	—	4	21
URBAN DISTRICTS ..	83,410	102	1.22	105	1.26	11	3	16	32	3	—	—	2	1
Abingdon M.B. ..	8,224	13	1.58	—	—	2	1	2	4	—	—	—	—	—
Maidenhead M.B. ..	24,340	20	0.82	51	2.10	3	2	4	10	1	—	—	1	1
Newbury M.B. ..	15,670	32	2.04	—	—	3	—	3	7	1	—	—	—	—
New Windsor M.B. ..	19,920	20	1.00	26	1.31	1	—	3	3	1	—	—	—	—
Wallingford M.B. ..	3,217	1	0.31	1	0.31	1	—	—	5	—	—	—	—	—
Wantage ..	4,229	14	3.31	—	—	1	—	1	—	—	—	—	—	—
Wokingham M.B. ..	7,810	2	0.26	27	3.46	—	—	3	3	—	—	—	—	—
RURAL DISTRICTS ..	156,800	197	1.26	111	0.71	14	—	43	93	1	6	—	2	20
Abingdon ..	17,480	33	1.80	7	0.40	—	—	6	12	—	—	—	1	20
Bradfield ..	15,640	9	0.58	2	0.13	3	—	3	32	—	—	—	—	—
Cookham ..	11,180	12	1.07	5	0.45	4	—	1	5	—	—	—	1	—
Easthampstead ..	20,160	13	0.64	15	0.74	1	—	6	4	—	2	—	—	—
Faringdon ..	9,705	12	1.24	13	1.34	—	—	3	2	—	—	—	—	—
Hungerford ..	8,654	12	1.39	—	—	1	—	1	—	1	—	—	—	—
Newbury ..	12,290	21	1.71	2	0.16	2	—	5	8	—	—	—	—	—
Wallingford ..	12,260	2	0.16	26	2.12	—	—	9	9	—	—	—	—	—
Wantage ..	11,880	24	2.02	1	0.08	1	—	2	2	—	—	—	—	—
Windsor ..	9,821	7	0.71	9	0.92	2	—	2	3	—	—	—	—	—
Wokingham ..	27,730	52	1.88	31	1.12	—	—	5	16	—	4	—	—	—
BUCKINGHAMSHIRE:														
ADMIN. COUNTY ..	326,600	514	1.57	209	0.64	86	4	112	165	6	7	2	23	12
URBAN DISTRICTS ..	163,600	222	1.36	144	0.88	62	2	63	95	4	3	—	14	1
Aylesbury M.B. ..	15,680	12	0.77	3	0.19	14	—	5	8	3	1	—	1	1
Beaconsfield ..	5,866	1	0.17	—	—	—	—	—	—	—	—	—	—	—
Bletchley ..	8,001	41	5.12	7	0.87	—	—	4	11	—	—	—	2	—
Buckingham M.B. ..	3,473	7	2.02	—	—	—	—	2	3	—	—	—	1	—
Chepping Wycombe M.B. ..	35,820	41	1.14	10	0.28	13	2	15	17	1	2	—	3	—
Chesham ..	10,830	12	1.11	15	1.39	1	—	2	2	—	—	—	—	—
Eton ..	4,035	4	0.99	10	2.48	—	—	3	1	—	—	—	—	—
Linslade ..	2,760	2	0.72	—	—	—	—	—	2	—	—	—	—	—
Marlow ..	5,839	27	4.62	2	0.34	1	—	5	2	—	—	—	—	—
Newport Pagnell ..	4,136	8	1.93	18	4.35	—	—	—	1	—	—	—	—	—
Slough M.B. ..	53,890	60	1.11	78	1.45	33	—	26	28	—	—	—	7	—
Wolverton ..	13,270	7	0.53	1	0.08	—	—	—	20	—	—	—	—	—
RURAL DISTRICTS ..	163,000	292	1.70	65	0.40	24	2	49	70	2	4	2	9	11
Amersham ..	34,640	51	1.47	11	0.32	10	1	7	19	—	1	—	2	10

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BUCKINGHAMSHIRE : R.D.'s.—contd.														
Aylesbury ..	26,690	45	1·69	9	0·34	2	—	17	8	2	1	—	1	1
Buckingham ..	7,886	17	2·16	—	—	—	—	4	10	—	—	—	1	—
Eton ..	34,650	54	1·56	11	0·32	5	—	10	6	—	—	—	1	—
Newport Pagnell ..	13,270	4	0·30	9	0·68	2	—	2	5	—	—	—	1	—
Wing ..	7,023	19	2·71	—	—	—	1	1	9	—	2	—	—	—
Winslow ..	6,851	3	0·44	2	0·29	—	—	—	2	—	—	—	—	—
Wycombe ..	31,990	99	3·09	23	0·72	5	—	8	11	—	—	—	3	—
CAMBRIDGESHIRE : ADMIN. COUNTY ..														
153,530	185	1·20	35	0·23	43	1	30	50	1	7	—	—	9	1
URBAN DISTRICT Cambridge M.B. ..														
79,300	119	1·50	14	0·18	25	1	13	9	1	5	—	—	5	1
RURAL DISTRICTS : ..														
74,230	66	0·89	21	0·28	18	—	17	41	—	2	—	—	4	—
Chesterton ..	32,320	17	0·53	18	0·56	7	—	9	19	—	1	—	2	—
Newmarket ..	19,370	23	1·19	2	0·10	7	—	5	4	—	—	—	—	—
South Cambridgeshire. ..	22,540	26	1·15	1	0·04	4	—	3	18	—	1	—	2	—
CHESHIRE : ..														
1,163,280	2,551	2·19	2,124	1·83	166	153	311	922	34	6	—	1	52	29
COUNTY BOROUGHS ..														
413,280	962	2·33	838	2·03	80	67	128	396	24	1	—	—	17	3
Birkenhead ..	139,800	427	3·05	300	2·15	24	40	72	216	14	—	—	10	—
Chester ..	45,090	123	2·73	135	2·99	24	—	7	36	4	—	—	—	—
Stockport ..	135,200	199	1·47	216	1·60	18	6	25	89	5	1	—	4	3
Wallasey ..	93,190	213	2·29	187	2·01	14	21	24	55	1	—	—	2	—
ADMIN. COUNTY ..														
750,000	1,589	2·12	1,286	1·71	86	86	183	526	10	5	—	1	35	26
URBAN DISTRICTS ..														
584,200	1,275	2·18	1,105	1·80	74	78	147	396	9	4	—	1	27	17
Alderley Edge ..	3,153	3	0·95	2	0·63	—	—	—	—	—	—	—	—	—
Alsager ..	3,020	9	2·98	2	0·66	—	1	4	—	—	—	—	—	—
Altrincham M.B. ..	38,440	86	2·24	26	0·68	9	2	13	15	2	—	—	4	—
Bebington M.B. ..	42,200	126	2·99	114	2·70	2	47	5	22	2	—	1	3	—
Bollington ..	5,140	2	0·39	1	0·19	2	—	2	6	—	—	—	—	—
Bowdon ..	3,163	3	0·95	3	0·95	—	1	2	1	—	—	—	—	—
Bredbury and Romiley ..	15,900	48	3·02	6	0·38	2	—	—	10	—	—	—	1	—
Cheadle and Gatley ..	28,830	25	0·87	29	1·01	6	—	8	14	—	1	—	—	—
Congleton M.B. ..	15,230	24	1·58	44	2·80	4	—	4	29	—	—	—	2	—
Crewe M.B. ..	46,880	45	0·96	26	0·55	6	—	6	4	—	—	—	—	—
Dukinfield M.B. ..	18,470	10	0·54	16	0·87	4	—	10	18	—	—	—	5	—
Ellesmere Port ..	26,920	89	3·31	66	2·45	4	4	9	17	—	1	—	—	—
Hale ..	12,040	13	1·08	3	0·25	—	2	2	2	—	—	—	—	—
Hazel Grove and Bramhall ..														
18,060	17	0·94	43	2·38	—	—	3	5	7	1	—	—	1	2
Hoole ..	8,040	57	7·09	35	4·35	—	2	—	13	—	—	—	—	—
Hoylake ..	24,420	106	4·34	75	3·07	—	5	3	4	—	1	—	—	—
Hyde M.B. ..	31,500	93	2·95	21	0·67	2	—	12	11	1	—	—	1	—
Knutsford ..	6,413	14	2·18	43	6·71	—	—	—	5	—	—	—	—	—
Longdendale ..	4,663	7	1·50	11	2·36	—	1	1	2	—	—	—	—	—
LYMM ..														
6,065	10	1·65	—	—	—	—	—	1	—	—	—	—	—	—
Macclesfield M.B. ..	36,540	40	1·09	112	3·07	10	3	18	65	1	—	—	2	—
Marple ..	12,350	15	1·21	24	1·94	—	—	3	14	—	—	—	—	3
Middlewich ..	6,202	1	0·16	35	5·64	4	—	2	26	—	—	—	—	—
Nantwich ..	8,406	10	1·19	9	1·07	1	—	2	4	—	—	—	—	—
Neaton ..	8,805	60	6·81	35	3·98	1	—	—	8	1	—	—	—	—
Northwich ..														
19,230	94	4·89	13	0·68	5	1	4	12	—	—	—	—	—	1
Runcorn ..	23,020	21	0·91	75	3·26	1	—	3	16	—	—	—	4	—
Sale M.B. ..	38,380	77	2·01	19	0·50	3	2	8	9	—	—	—	1	—
Sandbach ..	8,730	59	6·76	73	8·36	—	—	11	3	—	—	—	—	—
Stalybridge M.B. ..	23,050	20	0·87	49	2·13	2	—	11	15	1	1	—	3	—
Wilmslow ..	15,370	15	0·98	42	2·73	4	3	—	8	—	—	—	—	1

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal pyrexia.	Enteric Fever. (Typhoid and paratyphoid)	Erysipelas.	Acute pneu- monia (primary and influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CHESHIRE—contd.														
U.D.'s.—contd.														
Winsford	11,310	49	4.33	14	1.24	—	1	3	24	—	—	—	—	—
Wirral	14,260	27	1.89	39	2.73	—	—	1	8	—	—	—	—	10
RURAL DISTRICTS ..	165,800	314	1.89	181	1.09	12	8	36	130	1	1	—	8	9
Bucklow	9,731	1	0.10	9	0.92	—	—	—	2	—	—	—	—	—
Chester	18,500	53	2.86	46	2.49	1	3	12	18	—	1	—	—	—
Congleton	12,110	25	2.06	14	1.16	1	—	6	9	—	—	—	2	1
Disley	2,951	—	—	1	0.34	—	—	1	5	—	—	—	1	—
Macclesfield	19,030	11	0.58	19	1.00	1	2	3	12	—	—	—	2	—
Nantwich	25,690	17	0.66	19	0.74	1	—	1	21	—	—	—	2	—
Northwich	29,620	75	2.53	21	0.71	2	1	4	17	—	—	—	—	—
Runcorn	32,420	93	2.87	31	0.96	3	1	6	34	1	—	—	1	8
Tarvin	14,520	38	2.62	15	1.03	3	1	3	12	—	—	—	—	—
Tintwistle	1,228	1	0.81	6	4.89	—	—	—	—	—	—	—	—	—
CORNWALL:														
ADMIN. COUNTY ..	313,800	403	1.28	86	0.27	47	6	66	257	2	7	1	18	10
URBAN DISTRICTS ..	173,200	251	1.45	62	0.36	38	5	42	150	2	3	1	7	8
Bodmin M.B. ..	5,545	2	0.36	1	0.18	—	3	—	1	—	—	—	1	7
Bude-Stratton ..	4,750	1	0.21	—	—	—	—	—	—	—	—	—	—	—
Camborne-Redruth	35,030	14	0.40	3	0.09	12	—	17	49	1	—	1	2	—
Falmouth M.B. ..	15,320	70	4.57	6	0.39	2	1	8	13	—	—	—	1	1
Fowey M.B. ..	2,239	—	0.45	—	—	1	—	—	—	—	—	—	—	—
Helston M.B. ..	4,948	1	0.20	—	—	—	—	—	—	—	—	—	—	—
Launceston M.B. ..	4,321	5	1.16	—	—	—	—	2	13	—	—	—	—	—
Liskeard M.B. ..	4,137	3	0.73	—	—	2	—	—	1	—	—	—	1	—
Looe	3,178	1	0.31	—	—	—	1	—	3	—	—	—	—	—
Lostwithiel M.B. ..	1,963	13	6.62	—	—	1	—	—	7	—	—	—	—	—
Newquay	8,233	1	0.12	—	—	—	—	—	—	—	—	—	—	—
Padstow	2,369	4	1.69	—	—	—	—	—	—	—	—	—	—	—
Penryn M.B. ..	3,811	25	6.56	—	—	1	—	—	2	—	—	—	—	—
Penzance M.B. ..	19,290	16	0.83	18	0.93	3	—	1	2	—	1	—	—	—
St. Austell	22,580	45	1.99	16	0.71	9	—	4	5	—	—	—	2	—
St. Ives M.B. ..	7,999	—	—	—	—	3	—	—	1	—	1	—	—	—
St. Just	4,130	5	1.21	—	—	1	—	2	7	—	—	—	—	—
Saltash M.B. ..	6,867	27	3.93	4	0.58	—	—	2	22	—	1	—	—	—
Torpoint	3,810	11	2.89	1	0.26	1	—	5	11	—	—	—	—	—
Truro M.B. ..	12,680	6	0.47	13	1.03	2	—	1	13	1	—	—	—	—
RURAL DISTRICTS ..	140,600	152	1.08	24	0.17	9	1	24	107	—	4	—	11	2
Camelford	7,139	11	1.54	1	0.14	—	—	1	4	—	—	—	1	—
Kerrier	18,810	20	1.06	6	0.32	—	—	2	1	—	1	—	—	2
Launceston	6,327	7	1.11	—	—	—	—	1	14	—	1	—	—	—
Liskeard	13,270	27	2.03	1	0.08	2	—	—	12	—	—	—	1	—
St. Austell	19,410	32	1.65	6	0.31	1	—	3	6	—	—	—	—	—
St. Germans	15,230	22	1.44	5	0.33	4	—	4	16	—	—	—	3	—
Scilly, Isles of ..	1,589	—	—	—	—	—	—	—	—	—	—	—	—	—
Stratton	4,745	3	0.63	1	0.21	—	—	—	—	—	—	—	—	—
Truro	24,390	10	0.41	1	0.04	—	1	11	35	—	—	—	1	—
Wadebridge	12,890	14	1.09	2	0.16	—	—	—	6	—	1	—	—	—
West Penwith ..	16,800	6	0.36	1	0.06	—	—	2	13	—	1	—	5	—
CUMBERLAND:														
COUNTY BOROUGH:	261,440	533	2.04	77	0.29	62	15	135	262	4	—	—	24	—
Carlisle	62,500	211	3.38	27	0.43	28	4	35	42	—	—	—	8	—
ADMIN. COUNTY ..	198,940	322	1.62	50	0.25	34	11	100	220	4	—	—	16	—
URBAN DISTRICTS ..	80,540	129	1.60	15	0.19	12	3	33	56	1	—	—	6	—
Cockermouth ..	4,985	7	1.40	—	—	—	—	1	—	—	—	—	—	—
Keswick	4,663	—	—	—	—	—	—	2	1	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal pyrexia.	Enteric Fever. (Typhoid and paratyphoid)	Erysipelas.	Acute pneumonia (primary and influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CUMBERLAND—contd. U.D.'s.—contd.														
Maryport	11,330	34	3.00	1	0.09	1	2	2	3	—	—	—	—	—
Penrith	9,672	32	3.31	10	1.03	—	—	4	22	—	—	—	2	—
Whitehaven M.B.	22,460	37	1.65	2	0.09	6	—	10	18	—	—	—	—	—
Workington M.B.	27,430	19	0.69	2	0.07	5	1	14	12	1	—	—	2	—
RURAL DISTRICTS	118,400	193	1.63	35	0.30	22	8	67	164	3	—	—	10	—
Alston with Garrigill	2,420	—	—	—	—	—	1	—	2	—	—	—	—	—
Border	26,790	49	1.83	9	0.34	9	2	13	24	3	—	—	3	—
Cockermouth ..	18,050	25	1.39	2	0.11	2	1	8	11	—	—	—	—	—
Ennerdale	26,420	50	1.80	6	0.23	9	1	10	39	—	—	—	4	—
Millom	11,620	9	0.77	9	0.77	—	—	19	36	—	—	—	—	—
Penrith	11,420	31	2.71	2	0.18	—	—	5	16	—	—	—	2	—
Wigton	21,680	29	1.34	7	0.32	2	3	12	36	—	—	—	1	—
DERBYSHIRE :	770,770	2,003	2.60	1,275	1.65	152	12	314	888	13	7	1	60	34
COUNTY BOROUGH :														
Derby	135,600	387	2.85	246	1.81	79	—	65	120	1	1	—	34	—
ADMIN. COUNTY ..	635,170	1,616	2.54	1,029	1.62	73	12	249	768	12	6	1	26	34
URBAN DISTRICTS	340,370	920	2.70	643	1.89	45	5	148	382	4	4	—	15	15
Alfreton	21,660	65	3.00	42	1.94	8	—	8	21	—	—	—	1	—
Ashbourne	4,941	48	9.71	5	1.01	2	—	3	6	—	—	—	—	—
Bakewell	3,346	9	2.69	—	—	—	1	2	4	1	—	—	—	—
Belper	14,650	43	2.94	41	2.80	—	—	4	6	—	—	—	2	—
Bolsover	10,150	12	1.18	100	9.85	1	—	4	17	1	—	—	—	—
Buxton M.B. ..	17,380	62	3.57	25	1.44	4	—	3	8	1	—	—	2	—
Chesterfield M.B.	65,180	202	3.10	66	1.01	6	1	50	81	1	—	—	2	9
Clay Cross	8,032	12	1.49	24	2.99	2	—	3	10	—	—	—	—	—
Dronfield	6,737	9	1.34	14	2.08	1	—	2	5	—	—	—	—	—
Glossop M.B. ..	18,050	12	0.66	64	3.55	1	1	3	13	—	1	—	2	—
Heanor	22,700	146	6.43	39	1.72	3	—	10	51	—	—	—	—	3
Ilkeston M.B. ..	31,770	40	1.26	10	0.31	2	—	14	39	—	—	—	1	—
Long Eaton ..	26,200	66	2.52	22	0.84	4	1	6	44	—	—	—	—	1
Matlock	16,810	50	2.97	12	0.71	1	—	2	1	—	3	—	—	—
New Mills	8,173	8	0.98	7	0.86	1	—	5	5	—	—	—	1	—
Ripley	17,390	70	4.03	42	2.42	1	1	9	17	—	—	—	1	—
Staveley	16,890	34	2.01	72	4.26	1	—	6	21	—	—	—	—	2
Swadlincote Dist.	20,550	15	0.73	20	0.97	1	—	13	23	—	—	—	—	—
Whaley Bridge ..	5,042	1	0.20	—	—	—	—	—	4	—	—	—	—	—
Wirksworth	4,719	16	3.39	38	8.05	5	—	1	6	—	—	—	1	—
RURAL DISTRICTS	294,800	696	2.36	386	1.31	28	7	101	386	8	2	1	11	19
Ashbourne	11,220	27	2.41	10	0.89	1	—	4	12	—	—	—	—	—
Bakewell	19,300	24	1.24	3	0.16	—	—	11	39	—	—	—	—	—
Belper	26,120	52	1.99	30	1.15	1	1	5	17	—	1	—	3	—
Blackwell	42,160	150	3.56	88	2.09	5	—	8	28	1	—	—	2	1
Chapel-en-le-Frith	18,690	42	2.25	10	0.54	1	1	4	7	1	—	—	—	—
Chesterfield ..	70,550	182	2.58	107	1.52	13	2	34	213	3	—	—	4	2
Clowne	17,600	24	1.36	20	1.14	1	—	12	20	1	—	1	—	—
Repton	28,110	35	1.25	18	0.64	1	—	7	12	—	—	—	—	—
Shardlow	61,050	160	2.62	100	1.64	5	3	16	38	2	—	—	2	16
DEVONSHIRE :	753,240	1,172	1.56	814	1.08	141	29	228	627	24	9	2	26	51
COUNTY BOROUGH :	286,040	616	2.15	588	2.06	80	10	93	286	16	2	—	15	23
Exeter	70,540	199	2.82	171	2.42	37	7	28	72	1	1	—	1	3
Plymouth	215,500	417	1.94	417	1.94	43	3	65	214	15	1	—	14	20
ADMIN. COUNTY ..	467,200	556	1.19	226	0.48	61	19	135	341	8	7	2	11	28
URBAN DISTRICTS	240,200	295	1.23	137	0.57	42	10	77	217	3	3	—	9	24
Ashburton	2,374	—	—	—	—	—	—	1	—	—	—	—	—	—
Axminster	2,427	5	2.06	2	0.82	—	—	—	—	—	—	—	—	16

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc. 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever. (Typhoid and paratyphoid)	Erysipelas.	Acute pneumonia (primary and influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DEVONSHIRE—contd.														
U.D's.—contd.														
Barnstaple M.B. ..	14,650	7	0.48	40	2.73	5	—	8	42	—	1	—	1	—
Bideford M.B. ..	9,384	8	0.85	12	1.28	—	—	3	7	1	—	—	—	—
Brixham ..	8,314	7	0.84	2	0.24	3	—	7	31	—	—	—	—	—
Buckfastleigh ..	2,469	—	—	—	—	—	—	—	1	—	—	—	—	—
Budleigh Salterton ..	3,601	—	—	—	—	—	—	—	—	—	—	—	—	—
Crediton ..	3,894	7	1.80	—	—	—	—	—	—	—	—	—	—	—
Dartmouth M.B. ..	6,001	3	0.50	1	0.17	—	—	5	5	—	2	—	—	3
Dawlish ..	5,853	56	9.57	14	0.88	—	—	1	1	—	—	—	—	—
Ermouth ..	15,830	31	1.96	—	—	3	—	10	6	—	—	—	1	1
Gt. Torrington M.B. ..	2,752	—	—	1	0.36	—	—	—	—	—	—	1	—	—
Holsworthy ..	1,353	—	—	—	—	—	1	—	1	—	—	—	—	—
Honiton M.B. ..	3,154	2	0.63	3	0.95	—	—	—	—	—	—	—	—	—
Ilfracombe ..	8,393	3	0.36	—	—	1	—	—	13	—	—	—	—	—
Kingsbridge ..	3,132	1	0.32	—	—	—	—	4	—	—	—	—	—	—
Lynton ..	1,806	—	—	5	2.77	1	—	1	3	—	—	—	—	—
Newton Abbot ..	14,590	7	0.48	7	0.48	1	1	5	2	—	—	—	1	—
Northam ..	5,569	12	2.15	1	0.18	—	1	1	5	—	—	—	—	—
Okehampton M.B. ..	3,668	7	1.91	—	—	1	—	—	2	—	—	—	—	—
Ottery St. Mary ..	3,640	1	0.27	—	—	—	—	—	—	1	—	—	—	—
Paignton ..	23,130	10	0.43	5	0.22	—	—	4	23	—	—	—	1	4
Salcombe ..	2,287	—	—	1	0.44	—	—	—	5	—	—	—	—	—
Seaton ..	2,771	10	3.61	—	—	—	—	2	2	—	—	—	—	—
Sidmouth ..	9,225	4	0.43	13	1.41	1	2	1	—	—	—	—	—	—
South Molton M.B. ..	2,821	—	—	—	—	—	—	—	1	—	—	—	—	—
Tavistock ..	5,554	2	0.36	5	0.90	—	—	1	—	—	—	—	—	—
Teignmouth ..	10,130	7	0.69	3	0.30	1	—	4	9	—	—	—	—	—
Tiverton M.B. ..	10,010	5	0.50	3	0.30	3	—	1	4	—	—	—	—	—
Torquay M.B. ..	46,590	94	2.02	16	0.34	22	5	18	51	1	—	—	5	—
Totnes M.B. ..	4,828	6	1.24	3	0.62	—	—	—	1	—	—	—	—	—
RURAL DISTRICTS ..	227,000	261	1.15	89	0.30	19	9	58	124	5	4	1	2	4
Axminster ..	10,640	17	1.60	6	0.09	—	—	—	5	—	—	—	—	—
Barnstaple ..	19,600	11	0.56	1	0.31	1	—	4	31	—	—	—	—	2
Bideford ..	5,095	2	0.39	2	0.39	—	—	—	—	—	—	—	—	—
Broadwood Widge ..	1,978	—	—	—	—	—	—	—	3	—	—	—	—	—
Crediton ..	9,380	22	2.35	3	0.32	—	—	3	2	—	—	—	—	—
Holsworthy ..	6,181	3	0.49	—	—	—	—	—	1	—	1	—	—	—
Honiton ..	6,935	2	0.29	3	0.43	—	—	2	1	—	1	—	—	1
Kingsbridge ..	10,640	19	1.79	—	—	4	1	3	4	1	—	—	—	—
Newton Abbot ..	22,000	18	0.82	2	0.09	1	1	9	6	—	—	—	—	—
Okehampton ..	11,920	12	1.01	1	0.08	1	—	6	1	—	—	1	—	—
Plympton St. Mary ..	30,180	38	1.26	25	0.83	3	1	10	25	3	1	—	—	—
St. Thomas ..	30,310	49	1.62	39	1.29	2	4	5	24	—	—	—	1	—
South Molton ..	8,951	6	0.67	—	—	4	—	—	2	1	—	—	—	—
Tavistock ..	14,080	7	0.50	7	0.50	1	1	3	7	—	—	—	—	—
Tiverton ..	19,200	41	2.14	—	—	1	—	6	9	—	—	—	1	1
Torrington ..	7,340	2	0.27	—	—	—	1	—	—	—	—	—	—	—
Totnes ..	12,570	12	0.95	—	—	1	—	2	3	—	—	—	—	—
DORSETSHIRE :														
ADMIN. COUNTY ..	260,140	364	1.40	126	0.48	38	8	58	139	4	13	2	11	24
URBAN DISTRICTS ..														
Blandford Forum ..	164,000	222	1.35	80	0.49	28	5	39	78	1	8	2	8	—
M.B. ..	3,409	5	1.47	1	0.29	—	—	—	4	—	—	—	—	—
Bridport M.B. ..	5,908	4	0.68	2	0.34	1	—	2	6	—	—	—	—	—
Dorchester M.B. ..	10,620	9	0.85	—	—	9	—	6	8	—	1	—	—	—
Lyme Regis M.B. ..	2,891	3	1.04	—	—	—	—	—	—	—	—	—	—	—
Poole M.B. ..	71,760	142	1.98	28	0.39	7	2	20	22	—	—	1	—	—
Portland ..	11,800	3	0.25	8	0.68	4	—	2	6	—	—	—	—	—
Shaftesbury M.B. ..	3,236	14	4.33	5	1.55	—	—	—	—	—	5	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal pyrexia.	Enteric Fever. (Typhoid and paratyphoid)	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DORSETSHIRE—contd. U.D.'s.—contd.														
Sherborne ..	6,637	5	0·75	3	0·45	1	1	4	7	—	1	—	1	—
Swanage ..	6,406	3	0·47	—	—	2	—	1	8	—	1	—	—	—
Wareham M.B.	2,512	1	0·40	1	0·40	—	—	—	2	—	—	1	—	—
Weymouth & Melcombe Regis M.B.	34,660	21	0·61	21	0·61	4	1	4	12	—	—	—	5	—
Wimborne Minster	4,161	12	2·88	11	2·64	—	1	—	3	1	—	—	1	—
RURAL DISTRICTS ..	96,140	142	1·48	46	0·48	10	3	10	61	3	5	—	3	24
Beaminster ..	7,778	7	0·90	2	0·26	—	—	5	3	—	—	—	—	—
Blandford ..	7,448	16	2·15	2	0·27	—	—	1	4	—	—	—	—	—
Bridport ..	7,263	6	0·83	1	0·14	1	1	1	5	—	1	—	1	—
Dorchester ..	15,890	19	1·20	1	0·06	1	1	3	14	—	1	—	—	23
Shaftesbury ..	8,535	23	2·69	3	0·35	2	—	—	5	—	2	—	1	—
Sherborne ..	5,252	8	1·52	1	0·19	—	—	1	4	1	—	—	—	—
Sturminster ..	8,274	3	0·36	4	0·48	—	—	1	3	1	—	—	—	—
Wareham and Purbeck ..	16,820	53	3·15	7	0·42	5	—	5	17	—	1	—	—	1
Wimborne and Cranborne ..	18,880	7	0·37	25	1·32	1	1	2	6	1	—	—	1	—
DURHAM ..	1,423,540	2,642	1·86	3,214	2·26	262	29	705	2,246	58	9	6	191	20
COUNTY BOROUGHs ..	544,740	1,210	2·22	1,188	2·18	122	15	289	1,175	25	4	2	81	3
Darlington ..	76,960	200	2·60	49	0·64	19	1	22	85	4	—	—	6	—
Gateshead ..	113,500	142	1·25	197	1·74	13	1	61	110	5	—	—	4	—
South Shields ..	106,900	385	3·60	497	4·65	28	—	48	229	2	—	1	15	2
Sunderland ..	178,800	401	2·24	336	1·88	48	4	131	654	13	4	1	37	—
West Hartlepool ..	68,580	82	1·20	109	1·59	14	9	27	97	1	—	—	19	1
ADMIN. COUNTY ..	878,800	1,432	1·63	2,026	2·31	140	14	416	1,071	33	5	4	110	17
URBAN DISTRICTS ..	606,600	949	1·56	1,245	2·05	96	12	314	810	21	3	2	70	7
Barnard Castle ..	4,116	57	13·85	1	0·24	—	—	2	1	—	—	—	1	—
Billingham ..	20,760	47	2·26	87	4·19	5	—	15	26	2	1	—	4	—
Bishop Auckland ..	35,290	48	1·36	43	1·22	11	2	10	7	1	—	1	4	—
Blaydon ..	30,400	85	2·80	72	2·37	—	—	14	13	—	—	—	4	1
Boldon ..	16,390	37	2·26	26	1·59	1	—	6	5	—	—	—	—	4
Brandon and Byshottles ..	19,560	25	1·28	34	1·74	3	—	15	18	—	—	—	2	—
Chester-le-Street ..	17,510	13	0·74	36	2·06	2	—	11	19	1	—	—	2	—
Consett ..	37,420	54	1·44	73	1·95	13	3	20	42	2	—	—	1	—
Crook and Willington ..	28,080	45	1·60	31	1·10	1	—	9	45	4	—	—	1	—
Durham M.B.	19,090	26	1·36	32	1·68	—	—	7	5	—	—	—	3	—
Felling ..	25,480	29	1·14	34	1·33	1	—	6	21	1	—	—	7	—
Hartlepool M.B.	17,320	10	0·58	9	0·52	5	2	4	12	—	—	—	—	—
Hebburn ..	22,930	6	0·26	20	0·87	2	—	19	35	1	—	—	4	—
Hetton ..	19,280	18	0·93	36	1·87	2	1	10	43	—	—	—	4	—
Houghton-le-Spring ..	29,150	27	0·93	19	0·65	5	—	14	80	—	—	—	3	—
Jarrow M.B.	29,830	22	0·74	27	0·91	6	—	19	98	1	—	—	8	—
Kyton ..	13,650	21	1·54	19	1·39	2	—	6	—	—	—	—	3	—
Seaham ..	28,210	55	1·95	54	1·91	4	—	10	64	6	—	—	—	—
Shildon ..	13,830	25	1·81	27	1·95	2	1	11	12	—	—	—	2	—
Spennymoor ..	18,780	72	3·83	25	1·33	1	—	7	17	1	—	—	1	—
Stanley ..	49,730	75	1·51	195	3·92	6	3	23	34	—	—	—	5	2
Stockton-on-Tees M.B.	67,270	75	1·11	129	1·92	16	—	50	160	1	2	1	8	—
Tow Law ..	3,264	6	1·84	3	0·92	—	—	—	2	—	—	—	—	—
Washington ..	16,970	45	2·65	158	9·31	3	—	6	16	—	—	—	—	—
Whickham ..	22,290	26	1·17	55	2·47	5	—	20	35	—	—	—	3	—
RURAL DISTRICTS ..	272,200	483	1·77	781	2·87	44	2	102	261	12	2	2	40	10
Barnard Castle ..	17,520	61	3·48	11	0·63	—	—	2	7	4	—	—	1	—
Chester-le-Street ..	42,150	43	1·02	90	2·14	11	1	20	44	1	—	—	6	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever, (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DURHAM—contd. R.D's.—contd.														
Darlington ..	9,076	11	1·21	14	1·54	1	—	—	7	—	—	—	—	—
Durham ..	32,310	39	1·21	91	2·82	3	—	10	24	—	—	—	7	—
Easington ..	80,880	186	2·30	414	5·12	7	—	21	73	3	1	—	10	—
Lanchester ..	15,440	5	0·32	7	0·45	2	—	3	21	—	—	—	—	—
Sedgefield ..	34,050	48	1·41	66	1·94	11	—	17	34	1	—	—	3	1
Stockton ..	7,330	21	2·86	14	1·91	1	—	1	1	—	—	—	—	—
Sunderland ..	24,080	50	2·08	65	2·70	6	—	22	45	2	1	—	11	—
Weardale ..	9,364	19	2·03	9	0·96	2	1	6	5	1	—	—	2	—
ELY, ISLE OF :														
ADMIN. COUNTY ..	83,760	74	0·88	82	0·98	10	3	23	111	1	2	—	3	—
URBAN DISTRICTS ..	51,130	30	0·59	62	1·21	7	—	22	76	1	1	—	2	—
Chatteris ..	5,224	—	—	—	—	—	—	3	7	—	—	—	—	—
Ely ..	8,804	1	0·11	—	—	1	—	8	19	—	—	—	—	—
March ..	12,710	3	0·24	39	3·07	4	—	6	2	—	—	—	2	—
Whittlesey ..	8,322	8	0·96	3	0·36	—	—	1	10	1	—	—	—	—
Wisbech M.B. ..	16,070	18	1·12	20	1·24	2	—	4	38	—	1	—	—	—
RURAL DISTRICTS ..	32,630	44	1·35	20	0·61	3	3	1	35	—	1	—	1	—
Ely ..	13,320	24	1·80	1	0·08	2	3	—	10	—	—	—	1	—
North Witchford ..	4,963	5	1·01	2	0·40	—	—	—	5	—	—	—	—	—
Thorney ..	2,387	—	—	—	—	—	—	—	—	—	—	—	—	—
Wisbech ..	11,960	15	1·25	17	1·42	1	—	1	20	—	1	—	—	—
ESSEX :														
COUNTY BOROUGHS ..	1,891,700	3,559	1·88	1,321	0·70	378	82	614	1,505	36	22	—	3	130
East Ham ..	496,900	928	1·87	353	0·71	74	31	170	424	14	7	—	21	5
Southeast-on-Sea ..	122,800	196	1·60	91	0·74	16	8	41	59	3	2	—	7	—
West Ham ..	134,900	216	1·60	85	0·63	8	8	37	151	2	5	—	6	1
ADMIN. COUNTY ..	239,200	516	2·16	177	0·74	50	15	92	214	9	—	—	8	4
URBAN DISTRICTS ..	1,394,800	2,631	1·89	968	0·69	304	51	444	1,081	22	15	3	46	125
Barking M.B. ..	1,192,500	2,368	1·99	866	0·73	274	40	401	999	20	10	3	41	125
Bentley ..	73,880	192	2·60	91	1·23	10	2	28	76	—	1	—	3	2
Billerica ..	16,920	35	2·07	22	1·30	3	3	6	5	—	—	—	—	—
Braintree and Bocking ..	35,550	40	1·13	28	0·79	8	1	4	18	—	—	1	1	—
Brentwood ..	15,460	26	1·68	—	—	2	—	—	2	—	—	—	—	—
Brightlingsea ..	28,570	80	2·80	27	0·95	3	—	7	16	—	—	1	—	31
Burnham-on-Crouch ..	4,435	1	0·23	—	0·23	—	—	—	—	—	—	—	—	—
Canvey Island ..	3,621	1	0·28	—	—	—	—	2	2	—	—	—	—	—
Chelmsford M.B. ..	6,204	1	0·16	6	0·97	—	—	1	5	—	—	—	—	—
Chigwell ..	32,390	35	1·08	9	0·28	4	9	4	13	—	—	1	1	—
Chingford M.B. ..	24,900	23	0·92	24	0·96	1	2	4	9	—	1	—	—	—
Clacton ..	38,160	144	3·77	26	0·68	8	—	10	28	1	—	—	—	1
Colchester M.B. ..	23,690	10	0·42	23	0·97	1	—	2	—	—	2	—	—	—
Dagenham M.B. ..	51,810	45	0·87	8	0·15	20	—	17	56	6	1	—	5	68
Epping ..	104,500	270	2·58	123	1·18	26	—	50	113	1	—	—	2	2
Frinton and Walton ..	6,012	35	5·82	10	1·66	4	—	10	30	—	1	—	—	—
Halstead ..	7,826	12	1·53	4	0·51	1	1	2	4	1	—	—	1	—
Harwich M.B. ..	6,102	5	0·82	—	—	—	1	5	—	—	—	—	—	—
Hornchurch ..	12,570	11	0·88	2	0·16	—	—	3	7	—	—	—	—	—
Ilford M.B. ..	81,620	214	2·62	27	0·33	6	1	21	86	2	—	—	6	—
Leyton M.B. ..	161,600	370	2·29	95	0·59	49	11	70	185	—	—	—	6	3
Maldon M.B. ..	110,800	234	2·11	148	1·34	20	1	44	83	3	2	—	6	10
Rayleigh ..	9,261	11	1·19	16	1·73	1	—	2	2	—	1	—	—	—
Romford M.B. ..	8,024	8	1·00	4	0·50	2	—	5	7	—	—	—	—	—
Saffron Walden M.B. ..	57,750	79	1·37	44	0·76	41	1	20	27	3	1	—	1	3
Thurrock ..	6,589	2	0·30	5	0·76	—	—	—	—	—	—	—	—	—
Waltham Holy Cross ..	67,590	193	2·86	52	0·77	16	1	15	42	—	—	—	—	—
	7,225	31	4·29	3	0·42	—	—	2	4	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		Puerperal pyrexia.	Enteric Fever: (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ESSEX—contd.														
U.D.'s.—contd.														
Walthamstow M.B.	123,900	192	1.55	35	0.28	38	3	54	147	3	—	—	5	3
Wanstead and Woodford M.B.	53,260	52	0.98	22	0.41	8	3	10	28	—	—	—	3	2
West Mersea ..	2,545	6	2.36	1	0.39	1	—	1	—	—	—	—	—	—
Witham ..	7,491	4	0.53	8	1.07	—	—	1	4	—	—	—	—	—
Wivenhoe ..	2,245	6	2.67	2	0.89	1	—	1	—	—	—	—	1	—
RURAL DISTRICTS ..	202,300	263	1.30	102	0.50	30	11	43	82	2	5	—	5	—
Braintree ..	16,210	44	2.71	5	0.31	2	—	1	4	—	—	—	1	—
Chelmsford ..	32,440	43	1.33	22	0.68	5	4	6	3	2	—	—	1	—
Dunmow ..	17,150	8	0.47	1	0.06	3	2	—	3	—	—	—	—	—
Epping ..	16,100	13	0.81	11	0.68	—	—	5	17	—	—	—	—	—
Halstead ..	16,040	10	0.62	2	0.12	3	—	—	3	—	—	—	—	—
Lexden & Winstree	20,460	26	1.27	11	0.54	1	2	4	19	—	1	—	1	—
Maldon ..	13,740	6	0.44	3	0.22	1	—	3	8	—	1	—	—	—
Ongar ..	13,340	16	1.20	9	0.67	6	1	6	7	—	—	—	—	—
Rochford ..	17,300	19	1.10	28	1.62	1	2	15	15	—	1	—	2	—
Saffron Walden	16,250	21	1.29	3	0.18	2	—	—	—	—	1	—	—	—
Tendring ..	23,270	57	2.45	7	0.30	6	—	3	3	—	1	—	—	—
GLOUCEstershire :														
COUNTY BOROUGHs ..	837,760	1,617	1.93	986	1.18	144	28	268	860	24	14	—	7	56
Bristol ..	478,760	961	2.01	654	1.37	92	12	153	540	10	8	—	5	38
Gloucester ..	420,600	893	2.12	619	1.47	70	10	138	403	7	8	—	5	29
	58,160	68	1.17	35	0.60	22	2	15	137	3	—	—	9	1
ADMIN. COUNTY ..	359,000	656	1.83	332	0.92	52	16	115	320	14	6	—	2	18
URBAN DISTRICTS ..	122,200	169	1.38	182	1.50	21	4	51	83	6	2	—	4	—
Charlton Kings	5,254	5	0.95	5	0.95	2	—	2	8	—	—	—	—	—
Cheltenham M.B.	54,150	88	1.63	137	2.53	15	1	35	41	3	1	—	4	—
Cirencester	9,142	19	2.08	2	0.22	—	—	2	4	—	1	—	—	—
Kingwood	16,320	13	0.80	15	0.92	—	2	4	13	2	—	—	—	—
Mangotsfield	15,070	19	1.26	20	1.33	—	—	2	5	—	—	—	—	—
Nailsworth	3,349	5	1.49	1	0.30	—	—	—	—	—	—	—	—	—
Stroud	14,490	14	0.97	—	—	4	1	5	12	—	—	—	—	—
Tewkesbury M.B.	4,425	6	1.36	2	0.45	—	—	1	1	—	1	—	—	—
RURAL DISTRICTS ..	236,800	487	2.06	150	0.63	31	12	64	237	8	4	—	2	14
Cheltenham ..	15,650	55	3.51	4	0.26	1	3	—	2	—	—	—	—	26
Cirencester ..	12,580	7	0.56	—	—	2	3	4	13	—	—	1	—	—
Dursley ..	15,150	48	3.17	5	0.33	2	—	4	9	—	—	1	—	—
East Dean ..	19,240	91	4.73	53	2.75	2	—	2	4	—	2	—	1	—
Gloucester ..	25,580	27	1.06	12	0.47	3	1	11	29	—	—	—	2	6
Lydney ..	10,620	39	3.67	1	0.09	—	—	5	20	2	—	—	3	—
Newent ..	7,430	5	0.67	1	0.13	—	—	1	4	—	1	—	—	—
North Cotswold	15,760	47	2.98	15	0.95	1	1	8	13	2	—	—	1	—
Northleach ..	7,491	21	2.80	4	0.53	—	—	4	6	—	—	—	—	—
Sodbury ..	31,310	54	1.72	19	0.61	3	—	11	68	2	—	—	1	4
Stroud ..	22,320	23	1.03	9	0.40	4	1	3	10	—	—	—	—	—
Tetbury ..	5,979	—	—	6	1.00	10	1	1	6	—	—	—	2	—
Thornbury ..	21,030	26	1.24	9	0.43	2	—	—	28	2	—	—	3	16
Warnley ..	9,350	6	0.64	2	0.21	1	1	1	1	—	—	—	—	—
West Dean ..	17,310	38	2.20	10	0.58	—	1	9	24	—	—	—	1	—
HEREFORDSHIRE :														
ADMIN. COUNTY ..	114,280	492	4.31	117	1.02	35	12	36	109	2	1	—	1	11
URBAN DISTRICTS ..	44,350	259	5.84	82	0.72	19	9	15	28	1	—	—	6	—
Bromyard ..	1,544	—	—	4	2.59	1	—	—	5	1	—	—	—	—
Hereford M.B.	27,190	198	7.28	68	2.50	12	—	9	14	—	—	—	5	—
Kington ..	1,821	1	0.55	—	—	—	—	—	—	—	—	—	—	—
Ledbury ..	3,297	10	3.03	2	0.61	—	—	1	—	—	—	—	—	—
Leominster M.B.	5,624	7	1.24	5	0.89	3	—	1	6	—	—	—	—	—
Ross-on-Wye ..	4,874	43	8.82	3	0.62	3	9	4	3	—	—	—	1	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever. (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HEREFORDSHIRE—contd.														
RURAL DISTRICTS ..	69,930	233	3·33	35	0·50	16	3	21	81	1	1	1	5	—
Bromyard ..	7,746	13	1·68	3	0·39	1	—	1	13	—	—	—	1	—
Dore and Bredwardine ..	7,140	38	5·32	6	0·84	1	—	—	13	—	—	—	—	—
Hereford ..	13,940	64	4·59	8	0·57	4	—	7	15	1	—	—	—	—
Kington ..	4,628	11	2·38	—	—	—	—	2	1	—	—	1	1	—
Ledbury ..	9,751	11	1·13	8	0·82	—	—	1	1	—	—	—	—	—
Leominster and Wigmore ..	9,896	26	2·63	1	0·10	5	1	3	14	—	—	—	1	—
Rose and Whitechurch ..	11,100	64	5·77	4	0·36	3	2	5	12	—	—	—	1	—
Weobley ..	5,729	6	1·05	5	0·87	2	—	2	12	—	1	—	1	—
HERTFORDSHIRE:														
ADMIN. COUNTY ..	514,900	1,022	1·99	270	0·52	116	16	93	212	7	10	—	11	2
URBAN DISTRICTS ..	377,900	737	1·95	167	0·44	106	13	72	152	7	9	—	7	2
Baldock ..	4,250	10	2·35	—	—	—	—	—	3	—	—	—	—	—
Barnet ..	21,980	54	2·46	3	0·14	15	2	6	54	3	2	—	—	—
Berkhamsted ..	10,820	16	1·48	3	0·28	—	1	1	1	—	—	—	—	—
Bishop's Stortford ..	11,640	36	3·09	2	0·17	6	—	2	2	—	1	—	2	—
Bushey ..	13,030	74	5·68	14	1·07	12	—	1	—	—	—	—	—	—
Cheshunt ..	17,990	26	1·45	6	0·33	—	—	13	31	—	3	—	—	—
Chorleywood ..	4,057	7	1·73	3	0·74	—	—	—	—	—	—	—	—	—
East Barnet ..	34,400	38	1·10	2	0·06	6	—	3	7	2	—	—	2	—
Harpenden ..	12,710	6	0·47	3	0·24	1	—	3	3	—	—	—	—	—
Hemel Hempstead M.B. ..	20,030	66	3·30	15	0·75	14	4	2	4	—	—	—	—	—
Hertford M.B. ..	13,320	25	1·88	11	0·83	2	—	1	—	—	—	—	—	—
Hitchin ..	17,990	35	1·95	3	0·17	9	—	2	3	1	—	—	—	—
Hoddesdon ..	12,460	38	3·05	7	0·56	—	—	—	3	—	—	—	—	—
Letchworth ..	17,620	24	1·36	14	0·79	3	1	3	10	—	—	—	—	—
Rickmansworth ..	20,860	19	0·91	2	0·10	3	—	8	—	—	—	—	—	—
Royston ..	4,075	5	1·23	1	0·25	1	—	—	—	8	1	—	—	—
St. Alban M.B. ..	38,310	98	2·56	12	0·31	11	2	13	1	—	3	—	1	—
Sawbridgeworth ..	3,200	2	0·63	—	—	—	—	1	1	—	—	—	—	—
Stevenage ..	5,843	3	0·51	13	2·22	1	—	—	3	—	—	—	—	—
Tring ..	4,599	16	3·48	—	—	2	—	1	4	—	—	—	—	—
Ware ..	7,616	6	0·79	12	1·58	—	—	1	—	—	—	—	—	—
Watford M.B. ..	66,980	95	1·42	5	0·07	19	3	11	12	—	—	—	2	—
Welwyn Garden City ..	14,120	38	2·69	36	2·55	1	—	—	3	—	—	—	—	—
RURAL DISTRICTS ..	137,000	285	2·08	103	0·75	10	3	21	60	—	1	—	4	—
Barnet ..	9,643	8	0·83	—	—	—	—	4	3	—	—	—	1	—
Berkhamsted ..	4,778	7	1·47	—	—	—	—	1	1	—	—	—	—	—
Braughing ..	9,398	31	3·30	7	0·74	—	—	1	3	—	—	—	—	—
Hatfield ..	18,320	93	5·08	15	0·82	—	—	1	19	—	—	—	2	—
Hemel Hempstead ..	9,462	34	3·59	3	0·32	—	—	5	1	—	—	—	—	—
Hertford ..	7,249	12	1·66	1	0·14	1	—	1	4	—	1	—	—	—
Hitchin ..	19,790	23	1·16	4	0·20	—	—	—	11	—	—	—	—	—
St. Albans ..	22,760	42	1·85	17	0·75	4	2	—	13	—	—	—	1	—
Ware ..	9,990	8	0·80	7	0·70	2	—	2	—	—	—	—	—	—
Watford ..	21,320	21	0·98	6	0·28	2	1	6	5	—	—	—	—	—
Welwyn ..	4,290	6	1·40	43	10·02	1	—	—	—	—	—	—	—	—
HUNTINGDONSHIRE:														
ADMIN. COUNTY ..	58,920	46	0·78	29	0·49	17	3	28	65	—	—	—	1	—
URBAN DISTRICTS ..	27,230	15	0·55	6	0·22	8	2	11	43	—	—	—	—	—
Godmanchester M.B. ..	2,122	2	0·94	—	—	—	—	1	4	—	—	—	—	—
Huntingdon M.B. ..	4,861	5	1·03	1	0·21	6	1	8	25	—	—	—	—	—
Old Fletton ..	7,823	3	0·38	5	0·64	—	—	2	6	—	—	—	—	—
Ramsey ..	5,382	1	0·19	—	—	1	—	—	2	—	—	—	—	—
St. Ives M.B. ..	2,869	3	1·05	—	—	—	—	—	3	—	—	—	—	—
St. Neots ..	4,173	1	0·24	—	—	1	—	—	3	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HUNTINGDONSHIRE— <i>ctd.</i>														
RURAL DISTRICTS ..	31,690	31	0.98	23	0.73	9	1	17	22	—	—	—	1	—
Huntingdon ..	7,432	9	1.21	—	—	2	—	3	8	—	—	—	—	—
Norman Cross ..	7,299	2	0.27	8	1.10	2	—	8	6	—	—	—	—	—
St. Ives ..	10,270	18	1.75	14	1.36	1	—	1	5	—	—	—	1	—
St. Neots ..	6,689	2	0.30	1	0.15	4	1	5	3	—	—	—	—	—
KENT :														
COUNTY BOROUGH	1,433,030	2,755	1.92	953	0.67	242	45	321	852	29	91	4	46	36
Canterbury ..	26,430	25	0.95	4	0.15	3	1	13	15	4	11	—	2	—
ADMIN. COUNTY	1,406,600	2,730	1.94	949	0.67	239	44	308	837	25	80	4	44	36
URBAN DISTRICTS ..	1,106,700	2,166	1.96	675	0.61	204	40	257	658	19	59	4	38	24
Ashford ..	23,250	65	2.80	6	0.26	1	—	20	20	—	—	—	3	—
Beckenham M.B. ..	69,280	198	2.86	14	0.20	9	1	10	49	—	—	—	2	—
Bexley M.B. ..	78,880	284	3.60	29	0.37	11	3	14	18	—	4	1	1	2
Broadstairs and St. Peters	12,880	21	1.63	2	0.16	—	—	6	19	1	—	—	—	—
Bromley M.B. ..	59,080	49	0.83	23	0.39	22	1	8	27	—	3	—	2	1
Chatham M.B. ..	43,310	61	1.41	86	1.99	7	—	10	19	2	—	—	1	—
Chislehurst and Sidcup	63,160	212	3.36	49	0.78	9	2	5	39	—	1	—	2	2
Crayford ..	24,740	60	2.43	7	0.28	7	1	2	14	—	—	—	—	—
Dartford M.B. ..	36,740	66	1.80	18	0.49	10	—	17	30	—	1	—	—	3
Deal M.B. ..	23,190	13	0.66	23	0.99	2	—	—	1	—	1	1	2	—
Dover M.B. ..	38,950	48	1.23	12	0.31	6	—	8	38	—	8	—	2	—
Erith M.B. ..	41,150	229	5.57	14	0.34	6	2	6	31	—	1	—	1	1
Faversham M.B. ..	12,090	11	0.91	9	0.74	1	—	10	4	2	2	—	1	—
Folkestone M.B. ..	45,260	58	1.28	77	1.70	3	9	9	46	—	—	—	2	3
Gillingham M.B. ..	68,060	184	2.70	86	1.26	22	—	13	41	4	12	—	4	—
Gravesend M.B. ..	38,710	36	0.93	3	0.08	4	3	6	13	—	—	—	3	—
Herne Bay ..	16,250	46	2.83	2	0.12	—	—	5	16	—	3	—	—	—
Hythe M.B. ..	8,780	6	0.68	5	0.57	1	2	1	4	—	—	—	—	—
Lydd M.B. ..	2,702	5	1.85	—	—	—	—	—	4	—	—	—	—	—
Maidstone M.B. ..	49,070	40	0.82	28	0.57	15	3	20	20	—	11	—	2	3
Margate M.B. ..	38,440	25	0.65	14	0.36	2	—	4	8	2	2	—	—	—
New Romney M.B.	2,072	—	—	—	—	1	—	1	2	—	—	—	—	—
Northfleet ..	17,610	21	1.19	1	0.06	4	—	3	3	—	—	—	—	—
Orpington ..	49,570	73	1.47	11	0.22	21	4	16	29	1	1	—	—	9
Penge ..	24,900	56	2.25	21	0.84	6	—	9	12	—	—	—	—	—
Queenborough M.B.	2,903	6	2.07	—	—	—	—	—	—	—	1	—	—	—
Ramsgate M.B. ..	34,040	34	1.00	21	0.62	4	1	12	33	—	2	—	1	—
Rochester M.B. ..	37,860	70	1.85	23	0.61	3	—	14	35	3	—	—	1	—
Royal Tunbridge Wells M.B.	34,250	28	0.82	16	0.47	10	2	10	20	1	1	—	2	—
Sandwich M.B. ..	4,816	—	—	29	6.02	—	—	1	—	—	—	—	—	—
Sevenoaks ..	13,950	17	1.22	4	0.29	2	1	—	3	—	—	—	—	—
Sheerness ..	15,720	8	0.51	16	1.02	2	—	4	9	2	1	—	1	—
Sittingbourne and Milton	21,090	94	4.46	3	0.14	7	1	10	—	—	1	—	4	—
Southborough	8,136	10	1.23	4	0.49	3	—	1	—	—	—	—	—	—
Swanscombe ..	8,047	10	1.24	2	0.25	—	—	3	3	—	—	—	—	—
Tenterden M.B. ..	3,684	2	0.54	—	—	—	—	1	1	—	—	—	—	—
Tonbridge ..	18,260	11	0.60	10	0.55	2	—	6	13	—	—	—	—	—
Whitstable ..	15,820	9	0.57	7	0.44	—	4	10	33	1	3	—	—	—
RURAL DISTRICTS ..	299,900	564	1.88	274	0.91	35	4	51	179	6	21	—	6	12
Bridge-Blean ..	16,910	27	1.60	4	0.24	4	1	1	30	—	1	—	1	5
Cranbrook ..	15,740	19	1.21	19	1.21	—	—	5	15	—	1	—	—	—
Dartford ..	34,410	70	2.03	40	1.16	4	—	7	8	—	2	—	1	7
Dover ..	9,473	7	0.74	4	0.42	—	—	—	3	—	1	—	1	—
East Ashford ..	9,680	25	2.58	4	0.41	—	—	—	2	—	—	—	—	—
Eastry ..	22,930	41	1.79	14	0.61	7	—	6	24	—	1	—	—	—
Elham ..	8,867	18	2.03	1	0.11	1	—	1	5	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
KENT—contd.														
<i>R.D.'s.—contd.</i>														
Hollingbourne ..	14,870	12	0·81	13	0·87	1	—	3	4	—	1	—	—	—
Maidstone ..	17,840	16	0·90	15	0·84	4	—	2	6	1	—	—	—	—
Malling ..	32,380	42	1·30	88	2·72	—	1	14	8	—	2	—	1	—
Romney Marsh ..	3,683	3	0·81	3	0·81	1	—	—	8	—	1	—	—	—
Sevenoaks ..	30,290	61	2·01	24	0·79	1	1	8	15	2	1	—	—	—
Sheppey ..	8,803	30	3·41	—	—	4	—	4	7	—	—	—	—	—
Strood ..	17,570	47	2·68	15	0·85	1	—	3	4	1	1	—	—	—
Swale ..	18,860	126	6·68	18	0·95	4	—	4	4	1	4	—	1	—
Tenterden ..	6,763	3	0·44	4	0·59	—	—	—	6	—	—	—	—	—
Tonbridge ..	21,910	9	0·41	5	0·23	3	1	2	5	1	1	—	1	—
West Ashford ..	8,921	8	0·90	3	0·34	—	—	1	19	—	—	—	—	—
LANCASHIRE :														
COUNTY BOROUGHs ..	4,969,220	11,893	2·39	8,596	1·73	1,256	138	2,071	6,895	260	91	28	1091	437
Barrow-in-Furness ..	3,065,120	7,913	2·58	5,299	1·73	945	101	1,394	4,906	187	61	20	971	87
Blackburn ..	68,080	56	0·82	108	1·89	14	2	36	88	1	—	—	2	1
Blackpool ..	111,100	192	1·73	95	0·86	22	—	34	214	7	1	3	14	15
Bolton ..	134,700	336	2·49	177	1·31	61	3	44	30	7	1	10	9	5
Bolton ..	166,800	494	2·96	160	0·96	10	2	67	189	12	—	4	6	2
Bootle ..	71,900	357	4·97	325	4·52	8	3	36	148	1	1	—	—	—
Burnley ..	86,790	80	0·92	68	0·78	43	1	36	186	2	2	1	16	—
Bury ..	58,090	80	1·38	109	1·88	15	—	26	78	3	—	—	8	—
Liverpool ..	802,000	2,403	3·00	1,504	1·88	387	38	467	1,444	70	10	6	717	18
Manchester ..	702,500	1,332	1·90	1,031	1·47	207	30	309	1,324	44	31	2	127	13
Oldham ..	123,400	324	2·63	73	0·59	41	2	59	210	3	1	—	25	1
Preston ..	112,400	198	1·76	81	0·72	15	7	31	147	11	1	—	7	12
Rochdale ..	89,830	131	1·46	70	0·78	3	—	29	40	8	1	—	4	—
St. Helens ..	106,600	995	9·33	479	4·49	32	1	46	118	5	4	1	7	—
Salford ..	189,500	257	1·36	460	2·43	57	8	89	282	7	3	—	10	1
Southport ..	81,840	176	2·15	151	1·85	9	1	30	94	2	2	2	4	19
Warrington ..	77,350	355	4·59	106	1·37	10	—	28	186	1	1	—	1	—
Wigan ..	82,240	147	1·79	302	3·67	11	3	27	128	4	—	—	1	—
ADMIN. COUNTY ..	1,904,100	3,980	2·09	3,297	1·73	311	37	677	1,989	73	30	8	120	350
URBAN DISTRICTS														
Abram ..	1,643,500	3,394	2·07	2,962	1·80	274	34	587	1,739	63	27	7	107	8
Accrington M.B. ..	6,018	8	1·33	32	5·32	—	—	1	25	—	—	—	2	—
Adlington ..	39,400	43	1·09	42	1·07	3	—	9	33	—	—	—	3	—
Ashton-in-Makerfield ..	3,955	3	0·76	3	0·76	—	—	2	10	—	—	—	—	—
Ashton-under-Lyne M.B. ..	19,180	85	4·43	31	1·62	8	—	11	35	1	—	—	1	—
Aspull ..	47,950	59	1·23	84	1·75	28	—	17	67	6	1	—	5	—
Atherton ..	6,557	8	1·22	4	0·61	—	—	—	13	—	—	—	—	—
Audenshaw ..	20,430	74	3·62	35	1·71	5	—	17	59	—	—	—	3	—
Bacup M.B. ..	11,910	34	2·85	15	1·26	—	—	3	7	—	1	—	1	—
Barrowford ..	19,650	14	0·71	25	1·27	—	1	12	5	—	—	—	4	—
Billinge and Winstanley ..	4,862	—	—	—	—	—	—	3	3	—	—	—	—	—
Blackrod ..	5,760	2	0·35	9	1·56	6	—	—	3	—	—	—	—	—
Brierfield ..	3,164	9	2·84	12	3·79	—	—	1	1	—	—	—	1	—
Carnforth ..	7,048	3	0·43	12	1·70	3	—	2	7	—	—	—	—	—
Chadderton ..	3,142	—	—	3	0·95	—	—	—	—	—	—	—	—	—
Chorley M.B. ..	30,780	66	2·14	19	0·62	—	—	11	19	—	—	—	2	—
Church ..	30,200	62	2·05	111	3·68	4	1	14	33	3	—	—	1	—
Clayton-le-Moors ..	5,403	3	0·56	3	0·56	1	—	3	5	—	1	—	1	—
Clitheroe M.B. ..	7,093	4	0·57	16	2·86	—	—	1	2	—	—	—	—	—
Colne M.B. ..	11,490	14	1·22	2	0·17	1	1	3	6	—	—	—	—	—
Crompton ..	21,470	29	1·35	6	0·28	1	—	14	29	1	2	—	1	—
Crosby M.B. ..	13,050	38	2·91	1	0·08	—	—	6	17	—	—	—	—	—
Dalton-in-Furness ..	55,230	476	8·62	146	2·64	4	2	27	38	1	—	—	9	—
Darwen M.B. ..	10,530	2	0·19	2	0·19	—	—	1	1	—	—	—	—	—
Denton ..	31,370	38	1·21	61	1·94	2	—	4	6	1	—	1	2	—
Denton ..	22,830	68	2·98	16	0·70	1	—	4	37	1	—	—	1	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		+Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—contd.														
U.D.'s.—contd.														
Droylsden ..	25,050	34	1·36	70	2·79	5	—	3	11	3	1	—	—	—
Eccles M.B. ..	42,400	33	0·78	62	1·46	2	1	25	50	1	—	—	1	—
Failsworth ..	17,680	59	3·34	35	1·98	2	1	5	19	—	1	—	—	—
Farnworth M.B. ..	27,640	58	2·10	14	0·51	23	—	6	26	—	—	—	—	—
Fleetwood M.B. ..	24,580	26	1·06	46	1·87	8	—	9	46	2	—	—	1	—
Formby ..	8,866	24	2·71	14	1·58	2	—	2	14	—	—	—	—	—
Fulwood ..	11,640	15	1·29	1	0·09	12	2	1	14	1	—	1	2	1
Golborne ..	14,110	24	1·70	58	4·11	1	—	—	10	2	—	—	3	—
Grange ..	2,574	—	—	—	—	—	—	—	—	—	—	—	—	—
Great Harwood ..	10,940	—	—	12	1·10	—	—	2	—	—	—	—	—	—
Heslingden M.B. ..	15,190	19	1·25	7	0·46	2	—	1	16	—	—	—	1	—
Haydock ..	10,820	61	5·64	14	1·29	3	—	8	25	—	2	—	1	—
Heywood M.B. ..	25,220	32	1·27	57	2·26	1	—	1	19	—	—	2	2	—
Hindley ..	19,760	43	2·18	38	1·92	2	1	10	32	1	—	—	1	—
Horwich ..	14,900	13	0·87	62	4·16	3	—	12	37	—	1	—	—	—
Huyton with Roby	35,350	142	4·02	170	4·81	12	—	14	15	—	1	—	2	—
Ince in Makerfield	20,350	26	1·28	46	2·26	—	—	12	44	1	—	—	—	—
Irlam ..	14,310	26	1·82	11	0·77	2	2	7	29	2	—	—	—	—
Kearsley ..	10,610	18	1·70	8	0·75	—	—	4	8	—	—	—	—	—
Kirkham ..	4,189	2	0·48	—	—	—	—	—	1	—	—	—	1	—
Lancaster M.B. ..	48,520	110	2·27	66	1·36	6	7	26	51	2	1	1	10	—
Lees ..	4,285	7	1·63	1	0·23	—	—	2	2	—	—	—	—	—
Leigh M.B. ..	46,000	38	0·83	164	3·57	9	—	16	101	1	1	—	6	—
Leyland ..	12,680	46	3·63	42	3·31	1	1	—	3	1	—	—	—	—
Litherland ..	19,310	74	3·83	86	4·45	4	—	10	20	—	—	—	3	—
Littleborough ..	11,110	63	5·67	23	2·07	—	—	3	5	—	3	—	—	—
Little Lever ..	4,719	4	0·85	13	2·75	—	—	—	4	1	—	—	—	—
Longridge ..	4,011	21	5·24	42	10·47	—	—	—	1	—	—	—	—	—
Lytham St. Anne's M.B. ..	26,700	53	1·99	19	0·71	11	1	7	7	1	—	—	1	—
Middleton M.B. ..	29,960	60	2·00	14	0·47	2	—	4	25	1	—	—	—	—
Milnrow ..	8,344	15	1·80	3	0·36	3	1	8	6	—	—	—	—	—
Morecambe and Heysham M.B. ..	32,050	37	1·15	31	0·97	4	—	12	23	1	—	—	2	—
Mossley M.B. ..	10,600	15	1·42	1	0·09	—	—	2	4	—	—	—	—	—
Nelson M.B. ..	34,390	10	0·29	4	0·12	2	1	14	20	—	—	—	—	—
Newton-le-Willows	20,660	66	3·19	114	5·52	2	2	10	46	2	1	—	3	—
Ormskirk ..	19,140	40	2·00	19	0·99	2	—	7	21	—	—	—	2	—
Orrell ..	8,662	33	3·81	29	3·35	1	—	3	7	—	—	—	—	—
Oswaldtwistle ..	12,560	14	1·11	2	0·16	—	—	5	10	—	1	—	1	—
Padiham ..	10,240	25	2·44	3	0·29	2	—	6	11	—	—	—	3	—
Poulton le Fylde ..	6,492	3	0·46	7	1·08	1	—	—	—	1	—	—	—	—
Preesall ..	2,087	1	0·48	1	0·48	—	—	—	2	—	—	—	—	—
Prescot ..	11,550	44	3·81	76	6·58	—	—	4	—	2	—	—	—	—
Prestwich M.B. ..	32,860	44	1·34	47	1·43	1	1	10	23	1	—	—	1	6
Radcliffe M.B. ..	26,940	46	1·71	59	2·19	5	1	12	40	—	—	1	1	—
Rainford ..	3,708	14	3·78	5	1·35	—	—	1	6	—	—	—	—	—
Ramsbottom ..	15,070	27	1·79	22	1·46	2	1	5	26	—	2	—	1	—
Rawtenstall M.B. ..	26,910	18	0·67	14	0·52	5	—	15	39	—	—	—	5	—
Rishton ..	5,917	—	—	2	0·34	1	—	—	7	—	—	—	—	—
Royton ..	15,220	27	1·77	2	0·13	—	—	—	7	—	—	—	—	—
Skelsmersdale ..	6,021	1	0·17	2	0·33	—	—	2	2	1	1	—	1	—
Standish with Langtree	8,501	27	3·18	11	1·29	—	—	1	12	—	—	—	—	—
Stretford M.B. ..	57,390	84	1·46	52	0·91	8	—	23	35	—	—	—	3	—
Swinton ..	40,920	62	1·52	66	1·61	4	1	16	37	14	5	1	—	—
Pendlebury M.B. ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thornton Cleveleys	13,610	12	0·88	14	1·03	4	—	4	4	—	—	—	1	—
Tottington ..	6,176	17	2·75	14	2·27	2	—	7	18	—	—	—	—	—
Trawden ..	2,253	—	—	—	—	1	—	1	1	—	—	—	—	—
Turton ..	11,310	55	4·86	9	0·80	1	—	—	11	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—contd.														
U.D.'s.—contd.														
Tyldesley ..	18,360	44	2.40	30	1.63	2	—	11	16	1	—	—	1	—
Ulverston ..	9,488	15	1.58	40	4.22	1	—	1	1	—	—	—	—	—
Upholland ..	5,960	7	1.17	2	0.34	—	—	1	2	—	—	—	1	—
Urmston ..	33,530	36	1.07	78	2.33	11	2	9	57	5	—	—	1	—
Walton le Dale ..	13,860	47	3.39	6	0.43	1	—	4	10	—	—	—	—	—
Wardle ..	4,321	13	3.01	1	0.23	17	—	4	2	—	1	—	4	1
Westhoughton ..	14,790	49	3.31	64	4.33	1	—	1	11	—	—	—	—	—
Whitefield ..	12,430	21	1.69	32	2.57	—	—	7	12	—	—	—	—	—
Whitworth ..	7,557	4	0.53	16	2.12	—	—	2	3	—	—	—	1	—
Widnes M.B. ..	43,590	94	2.16	180	4.13	5	1	14	97	1	—	—	2	—
Withnell ..	2,801	3	1.07	4	1.43	—	—	2	3	—	—	—	—	—
Worsley ..	25,310	51	2.02	15	0.59	5	—	2	11	—	—	—	—	—
RURAL DISTRICTS														
Blackburn ..	260,600	586	2.25	335	1.20	37	3	90	250	10	3	1	13	342
Burnley ..	12,520	11	0.88	7	0.56	3	—	2	16	—	—	—	1	21
Chorley ..	17,500	27	1.54	11	0.63	3	—	6	17	—	—	—	2	—
Clitheroe ..	24,620	54	2.19	40	1.62	—	—	1	13	1	—	—	1	—
Fylde ..	9,081	23	2.53	14	1.54	1	—	—	3	—	—	—	—	47
	9,715	15	1.54	2	0.21	—	—	2	2	—	—	—	—	—
Garstang ..	11,930	7	0.59	12	1.01	1	—	6	7	—	—	—	2	—
Lancaster ..	10,280	21	2.04	6	0.58	—	—	3	1	1	1	—	—	—
Limehurst ..	7,735	11	1.42	21	2.71	—	—	3	6	—	—	—	—	—
Lunesdale ..	6,481	10	1.54	5	0.77	—	—	—	1	2	—	—	—	—
Preston ..	35,890	76	2.12	31	0.86	3	1	12	22	—	—	—	—	130
Ulverston ..	16,400	12	0.73	15	0.91	1	1	2	9	—	—	1	—	—
Warrington ..	23,580	89	3.77	36	1.53	7	—	20	33	1	—	—	2	138
West Lancashire ..	38,080	103	2.70	37	0.97	3	1	19	51	1	—	—	1	—
Whiston ..	29,330	116	3.95	91	3.10	14	—	11	53	4	1	—	4	6
Wigan ..	7,458	11	1.47	7	0.94	1	—	3	16	—	—	—	—	—
LEICESTERSHIRE :														
COUNTY BOROUGH														
Leicester ..	571,000	1,259	2.20	1,042	1.82	141	11	288	640	35	10	—	22	1
	262,500	423	1.61	515	1.96	97	5	157	388	20	6	—	18	1
ADMIN. COUNTY														
	308,500	836	2.71	527	1.71	44	6	131	252	15	4	—	2	—
URBAN DISTRICTS														
Ashby de la Zouch ..	145,300	567	3.90	360	2.48	17	3	66	115	7	1	1	3	—
Ashby Wolds ..	6,058	25	4.13	14	2.31	2	—	5	2	—	—	—	—	—
Coalville ..	3,211	3	0.93	4	1.25	—	—	16	4	—	—	—	—	—
Hinckley ..	24,450	65	2.66	90	3.68	4	—	15	16	1	—	—	1	—
Loughborough M.B. ..	34,800	98	2.82	77	2.21	2	1	15	37	1	1	1	—	—
	31,510	256	8.12	152	4.82	7	1	15	14	2	—	—	—	—
Market Harborough ..	9,699	42	4.33	—	—	—	1	—	4	—	—	—	—	—
Melton Mowbray ..	11,500	27	2.35	5	0.43	1	—	3	29	2	—	—	2	—
Oadby ..	5,409	3	0.55	1	0.18	—	—	1	—	1	—	—	—	—
Shepshed ..	5,683	11	1.94	1	0.18	—	—	6	5	—	—	—	—	—
Wigston ..	12,980	37	2.85	16	1.23	1	—	—	4	—	—	—	—	—
RURAL DISTRICTS														
Ashby de la Zouch ..	163,200	269	1.65	167	1.02	27	3	65	137	8	3	1	1	—
Barrow upon Soar ..	13,710	61	4.45	11	0.80	2	1	3	26	—	—	—	—	—
Billesdon ..	39,960	43	1.08	68	1.70	5	—	20	46	—	3	—	—	—
Blaby ..	6,552	1	0.15	16	2.44	—	—	2	3	—	—	—	—	—
Castle Donington ..	34,290	41	1.20	23	0.67	2	1	16	6	—	—	—	—	—
	8,162	13	1.59	5	0.61	6	—	5	10	—	—	—	—	—
Lutterworth ..	10,360	10	0.97	5	0.48	5	—	2	10	—	—	—	—	—
Market Bosworth ..	24,490	53	2.16	29	1.18	5	—	10	18	7	—	—	1	—
Market Harborough ..	8,836	27	3.06	—	—	1	—	3	8	—	—	—	—	—
Melton & Belvoir ..	16,840	20	1.19	10	0.59	1	1	4	10	1	—	—	—	—
LINCOLNSHIRE :														
PARTS OF HOLLAND														
ADMIN. COUNTY ..	96,880	80	0.83	207	2.14	18	1	12	73	—	—	—	17	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LINCOLNSHIRE—contd.														
PARTS OF HOLLAND—contd.														
URBAN DISTRICTS ..	36,600	29	0·79	167	4·56	10	—	7	48	—	—	—	8	—
Boston M.B. ..	22,970	23	1·00	145	6·31	7	—	1	39	—	—	—	4	—
Spalding ..	13,630	6	0·44	22	1·61	3	—	6	9	—	—	—	4	—
RURAL DISTRICTS ..	60,280	51	0·85	40	0·66	8	1	5	25	—	—	—	9	—
Boston ..	19,580	23	1·17	21	1·07	4	—	2	6	—	—	—	4	—
East Elloe ..	22,570	11	0·49	12	0·53	1	1	2	13	—	—	—	1	—
Spalding ..	18,130	17	0·94	7	0·39	3	—	1	6	—	—	—	4	—
LINCOLNSHIRE : PARTS OF KESTEVEN														
ADMIN. COUNTY ..	114,910	156	1·36	113	0·98	10	1	30	61	5	1	—	4	—
URBAN DISTRICTS ..	42,630	98	2·30	71	1·67	3	—	17	24	—	—	—	3	—
Bourne ..	4,625	43	9·30	65	14·05	—	—	7	6	—	—	—	—	—
Graham M.B. ..	20,240	41	2·03	2	0·10	1	—	7	10	—	—	—	2	—
Sleaford ..	7,525	2	0·27	1	0·13	2	—	1	6	—	—	—	1	—
Stamford M.B. ..	10,240	12	1·17	3	0·29	—	—	2	2	—	—	—	—	—
RURAL DISTRICTS ..	72,280	58	0·80	42	0·58	7	1	13	37	5	1	—	1	—
East Kesteven ..	21,500	26	1·21	8	0·37	4	1	2	18	4	—	—	1	—
North Kesteven ..	21,900	9	0·41	30	1·37	1	—	6	15	—	—	—	—	—
South Kesteven ..	13,600	15	1·10	4	0·29	1	—	4	1	1	—	—	—	—
West Kesteven ..	15,280	8	0·52	—	—	1	—	1	3	—	—	—	—	—
LINCOLNSHIRE : PARTS OF LINDSEY	431,550	453	1·05	569	1·32	93	5	105	322	12	3	1	60	4
COUNTY BOROUGHs ..	154,150	202	1·31	136	0·88	38	1	31	124	4	—	—	35	4
Grimsby ..	90,520	141	1·56	102	1·13	31	—	26	27	1	—	—	28	—
Lincoln ..	63,630	61	0·96	34	0·53	7	1	5	97	3	—	—	7	4
ADMIN. COUNTY ..	277,400	251	0·90	433	1·56	55	4	74	198	8	3	1	25	—
URBAN DISTRICTS ..	134,100	138	1·03	280	2·09	36	3	36	133	4	1	—	16	—
Alford ..	2,208	2	0·91	8	3·62	—	—	2	2	—	—	—	—	—
Barton-upon-Humber ..	6,088	2	0·33	2	0·33	3	—	—	—	—	—	—	—	—
Brigg ..	4,354	—	—	—	—	—	—	5	4	—	—	—	—	—
Cleethorpe M.B. ..	28,310	41	1·45	51	1·80	7	—	9	19	—	—	—	4	—
Gainsborough ..	17,080	13	0·76	2	0·12	2	1	6	28	—	—	—	—	—
Horncastle ..	3,474	—	—	—	—	1	1	—	4	—	—	—	—	—
Louth M.B. ..	10,190	17	1·67	102	10·0	5	—	1	10	2	—	—	2	—
Mablethorpe and Sutton ..	4,540	1	0·22	—	—	—	—	—	2	—	—	—	—	—
Market Rasen ..	2,079	2	0·96	—	—	—	—	—	—	—	—	—	—	—
Scunthorpe M.B. ..	43,940	46	1·05	86	1·96	18	1	13	50	2	1	—	8	—
Skewness ..	10,310	13	1·26	29	2·81	—	—	—	10	—	—	—	2	—
Woodhall Spa ..	1,527	1	0·65	—	—	—	—	—	4	—	—	—	—	—
RURAL DISTRICTS ..	143,300	113	0·79	153	1·07	19	1	38	65	4	2	1	9	—
Caistor ..	12,290	30	2·44	7	0·57	2	—	4	3	—	—	—	2	—
Gainsborough ..	10,390	8	0·77	16	1·54	1	—	7	1	—	—	—	2	—
Glanford Brigg ..	30,970	21	0·68	28	0·90	6	—	9	19	2	—	—	1	—
Grimsby ..	11,710	15	1·28	36	3·07	3	—	2	5	—	—	—	1	—
Horncastle ..	11,090	2	0·18	1	0·09	1	—	4	10	—	—	—	1	—
Ile of Axholme ..	13,220	9	0·68	13	0·98	1	1	—	1	—	—	—	1	—
Louth ..	17,460	4	0·23	32	1·83	—	—	4	10	—	1	—	—	—
Spilsby ..	23,420	13	0·56	16	0·68	4	—	7	7	2	1	—	1	—
Welton ..	12,750	11	0·86	4	0·31	1	—	1	9	—	—	1	—	—
LONDON :	3,780,700	5,775	1·53	3,715	0·98	900	102	1,406	3,757	177	99	14	420	270
City of London ..	8,643	8	0·93	5	0·58	—	—	2	2	—	—	—	1	—
Inner and Middle Temples ..	377	—	—	—	—	—	—	—	—	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LONDON—contd.														
METROPOLITAN BOROUGHES:														
Battersea ..	131,600	235	1.79	168	1.28	32	2	43	209	9	9	1	21	7
Bermondsey ..	90,210	112	1.24	135	1.50	9	—	35	121	8	7	—	5	2
Bethnal Green ..	85,020	220	2.59	142	1.67	18	1	55	89	2	1	—	26	8
Camberwell ..	208,500	345	1.65	209	1.00	38	8	70	155	9	15	—	10	3
Chelsea ..	50,890	49	0.96	65	1.28	12	1	16	46	1	—	—	5	4
Deptford ..	89,500	135	1.51	111	1.24	17	—	39	139	8	5	—	11	3
Finsbury ..	51,480	72	1.40	60	1.17	14	1	23	41	2	1	—	18	3
Fulham ..	128,600	140	1.09	158	1.23	26	2	45	128	8	1	—	12	6
Greenwich ..	89,710	144	1.61	121	1.35	20	6	40	138	4	—	—	9	3
Hackney ..	195,300	342	1.75	100	0.51	96	1	88	146	6	4	1	28	35
Hammersmith ..	116,200	124	1.07	101	0.87	38	1	33	98	4	4	—	12	28
Hampstead ..	84,930	65	0.77	41	0.48	17	4	33	55	2	2	—	1	12
Holborn ..	30,660	57	1.86	19	0.62	3	2	14	28	3	—	2	3	7
Islington ..	272,300	444	1.63	253	0.93	77	6	111	176	10	3	—	17	1
Kensington ..	158,800	136	0.86	120	0.76	39	9	46	108	4	4	2	8	16
Lambeth ..	254,800	268	1.05	235	0.92	54	5	84	191	10	2	1	39	15
Lewisham ..	220,300	330	1.50	137	0.62	31	3	52	216	9	2	1	13	8
Paddington ..	126,200	132	1.05	89	0.71	55	1	44	143	11	3	1	10	5
Poplar ..	124,100	244	1.97	206	1.66	43	1	76	194	4	2	—	9	8
St. Marylebone ..	82,040	42	0.51	43	0.52	24	5	23	20	—	1	—	5	2
St. Pancras ..	167,300	263	1.57	159	0.95	46	6	53	197	12	2	—	25	10
Shoreditch ..	72,910	126	1.73	139	1.91	10	—	34	94	7	—	—	16	18
Southwark ..	132,100	215	1.63	182	1.38	24	1	37	142	6	10	2	16	3
Stepney ..	183,600	412	2.24	204	1.11	27	3	107	220	9	4	—	10	35
Stoke Newington ..	46,930	66	1.41	6	0.13	22	—	11	42	2	—	—	5	1
Wandsworth ..	321,000	566	1.76	270	0.84	38	13	109	341	12	10	—	22	7
Westminster ..	113,300	108	0.95	95	0.84	21	12	30	24	6	3	—	9	15
Woolwich ..	143,400	375	2.62	142	0.99	49	8	53	254	9	4	2	43	18
MIDDLESEX:														
ADMIN. COUNTY ..	2,056,100	3,460	1.68	1,279	0.62	501	41	489	1,606	58	40	3	114	48
URBAN DISTRICTS														
Acton M.B. ..	64,600	90	1.39	6	0.09	15	—	11	43	—	—	—	—	1
Brentford and Chiswick M.B. ..	58,200	123	2.11	30	0.52	4	—	6	32	—	2	—	—	2
Ealing M.B. ..	162,100	304	1.88	93	0.57	43	4	37	77	—	1	—	16	2
Edmonton M.B. ..	101,800	182	1.79	49	0.48	102	1	36	66	3	1	—	19	3
Enfield ..	96,440	188	1.95	41	0.43	13	—	32	47	1	3	1	3	15
Feltham ..	33,510	41	1.22	31	0.93	4	—	5	10	1	1	—	5	—
Finchley M.B. ..	63,470	100	1.58	5	0.08	2	3	13	37	—	2	—	1	2
Friern Barnet ..	26,880	27	1.00	8	0.30	1	1	5	20	—	—	—	—	—
Harrow ..	189,300	316	1.67	54	0.29	19	7	45	117	4	6	1	4	5
Hayes and Harlington ..	51,370	66	1.28	32	0.62	8	1	4	28	1	2	—	1	—
Hendon M.B. ..	142,000	259	1.82	150	1.06	73	6	44	158	5	1	—	7	5
Heston and Isleworth M.B. ..	101,100	175	1.73	51	0.50	61	3	23	142	6	—	—	4	1
Hornsey M.B. ..	90,780	161	1.77	61	0.67	9	1	31	64	5	—	—	5	1
Potters Bar ..	13,240	15	1.13	7	0.53	—	—	2	3	—	3	—	—	—
Ruislip Northwood ..	48,720	137	2.81	12	0.25	6	1	12	42	—	2	—	3	—
Southall M.B. ..	52,430	123	2.35	16	0.31	8	1	12	32	—	1	—	3	—
Southgate M.B. ..	67,770	42	0.62	6	0.09	4	1	9	29	—	—	—	—	1
Staines ..	31,760	55	1.73	29	0.91	6	1	9	22	—	—	—	3	—
Sunbury-on-Thames ..	18,000	10	0.56	28	1.56	—	—	1	13	—	—	—	1	—
Tottenham M.B. ..	136,000	335	2.46	60	0.44	15	—	28	87	4	1	—	6	6
Twickenham M.B. ..	97,440	93	0.95	25	0.26	8	2	23	72	—	—	—	7	—
Uxbridge ..	45,140	87	1.93	40	0.89	26	2	15	41	3	1	—	2	—
Wembley M.B. ..	119,800	194	1.62	69	0.58	31	3	21	117	3	4	—	5	1
Willesden M.B. ..	177,500	245	1.38	331	1.86	40	3	48	269	15	3	—	18	1
Wood Green M.B. ..	50,700	66	1.30	24	0.47	2	—	16	25	3	2	—	1	1
Weylesley and West Drayton ..	16,050	26	1.62	21	1.31	1	—	1	13	4	4	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORFOLK	508,040	614	1.21	339	0.67	102	26	118	402	11	3		33	22
COUNTY BOROUGHS	173,680	252	1.45	233	1.34	41	4	40	179	3			11	9
Great Yarmouth	52,780	122	2.31	179	3.39	4		13	29	1			1	
Norwich	120,900	130	1.08	54	0.45	37	4	27	150	2			10	9
ADMIN. COUNTY	334,360	362	1.08	106	0.32	61	22	78	223	8	3		22	13
URBAN DISTRICTS	66,760	81	1.21	28	0.42	14	4	15	34	2	1		3	10
Cromer	4,045	3	0.74			5			1					
Diss	3,457	2	0.58			1			1					
Downham Market	2,666	3	1.13		1 0.38			1						
East Dereham	5,984	2	0.33					1	5				1	
Kings Lynn M.B.	24,560	25	1.02	15	0.61	6	3	9	12	2	1		1	
New Hunstanton	2,921	13	4.45	2	0.68									
North Walsham	4,468	6	1.34	1	0.22	1	1	1	1					
Sheringham	4,175	18	4.31	3	0.72				1					
Swaffham	2,602	1	0.38						2					
Thetford M.B.	4,174	1	0.24	1	0.24	1		2	2				1	
Wells	2,444													
Wymondham	5,264	7	1.33	5	0.95			1	8					
RURAL DISTRICTS	267,600	281	1.05	78	0.29	47	18	63	189	6	2		19	3
Blofield and Flegg	30,020	33	1.10	9	0.30	7	9	4	28	1			5	
Depwade	17,370	22	1.27	3	0.17	6		11	32	1				
Docking	16,710	22	1.32	4	0.24	4	1		7					3
Downham	20,810	15	0.72	3	0.14	4		4	8					
Erpingham	17,940	26	1.45	5	0.28	4	1	4	6					
Forehoe and Henstead	20,340	30	1.47	2	0.10	1	1	8	21	1			1	
Freebridge Lynn	10,010	6	0.60	5	0.50	2	1		10					
Loddon	11,760	13	1.11	2	0.17	1		3	14	1				
Marshland	15,790	15	0.95	15	0.95	2		4	8		2		1	
Mitford and Launditch	16,620	15	0.90	1	0.06	2		2	6				1	1
St. Faiths and Aylsham	32,360	38	1.17	3	0.09	6	4	5	26	2			10	
Smallburgh	16,180	16	0.99	6	0.37	2		7	8					
Swaffham	7,800	6	0.77			3		2	1					
Walsingham	17,060	3	0.18	19	1.11	1	1	1	5				1	
Wayland	16,830	21	1.25	1	0.06	2		8	9				1	
NORTHAMPTONSHIRE : COUNTY BOROUGH :	327,590	298	0.91	136	0.42	59	17	92	280	9	1		1	15
Northampton	99,290	98	0.99	63	0.63	34	9	22	113	6	1		1	2
ADMIN. COUNTY	228,300	200	0.88	73	0.32	25	8	70	167	3			13	
URBAN DISTRICTS	118,100	76	0.64	37	0.31	15	7	46	88	2			4	
Brackley M.B.	2,407	6	2.49											
Burton Latimer	3,587	2	0.56	1	0.28		1		7				1	
Corby	6,722	5	0.74	4	0.60			2	1	1				
Daventry M.B.	3,706	4	1.08											
Desborough	4,497	1	0.22					2						
Higham Ferrers M.B.	3,203	2	0.62			1	1	1	5					
Irthlingborough	4,663							4	9					
Kettering M.B.	35,160	22	0.63	8	0.23	10	3	20	32	1			1	
Oundle	2,767	1	0.36	2	0.72				1					
Raunds	4,446			1	0.22									
Rothwell	4,642					1								
Rushden	15,690	9	0.57	10	0.64	2		6	13					
Wellingborough	26,610	24	0.90	9	0.34	1		11	20				1	
RURAL DISTRICTS	110,200	124	1.13	36	0.33	10	1	24	79	1			9	
Brackley	8,390	16	1.91	2	0.24	2			1					
Brixworth	15,490	29	1.87	2	0.13	2			8				1	
Daventry	15,040	13	0.86	3	0.20			5	5				2	
Kettering	12,690	14	1.10	3	0.24			1	6	1				
Northampton	16,580	30	1.81	7	0.42	2		8	29				3	
Oundle and Thrapston	16,160	10	0.62	13	0.80	2	1	1	11					

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneu- monia (primary and influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORTHAMPTONSHIRE —contd. R.D's.—contd.														
Towcester ..	13,020	4	0.31	2	0.15	2	—	—	13	—	—	—	—	—
Wellingborough ..	12,830	8	0.62	4	0.31	—	—	4	6	—	—	—	3	—
NORTHUMBERLAND :	760,660	1,376	1.81	1,310	1.72	168	27	391	908	12	4	2	42	168
COUNTY BOROUGHs :	348,420	460	1.32	363	1.04	108	5	184	497	6	1	1	29	116
Newcastle-upon- Tyne ..	283,200	381	1.35	248	0.88	99	4	153	454	6	1	1	27	111
Tynemouth ..	65,220	79	1.21	115	1.76	9	1	31	43	—	—	—	2	5
ADMIN. COUNTY ..	412,240	916	2.22	947	2.30	60	22	207	411	6	3	1	13	52
URBAN DISTRICTS :	313,700	716	2.28	830	2.65	45	18	170	332	5	1	1	10	33
Alnwick ..	7,083	6	0.85	—	—	—	1	—	—	—	—	—	—	—
Amble ..	4,404	9	2.04	—	—	—	—	—	—	—	—	—	—	—
Ashington ..	29,360	53	1.81	177	6.03	4	1	10	12	1	—	—	3	—
Bedlingtonshire ..	27,250	26	0.95	79	2.90	2	2	7	23	—	—	—	—	—
Berwick-upon- Tweed M.B. ..	12,200	41	3.36	61	5.00	—	—	5	2	—	—	—	1	—
Blyth M.B. ..	34,260	95	2.77	63	1.84	7	3	34	45	—	1	—	2	6
Gosforth ..	20,500	66	3.22	24	1.17	6	1	9	17	—	—	—	—	6
Hexham ..	9,292	25	2.60	1	0.11	—	—	6	5	—	—	—	—	3
Longbenton ..	21,690	53	2.44	61	2.81	5	2	6	11	1	—	—	—	—
Morpeth M.B. ..	9,874	30	3.04	6	0.61	4	1	12	10	1	—	—	1	—
Newbiggin by the Sea	9,199	39	4.24	18	1.96	2	1	6	33	—	—	—	—	3
Newburn ..	19,900	58	2.91	5	0.25	10	1	9	19	1	—	—	—	—
Prudhoe ..	8,788	18	2.05	2	0.23	—	—	11	12	—	—	—	—	—
Seaton Valley ..	27,290	103	3.77	151	5.53	4	2	14	10	—	—	—	1	7
Wallsend M.B. ..	44,530	53	1.19	124	2.78	1	1	26	110	—	—	1	1	6
Whitley and Monkseaton ..	28,080	41	1.46	58	2.07	—	2	15	23	1	—	—	1	2
RURAL DISTRICTS ..	98,540	200	2.03	117	1.10	15	4	37	79	1	2	—	3	19
Alnwick ..	12,470	15	1.20	9	0.72	2	—	4	4	—	1	—	—	—
Belford ..	5,125	6	1.17	2	0.39	—	—	—	6	—	—	—	—	—
Bellingham ..	5,246	4	0.76	1	0.19	1	—	1	6	—	—	—	—	—
Castle Ward ..	13,220	51	3.86	34	2.57	2	1	4	9	—	1	—	—	19
Glendale ..	7,622	7	0.92	1	0.13	3	—	1	3	—	—	—	—	—
Haltwhistle ..	7,919	5	0.63	3	0.38	—	—	1	—	1	—	—	—	—
Hexham ..	20,610	62	3.01	28	1.36	2	2	8	15	—	—	—	—	—
Morpeth ..	15,910	18	1.13	17	1.07	2	1	8	17	—	—	—	3	—
Newcastle-upon- Tyne (Moot Hall and precincts)	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Norham and Islandshires ..	4,540	17	3.74	10	2.20	—	—	1	1	—	—	—	—	—
Rothbury ..	5,875	15	2.55	12	2.04	3	—	9	18	—	—	—	—	—
NOTTINGHAMSHIRE :	755,300	2,010	2.66	656	0.87	161	52	250	837	23	18	—	54	18
COUNTY BOROUGH Nottingham ..	275,400	675	2.45	132	0.48	87	38	102	440	11	3	—	34	17
ADMIN. COUNTY ..	479,900	1,335	2.78	524	1.09	74	14	148	397	12	15	—	20	1
URBAN DISTRICTS ..	336,500	905	2.69	332	0.99	46	10	111	278	10	8	—	16	1
Arnold ..	18,610	28	1.50	4	0.21	5	1	2	3	1	—	—	—	—
Beeston & Stapleford	41,580	163	3.92	17	0.41	3	1	17	29	—	2	—	4	—
Carlton ..	30,390	45	1.48	18	0.59	—	1	8	8	2	1	—	2	—
East Retford M.B. ..	15,290	12	0.78	5	0.33	2	—	5	29	—	—	—	—	—
Eastwood ..	8,830	31	3.51	34	3.85	2	—	5	6	—	—	—	—	—
Hucknall ..	20,790	139	6.69	16	0.77	1	—	16	41	—	—	—	3	—
Kirkby-in-Ashfield	18,630	98	5.26	15	0.81	1	1	16	27	1	—	—	—	—
Mansfield M.B. ..	47,940	124	2.59	54	1.13	11	—	13	31	1	—	—	1	1
Mansfield Wood- house ..	14,950	37	2.47	4	0.27	1	—	9	11	1	—	—	—	—
Newark M.B. ..	20,670	23	1.11	81	3.92	5	1	4	6	—	2	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NOTTINGHAMSHIRE														
—contd.														
U.D's.—contd.														
Sutton-in-Ashfield	38,370	144	3.75	39	1.02	8	—	4	5	17	—	—	2	—
Walsop	10,730	11	1.03	9	0.84	1	—	—	1	1	—	—	2	—
West Bridgford	21,490	31	1.44	4	0.19	1	—	1	18	—	—	—	—	—
Worsop M.B.	28,230	19	0.67	32	1.13	5	—	—	51	—	1	—	—	—
RURAL DISTRICTS	143,400	430	3.00	192	1.34	28	4	37	119	2	7	—	4	—
Basford	44,890	189	4.21	130	2.90	7	1	18	43	2	3	—	2	—
Bingham	16,820	24	1.43	4	0.24	2	—	7	6	—	—	—	—	—
East Retford	19,770	42	2.12	15	0.76	2	—	3	22	—	—	—	1	—
Newark	9,726	12	1.23	2	0.21	1	—	2	1	—	—	—	—	—
Nottingham (Shire Hall)	4	—	—	—	—	—	—	—	—	—	—	—	—	—
Southwell	37,200	140	3.76	30	0.81	9	3	6	33	—	3	—	1	—
Worsop	14,990	23	1.53	11	0.73	7	—	1	14	—	1	—	—	—
OXFORDSHIRE :	238,730	307	1.29	113	0.47	97	4	54	110	5	2	—	15	3
COUNTY BOROUGH														
Oxford	96,200	145	1.51	35	0.36	74	3	23	38	4	—	—	12	—
ADMIN. COUNTY	142,530	162	1.14	78	0.55	23	1	31	72	1	2	—	3	3
URBAN DISTRICTS	41,530	47	1.13	18	0.43	8	—	12	16	—	1	—	2	1
Banbury M.B.	16,510	15	0.91	4	0.24	6	—	1	6	—	—	—	2	—
Bicester	3,512	4	1.14	1	0.28	—	—	—	—	—	—	—	—	—
Chipping Norton M.B.	3,512	2	0.57	9	2.56	—	—	4	1	—	1	—	—	—
Henley-on-Thames M.B.	7,479	14	1.87	2	0.27	1	—	4	—	—	—	—	—	—
Thame	3,259	1	0.31	—	—	1	—	1	—	—	—	—	—	1
Witney	5,585	7	1.25	2	0.36	—	—	2	5	—	—	—	—	—
Woodstock M.B.	1,673	4	2.39	—	—	—	—	—	4	—	—	—	—	—
RURAL DISTRICTS	101,000	115	1.14	60	0.59	15	1	19	56	1	1	—	1	2
Banbury	13,240	22	1.66	4	0.30	2	—	4	13	—	—	—	—	1
Bullington	25,880	29	1.12	19	0.73	3	—	5	11	1	1	—	—	1
Chipping Norton	14,580	13	0.89	28	1.92	2	—	4	11	—	—	—	—	—
Henley	15,890	23	1.45	4	0.26	1	1	1	5	—	—	—	1	—
Ploughley	14,070	13	0.92	3	0.21	5	—	2	6	—	—	—	—	—
Witney	17,340	15	0.87	2	0.12	2	—	3	10	—	—	—	—	—
PETERBOROUGH, SOKE OF :														
ADMIN. COUNTY	56,940	55	0.97	22	0.39	7	—	16	41	2	2	—	3	1
URBAN DISTRICT : Peterborough M.B.	48,020	33	0.69	16	0.33	6	—	15	40	2	2	—	3	1
RURAL DISTRICTS	8,920	22	2.47	6	0.67	1	—	1	1	—	—	—	—	—
Barnack	2,379	10	4.22	5	2.11	1	—	—	—	—	—	—	—	—
Peterborough	6,550	12	1.83	1	0.16	—	—	1	1	—	—	—	—	—
RUTLANDSHIRE :														
ADMIN. COUNTY	18,450	29	1.57	24	1.30	6	1	14	15	—	—	—	—	—
URBAN DISTRICT : Oakham	3,430	15	4.37	16	4.66	3	—	6	2	—	—	—	—	—
RURAL DISTRICTS :	15,020	14	0.93	8	0.53	3	1	8	13	—	—	—	—	—
Ketton	2,668	3	1.12	1	0.37	—	—	1	1	—	—	—	—	—
Oakham	6,543	7	1.07	7	1.07	1	1	6	8	—	—	—	—	—
Uppingham	5,809	4	0.69	—	—	2	—	1	4	—	—	—	—	—
SHROPSHIRE :														
ADMIN. COUNTY	249,500	496	1.99	136	0.55	71	4	57	222	6	12	5	44	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SHROPSHIRE—contd.														
URBAN DISTRICTS ..	127,300	191	1.50	82	0.64	33	2	30	101	4	5	2	22	—
Bishops Castle ..	1,329	—	—	—	—	—	—	—	1	—	—	—	—	—
M.B.														
Bridgnorth M.B.	5,451	5	0.92	—	—	2	—	2	4	—	—	—	—	—
Church Stretton ..	2,316	9	3.89	—	—	—	1	—	7	—	—	—	—	—
Dawley ..	7,876	4	0.51	1	0.13	1	—	5	8	—	—	—	1	—
Ellesmere ..	1,920	—	—	—	—	—	—	—	—	—	—	—	—	—
Ludlow M.B.	5,763	—	—	1	0.17	3	—	2	3	2	—	—	—	—
Market Drayton ..	5,053	7	1.39	—	—	—	—	—	—	—	—	—	—	—
Newport ..	3,573	10	2.80	2	0.56	1	—	2	7	—	—	—	2	—
Oakengates ..	10,700	17	1.59	2	0.19	—	—	4	5	—	2	—	4	—
Oswestry M.B.	10,340	17	1.64	22	2.13	4	1	1	11	1	—	—	4	—
Shrewsbury M.B.	40,260	106	2.63	43	1.07	10	—	9	26	—	1	1	10	—
Wellington ..	10,020	7	0.70	4	0.40	4	—	2	19	1	—	—	2	—
Wem ..	2,259	5	2.21	—	—	—	—	—	2	—	—	—	1	—
Wenlock M.B.	13,940	2	0.14	3	0.22	2	—	3	4	1	—	—	—	—
Whitchurch ..	6,500	2	0.31	4	0.62	2	—	—	4	—	—	—	—	—
RURAL DISTRICTS ..	122,200	305	2.50	54	0.44	38	2	27	121	2	7	3	22	—
Atcham ..	18,910	20	1.06	6	0.32	5	1	7	13	1	—	—	3	—
Bridgnorth ..	11,980	5	0.42	9	0.75	4	—	3	6	—	—	1	1	—
Clun ..	9,854	20	2.03	2	0.20	6	—	1	10	—	1	—	2	—
Drayton ..	8,427	7	0.83	2	0.24	2	—	2	2	—	—	—	—	—
Ellesmere ..	7,048	23	3.26	2	0.28	2	—	3	1	—	1	—	—	—
Ludlow ..	13,600	8	0.59	3	0.22	5	—	2	12	—	—	—	2	—
Oswestry ..	15,880	45	2.83	21	1.32	4	—	5	20	1	3	1	6	—
Shifnal ..	9,881	106	10.73	2	0.20	4	—	1	24	—	—	—	3	—
Wellington ..	16,180	52	3.21	3	0.19	4	1	2	23	—	1	1	3	—
Wem ..	10,440	19	1.82	4	0.38	4	—	1	10	—	—	—	2	—
SOMERSETSHIRE :														
COUNTY BOROUGH ..	495,920	658	1.33	302	0.61	102	19	116	331	5	10	—	28	—
Bath ..	71,420	64	0.90	94	1.32	18	5	18	31	—	—	—	11	—
ADMIN. COUNTY ..	424,500	594	1.40	208	0.49	84	14	98	300	5	10	—	17	—
URBAN DISTRICTS ..	199,200	274	1.38	94	0.47	43	8	49	146	4	4	—	8	—
Bridgwater M.B.	19,170	32	1.67	—	—	4	—	3	25	—	—	—	3	—
Burnham-on-Sea ..	7,942	5	0.63	1	0.13	1	—	—	2	—	1	—	—	—
Chard M.B.	4,405	4	0.91	1	0.23	2	—	1	3	—	—	—	—	—
Clevedon ..	8,165	3	0.37	—	—	2	1	—	20	—	—	—	—	—
Crewkerne ..	3,554	4	1.13	—	—	3	—	—	—	—	—	—	—	—
Frome ..	10,850	1	0.09	1	0.09	2	—	2	—	—	—	—	—	—
Glastonbury M.B.	4,627	6	1.30	—	—	—	—	—	4	—	—	—	—	—
Ilminster ..	2,181	5	2.29	—	—	4	—	1	6	—	—	—	—	—
Keynsham ..	6,574	20	3.04	3	0.46	4	1	3	7	—	—	—	—	—
Minehead ..	7,058	21	2.98	2	0.28	1	1	1	7	—	1	—	—	—
Norton-Radstock ..	11,330	9	0.79	5	0.44	5	3	6	2	—	—	—	1	—
Portishead ..	3,806	1	0.26	1	0.26	—	—	—	2	—	—	—	—	—
Shepton Mallet ..	4,416	48	10.87	—	—	2	—	5	2	—	—	—	—	—
Street ..	4,799	—	—	1	0.21	2	1	—	6	—	—	—	—	—
Taunton M.B.	28,820	31	1.08	32	1.11	8	1	12	20	1	—	—	1	—
Watchet ..	2,362	—	—	2	0.85	1	—	1	3	—	—	—	—	—
Wellington ..	6,895	14	2.03	22	3.19	—	—	1	1	1	—	—	—	—
Wells M.B.	5,476	8	1.46	2	0.37	—	—	—	—	—	—	—	2	—
Weston-super-Mare ..	35,280	45	1.28	7	0.20	5	—	6	17	1	2	—	—	—
M.B.														
Yeovil M.B.	21,490	17	0.79	14	0.65	1	—	7	19	1	—	—	1	—
RURAL DISTRICTS ..	225,300	320	1.42	114	0.51	41	6	49	154	1	6	—	9	—
Abxridge ..	24,290	40	1.65	15	0.62	5	—	8	36	—	—	—	—	—
Bathavon ..	18,670	44	2.36	13	0.70	3	—	6	5	—	—	—	—	—
Bridgwater ..	16,860	22	1.30	3	0.18	1	—	2	4	—	1	—	2	—
Chard ..	11,190	20	1.79	4	0.36	2	—	2	8	—	—	—	—	—
Clutton ..	17,000	36	2.12	8	0.47	3	1	4	13	—	—	—	—	—
Dulverton ..	4,522	1	0.22	—	—	2	—	—	5	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOMERSETSHIRE—contd.														
<i>R.D.'s.—contd.</i>														
Frome ..	8,935	9	1.01	7	0.78	2	1	—	—	—	—	—	—	—
Langport ..	12,280	21	1.71	—	—	4	2	3	—	—	—	—	1	—
Long Ashton ..	21,090	36	1.71	12	0.57	—	1	4	20	—	—	—	—	—
Shepton Mallet ..	9,943	15	1.51	4	0.40	2	—	1	5	—	—	—	—	—
Taunton ..	17,380	11	0.63	7	0.40	4	—	4	14	1	—	—	2	—
Wellington ..	7,297	8	1.10	5	0.69	2	—	2	4	—	1	—	—	—
Wells ..	9,403	8	0.85	6	0.64	1	—	—	6	—	—	—	—	—
Williton ..	12,530	12	0.96	1	0.08	—	—	4	1	—	1	—	—	—
Wincanton ..	16,050	21	1.31	16	1.00	4	1	5	15	—	1	—	1	—
Yeovil ..	17,860	16	0.90	11	0.62	6	—	3	14	—	2	—	3	—
SOUTHAMPTON :	1,082,300	1,380	1.28	455	0.42	210	39	230	464	28	19	4	96	7
COUNTY BOROUGHS ..	550,100	685	1.25	284	0.52	109	25	121	186	13	7	2	32	5
Bournemouth ..	128,300	127	0.99	42	0.33	10	2	28	64	—	—	1	—	2
Portsmouth ..	244,900	404	1.65	137	0.56	33	5	60	53	5	3	—	15	3
Southampton ..	176,900	154	0.87	105	0.59	66	18	33	69	8	4	1	17	—
ADMIN. COUNTY ..	532,200	695	1.31	171	0.32	101	14	109	278	15	12	2	64	2
URBAN DISTRICTS ..	301,400	409	1.36	76	0.25	55	9	62	196	8	4	1	37	1
Aldershot M.B. ..	34,300	88	2.57	6	0.17	5	—	12	30	1	—	—	2	—
Alton ..	7,779	5	0.64	15	1.93	3	—	1	6	—	—	—	4	—
Andover M.B. ..	12,820	7	0.55	—	—	4	—	2	15	—	—	1	1	—
Basingstoke M.B. ..	15,380	9	0.59	14	0.91	—	—	1	7	—	1	—	—	—
Christchurch ..	15,070	16	1.06	1	0.07	2	2	2	3	—	—	—	—	—
Eastleigh M.B. ..	26,770	44	1.64	7	0.26	2	1	10	13	—	—	—	2	—
Fareham ..	33,160	44	1.33	8	0.24	6	—	10	33	—	—	—	4	—
Farnborough ..	20,710	22	1.06	1	0.05	2	2	4	3	1	—	—	2	—
Fleet ..	8,123	4	0.49	—	—	—	1	—	1	1	—	—	—	1
Gosport M.B. ..	44,980	50	1.11	5	0.11	8	1	11	68	2	—	—	21	—
Havant and Waterloo ..	26,480	27	1.02	12	0.45	8	—	3	6	—	1	—	—	—
Lymington M.B. ..	18,980	14	0.74	—	—	—	—	1	5	—	—	—	—	—
Petersfield ..	6,377	2	0.31	1	0.16	1	—	—	1	1	1	—	—	—
Romsey M.B. ..	5,811	24	4.13	—	—	1	1	3	—	—	—	—	—	—
Winchester M.B. ..	24,660	53	2.15	6	0.24	13	—	2	5	2	1	—	1	—
RURAL DISTRICTS ..	230,800	286	1.24	95	0.41	46	5	47	82	7	8	1	27	1
Alton ..	21,010	18	0.86	1	0.05	2	—	2	9	2	1	—	2	—
Andover ..	14,580	13	0.89	4	0.27	10	—	10	5	2	—	—	6	—
Basingstoke ..	14,930	28	1.88	2	0.13	—	—	2	3	1	—	—	8	1
Droxford ..	18,660	37	1.98	7	0.38	7	1	3	19	—	—	—	1	—
Hartley Wintney ..	16,880	41	2.43	2	0.12	5	—	1	3	—	—	—	4	—
Kingsclere and Whitchurch ..	15,810	40	2.53	2	0.13	—	—	6	19	1	—	1	2	—
New Forest ..	38,390	16	0.42	8	0.21	7	2	7	8	—	1	—	—	—
Petersfield ..	16,470	23	1.40	8	0.49	1	—	4	—	—	1	—	—	—
Ringwood and Fordingbridge ..	19,350	31	1.60	28	1.45	2	1	2	10	—	—	—	1	—
Romsey and Stockbridge ..	20,160	7	0.35	10	0.50	5	1	2	4	—	—	—	2	—
Winchester ..	34,560	32	0.93	23	0.67	7	—	8	2	1	4	—	1	—
STAFFORDSHIRE :	1,491,460	4,133	2.77	1,631	1.09	349	28	555	1,927	69	9	1	155	34
COUNTY BOROUGHS ..	728,060	2,206	3.03	700	0.96	215	14	274	970	38	3	—	61	8
Burton-upon-Trent ..	47,050	119	2.53	37	0.79	15	1	15	14	—	—	—	7	—
Smethwick ..	76,750	111	1.45	115	1.50	19	4	28	104	1	2	—	6	2
Stoke-on-Trent ..	268,800	1,151	4.28	240	0.89	83	5	88	415	12	—	—	24	1
Walsall ..	106,800	256	2.40	83	0.78	6	1	49	177	17	—	—	4	—
West Bromwich ..	82,360	119	1.44	139	1.69	26	—	44	83	6	—	—	1	4
Wolverhampton ..	146,300	450	3.08	86	0.59	66	3	50	177	2	1	—	19	1
ADMIN. COUNTY ..	763,400	1,927	2.52	931	1.22	134	14	281	957	31	6	1	94	26
URBAN DISTRICTS ..	577,200	1,518	2.63	702	1.22	95	13	217	749	21	2	—	66	24
Aldridge ..	20,850	34	1.63	12	0.58	4	1	8	40	2	—	—	3	8

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population or calculation of Deaths rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneu- monia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
STAFFORDSHIRE—contd.														
U.D.'s.—contd.														
Amblecote ..	2,835	11	3.88	2	0.71	2	—	2	1	—	—	1	—	—
Biddulph ..	9,876	36	3.65	19	1.92	4	—	6	15	—	—	—	3	—
Bilston M.B. ..	31,460	160	5.09	33	1.05	6	2	18	60	—	—	—	8	1
Brierley Hill ..	46,530	157	3.37	42	0.90	5	—	7	22	—	—	—	4	—
Prownhills ..	19,760	99	5.01	23	1.16	10	1	19	32	2	—	—	8	—
Cannock ..	37,050	60	1.62	149	4.02	8	1	7	20	7	2	—	3	—
Coseley ..	29,740	53	1.78	14	0.47	8	—	20	76	1	—	—	5	3
Darlaston ..	20,250	52	2.57	12	0.59	1	—	5	38	2	—	—	1	—
Kidsgrove ..	14,490	93	6.42	3	0.21	4	—	8	16	—	—	—	1	—
Leek ..	19,350	92	4.75	5	0.26	4	—	8	8	1	—	—	1	—
Lichfield M.B. ..	8,814	19	2.16	11	1.25	1	—	—	—	—	—	—	3	—
Newcastle-under- Lyne M.B. ..	64,420	100	1.55	35	0.54	4	1	23	53	1	—	—	—	—
Rowley Regis M.B. ..	44,790	54	1.21	41	0.92	3	—	8	37	1	—	—	4	—
Rugeley ..	7,722	26	3.37	1	0.13	1	2	—	2	—	—	—	2	—
Sedgley ..	20,800	50	2.40	11	0.53	3	—	12	27	—	—	—	3	—
Stafford M.B. ..	33,110	107	3.23	143	4.32	3	—	4	21	—	—	—	1	12
Stone ..	6,282	4	0.64	3	0.48	—	—	—	1	—	—	—	—	—
Tamworth M.B. ..	11,960	30	2.51	4	0.33	1	1	5	26	—	—	—	1	—
Tettenhall ..	6,735	10	1.48	3	0.45	2	—	3	8	—	—	—	1	—
Tipton M.B. ..	36,880	44	1.19	48	1.30	8	3	20	121	1	—	—	7	—
Uttoxeter ..	7,036	22	3.13	5	0.71	2	—	3	—	—	—	—	2	—
Wednesbury M.B. ..	33,390	119	3.56	35	1.05	2	1	20	67	2	—	—	2	—
Wednesfield ..	14,630	35	2.39	12	0.82	4	—	6	10	—	—	—	3	—
Willenhall ..	28,440	51	1.79	36	1.27	5	—	5	48	1	—	—	—	—
RURAL DISTRICTS														
Cannock ..	186,200	409	2.20	229	1.23	39	1	64	208	10	4	—	28	2
Cheadle ..	23,080	48	2.08	82	3.55	7	1	14	34	3	—	—	1	1
Leek ..	15,930	60	1.92	12	0.38	9	—	19	85	—	1	—	10	—
Lichfield ..	32,800	85	2.26	12	0.75	3	—	1	2	—	—	—	—	—
Newcastle-under- Lyne ..	16,370	33	2.02	63	1.92	8	—	10	32	4	1	—	2	—
Seisdon ..	18,220	44	2.41	8	0.44	2	—	7	7	—	—	—	2	—
Stafford ..	13,430	35	2.61	10	0.74	5	—	5	30	—	—	—	3	—
Stone ..	12,540	19	1.52	25	1.90	1	—	2	14	3	—	—	2	—
Tutbury ..	12,930	29	2.24	3	0.23	—	—	3	2	—	1	—	5	1
Uttoxeter ..	9,670	20	2.07	13	1.34	2	—	3	1	—	1	—	1	—
SUFFOLK EAST : COUNTY BOROUGH														
Ipswich ..	306,670	532	1.73	112	0.37	75	20	107	250	2	9	—	21	29
ADMIN. COUNTY														
Ipswich ..	96,770	216	2.23	68	0.70	27	2	46	75	1	3	—	10	27
URBAN DISTRICTS														
Aldeburgh M.B. ..	93,000	66	0.71	11	0.12	18	6	32	61	—	2	—	6	—
Beccles M.B. ..	2,566	—	—	—	—	1	—	—	2	—	—	—	—	—
Bungay ..	6,655	—	—	1	0.15	—	1	—	—	—	—	—	—	—
Eye M.B. ..	3,101	—	—	—	—	—	—	1	10	—	—	—	—	—
Felixstowe ..	1,683	7	4.16	—	—	—	—	—	2	—	—	—	—	—
Halesworth ..	12,980	8	0.62	1	0.08	—	—	1	—	—	1	—	—	—
Leiston cum Sizewell ..	2,201	3	1.36	—	—	—	—	—	3	—	—	—	—	—
Lowestoft M.B. ..	4,157	4	0.96	—	—	1	—	8	1	—	1	—	1	—
Saxmundham ..	43,800	29	0.66	7	0.16	14	5	13	29	—	—	—	5	—
Southwold M.B. ..	1,374	—	—	1	0.73	—	—	2	—	—	—	—	—	—
Stowmarket ..	2,619	2	0.76	—	—	1	—	1	—	—	—	—	—	—
Woodbridge ..	6,726	8	1.19	1	0.15	—	—	3	4	—	—	—	—	—
Wainford ..	5,138	3	0.58	—	—	1	—	3	10	—	—	—	—	—
RURAL DISTRICTS														
Blyth ..	116,900	250	2.14	33	0.28	30	12	29	114	1	4	—	5	2
Deben ..	18,740	9	0.48	2	0.11	5	—	2	17	—	2	—	1	—
Gipping ..	25,570	25	0.98	8	0.31	8	11	9	31	—	1	—	1	—
Hartismere ..	18,550	47	2.53	15	0.81	8	—	7	13	1	1	—	—	—
Lothlingland ..	17,590	49	2.79	2	0.11	3	1	8	22	—	—	—	2	—
Samford ..	15,390	30	1.95	2	0.13	2	—	—	11	—	—	—	1	—
Wainford ..	14,640	76	5.19	4	0.27	3	—	3	11	—	—	—	—	2
Wainford ..	6,420	14	2.18	—	—	1	—	—	9	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SUFFOLK WEST : ADMIN. COUNTY ..	105,590	194	1·84	21	0·20	18	2	14	53	2	2	—	—	—
URBAN DISTRICTS ..	39,600	83	2·10	9	0·23	11	2	4	23	1	—	—	—	—
Bury St. Edmunds M.B. ..	17,120	31	1·81	6	0·35	7	1	—	13	1	—	—	—	—
Hadleigh ..	2,905	1	0·34	—	—	—	—	—	1	—	—	—	—	—
Haverhill ..	3,731	1	0·27	—	—	1	—	—	—	—	—	—	—	—
Newmarket ..	9,202	49	5·32	2	0·22	—	1	1	5	—	—	—	—	—
Sudbury M.B. ..	6,642	1	0·15	1	0·15	3	—	3	4	—	—	—	—	—
RURAL DISTRICTS ..	65,990	111	1·68	12	0·18	7	—	10	30	1	2	—	—	—
Clare ..	8,470	—	—	—	—	1	—	1	8	—	—	—	—	—
Cosford ..	9,502	8	0·84	7	0·74	4	—	4	13	—	—	—	—	—
Melford ..	11,360	7	0·62	—	—	1	—	4	6	—	—	—	—	—
Mildenhall ..	12,700	65	5·12	1	0·08	1	—	1	2	—	—	—	—	—
Thedwastre ..	8,098	5	0·62	2	0·25	—	—	—	1	—	—	—	—	—
Thingoe ..	15,860	26	1·64	2	0·13	—	—	—	—	1	—	—	—	—
SURREY : COUNTY BOROUGH ..	1,444,500	1,798	1·24	631	0·44	306	34	284	908	28	35	—	60	78
Croydon ..	232,800	250	1·07	197	0·85	38	5	49	61	2	3	—	15	5
ADMIN. COUNTY ..	1,211,700	1,548	1·28	434	0·36	268	29	235	847	26	32	—	45	73
URBAN DISTRICTS ..	1,084,700	1,412	1·30	394	0·36	258	25	211	753	23	27	—	42	63
Banstead ..	29,020	20	0·69	1	0·03	4	—	2	19	—	2	—	—	3
Barnes M.B. ..	39,040	36	0·92	4	0·10	3	1	10	14	1	—	—	—	1
Beddington and Wallington M.B. ..	30,070	29	0·96	10	0·33	2	1	7	12	1	2	—	1	—
Carshalton ..	59,070	202	3·42	51	0·86	6	—	9	96	—	2	—	6	24
Caterham and Warlingham ..	26,760	17	0·64	7	0·26	1	1	7	22	1	1	—	—	2
Chertsey ..	23,770	32	1·35	46	1·94	1	—	2	4	—	1	—	1	3
Coulsdon and Purley ..	55,060	66	1·20	11	0·20	3	2	9	48	4	1	—	—	10
Dorking ..	18,290	42	2·30	6	0·33	5	—	2	7	—	3	—	—	—
Egham ..	20,090	32	1·59	5	0·25	3	—	8	18	—	—	—	—	—
Epsom & Ewell M.B. ..	63,080	116	1·84	8	0·13	7	—	14	51	1	—	—	2	4
Esher ..	44,290	64	1·45	11	0·25	5	—	6	20	—	—	—	—	—
Farnham ..	21,590	18	0·83	17	0·79	17	2	6	5	—	—	—	—	—
Frimley and Camberley ..	17,970	10	0·56	—	—	—	—	1	—	—	—	—	—	—
Godalming M.B. ..	13,740	7	0·51	1	0·07	1	—	2	6	—	—	—	—	—
Guildford M.B. ..	42,130	42	1·00	6	0·14	20	1	4	27	4	—	—	7	—
Haslemere ..	10,500	4	0·38	12	1·14	1	—	2	2	—	1	—	1	—
Kingston-on-Thames M.B. ..	39,440	69	1·75	19	0·48	66	1	10	28	—	1	—	3	—
Leatherhead ..	23,420	38	1·62	5	0·21	—	1	7	11	—	—	—	—	—
Malden and Coombe M.B. ..	39,630	97	2·45	6	0·15	9	3	11	24	—	1	—	1	—
Merton and Morden ..	71,220	98	1·38	32	0·45	15	—	15	71	1	3	—	2	1
Mitcham M.B. ..	64,730	59	0·91	21	0·32	6	—	20	22	—	—	—	3	—
Reigate M.B. ..	38,740	22	0·57	36	0·93	26	—	14	40	2	2	—	—	—
Richmond M.B. ..	37,290	21	0·56	4	0·11	11	1	3	37	—	—	—	2	—
Sutton M.B. ..	49,450	24	0·49	5	0·10	10	3	6	37	—	—	—	—	1
Sutton and Cheam M.B. ..	75,930	131	1·73	31	0·41	15	4	17	72	5	3	—	3	11
Walton and Weybridge ..	31,530	26	0·82	2	0·06	8	—	3	27	—	—	—	3	—
Wimbledon M.B. ..	55,990	54	0·96	24	0·43	7	2	8	9	3	3	—	3	1
Woking ..	42,860	36	0·84	13	0·30	6	1	6	24	—	—	—	2	2
RURAL DISTRICTS ..	127,000	136	1·07	40	0·31	10	4	24	94	3	5	—	—	—
Bagshot ..	12,430	7	0·56	19	1·53	3	—	1	1	1	—	—	3	10
Dorking and Horley ..	21,920	17	0·78	1	0·05	—	1	7	15	1	3	—	1	—
Godstone ..	28,650	37	1·20	11	0·38	2	1	6	40	1	—	—	—	—
Guildford ..	35,970	43	1·20	8	0·22	3	—	5	17	—	—	—	1	—
Hambledon ..	28,030	32	1·14	1	0·04	2	2	5	21	—	2	—	1	10

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of death rates, etc., 1939.	Scarlet fever.		Diphtheria.		Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SUSSEX EAST:	597,150	671	1.12	293	0.49	144	26	151	354	10	19	1	37	29
COUNTY BOROUGHES ..	278,350	313	1.12	175	0.63	86	14	95	222	8	5	—	1	—
Brighton ..	152,400	124	0.81	65	0.43	36	3	47	143	7	—	—	14	—
Eastbourne ..	59,470	95	1.60	60	1.01	16	—	15	39	—	—	1	5	—
Hastings ..	66,480	94	1.41	50	0.75	34	11	33	40	1	—	—	—	—
ADMIN. COUNTY ..	318,800	358	1.12	118	0.37	58	12	56	132	2	14	—	18	27
URBAN DISTRICTS ..	167,000	142	0.85	57	0.34	36	8	41	74	1	8	—	14	10
Bexhill M.B. ..	25,030	10	0.40	15	0.60	16	—	7	3	1	—	—	8	—
Burgess Hill ..	7,371	1	0.14	1	0.14	—	—	2	9	—	—	—	—	—
Cuckfield ..	14,660	15	1.02	12	0.82	6	2	8	5	—	2	—	—	10
East Grinstead ..	10,100	16	1.58	4	0.40	1	1	1	5	—	1	—	—	—
Lewes M.B. ..	63,440	54	0.85	10	0.16	7	3	10	26	—	1	—	1	—
Newhaven ..	12,350	9	0.73	1	0.08	3	—	6	6	—	—	—	4	—
Poyser M.B. ..	7,347	4	0.54	3	0.41	1	—	1	7	—	1	—	—	—
Portslade-by-Sea ..	12,770	20	1.57	2	0.16	1	—	3	6	—	—	—	1	—
Rye M.B. ..	4,335	10	2.31	5	1.15	—	2	1	—	—	—	—	—	—
Seaford ..	9,597	3	0.31	4	0.42	—	—	2	7	—	2	—	—	—
RURAL DISTRICTS: ..	151,800	216	1.42	61	0.40	22	4	15	58	1	6	—	4	1
Battle ..	30,100	65	2.16	—	—	4	2	2	13	1	4	—	3	—
Chailey ..	18,420	15	0.81	8	0.43	—	—	—	3	—	—	—	1	—
Cuckfield ..	26,500	42	1.58	11	0.42	2	—	6	5	—	1	—	—	—
Hailsham ..	35,770	45	1.26	15	0.42	4	2	1	16	—	—	—	—	—
Uckfield ..	41,010	49	1.19	27	0.66	12	—	6	21	—	1	—	—	—
SUSSEX WEST:														
ADMIN. COUNTY ..	288,900	379	1.31	142	0.49	125	17	73	182	2	11	—	20	31
URBAN DISTRICTS ..	158,600	156	0.98	78	0.49	109	15	42	121	1	8	—	17	20
Arundel M.B. ..	2,580	—	—	2	0.78	—	—	2	1	—	—	—	—	—
Bognor Regis ..	22,650	30	1.32	15	0.66	—	3	4	13	1	2	—	—	—
Chichester M.B. ..	17,530	27	1.54	15	0.86	5	2	2	9	—	—	—	—	—
Horsham ..	15,860	15	0.95	9	0.57	1	—	2	5	—	—	—	—	—
Littlehampton ..	12,450	11	0.88	9	0.72	2	2	3	12	—	1	—	1	—
Shoreham-by-Sea ..	12,190	11	0.90	4	0.33	83	3	11	52	—	1	—	14	—
Southwick ..	10,100	21	2.08	—	—	—	1	3	8	—	—	—	1	—
Worthing M.B. ..	65,240	41	0.63	24	0.37	18	4	15	21	—	4	—	—	2
RURAL DISTRICTS ..	130,300	223	1.71	64	0.49	16	2	31	61	1	3	—	3	—
Chancetonbury ..	18,440	29	1.57	14	0.76	2	—	2	5	—	—	—	—	—
Chichester ..	37,120	71	1.91	7	0.19	6	—	13	25	—	—	—	2	—
Horsham ..	23,720	61	2.57	11	0.46	1	1	1	7	1	1	—	—	—
Midhurst ..	15,780	17	1.08	3	0.19	1	—	4	2	—	2	—	—	—
Petworth ..	8,590	8	0.93	5	0.58	—	—	—	13	—	—	—	—	—
Worthing ..	26,650	37	1.39	24	0.90	6	1	11	9	—	—	—	1	—
WARWICKSHIRE:														
COUNTY BOROUGHES ..	1,673,700	2,887	1.72	1,621	0.97	458	30	721	2,607	66	16	15	1057	31
Birmingham ..	1,261,500	2,124	1.68	1,401	1.11	388	23	577	2,086	56	7	15	1021	37
Coventry ..	1,039,900	1,292	1.24	1,124	1.08	331	19	498	1,823	45	4	15	1002	30
	221,600	832	3.75	277	1.25	57	4	79	263	11	3	—	19	—
ADMIN. COUNTY ..	412,200	763	1.85	220	0.53	70	7	144	521	10	9	—	36	—
URBAN DISTRICTS ..	269,200	498	1.85	117	0.43	52	5	89	297	6	3	—	26	—
Bedworth ..	21,650	81	3.74	5	0.23	—	—	9	56	—	1	—	—	—
Kenilworth ..	9,020	61	6.76	8	0.89	2	—	—	7	—	—	—	5	—
Nuneaton M.B. ..	49,670	68	1.37	55	1.11	14	—	28	56	1	—	—	1	—
Royal Leamington Spa M.B. ..	31,110	74	2.38	13	0.42	3	—	3	20	1	—	—	2	—
Rugby M.B. ..	39,520	37	0.94	5	0.13	14	—	19	53	1	1	—	—	—
Solihull ..	52,610	50	0.95	18	0.34	9	3	13	54	1	1	—	3	—
Stratford-on-Avon M.B. ..	12,680	32	2.52	—	—	2	—	6	12	—	—	—	1	—
Sutton Coldfield M.B. ..	38,740	57	1.47	7	0.18	5	—	6	22	1	—	—	4	—
Warwick M.B. ..	14,200	38	2.68	6	0.42	1	2	5	17	1	—	—	1	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of death rates, etc., 1939.	Scarlet fever.		Diphtheria.		Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Cases.								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ARWICKSHIRE—contd.														
URAL DISTRICTS	143,000	265	1·85	103	0·72	18	2	55	224	4	6	—	10	—
Alcester ..	11,590	19	1·64	17	1·47	1	—	5	30	1	1	—	—	—
Atherstone ..	21,890	41	1·87	9	0·41	1	1	11	71	—	—	—	1	—
Meriden ..	29,590	40	1·35	41	1·39	5	—	14	42	2	1	—	1	—
Rugby ..	15,870	43	2·71	14	0·88	3	—	10	24	—	3	—	1	—
Shipston-on-Stour	7,610	9	1·18	—	—	1	—	1	4	—	—	—	—	—
Souham ..	11,050	18	1·63	6	0·54	4	—	1	8	—	—	—	2	—
Stratford-on-Avon	15,140	27	1·78	2	0·13	—	—	4	9	1	—	—	—	—
Tamworth ..	14,390	21	1·46	1	0·07	2	1	6	23	—	1	—	5	—
Warwick ..	15,870	47	2·96	13	0·82	1	—	3	13	—	—	—	—	—
WESTMORLAND:														
ADMIN. COUNTY ..	65,970	162	2·46	12	0·18	16	5	33	36	2	1	3	1	—
URBAN DISTRICTS	31,580	57	1·80	9	0·28	9	3	9	13	1	—	2	—	—
Appleby M.B. ..	1,673	15	8·97	3	1·79	—	—	—	2	—	—	—	—	—
Kendal M.B. ..	18,120	15	0·83	3	0·17	5	3	5	—	1	—	1	—	—
The Lakes ..	5,623	6	1·07	2	0·36	2	—	3	11	—	—	1	—	—
Windermere ..	6,164	21	3·41	1	0·16	2	—	1	—	—	—	—	—	—
URAL DISTRICTS	34,390	103	3·05	3	0·09	7	2	24	23	1	1	1	1	—
North Westmorland	17,140	77	4·49	2	0·12	1	1	10	19	—	1	1	1	—
South Westmorland	17,250	28	1·62	1	0·06	6	1	14	4	1	—	—	—	—
WIGHT, ISLE OF:														
ADMIN. COUNTY ..	87,440	93	1·06	14	0·16	22	3	20	21	2	6	4	3	—
URBAN DISTRICTS	71,480	70	0·98	14	0·20	20	3	18	15	2	6	4	3	—
Cowes ..	15,900	6	0·38	—	—	3	2	2	4	—	4	—	—	—
Newport M.B. ..	20,170	28	1·39	2	0·10	6	1	12	9	1	—	2	—	—
Kyde M.B. ..	17,920	20	1·12	1	0·06	6	—	3	1	1	—	2	2	—
Sandown—Shanklin	11,330	5	0·44	9	0·79	4	—	—	—	—	1	—	—	—
Centon ..	6,160	11	1·79	2	0·32	1	—	—	1	—	1	—	1	—
URAL DISTRICT														
Isle of Wight ..	15,960	23	1·44	—	—	2	—	2	6	—	—	—	—	—
WILTSHIRE:														
ADMIN. COUNTY ..	318,200	449	1·41	154	0·48	85	8	75	272	10	9	1	18	14
URBAN DISTRICTS	158,600	224	1·41	90	0·57	65	3	43	186	3	3	1	16	3
Radford-on-Avon	4,982	5	1·00	1	0·20	—	—	1	—	—	—	—	1	—
Salne M.B. ..	5,142	3	0·58	2	0·39	1	—	1	2	—	—	—	—	—
Chippenham M.B.	10,920	7	0·64	5	0·46	3	—	1	10	1	—	—	—	—
Devizes M.B. ..	7,383	27	3·66	3	0·41	—	—	1	9	—	—	—	—	—
Salisbury M.B.	2,335	—	—	—	—	—	—	—	2	—	—	—	—	—
Salisbury M.B.	4,946	8	1·62	1	0·20	1	—	2	3	—	—	—	—	—
Salisbury M.B.	5,580	4	0·72	8	1·43	4	—	3	9	—	—	—	—	—
Salisbury M.B.	29,870	34	1·14	22	0·74	18	—	5	29	2	—	—	6	—
Salisbury M.B.	61,660	106	1·72	42	0·68	35	1	19	116	—	1	1	7	3
Salisbury M.B.	12,970	15	1·16	1	0·08	2	—	6	—	—	—	—	—	—
Salisbury M.B.	6,170	1	0·16	1	0·16	—	—	2	3	—	1	—	2	—
Salisbury M.B.	4,242	8	1·89	4	0·94	1	1	2	1	—	—	—	—	—
Salisbury M.B.	2,400	6	2·50	—	—	—	—	—	2	—	—	—	—	—
URAL DISTRICTS	159,600	225	1·41	64	0·40	20	5	32	86	7	6	—	2	11
Salisbury M.B.	16,500	19	1·15	5	0·30	—	—	2	7	1	1	—	—	—
Salisbury M.B.	8,769	12	1·37	1	0·11	1	—	1	1	—	—	—	—	—
Salisbury M.B.	21,520	29	1·35	20	0·93	3	3	4	11	3	—	—	—	—
Salisbury M.B.	11,640	8	0·69	2	0·17	1	—	1	5	—	—	—	2	—
Salisbury M.B.	12,870	31	2·41	2	0·16	3	—	5	11	—	—	—	—	11
Salisbury M.B.	17,100	13	0·76	14	0·82	—	—	5	18	—	—	—	—	—
Salisbury M.B.	8,423	5	0·59	—	—	—	—	—	6	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WILTSHIRE : R.D's.—contd.														
Marlborough and Ramsbury ..	9,708	16	1.65	1	0.10	1	—	1	5	3	1	—	—	—
Mere and Tisbury ..	10,690	40	3.74	2	0.19	3	1	3	5	—	1	—	—	—
Pewsey ..	14,340	11	0.77	5	0.35	4	—	3	9	—	—	—	—	—
Salisbury and Wilton ..	16,140	24	1.49	11	0.68	3	1	5	7	—	—	—	—	—
Warminster and Westbury ..	11,900	17	1.43	1	0.08	1	—	2	1	—	1	—	—	—
WORCESTERSHIRE :	460,700	1,425	3.09	452	0.98	109	26	121	328	12	2	—	4	40
COUNTY BOROUGHS ..	115,450	343	2.97	93	0.81	32	2	35	84	3	2	—	12	—
Dudley ..	61,090	103	1.69	54	0.88	8	2	15	54	2	1	—	8	—
Worcester ..	54,360	240	4.42	39	0.72	24	—	20	30	1	1	—	4	—
ADMIN. COUNTY ..	345,250	1,082	3.13	359	1.04	77	24	86	244	9	—	—	4	28
URBAN DISTRICTS ..	245,500	759	3.09	257	1.05	62	11	64	184	8	—	—	4	25
Bewdley M.B. ..	4,377	6	1.37	—	—	—	—	3	1	—	—	—	—	—
Bromsgrove ..	24,230	145	5.98	80	3.30	8	—	1	18	1	—	—	5	—
Droitwich M.B. ..	4,721	8	1.69	5	1.06	—	—	—	—	—	—	—	—	—
Evesham M.B. ..	11,260	72	6.39	22	1.95	3	—	3	3	—	—	—	—	1
Halesowen ..	36,700	36	0.98	11	0.30	7	1	12	37	1	—	—	6	—
Kidderminster M.B. ..	33,210	85	2.56	6	0.18	5	8	9	18	—	—	—	7	1
Malvern ..	17,530	109	6.22	12	0.68	2	—	6	10	—	—	—	1	2
Oldbury M.B. ..	47,380	112	2.36	33	0.70	15	—	11	63	6	—	—	1	4
Redditch ..	23,070	67	2.90	46	1.99	11	1	7	15	—	—	—	2	—
Stourbridge M.B. ..	34,990	100	2.86	40	1.14	4	—	10	16	—	—	—	—	—
Stourport-on-Severn ..	8,032	19	2.37	2	0.25	7	1	2	3	—	—	—	1	—
RURAL DISTRICTS ..	99,750	323	3.24	102	1.02	15	13	22	60	1	—	—	3	1
Bromsgrove ..	22,390	42	1.88	32	1.43	1	1	3	10	1	—	—	2	—
Droitwich ..	11,550	39	3.38	26	2.25	3	5	1	2	—	—	—	—	—
Evesham ..	14,260	35	2.45	6	0.42	3	2	3	4	—	—	—	—	—
Kidderminster ..	8,017	23	2.87	1	0.12	—	3	4	3	—	—	—	—	—
Martley ..	11,560	52	4.50	10	0.87	2	—	2	20	—	—	—	—	—
Pershore ..	13,550	70	5.17	6	0.44	3	2	4	8	—	—	—	—	—
Tenbury ..	5,693	29	5.09	8	1.41	2	—	—	3	—	—	—	—	—
Upton-on-Severn ..	12,730	33	2.59	13	1.02	1	—	5	10	—	—	—	1	—
YORKSHIRE, EAST RIDING														
COUNTY BOROUGH ..	497,490	1,032	2.07	721	1.45	142	58	153	315	7	1	—	3	28
Kingston-upon-Hull ..	305,100	665	2.18	532	1.74	130	26	115	185	7	—	—	25	3
ADMIN. COUNTY ..	192,390	367	1.91	189	0.98	12	32	38	130	—	1	—	3	3
URBAN DISTRICTS ..	93,530	165	1.76	99	1.06	5	20	17	57	—	1	—	3	3
Beverley M.B. ..	14,340	29	2.02	2	0.14	1	—	7	30	—	—	—	2	—
Bridlington M.B. ..	22,720	31	1.36	16	0.70	2	18	6	13	—	—	—	—	—
Driffield ..	6,564	40	6.09	11	1.68	—	—	2	1	—	—	—	1	—
Filey ..	4,551	4	0.88	2	0.44	—	2	—	5	—	—	—	—	—
Haltemprice ..	30,470	23	0.75	46	1.51	1	—	—	1	—	—	—	—	—
Hedon M.B. ..	1,784	6	3.36	2	1.12	—	—	—	1	—	—	—	—	—
Hornsea ..	4,540	2	0.44	14	3.08	—	—	—	3	—	—	—	1	—
Norton ..	4,419	25	5.66	4	0.91	—	—	1	1	—	1	—	—	—
Withernsea ..	4,142	5	1.21	2	0.48	1	—	—	3	—	—	—	—	—
RURAL DISTRICTS ..	98,860	202	2.04	90	0.91	7	12	21	73	—	—	—	—	—
Beverley ..	17,720	28	1.58	14	0.79	—	1	1	9	—	—	—	—	—
Bridlington ..	8,558	10	1.17	4	0.47	3	5	2	6	—	—	—	—	—
Derwent ..	12,030	28	2.33	11	0.91	—	1	3	2	—	—	—	—	—
Driffield ..	10,760	45	4.18	10	0.93	—	1	3	14	—	—	—	—	—
Holderness ..	18,120	25	1.38	28	1.55	2	—	5	18	—	—	—	—	—
Howden ..	11,260	22	1.95	9	0.80	1	2	5	8	—	—	—	—	—
Norton ..	7,442	18	2.42	1	0.13	—	—	—	—	—	—	—	—	—
Pocklington ..	12,970	26	2.00	13	1.00	1	2	2	16	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ORKSHIRE NORTH RIDING	478,000	909	1·90	598	1·25	77	22	178	566	19	5	2	26	20
COUNTY BOROUGH Middlesbrough ..	137,500	149	1·08	266	1·93	32	4	62	274	13	—	1	6	11
ADMIN. COUNTY ..	340,500	760	2·23	332	0·98	45	18	116	292	6	5	1	20	9
URBAN DISTRICTS	188,800	376	1·99	209	1·11	28	11	78	173	2	4	—	15	—
Eston ..	30,720	58	1·89	43	1·40	5	—	11	31	—	—	—	2	—
Guisborough ..	8,025	5	0·62	4	0·50	—	2	3	8	—	—	—	1	—
Loftus ..	7,447	4	0·54	3	0·40	—	—	7	2	—	—	—	3	—
Malton ..	4,119	9	1·94	—	—	—	—	1	—	—	—	—	—	—
Northallerton ..	5,066	8	1·78	1	0·20	1	—	—	5	—	—	—	—	—
Pickering ..	3,944	8	2·03	—	—	2	—	—	—	—	—	—	—	—
Redcar M.B. ..	23,940	30	1·25	30	1·25	—	1	12	22	1	—	—	—	—
Richmond M.B. ..	5,636	15	2·66	—	—	1	1	3	7	—	1	—	—	—
Saltburn and Marske by the Sea ..	6,808	8	1·18	1	0·15	—	—	6	8	—	—	—	—	—
Scalby ..	5,075	6	1·18	7	1·38	1	1	—	—	—	—	—	—	—
Scarborough M.B. ..	41,660	114	2·74	99	2·38	10	6	13	29	—	3	—	4	—
Skelton and Brotton ..	12,830	3	0·23	3	0·23	2	—	—	1	—	—	—	—	—
Thornaby-on-Tees M.B. ..	21,730	27	1·24	10	0·46	5	—	18	35	1	—	—	5	—
Whitby ..	11,800	81	6·86	8	0·68	1	—	4	25	—	—	—	—	—
RURAL DISTRICTS	151,700	384	2·53	123	0·81	17	7	38	119	4	1	1	5	9
Aysgarth ..	3,876	2	0·52	4	1·03	—	—	1	1	—	—	—	—	—
Bedale ..	6,749	11	1·63	2	0·30	2	1	3	8	—	—	—	1	—
Croft ..	2,140	5	2·34	1	0·47	—	—	—	—	—	—	—	—	—
Easingwold ..	10,730	43	4·01	24	2·24	—	—	5	13	—	—	—	—	—
Flaxton ..	16,310	60	3·68	14	0·86	2	3	6	10	1	—	—	3	8
Helmsley ..	5,238	31	5·92	—	—	1	1	—	8	—	—	—	—	—
Kirkby Moorside ..	4,907	12	2·45	—	—	1	—	—	—	—	—	—	—	—
Leayburn ..	6,808	30	4·41	2	0·29	1	—	—	—	—	—	—	—	—
Malton ..	5,632	10	1·78	—	—	1	—	—	—	—	—	—	—	—
Masham ..	1,937	11	5·68	—	—	—	—	1	3	—	—	—	—	—
Northallerton ..	7,818	24	3·07	11	1·41	—	—	—	9	—	—	—	—	—
Pickering ..	5,385	7	1·30	2	0·37	1	—	1	—	—	—	—	—	—
Ryebourne ..	2,239	2	0·89	1	0·45	—	—	7	1	—	—	—	—	—
Richmond ..	17,680	39	2·21	8	0·45	2	—	4	29	3	—	1	—	—
Scarborough ..	7,155	10	1·40	5	0·70	2	1	2	—	—	—	—	1	—
Startforth ..	4,192	23	5·49	2	0·48	1	—	—	—	—	—	—	—	—
Stokesley ..	16,200	9	0·56	8	0·49	—	—	4	9	—	1	—	—	—
Thirsk ..	12,330	17	1·38	26	2·11	—	—	—	4	—	—	—	—	—
Vath ..	2,664	4	1·50	4	1·50	1	—	2	4	—	—	—	—	—
Whitby ..	11,710	34	2·90	9	0·77	2	1	—	12	—	—	—	1	—
ORKSHIRE WEST RIDING	3,452,900	6,776	1·96	4,876	1·41	905	146	1,740	5,179	56	54	15	238	194
COUNTY BOROUGHS	1,946,000	3,729	1·92	2,893	1·49	647	77	1,082	3,583	33	31	10	139	185
Barnsley ..	171,760	109	1·52	142	1·98	37	2	40	160	6	1	—	6	1
Bradford ..	284,200	772	2·72	353	1·24	68	25	174	354	5	3	—	14	73
Leeds ..	52,600	79	1·50	92	1·75	6	7	13	7	—	—	1	2	—
Doncaster ..	72,520	135	1·86	192	2·65	29	1	18	63	2	—	1	9	—
Halifax ..	97,180	188	1·93	128	1·32	48	—	55	181	—	2	—	5	—
Huddersfield ..	126,200	115	0·91	104	0·82	47	11	76	160	4	2	2	10	—
Leeds ..	488,000	958	1·96	427	0·88	158	12	307	718	6	5	—	34	1
Rotherham ..	76,960	76	0·99	150	1·95	11	—	36	112	—	1	—	20	—
Sheffield ..	517,100	632	1·22	1,102	2·13	172	8	276	1,640	8	15	6	32	107
Wakefield ..	58,480	246	4·21	117	2·00	18	4	47	104	1	—	—	4	1
York ..	101,000	419	4·15	86	0·85	53	7	40	86	1	1	—	3	—
ADMIN. COUNTY ..	1,506,900	3,047	2·02	1,983	1·32	258	69	658	1,594	13	23	5	99	9
URBAN DISTRICTS	1,119,500	2,205	1·97	1,460	1·30	168	61	534	1,251	18	21	2	76	7
Barnsley ..	18,810	38	2·02	87	4·63	4	—	22	49	1	—	—	6	—
Bradford ..	23,710	53	2·24	13	0·55	2	1	15	29	—	2	—	—	—
Leeds ..	9,894	22	2·22	3	0·30	—	—	1	—	—	—	—	—	—
Rotherham ..	10,060	83	8·25	3	0·30	1	—	8	7	—	1	—	1	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population and calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneu- monia (primary and influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE, W.R. —contd. U.D's.—contd.														
Batley M.B.	39,490	52	1.32	16	0.41	10	1	19	24	—	—	—	1	—
Bentley with Arksey . . .	17,980	27	1.50	25	1.39	9	—	9	43	—	—	—	5	—
Bingley	21,750	54	2.48	37	1.70	2	4	26	53	2	—	—	1	—
Brighouse M.B.	29,900	37	1.24	22	0.74	3	—	19	32	1	2	—	1	3
Cleatford	42,640	75	1.76	84	1.97	11	2	22	26	—	—	—	2	—
Colne Valley	22,460	19	0.85	3	0.13	2	3	14	27	—	—	—	—	—
Cornisbrough	16,680	88	5.28	18	1.08	6	—	1	12	2	2	—	—	—
Cudworth	8,305	18	2.17	26	3.13	6	—	4	14	—	—	—	3	—
Darfield	5,692	12	2.11	2	0.35	2	—	2	20	—	—	—	—	—
Darton	13,590	20	1.47	28	2.06	7	—	7	33	1	—	—	1	—
Dearne	23,860	23	0.96	36	1.51	10	—	10	24	1	—	—	2	—
Denby Dale	9,963	4	0.40	2	0.20	—	3	1	5	—	—	—	—	—
Denholme	2,484	6	2.42	1	0.40	—	5	6	3	—	—	—	—	—
Dodworth	4,067	6	1.48	11	2.71	1	—	1	7	—	—	—	1	—
Earby	4,610	2	0.43	18	3.90	—	—	1	2	—	—	—	—	—
Elland	19,110	23	1.20	2	0.10	1	—	14	16	—	1	—	—	—
Featherstone	13,420	36	2.68	96	7.15	4	—	2	12	—	—	—	—	—
Garforth	9,897	19	1.92	—	—	—	1	2	—	—	—	—	—	—
Goole M.B.	19,400	24	1.24	46	2.37	5	—	9	16	—	—	—	2	—
Harrogate M.B.	46,020	30	0.65	13	0.28	11	11	20	48	1	2	1	5	—
Hebden Royd	10,440	63	6.03	6	0.57	—	—	7	8	—	—	—	—	—
Heckmondwike	8,658	4	0.46	4	0.46	—	—	1	2	—	—	—	1	—
Hemsworth	12,780	20	1.56	23	1.80	—	1	17	26	—	—	—	2	—
Holmfirth	18,900	30	1.59	18	0.95	2	—	15	21	—	—	—	—	—
Horsburry	7,732	34	4.40	3	0.39	—	—	1	1	—	—	—	—	—
Horsforth	12,200	18	1.48	8	0.66	—	—	—	15	—	—	—	—	—
Hoyland Nether	14,720	21	1.43	38	2.58	4	—	9	40	—	1	—	1	—
Ilkley	16,260	46	2.83	2	0.12	—	7	13	6	—	—	—	—	—
Keighley M.B.	55,660	111	1.99	110	1.98	—	2	10	67	7	—	—	2	—
Kirkburton	17,580	21	1.19	3	0.17	2	1	7	15	—	1	—	—	3
Knarborough	7,512	36	4.70	—	—	2	4	2	4	1	—	1	—	—
Knottingley	9,142	10	1.09	16	1.75	—	—	—	19	—	—	—	1	—
Maltby	10,670	21	1.97	5	0.47	—	—	2	5	—	—	—	—	—
Meltham	5,003	2	0.40	2	0.40	—	1	1	2	—	—	—	—	—
Mexborough	18,210	67	3.68	17	0.93	5	2	1	4	—	1	—	5	—
Midgley	411	—	—	—	—	—	—	—	4	—	—	—	—	—
Mirfield	11,870	6	0.51	4	0.34	—	—	2	4	—	—	—	—	—
Morley M.B.	39,140	126	3.22	23	0.59	1	—	12	27	—	—	—	—	—
Normanton	19,050	33	1.73	60	3.15	3	—	7	54	—	—	—	3	—
Ossett M.B.	14,220	29	2.04	39	2.74	—	—	3	1	—	—	—	—	—
Otley	11,150	22	1.97	23	2.06	—	—	8	24	—	—	—	1	—
Penistone	5,924	8	1.35	5	0.84	—	—	6	4	—	—	—	—	—
Pontefract M.B.	21,410	23	1.07	86	4.02	1	3	9	32	—	1	—	1	—
Pudsey M.B.	28,210	44	1.56	18	0.64	—	2	11	28	—	—	—	1	—
Queensbury and Shelf	8,633	22	2.55	11	1.27	1	—	6	3	—	—	—	1	—
Rawmarsh	18,020	24	1.33	50	2.77	2	—	19	28	—	1	—	—	—
Ripon M.B.	9,094	15	1.65	—	—	1	—	1	4	—	—	—	—	—
Ripponden	5,168	5	0.97	2	0.39	—	—	3	1	—	1	—	—	—
Rothwell	24,450	76	3.11	7	0.29	5	5	18	48	—	—	—	2	—
Royston	7,732	1	0.13	5	0.65	1	—	—	—	1	—	—	—	—
Saddleworth	17,220	14	0.81	—	—	2	—	4	8	—	—	—	—	—
Selby	10,170	9	0.88	27	2.65	—	—	3	12	—	—	—	—	—
Shipley	31,160	105	3.37	26	0.83	12	—	6	20	—	1	—	1	—
Silsden	4,957	7	1.41	1	0.20	—	—	—	3	—	—	—	—	—
Skipton	12,910	10	0.77	8	0.62	3	—	3	2	—	—	—	1	—
Sowerby Bridge	18,890	34	1.80	16	0.85	—	—	2	4	—	—	—	2	—
Spenborough	36,200	51	1.41	27	0.75	3	3	17	20	—	—	—	3	—
Stanley	15,860	68	4.29	20	1.26	1	1	6	28	—	—	—	3	—
Stocksbridge	9,829	27	2.75	3	0.31	1	—	12	40	—	—	—	2	—
Swinton	11,440	20	1.75	17	1.49	2	—	1	2	—	—	—	—	—
Tickhill	2,303	1	0.43	—	—	—	—	1	3	—	—	—	4	—
Todmorden M.B.	20,620	64	3.10	39	1.80	1	—	7	27	—	1	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE W. R.—ctd.														
<i>U.D's.—contd.</i>														
Wath upon Dearne	13,380	30	2.24	25	1.87	—	—	8	7	—	1	—	—	—
Wombwell ..	17,650	31	1.76	25	1.42	2	—	20	53	—	—	—	3	—
Worsborough ..	13,170	25	1.90	46	3.49	6	2	17	25	—	1	—	5	—
RURAL DISTRICTS ..	387,400	842	2.17	523	1.35	90	8	124	343	5	2	3	23	2
Bowland ..	5,020	2	0.40	1	0.20	1	1	—	2	—	—	—	—	—
Doncaster ..	50,290	87	1.73	116	2.31	20	—	14	42	1	—	—	6	—
Goole ..	8,933	15	1.68	13	1.46	1	—	1	—	—	—	—	—	—
Hemsworth ..	48,220	228	4.73	108	2.24	19	2	37	70	1	—	—	5	—
Hepton ..	4,309	15	3.48	3	0.70	—	—	—	—	—	—	—	—	—
Kiveton Park ..	16,330	46	2.82	34	2.08	2	—	7	35	—	—	—	—	—
Nidderdale ..	11,690	24	2.05	2	0.17	—	3	—	10	—	—	—	1	—
Osgoldcross ..	7,572	16	2.11	5	0.66	1	—	1	3	—	—	—	—	—
Penistone ..	6,569	4	0.61	5	0.76	1	—	2	1	—	—	—	—	—
Ripon and Pateley Bridge	11,350	16	1.41	3	0.26	1	1	—	6	—	—	—	—	—
Rotherham ..	40,700	101	2.48	18	0.44	7	—	11	46	1	1	1	3	—
Sedburgh ..	3,868	2	0.52	—	—	—	—	1	2	—	—	—	—	—
Selby ..	5,964	14	2.35	6	1.01	1	—	1	5	—	—	—	—	—
Settle ..	14,010	45	3.21	5	0.36	2	—	2	5	—	—	—	1	—
Skipton ..	22,840	31	1.36	13	0.57	1	1	5	12	—	—	—	1	—
Tadcaster ..	25,930	44	1.70	15	0.58	3	—	1	13	—	—	—	2	—
Thorne ..	30,670	36	1.17	73	2.38	14	—	10	26	—	—	2	1	—
Wakefield ..	18,740	50	2.67	40	2.13	1	—	14	20	—	—	—	1	—
Wetherby ..	17,420	23	1.32	4	0.23	2	—	—	5	—	—	—	—	—
Wharfedale ..	5,635	9	1.60	15	2.66	1	—	2	6	—	—	—	—	—
Wortley ..	31,340	34	1.08	44	1.40	12	—	14	28	2	—	—	2	2
WALES AND MONMOUTH														
WILMSEY:														
ADMIN. COUNTY ..	47,510	71	1.49	154	3.24	3	1	7	28	2	—	—	2	—
RURAL DISTRICTS ..	17,830	34	1.91	45	2.52	2	—	3	11	1	—	—	—	—
Amlwch ..	2,486	1	0.40	2	0.80	1	—	1	9	—	—	—	—	—
Beaumaris M.B. ..	1,735	2	1.15	3	1.73	—	—	—	—	—	—	—	—	—
Holyhead ..	10,070	27	2.68	32	3.18	1	—	1	1	—	—	—	—	—
Llangefni ..	1,827	2	1.09	6	3.28	—	—	1	—	1	—	—	—	—
Menai Bridge ..	1,712	2	1.17	2	1.17	—	—	—	1	—	—	—	—	—
RURAL DISTRICTS ..	29,680	37	1.25	109	3.67	1	1	4	17	1	—	—	2	—
Aethwy ..	10,290	16	1.55	23	2.24	1	—	—	3	—	—	—	—	—
Twrcelyn ..	8,580	8	0.93	14	1.63	—	—	1	9	—	—	—	1	—
Valley ..	10,810	13	1.20	72	6.66	—	1	3	5	1	—	—	1	—
BRECKNOCKSHIRE:														
ADMIN. COUNTY ..	52,920	106	2.00	79	1.49	11	—	11	55	14	1	—	3	1
RURAL DISTRICTS ..	15,250	53	3.48	28	1.84	5	—	2	33	11	—	—	2	—
Brecknock M.B. ..	5,164	48	9.30	2	0.39	3	—	1	—	1	—	—	—	—
Brynmawr ..	6,515	3	0.46	26	3.90	2	—	1	27	10	—	—	1	—
Builth Wells ..	1,539	1	0.65	—	—	—	—	—	—	—	—	—	—	—
Hay ..	1,327	—	—	—	—	—	—	—	1	—	—	—	1	—
Llanwrtyd ..	705	1	1.42	—	—	—	—	—	5	—	—	—	—	—
RURAL DISTRICTS ..	37,670	53	1.41	51	1.35	6	—	9	22	3	1	—	1	1
Brecknock —	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Defynnock & Llangorse Div.	5,434	12	2.21	2	0.37	1	—	—	—	—	—	—	—	—
Merthyr Cynog Div.	1,913	2	1.05	—	—	—	—	—	—	—	—	—	1	—
Builth ..	3,779	8	2.12	—	—	—	—	—	2	—	1	—	—	—
Crickhowell ..	6,528	3	0.46	14	2.14	1	—	2	9	3	—	—	—	1
Hay ..	3,595	10	2.78	—	—	—	—	5	2	—	—	—	—	—
Llanymyneid ..	5,251	—	—	1	0.19	2	—	—	2	—	—	—	—	—
Llanymyneid & Penderyn	11,170	18	1.61	34	3.04	2	—	1	7	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CAERNARVONSHIRE ADMIN. COUNTY ..	122,370	268	2.19	202	1.65	28	4	25	43	7	3	—	4	1
URBAN DISTRICTS ..	69,290	132	1.91	100	1.44	23	2	13	34	5	—	—	2	—
Bangor M.B.	13,070	67	5.13	18	1.38	16	—	3	2	2	—	—	1	—
Bethesda ..	4,512	4	0.89	—	0.44	—	—	1	—	—	—	—	—	—
Bettws y Coed ..	770	—	—	—	—	—	—	—	—	—	—	—	—	—
Caernarvon M.B.	9,076	6	0.66	31	3.42	1	—	1	1	—	—	—	1	—
Conway M.B.	9,475	8	0.84	25	2.64	2	—	4	6	—	—	—	—	—
Criccieth ..	1,663	3	1.80	12	7.22	—	2	—	1	—	—	—	—	—
Llandudno ..	15,630	33	2.11	6	0.38	2	—	4	19	1	—	—	—	—
Llanfairfechan ..	3,062	1	0.33	—	—	—	—	—	3	—	—	—	—	—
Penmaenmawr ..	4,083	4	0.98	2	0.49	1	—	—	1	1	—	—	—	—
Portmadoc ..	4,152	5	1.20	1	0.24	—	—	—	—	—	—	—	—	—
Pwllheli M.B.	3,797	1	0.26	3	0.79	1	—	—	1	1	—	—	—	—
RURAL DISTRICTS ..	53,080	136	2.56	102	1.92	5	2	12	9	2	3	—	2	—
Gwyrfai ..	24,170	86	3.56	37	1.53	2	1	6	5	1	—	—	—	—
Lleyn ..	17,370	16	0.92	27	1.55	1	—	3	4	1	1	—	1	—
Nant Conway ..	6,390	19	2.97	35	5.48	1	—	1	—	—	—	—	—	—
Ogwen ..	5,150	15	2.91	3	0.58	1	1	2	—	—	2	—	1	—
CARDIGANSHIRE: ADMIN. COUNTY ..	53,180	36	0.68	56	1.05	2	6	11	23	—	1	3	—	—
URBAN DISTRICTS ..	17,200	14	0.81	39	2.27	2	2	4	8	—	—	1	—	—
Aberayron ..	1,186	—	—	—	—	—	—	—	—	—	—	—	—	—
Aberystwyth M.B.	9,477	13	1.37	38	4.01	—	2	3	3	—	—	1	—	—
Cardigan M.B.	3,302	—	—	—	—	1	—	—	2	—	—	—	—	—
Lampeter M.B.	2,140	—	—	1	0.47	—	—	—	—	—	—	—	—	—
New Quay ..	1,095	1	0.91	—	—	1	—	1	3	—	—	—	—	—
RURAL DISTRICTS ..	35,980	22	0.61	17	0.47	—	4	7	15	—	—	2	—	—
Aberayron ..	9,298	6	0.65	1	0.11	—	1	2	1	—	1	—	—	—
Aberystwyth: North ..	6,728	8	1.19	14	2.08	—	2	2	5	—	—	1	—	—
South ..	4,371	3	0.69	1	0.23	—	1	—	—	—	—	—	—	—
Telfside ..	10,040	2	0.20	—	0.10	—	—	2	6	—	—	1	—	—
Tregaron ..	5,543	3	0.54	—	—	—	—	1	3	—	—	—	—	—
CARMARTHENSHIRE: ADMIN. COUNTY ..	172,410	256	1.48	295	1.71	42	3	44	134	3	1	1	10	—
URBAN DISTRICTS ..	72,670	157	2.16	190	2.61	18	2	26	76	1	—	—	8	—
Ammanford ..	6,758	8	1.18	1	0.15	—	—	1	4	—	—	—	—	—
Burry Port ..	5,755	2	0.35	—	—	2	—	—	1	—	—	—	—	—
Cardarthen M.B.	11,070	48	4.34	111	10.0	9	—	2	2	—	—	—	2	—
Cwmaman ..	4,725	46	9.74	5	1.06	2	—	—	15	1	—	—	—	—
Kidwelly M.B.	2,976	—	—	—	—	—	—	4	17	—	—	—	—	—
Llandilo ..	1,896	—	—	1	0.53	1	—	—	4	—	—	—	—	—
Llandoverly M.B.	1,998	11	5.51	8	4.00	—	—	1	1	—	—	—	—	—
Llanelli M.B.	36,700	42	1.14	62	1.60	4	2	18	32	—	—	—	6	—
Newcastle Emlyn ..	792	—	—	2	2.53	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS ..	99,740	99	0.99	105	1.05	24	1	18	58	2	1	—	1	2
Cardarthen ..	27,680	17	0.61	40	1.45	4	—	5	9	1	—	—	1	—
Llandilo ..	27,210	49	1.80	22	0.81	9	—	5	21	1	—	—	—	1
Llanelli ..	36,330	33	0.91	40	1.10	8	—	8	24	—	1	—	—	—
Newcastle Emlyn ..	8,520	—	—	3	0.35	3	1	—	4	—	—	1	—	—
DENBIGHSHIRE: ADMIN. COUNTY ..	160,060	317	1.98	277	1.73	24	—	50	179	15	2	1	10	—
URBAN DISTRICTS ..	71,810	142	1.98	136	1.89	15	—	19	86	13	1	—	6	—
Aberllyn ..	6,738	8	1.19	4	0.59	1	—	1	4	—	—	—	—	—
Colwyn Bay M.B.	22,090	13	0.59	59	2.67	3	—	3	24	—	—	—	5	—
Denbigh M.B.	7,951	5	0.63	1	0.13	—	—	—	6	2	—	—	1	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DENBIGHSHIRE—contd. U.D's.—contd.														
Llangollen ..	2,983	2	0·67	—	—	—	—	1	—	—	—	—	—	—
Llanrwst ..	2,535	9	3·55	1	0·39	—	—	—	—	—	—	—	—	—
Ruthin M.B. ..	3,283	11	3·35	2	0·61	3	—	1	2	—	—	—	—	—
Wrexham M.B. ..	26,230	94	3·58	69	2·63	8	—	13	50	11	1	—	—	—
RURAL DISTRICTS ..	88,250	175	1·98	141	1·60	9	—	31	93	2	1	1	4	—
Aled ..	6,458	6	0·93	9	1·39	4	—	2	2	—	—	—	—	—
Ceiriog ..	7,057	8	1·13	4	0·57	—	—	—	3	—	—	—	—	—
Hiraethog ..	5,522	5	0·91	2	0·36	—	—	1	1	—	—	—	1	—
Ruthin ..	8,933	19	2·13	2	0·22	1	—	4	11	—	—	—	—	—
Wrexham ..	60,280	137	2·27	124	2·06	4	—	24	76	2	1	—	3	—
FLINTSHIRE:														
ADMIN. COUNTY ..	124,930	240	1·92	200	1·60	30	2	24	131	2	—	—	7	—
URBAN DISTRICTS ..	63,600	118	1·86	127	2·00	13	—	13	78	—	—	—	3	—
Buckley ..	7,345	13	1·77	7	0·95	2	—	2	5	—	—	—	1	—
Connah's Quay ..	6,505	19	2·92	5	0·77	1	—	1	13	—	—	—	—	—
Flint M.B. ..	13,020	34	2·61	56	4·30	3	—	1	14	—	—	—	—	—
Holywell ..	6,918	15	2·17	25	3·61	1	—	2	28	—	—	—	1	—
Mold ..	5,880	8	1·36	8	1·36	3	—	—	8	—	—	—	—	—
Prestatyn ..	7,422	8	1·08	8	1·08	—	—	—	—	—	—	—	—	—
Rhyl ..	16,510	21	1·27	18	1·09	3	—	3	10	—	—	—	—	—
RURAL DISTRICTS ..	61,330	122	1·99	73	1·19	17	2	11	53	2	—	—	4	—
Hawarden ..	28,750	63	2·10	28	0·97	11	1	5	24	1	—	—	2	—
Holywell ..	20,730	45	2·17	33	1·59	5	1	4	17	—	—	—	—	—
Overton ..	4,356	2	0·46	9	2·07	—	—	—	1	1	—	—	—	—
St. Asaph ..	7,494	12	1·60	3	0·40	1	—	2	11	—	—	—	2	—
GLAMORGANSHIRE:														
COUNTY BOROUGHS ..	1,160,620	3,172	2·73	2,719	2·34	249	50	332	1,499	136	11	7	103	16
Cardiff ..	448,720	1,224	2·73	761	1·70	113	9	137	352	47	2	2	43	9
Merthyr Tydfil ..	226,000	786	3·48	436	1·93	67	4	81	238	38	2	2	35	7
Swansea ..	61,520	113	1·84	84	1·37	4	2	12	22	1	—	—	2	—
Swansea ..	161,200	325	2·02	241	1·50	42	3	44	92	8	—	—	6	2
ADMIN. COUNTY ..	711,900	1,948	2·74	1,958	2·75	136	41	195	1,147	89	9	5	60	7
URBAN DISTRICTS ..	527,700	1,388	2·63	1,599	3·03	119	35	164	970	77	7	1	52	6
Aberdare ..	42,560	46	1·08	72	1·69	7	—	16	67	1	—	—	4	1
Barry M.B. ..	36,840	45	1·22	118	3·20	11	1	7	35	2	—	—	2	—
Bridgend ..	11,660	12	1·03	18	1·54	—	—	2	3	—	—	—	—	—
Caerphilly ..	31,860	205	6·43	22	0·60	4	—	6	21	4	—	—	2	—
Cowbridge M.B. ..	1,040	2	1·92	2	1·92	—	—	—	—	—	—	—	—	—
Gelligaer ..	36,210	81	2·24	292	8·06	9	—	11	8	3	—	—	6	—
Glyncorwg ..	9,396	29	3·09	52	5·53	2	—	2	19	—	—	—	—	—
Llchwyr ..	25,630	63	2·46	55	2·15	2	—	6	9	3	—	—	1	—
Maesteg ..	22,420	57	2·54	100	4·46	5	—	5	28	1	1	—	1	—
Mountain Ash ..	32,900	105	3·19	274	8·33	10	1	18	103	2	—	—	—	—
Neath M.B. ..	31,530	28	0·89	41	1·30	1	—	4	9	—	1	—	—	—
Ogmore and Garw ..	23,520	127	5·40	14	0·60	7	3	6	36	1	—	—	1	3
Penarth ..	16,230	21	1·29	91	5·50	8	1	2	235	4	—	—	—	—
Pontypidd ..	38,330	95	2·48	123	3·21	12	5	20	34	4	1	—	6	1
Porthcawl ..	7,554	14	1·85	6	0·79	—	—	—	2	—	—	—	—	—
Port Talbot M.B. ..	40,670	59	1·45	144	3·54	5	—	9	12	2	1	—	4	—
Rhondda ..	119,300	399	3·34	175	1·47	36	24	50	349	50	2	—	22	1
RURAL DISTRICTS ..	184,200	560	3·04	359	1·95	17	6	31	177	12	2	4	8	1
Cardiff ..	32,850	74	2·25	63	1·92	1	—	5	22	2	—	—	—	—
Cowbridge ..	13,840	47	3·40	15	1·08	—	—	1	5	1	—	2	—	—
Gower ..	10,490	16	1·53	11	1·05	—	1	—	5	—	—	—	—	—
Llantisant and Llantwitfardre ..	23,950	104	4·34	56	2·34	6	4	7	26	6	1	—	4	—
Neath ..	40,550	43	1·06	99	2·44	2	1	9	70	—	—	—	1	—
Penybont ..	28,760	33	1·15	30	1·04	4	—	4	18	1	1	2	1	—
Pontardawe ..	33,760	243	7·20	85	2·52	4	—	5	31	2	—	—	2	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of Death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MERIONETHSHIRE ADMIN. COUNTY ..	40,940	66	1·61	55	1·34	2	2	9	14	—	—	—	1	—
URBAN DISTRICTS ..	18,270	41	2·24	47	2·57	1	2	4	11	—	—	—	—	—
Bala ..	1,537	3	1·96	—	—	—	—	—	—	—	—	—	—	—
Barmouth ..	2,246	9	4·01	—	—	—	2	—	1	—	—	—	—	—
Dolgelly ..	2,527	1	0·40	1	0·40	—	—	—	1	—	—	—	—	—
Ffestiniog ..	8,388	23	2·74	45	5·36	1	—	2	2	—	—	—	—	—
Towyn ..	3,572	5	1·40	1	0·28	—	—	2	7	—	—	—	—	—
RURAL DISTRICTS ..	22,670	25	1·10	8	0·35	1	—	5	3	—	—	—	1	—
Deudraeth ..	7,433	4	0·54	8	1·08	1	—	2	1	—	—	—	—	—
Dolgelley ..	7,351	6	0·82	—	—	—	—	1	2	—	—	—	1	—
Edeirnion ..	4,304	14	3·25	—	—	—	—	2	—	—	—	—	—	—
Penllyn ..	3,226	1	0·31	—	—	—	—	—	—	—	—	—	—	—
Civil Parish of Pennal administered by R.D.C. of Machynlleth (Montgomery- shire)	356	—	—	—	—	—	—	—	—	—	—	—	—	—
MONMOUTHSHIRE : COUNTY BOROUGH Newport ..	402,350	708	1·76	643	1·60	74	8	134	445	123	—	2	53	—
ADMIN. COUNTY ..	96,170	186	1·93	152	1·58	26	1	36	164	5	—	1	9	—
ADMIN. COUNTY ..	306,180	522	1·70	491	1·60	48	7	98	281	118	—	1	44	—
URBAN DISTRICTS ..	265,700	451	1·70	450	1·69	45	4	95	280	114	—	1	44	—
Abercarn ..	18,320	13	0·71	10	0·55	—	—	1	9	—	—	—	—	—
Abergavenny M.B.	8,028	14	1·74	22	2·74	—	—	1	—	1	—	—	—	—
Abertillery ..	28,030	26	0·93	39	1·39	—	1	3	—	5	—	—	4	—
Bedwas and Machen	8,313	7	0·84	16	1·92	—	—	4	14	2	—	—	—	—
Bedwellty ..	28,000	40	1·43	105	3·75	5	—	4	33	5	—	—	24	—
Blaenavon ..	9,812	16	1·63	46	4·69	2	—	2	15	7	—	—	2	—
Caerleon ..	3,461	1	0·29	—	—	1	—	—	1	2	—	—	—	—
Chepstow ..	4,239	11	2·69	9	2·12	—	—	1	2	—	—	—	—	—
Cwmbran ..	11,070	16	1·45	—	—	—	—	—	17	1	—	—	—	—
Ebbw Vale ..	29,910	124	4·15	16	0·53	8	1	22	95	16	—	—	5	—
Monmouth M.B.	5,033	20	3·97	6	1·19	—	—	—	—	—	—	—	1	—
Mynyddialwyn ..	13,130	9	0·69	44	3·35	1	—	3	8	15	—	—	—	—
Nantyglo and Blaina	11,610	31	2·67	21	1·81	2	—	3	17	12	—	—	1	—
Pontypool ..	40,930	54	1·32	48	1·17	5	1	10	19	11	—	1	2	—
Rhymney ..	9,270	13	1·40	18	1·94	5	—	7	—	—	—	—	2	—
Risca ..	14,610	26	1·78	11	0·75	3	1	3	14	17	—	—	2	—
Tredegar ..	20,600	26	1·26	39	1·89	13	—	29	43	9	—	—	—	—
Usk ..	1,334	4	3·00	—	—	—	—	2	2	2	—	—	1	—
RURAL DISTRICTS ..	40,480	71	1·75	41	1·01	3	3	3	1	4	—	—	—	—
Abergavenny ..	8,394	8	0·95	8	0·95	—	3	—	—	—	—	—	—	—
Chepstow ..	8,862	19	2·14	18	2·03	2	—	—	—	1	—	—	—	—
Magor and St. Mellons	11,710	19	1·62	13	1·11	1	—	—	1	2	—	—	—	—
Monmouth ..	5,950	18	3·03	1	0·17	—	—	—	—	1	—	—	—	—
Pontypool ..	5,564	7	1·26	1	0·18	—	—	3	—	—	—	—	—	—
MONTGOMERYSHIRE : ADMIN. COUNTY ..	45,710	85	1·86	54	1·18	7	—	11	56	1	3	1	—	—
URBAN DISTRICTS ..	16,670	40	2·40	33	1·98	4	—	5	9	1	1	1	—	—
Llanfyllin M.B.	1,377	25	18·16	—	—	1	—	—	—	—	—	—	—	—
Llanidloes M.B.	2,333	11	4·71	—	—	—	—	1	—	—	—	—	—	—
Machynlleth ..	1,901	—	—	11	5·79	1	—	—	—	—	—	—	1	—
Montgomery M.B.	850	2	2·35	—	—	—	—	1	1	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Estimated Population for calculation of death rates, etc., 1939.	Scarlet fever.		Diphtheria.		†Puerperal Pyrexia.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
		Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MONTGOMERYSHIRE— <i>ctd.</i> U.D's.— <i>contd.</i>														
Newtown and Llanllwchaearn	4,812	1	0·21	22	4·57	—	—	3	2	—	1	—	—	—
Welshpool M.B. ..	5,397	1	0·19	—	—	2	—	—	6	1	—	—	—	—
RURAL DISTRICTS ..	29,040	45	1·55	21	0·72	3	—	6	47	—	2	—	—	—
Forden ..	4,987	4	0·80	6	1·20	—	—	2	18	—	1	—	—	—
Llanfyllin ..	10,920	18	1·65	—	—	3	—	1	14	—	1	—	—	—
Machynlleth ..	3,321	—	—	13	3·91	—	—	—	—	—	—	—	—	—
Newtown and Llanidloes	9,812	23	2·34	2	0·20	—	—	3	15	—	—	—	—	—
PEMBROKESHIRE : ADMIN. COUNTY ..	83,720	82	0·98	34	0·41	12	2	20	45	4	—	—	4	1
URBAN DISTRICTS ..	40,150	59	1·47	27	0·67	7	2	14	26	4	—	—	—	1
Fishguard and Goodwick	4,898	1	0·20	2	0·41	—	—	1	—	—	—	—	—	—
Haverfordwest M.B.	6,689	17	2·54	1	0·15	1	2	—	4	—	—	—	—	—
Milford Haven ..	10,280	7	0·68	6	0·58	3	—	7	5	—	—	—	—	—
Narberth ..	981	—	—	—	—	—	—	—	1	—	—	—	—	—
Neyland ..	2,080	6	2·88	1	0·48	—	—	—	1	1	—	—	—	—
Pembroke M.B.	11,400	25	2·19	11	0·96	3	—	4	15	—	—	—	—	1
Tenby M.B. ..	3,822	3	0·78	6	1·57	—	—	2	—	3	—	—	—	—
RURAL DISTRICTS ..	43,570	23	0·53	7	0·16	5	—	6	19	—	—	—	4	—
Cemaes ..	8,849	6	0·68	1	0·11	3	—	1	14	—	—	—	1	—
Haverfordwest ..	19,720	9	0·46	5	0·25	1	—	5	3	—	—	—	—	—
Narberth ..	9,923	—	—	—	—	—	—	—	3	—	—	—	—	—
Pembroke ..	5,078	8	1·58	1	0·20	1	—	—	1	—	—	—	1	—
RADNORSHIRE : ADMIN. COUNTY ..	19,780	34	1·72	18	0·91	2	—	5	9	—	—	—	—	—
URBAN DISTRICTS ..	5,710	22	3·85	1	0·18	—	—	1	3	—	—	—	—	—
Knighton ..	1,752	2	1·14	—	—	—	—	—	3	—	—	—	—	—
Llandrindod Wells	2,874	18	6·26	1	0·35	—	—	—	—	—	—	—	—	—
Presteign ..	1,084	2	1·85	—	—	—	—	1	—	—	—	—	—	—
RURAL DISTRICTS ..	14,070	12	0·85	17	1·21	2	—	4	6	—	—	—	—	—
Colwyn ..	1,815	1	0·55	10	5·51	—	—	—	2	—	—	—	—	—
Knighton ..	3,485	4	1·15	—	—	1	—	—	1	—	—	—	—	—
New Radnor ..	2,351	—	—	—	—	—	—	2	1	—	—	—	—	—
Painscastle ..	1,969	4	2·03	—	—	—	—	—	1	—	—	—	—	—
Rhayader ..	4,450	3	0·67	7	1·57	1	—	2	1	—	—	—	—	—

† By virtue of the Public Health Act, 1936, in all areas outside London A.C., conditions notifiable as puerperal fever prior to the 1st October, 1937, are, from that date, notifiable as and included with notifications of puerperal pyrexia. The London puerperal fever notifications, which in the foregoing table have been included with the puerperal pyrexia cases for convenience, are as follows:—

	No.	Metropolitan Boroughs—continued.	No.
County of London	170	Holborn	—
City of London	—	Islington	8
Inner and Middle Temples ..	—	Kensington	6
Metropolitan Boroughs:—		Lambeth	7
Battersea	10	Lewisham	2
Bermondsey	—	Paddington	18
Bethnal Green	4	Poplar	7
Camberwell	5	St. Marylebone	11
Chelsea	2	St. Pancras	7
Deptford	4	Shoreditch	3
Finsbury	5	Southwark	5
Fulham	4	Stepney	5
Greenwich	7	Stoke Newington	6
Hackney	21	Wandsworth	8
Hammersmith	6	Westminster, City of ..	3
Hampstead	1	Woolwich	6

TABLE 30.—AIR TEMPERATURE, RAINFALL AND SUNSHINE, ENGLAND AND WALES DURING THE YEAR 1939*

District.	Air Temperature.			Rainfall.		Sun- shine.	Average Values, 1881-1915.			
	Highest.	Lowest.	Difference from Average Daily Mean.	Percentage of Average.	Number of Days Difference from Average.	Percentage of Average.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
	Year 1939.						Years 1881-1915.			
	°F.	°F.	°F.	%		%	°F.	m.m.		hr.
England N.E. . .	87	11	+ 0.9	111	+ 2	96	47.3	645	188	3.93
England E. . .	87	12	+ 0.5	129	— 1	95	48.4	610	181	4.32
Midland Counties	89	5	+ 0.6	109	—18	95	47.9	686	181	3.82
England S.E. . .	90	10	+ 0.4	126	+ 2	102	49.5	709	175	4.49
England N.W.†	89	8	+ 0.7	101	— 4	102	48.2	901	201	3.89
England S.W.†. .	89	11	+ 0.7	108	— 1	98	49.5	1001	199	4.28
Mean	90	5	+ 0.6	114	— 3	98	48.5	759	187	4.12

* For similar values for each month and quarter, see the Registrar-General's Quarterly Returns.

† The district known as England N.W., includes the Northern half of Wales, whilst England S.W., includes the Southern half.

TABLE 31.—QUARTERLY METEOROLOGICAL ELEMENTS. GREENWICH, 1939

1st Quarter: Jan., Feb., Mar.	2nd Quarter: April, May, June, July, Aug., Sept., Oct., Nov., Dec.	Temperature of							Vapour Pressure in Millibars.		Mass of Vapour in a Cubic Metre of Air.		Degree of Humidity		Mean Air Pressure at Station Level in Millibars.		Mass of a Cubic Metre of Air.		Rain.		Readings of Thermometer on Grass.				
		Air.		Evaporation.		Dew Point.		Air Daily Range.		Mean.	gms.	gms.	%	Mean.	mb.	mb.	gms.	mm.	Amount in Millimetres.	Difference from Average of 86 years.	At or below 30° F.	Between 30° and 40° F.	Above 40° F.	Lowest Reading at Night	Highest Reading at Night.
		Mean of Maximum and Minimum.	Difference from Average of 130 years.	Difference from Average of 60 years.	Mean of "Wet Bulb" Readings at 9h. and 21h.	Difference from Average of 60 years.	Mean.	Difference from Average of 60 years.	Mean of 9h. and 21h.																
1939.	Year	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	mb.	gms.	gms.	%	mb.	mb.	gms.	mm.	mm.					°F.	°F.	
4th	3rd	50.6	+1.9	+1.247.3	+0.844.3	+0.813.6	-2.2	10.4	+0.5	7.9	+0.2	81	-1	1009.3	+0.3	1240	-1	761	+131	77	139	149	15	60	
1st Quarter		42.6	+3.7	+2.839.8	+2.036.9	+1.710.3	-1.5	7.5	+0.5	5.8	+0.3	82	-2	1007.5	-1.3	1256	-8	161	+36	34	44	12	19	46	
2nd		53.4	+1.0	+0.549.3	+0.244.7	-0.518.0	-1.9	10.3	-0.1	7.8	0.0	73	-4	1010.9	+1.7	1231	-1	140	-3	15	38	38	23	56	
3rd		61.6	+1.8	+1.257.3	+0.854.5	+1.516.2	-3.5	14.6	+1.0	11.1	+0.6	80	+3	1010.8	+1.2	1224	+10	169	-13	2	17	73	27	60	
4th		44.7	+1.0	+0.343.0	+0.441.2	+0.6	9.9	-1.8	9.1	+0.4	7.1	0.0	89	0	1007.8	-0.3	1249	-4	291	+111	26	40	26	50	

* Height of barometer cistern above mean sea level = 152 feet (average correction to sea level + 5.6 mb.).

In this table +, - respectively signify that the numbers in the preceding column are above or below the average to which the signs are affixed.

Pressure is expressed in millibars (1,000 mb. = 29.531 mercury inches).

Density is expressed in grams per cubic metre (2.294 grams per cubic foot).

TABLE 32.—METEOROLOGICAL

Year	Mean Weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910)	Fall of Rain in Inches and in Millimetres.		Departure from Average of 50 Years (1861-1910)	Mean Degree of Humidity of the Air (Saturation =100).	Departure from Average of 50 Years (1861-1910)	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910)
	Miles.	Miles.	in.	mm.	mm.	%	%	°F.	°F.
1890 ..	1946	— 5	21.9	555	— 55	81	0	48.6	— 0.9
1891 ..	1945	— 6	25.0	636	+ 26	82	+ 1	48.4	— 1.1
1892 ..	1863	— 88	22.3	567	— 43	80	— 1	48.1	— 1.4
1893 ..	1909	— 42	20.1	511	— 99	76	— 5	51.1	+ 1.6
1894 ..	2019	+ 68	26.9	683	+ 73	81	0	49.9	+ 0.4
1895 ..	1951	0	19.7	501	—109	78	— 3	49.3	— 0.2
1896 ..	1932	— 19	22.4	569	— 41	79	— 2	50.2	+ 0.7
1897 ..	2033	+ 82	22.1	562	— 48	79	— 2	50.3	+ 0.8
1898 ..	1956	+ 5	18.9	479	—131	78	— 3	51.3	+ 1.8
1899 ..	1911	— 40	22.3	567	— 43	77	— 4	50.6	+ 1.1
1900 ..	2050	+ 99	22.3	567	— 43	79	— 2	50.4	+ 0.9
1901 ..	1970	+ 19	20.3	515	— 95	78	— 3	49.2	— 0.3
1902 ..	1933	— 18	19.3	491	—119	80	— 1	49.2	— 0.3
1903 ..	2226	+275	35.5	903	+293	80	— 1	50.1	+ 0.6
1904 ..	1913	— 38	20.7	525	— 85	82	+ 1	49.8	+ 0.3
1905 ..	2063	+112	23.0	585	— 25	81	0	49.9	+ 0.4
1906 ..	2093	+142	24.7	628	+ 18	79	— 2	50.7	+ 1.2
1907 ..	1977	+ 26	22.3	565	— 45	81	0	49.7	+ 0.2
1908 ..	1932	— 19	23.8	604	— 6	83	+ 2	50.1	+ 0.6
1909 ..	2041	+ 90	25.7	653	+ 43	83	+ 2	48.9	— 0.6
1910 ..	2155	+204	28.1	713	+103	84	+ 3	50.2	+ 0.7
1911 ..	2140	+189	23.7	601	— 9	79	— 2	51.8	+ 2.3
1912 ..	2085	+134	24.9	632	+ 22	83	+ 2	51.0	+ 1.5
1913 ..	2030	+ 79	22.4	570	— 40	83	+ 2	51.3	+ 1.8
1914 ..	2087	+136	23.9	606	— 4	81	0	51.5	+ 2.0
1915 ..	1932	— 19	30.6	776	+166	82	+ 1	49.9	+ 0.4
1916 ..	2040	+ 89	29.8	757	+147	84	+ 3	49.9	+ 0.4
1917 ..	2059	+108	26.0	660	+ 50	82	+ 1	48.9	— 0.6
1918 ..	1993	+ 42	28.4	722	+112	82	+ 1	50.6	+ 1.1
1919 ..	1940	— 11	23.0	586	— 24	81	0	48.8	— 0.7
1920 ..	1918	— 33	21.5	546	— 64	82	+ 1	51.1	+ 1.6
1921 ..	1855	— 96	12.8	318	—292	77	— 4	52.7	+ 3.2
1922 ..	2043	+ 92	23.2	589	— 21	80	— 1	49.4	— 0.1
1923 ..	2055	+104	24.0	610	0	81	0	50.3	+ 0.8
1924 ..	1947	— 4	30.6	779	+169	83	+ 2	50.6	+ 1.1
1925 ..	1957	+ 6	23.4	594	— 16	81	0	50.5	+ 1.0
1926 ..	1948	— 3	28.1	714	+104	82	+ 1	51.1	+ 1.6
1927 ..	†2003	+ 52	29.4	746	+136	83	+ 2	50.2	+ 0.7
1928 ..	2086	+135	25.3	643	+ 33	80	— 1	51.1	+ 1.6
1929 ..	1846	—105	21.7	551	— 59	78	— 3	50.1	+ 0.6
1930 ..	1979	+ 28	27.4	696	+ 86	79	— 2	51.2	+ 1.7
1931 ..	1968	+ 17	24.9	634	+ 24	82	+ 1	49.9	+ 0.4
1932 ..	1970	+ 19	24.7	628	+ 18	82	+ 1	50.7	+ 1.2
1933 ..	1871	— 80	17.0	430	—180	79	— 2	50.5	+ 1.0
1934 ..	1891	— 60	19.5	496	—114	81	0	51.7	+ 2.2
1935 ..	2070	+109	25.6	651	+ 41	79	— 2	51.3	+ 1.8
1936 ..	††1915	— 36	24.6	625	+ 15	83	+ 2	50.5	+ 1.0
1937 ..	1786	—165	28.8	730	+120	83	+ 2	51.1	+ 1.6
1938 ..	2080	+129	19.7	500	—110	78	— 3	51.5	+ 2.0
1939 ..	Not available		30.0	762	+152	81	0	50.6	+ 1.1
Average 50 years (1861-1910)	1951	—	24.0	610	—	81	—	49.5	—

† Mean of 52 weeks only (50th week—defective record).
†† Mean of 51 weeks only (4th and 5th weeks missing).

Corresponding values from the year 1849 are

ELEMENTS, GREENWICH, 1889-1939.

Mean Temperature of the Air in the Quarters ended the last day of								Year.
March.	Departure from Average of 50 Years (1861-1910)	June.	Departure from Average of 50 Years (1861-1910)	September.	Departure from Average of 50 Years (1861-1910)	December	Departure from Average of 50 Years (1861-1910)	
°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	
41.4	+ 1.4	52.8	— 0.2	58.4	— 2.1	40.8	— 3.5	1890
37.6	— 2.4	51.6	— 1.4	59.3	— 1.2	45.0	+ 0.7	1891
37.5	— 2.5	53.4	+ 0.4	59.2	— 1.3	42.3	— 2.0	1892
40.9	+ 0.9	57.0	+ 4.0	61.9	+ 1.4	44.6	+ 0.3	1893
41.4	+ 1.4	53.3	+ 0.3	58.6	— 1.9	46.4	+ 2.1	1894
35.2	— 4.8	55.1	+ 2.1	62.3	+ 1.8	44.7	+ 0.4	1895
42.2	+ 2.2	55.6	+ 2.6	60.4	— 0.1	42.4	— 1.9	1896
41.1	+ 1.1	53.1	+ 0.1	60.9	+ 0.4	46.0	+ 1.7	1897
41.5	+ 1.5	52.4	— 0.6	62.7	+ 2.2	48.5	+ 4.2	1898
41.8	+ 1.8	52.8	— 0.2	63.0	+ 2.5	44.7	+ 0.4	1899
39.2	— 0.8	52.8	— 0.2	61.8	+ 1.3	47.6	+ 3.3	1900
37.8	— 2.2	53.4	+ 0.4	61.7	+ 1.2	43.9	— 0.4	1901
40.5	+ 0.5	51.0	— 2.0	59.6	— 0.9	45.2	+ 0.9	1902
43.9	+ 3.9	51.2	— 1.8	60.0	— 0.5	45.2	+ 0.9	1903
39.5	— 0.5	53.8	+ 0.8	61.5	+ 1.0	44.3	0.0	1904
41.9	+ 1.9	53.8	+ 0.8	61.7	+ 1.2	42.2	— 2.1	1905
41.1	+ 1.1	52.8	— 0.2	63.2	+ 2.7	45.8	+ 1.5	1906
40.0	0.0	52.9	— 0.1	60.1	— 0.4	45.8	+ 1.5	1907
39.5	— 0.5	53.8	+ 0.8	60.3	— 0.2	46.6	+ 2.3	1908
38.4	— 1.6	52.5	— 0.5	59.7	— 0.8	44.8	+ 0.5	1909
41.5	+ 1.5	54.2	+ 1.2	59.3	— 1.2	45.6	+ 1.3	1910
40.3	+ 0.3	54.9	+ 1.9	65.7	+ 5.2	46.2	+ 1.9	1911
43.6	+ 3.6	55.3	+ 2.3	58.9	— 1.6	45.9	+ 1.6	1912
42.4	+ 2.4	54.5	+ 1.5	60.2	— 0.3	47.8	+ 3.5	1913
42.5	+ 2.5	54.9	+ 1.9	62.2	+ 1.7	46.5	+ 2.2	1914
40.8	+ 0.8	53.4	+ 0.4	60.9	+ 0.4	44.3	0.0	1915
41.5	+ 1.5	53.0	0.0	60.4	— 0.1	44.7	+ 0.4	1916
36.4	— 3.6	54.5	+ 1.5	61.7	+ 1.2	43.1	— 1.2	1917
42.3	+ 2.3	53.2	+ 0.2	60.7	+ 0.2	46.1	+ 1.8	1918
38.1	— 1.9	54.3	+ 1.3	60.2	— 0.3	42.5	— 1.8	1919
44.3	+ 4.3	55.3	+ 2.3	59.1	— 1.4	45.4	+ 1.1	1920
44.5	+ 4.5	54.9	+ 1.9	64.2	+ 3.7	47.2	+ 2.9	1921
41.2	+ 1.2	54.2	+ 1.2	58.1	— 2.4	44.2	— 0.1	1922
44.8	+ 4.8	51.4	— 1.6	61.8	+ 1.3	43.0	— 1.3	1923
39.8	— 0.2	54.6	+ 1.6	60.8	+ 0.3	47.1	+ 2.8	1924
42.2	+ 2.2	55.0	+ 2.0	60.9	+ 0.4	44.0	— 0.3	1925
43.8	+ 3.8	53.9	+ 0.9	63.0	+ 2.5	43.9	— 0.4	1926
42.8	+ 2.8	53.8	+ 0.8	60.6	+ 0.1	43.6	— 0.7	1927
43.4	+ 3.4	53.1	+ 0.1	62.2	+ 1.7	45.9	+ 1.6	1928
37.0	— 3.0	53.0	0.0	64.0	+ 3.5	46.4	+ 2.1	1929
42.0	+ 2.0	55.0	+ 2.0	61.8	+ 1.3	45.9	+ 1.6	1930
39.7	— 0.3	54.6	+ 1.6	59.2	— 1.3	46.0	+ 1.7	1931
40.9	+ 0.9	53.1	+ 0.1	63.1	+ 2.6	45.4	+ 1.1	1932
41.2	+ 1.2	55.9	+ 2.9	65.5	+ 5.0	43.0	— 1.3	1933
40.1	+ 0.1	55.3	+ 2.3	63.6	+ 3.1	47.8	+ 3.5	1934
42.8	+ 2.8	53.9	+ 0.9	63.6	+ 3.1	44.9	+ 0.6	1935
41.3	+ 1.3	53.9	+ 0.9	61.9	+ 1.4	45.0	+ 0.7	1936
41.6	+ 1.6	55.4	+ 2.4	63.2	+ 2.7	44.1	— 0.2	1937
44.7	+ 4.7	53.0	0.0	61.6	+ 0.9	46.6	+ 2.3	1938
41.9	+ 1.9	53.6	+ 0.6	55.7	— 4.8	44.4	+ 0.1	1939
40.0	—	53.0	—	60.5	—	44.3	—	Average 50 years (1861-1910)

APPENDIX A. ESTIMATED RESIDENT MID-YEAR POPULATION, 1939, OF AREAS AS CONSTITUTED AFTER CHANGE OF BOUNDARY DURING THE YEAR. (SUPPLEMENTARY TO TABLE 17).

Areas in which a change of boundary occurred during 1939.			Estimated Resident Mid-year Population.	Areas in which a change of boundary occurred during 1939.			Estimated Resident Mid-year Population.
<i>Density Summary (Greater London excluded)</i>				Leicestershire :—			
County Boroughs			12,835,200	County Borough			
Urban Districts			12,644,487	Leicester			262,900*
Rural Districts			7,252,313	Urban Districts			143,900*
				Wigston			12,960*
Bedfordshire :—				Northamptonshire :—			
Urban Districts			178,650	Urban Districts			116,470
Luton M.B.			92,100	Corby			7,970
Rural Districts			86,890	Rural Districts			105,630
Luton R.D.			15,710	Kettering			10,420
Cheshire :—				Yorkshire West Riding			
Urban Districts			577,200	Urban Districts			1,120,167
Hazel Grove & Bramhall			17,880	Garforth			11,720
Rural Districts			162,200	Hoyland Nether			14,910
Macclesfield			18,220	Midgley			—
Devonshire :—				Sowerby Bridge			19,220
County Boroughs			293,190	Wombwell			17,800
Plymouth			223,300	Worsborough			13,250
Administrative County			453,600	Rural Districts			383,233
Rural Districts			220,000	Hepton			4,451
Plympton St. Mary			27,240	Rotherham			40,570
				Tadcaster			23,860

* No population was involved in this change. The population, therefore, is the same as in Table 17.

APPENDIX B.I. CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1939, classified according to the detailed International List of Causes of Death (Fifth revision, 1938)—England and Wales.

(Non-civilian deaths registered on and after 3rd September are excluded. See page 333).
NOTE—In this table, deaths are classified by cause not only according to the new detailed list but also according to the new method of selection of one from two or more jointly stated causes (see pp. vi-vii of the Manual of the International List of Causes of Death—5th Decennial Revision). Comparison of the figures with those in Table 21 will furnish an indication of the extent to which classification has been affected by the dual change.
Causes to which, as a rule, few deaths are assigned are dealt with as in Table 21—see note to that table.

Causes of Death.	All Causes.		I. 1-44 Infective and Parasitic Diseases.		1-26 Diseases due to bacteria.		1 Typhoid fever.		2 Paratyphoid fever.		3, 4, 5* Cerebro-spinal (meningococcal) meningitis.		7* Scarlet fever.		9 Whooping cough.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at death.																
All Ages	254945	244023	24770	19096	17485	13135	46	44	9	13	289	214	89	92	539	690
0—	17870	13320	929	792	658	608	—	1	—	—	77	49	3	3	326	363
1—	4299	3625	1434	1360	1228	1178	—	1	—	—	60	59	37	30	199	303
5—	2361	1836	873	765	772	702	—	2	1	1	20	19	16	23	10	20
10—	1649	1467	403	497	355	433	2	—	—	—	13	13	10	7	—	2
15—	3281	2939	1126	1492	1004	1398	3	2	—	2	32	13	7	8	2	—
20—	3699	3413	1348	1715	1229	1618	5	6	—	—	20	6	2	3	—	—
25—	4394	4276	1616	1778	1465	1604	9	3	—	—	9	10	5	3	—	—
30—	4721	4455	1572	1368	1355	1206	8	3	2	2	10	6	1	1	—	1
35—	5841	5051	1735	1176	1443	952	5	4	—	1	12	8	3	4	—	—
40—	6805	6176	1688	999	1321	746	1	3	2	2	6	7	3	—	—	—
45—	9753	8293	2008	943	1464	632	6	2	—	1	8	5	2	5	—	—
50—	14732	11355	2236	934	1537	543	2	6	1	1	5	4	—	2	2	—
55—	20478	15173	2294	858	1452	450	2	5	—	—	8	9	—	1	—	—
60—	27155	20975	1944	929	1092	420	2	1	1	1	5	4	—	2	—	1
65—	31807	27029	1468	839	683	282	1	3	1	1	2	1	—	—	—	—
70—	34354	32795	959	840	284	192	—	1	1	1	2	1	—	—	—	—
75—	30698	34083	640	783	101	107	—	—	—	—	—	—	—	—	—	—
80—	31048	47762	497	1028	42	64	—	1	—	—	—	—	—	—	—	—

* 3, Plague —; 4, Cholera —; 5, Undulant fever (brucellosis) 50, 50, 30, 40, 50, 50; 7, Malignant pustule and anthrax 35, 40, 50, 55, 55, 65, 50, 75.

† In addition to these numbers, 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934.

Causes of Death.	10 Diphtheria.		11 Erysipelas.		12 Tetanus.		13-22 All forms.		13 Respiratory system.		13 (a) With mention of occupational disease of lung.		13 (b) Without mention of occupational disease of lung.		13 (c)* 14 Meninges and central nervous system.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.																
All Ages	1098	1032	127	121	62	23	14905	10692	12683	8840	132	9	12546	8829	863	816
0—	23	18	16	6	—	2	176	138	24	15	—	—	24	15	90	74
1—	414	361	2	1	4	1	499	412	55	38	—	—	55	38	324	280
5—	477	436	—	1	10	5	226	189	21	28	—	—	21	28	129	108
10—	127	126	1	3	10	—	180	276	48	129	—	—	48	129	80	99
15—	27	35	1	1	4	—	916	1326	664	1080	—	—	664	1080	88	108
20—	8	11	3	3	3	3	1178	1573	1016	1437	—	1	1016	1436	33	47
25—	4	11	4	3	2	1	1424	1566	1255	1440	2	1	1253	1438	43	23
30—	7	10	2	2	4	2	1308	1169	1196	1055	1	—	1195	1055	16	25
35—	4	2	6	5	3	2	1391	914	1271	838	8	2	1260	836	16	14
40—	2	2	—	4	4	1	1287	720	1200	663	11	1	1189	662	12	10
45—	1	7	5	5	1	1	1417	588	1339	524	11	2	1327	522	11	11
50—	—	3	8	11	4	1	1485	504	1403	458	28	1	1375	457	7	7
55—	3	3	11	11	—	1	1392	404	1312	355	25	—	1287	355	3	6
60—	—	4	10	16	7	—	1045	374	985	335	20	—	965	334	8	3
65—	—	2	10	9	2	2	633	256	584	220	17	1	567	219	1	1
70—	1	—	23	14	3	—	246	158	224	130	8	—	216	130	1	—
75—	—	—	14	10	1	1	80	89	69	74	1	—	68	74	—	—
80—	—	1	11	16	—	—	22	36	17	21	—	—	16	21	1	—

* 13 (c), Tuberculosis of unspecified site 35, 35, 35, 45, 80, 25, 60.

Causes of Death.	Tuberculosis																21 (b)*	
	15 Intestines and peritoneum		16 Vertebral column.		17 Other bones and joints.		18 Skin and subcutaneous cellular tissue.		19 Lymphatic system.		20 Genito-urinary system.		21 Other organs.		21 (a) Addison's disease specified as tuberculous.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	341	321	257	155	141	90	18	17	23	29	205	108	13	19	9	11		
0—	24	16	—	—	2	—	—	—	5	1	—	—	1	—	1	—		
1—	48	39	8	7	7	2	—	—	1	4	2	2	—	—	—	—		
5—	25	18	14	2	6	3	—	—	4	—	2	—	—	—	—	—		
10—	11	17	11	5	6	2	—	—	1	2	4	2	1	—	—	—		
15—	39	43	24	20	20	10	—	—	2	2	22	9	4	2	2	1		
20—	27	25	26	11	13	7	1	1	1	1	27	11	1	3	—	1		
25—	34	35	37	20	7	5	1	2	1	—	21	18	1	2	1	1		
30—	25	32	19	15	11	5	3	—	1	—	17	17	1	—	1	—		
35—	21	18	27	11	10	3	5	1	1	2	25	14	1	1	1	—		
40—	13	20	15	6	7	6	—	1	—	—	22	4	1	3	1	3		
45—	13	12	10	13	4	6	2	1	—	1	20	8	—	1	—	1		
50—	19	9	13	10	10	4	—	—	—	1	17	4	—	1	—	—		
55—	17	13	15	9	11	7	1	1	1	1	11	6	1	2	1	1		
60—	11	7	13	6	6	7	3	3	1	1	7	6	1	3	1	3		
65—	7	7	17	6	10	11	2	2	3	3	3	3	—	1	—	—		
70—	3	7	7	5	4	4	—	3	1	6	3	2	—	—	—	—		
75—	4	3	—	5	4	3	—	1	—	2	2	—	—	—	—	—		
80—	—	—	1	4	3	5	—	1	—	2	—	2	—	—	—	—		

* 21 (b), Other sites included under 21 10, 15, 15, 20, 15, 20, 20, 25, 35, 50, 55, 65.

Causes of Death.	Tuberculosis						23*		24 (a) Septicæmia.		24 (b) Pyæmia.		24 (c) (d)*		26*	
	22 Dis-seminated tuberculosis.		22 (a) Acute generalised military tuberculosis.		22 (b)* 22 (c) Not distinguished as acute or chronic.		24 Purulent infection and septicæmia.						25 Gonococcal infections.		27 Dysentery.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	361	297	35	32	325	264	289	196	236	166	51	26	23	12	62	33
0—	30	32	3	1	27	31	33	19	27	15	6	4	4	9	4	3
1—	54	40	7	5	47	34	13	10	10	8	3	2	—	—	4	5
5—	25	30	1	—	24	30	12	6	9	5	3	1	—	—	2	1
10—	18	20	1	2	17	18	12	6	11	6	1	—	—	—	—	—
15—	53	52	8	6	45	46	12	11	8	9	4	2	—	—	2	—
20—	33	30	2	4	31	26	9	11	8	10	1	1	1	2	1	1
25—	24	21	2	4	22	17	7	7	5	7	2	—	1	—	2	1
30—	19	20	—	4	19	16	13	9	12	6	1	2	—	—	4	2
35—	14	12	2	—	12	12	17	11	10	10	6	1	1	1	6	3
40—	17	7	2	2	15	5	13	6	10	5	3	1	1	—	8	—
45—	18	11	2	1	16	10	22	18	19	15	3	3	2	—	4	3
50—	16	10	1	2	15	8	21	8	19	6	2	2	6	—	4	2
55—	20	4	3	—	17	4	32	16	28	15	4	1	2	—	5	2
60—	10	3	1	—	8	3	21	17	15	13	6	3	1	—	5	3
65—	6	2	—	—	6	2	29	8	25	6	4	1	4	—	3	2
70—	3	1	—	—	3	1	8	17	7	15	1	1	—	—	3	2
75—	1	1	—	—	1	1	6	6	4	6	1	—	—	—	5	—
80—	—	1	—	1	—	—	9	10	9	9	—	1	—	—	—	3

* 22 (b), Chronic generalised tuberculosis 60, 1; 23, Leprosy 40; 24 (c), Gas-gangrene 35, 75, 65; 24 (d), Generalised infection by bacillus coli 30, 60, 70; 26, Other bacterial diseases (dysentery excepted) —.

APPENDIX B.I.—continued.

Causes of Death.	27 (a) Bacillary dysentery.		27 (b) (c)*		28-29 Diseases due to protozoa.		28 Malaria		29*		30 Syphilis		30 (a) Locomotor ataxia (tabes dorsalis).		30 (b) General paralysis of the insane.	
			27 (d) Other or unspecified forms of dysentery.						30-32 Diseases due to spirochætes.							
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	36	27	18	4	22	1	20	—	2406	929	2383	911	361	76	562	183
0—	2	3	2	—	—	—	—	—	58	51	57	50	—	—	—	—
1—	2	4	2	1	—	—	—	—	5	2	5	2	—	—	—	—
5—	—	1	2	—	—	—	—	—	6	2	4	—	—	—	2	—
10—	—	—	—	—	—	—	—	—	6	5	5	3	—	—	1	2
15—	2	—	—	—	—	—	—	—	13	17	13	16	—	—	5	6
20—	1	1	—	—	—	—	—	—	14	8	14	8	—	1	5	1
25—	2	1	—	—	1	—	1	—	19	27	16	26	—	1	5	4
30—	3	2	1	—	2	—	2	—	40	7	39	6	1	—	17	1
35—	4	2	1	—	1	—	—	—	85	47	83	47	1	3	44	18
40—	4	—	1	—	2	—	2	—	148	73	147	72	17	4	70	31
45—	2	2	1	1	2	—	2	—	246	108	244	106	18	7	121	35
50—	2	1	2	1	4	—	3	—	332	121	327	121	40	14	93	34
55—	3	1	1	—	1	—	1	—	412	113	411	112	72	9	83	27
60—	3	3	1	—	3	—	3	—	397	105	395	103	76	10	74	14
65—	2	2	1	—	5	—	5	—	313	101	312	100	67	15	26	7
70—	1	1	2	1	—	1	—	—	190	67	190	66	46	8	11	1
75—	3	—	1	—	1	—	1	—	97	43	96	42	20	3	3	1
80—	—	3	—	—	—	—	—	—	25	32	25	31	3	1	2	1

* 27 (b), Amœbic dysentery 35, 40, 40, 45, 55, 60, 75, 35, 55; 27 (c), Other protozoal dysentery 40. 29, Other diseases due to parasitic protozoa except spirochætes 35, 50, 70.

Causes of Death.	30 (c) Aneurysm of aorta.		30 (d) Other forms of syphilis.		30 (da) Congenital syphilis.		30 (db, dc, dd) Other or unspecified syphilis.		31* 32 Other diseases due to spirochætes.		32 (a)* 32 (b) Other diseases included under 32.		33-38 Diseases due or attributed to filterable viruses.		33 Influenza.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	688	311	772	341	77	71	695	270	23	18	9	17	4397	4738	3827	4192
0—	—	—	57	50	57	50	—	—	1	1	1	1	203	125	140	80
1—	—	—	5	2	5	2	—	—	—	—	—	—	194	172	84	75
5—	—	—	2	—	2	—	—	—	2	2	2	2	76	55	30	14
10—	—	—	4	1	4	1	—	—	1	2	1	2	30	56	15	38
15—	4	2	4	8	3	4	1	4	—	1	—	1	85	65	61	53
20—	4	1	5	5	3	3	2	2	—	—	—	—	80	65	58	49
25—	5	5	6	16	1	2	5	14	3	1	1	1	99	129	72	96
30—	11	—	10	5	1	—	9	5	1	1	—	1	128	130	90	99
35—	15	4	23	22	—	2	23	20	2	—	1	—	165	147	145	121
40—	24	9	36	28	—	1	36	27	1	1	—	1	174	163	155	140
45—	35	16	70	48	1	2	69	46	2	2	—	2	261	183	237	162
50—	93	31	101	42	—	3	101	39	5	—	2	—	336	252	310	229
55—	117	38	139	38	—	—	139	38	1	1	—	1	391	275	357	247
60—	118	48	127	31	—	—	127	31	2	2	—	2	420	383	384	348
65—	125	48	94	30	—	1	94	29	1	1	1	—	438	437	412	411
70—	78	48	55	9	—	—	55	9	—	1	—	1	463	562	448	541
75—	42	33	31	5	—	—	31	5	1	1	—	1	427	617	413	597
80—	17	28	3	1	—	—	3	1	—	1	—	1	427	922	416	892

* 31, Relapsing fever —; 32 (a), Spirochaetosis ictero-hæmorrhagica (Weil's disease), 25, 25, 30, 35, 40, 45, 45, 50, 50, 55, 60, 60, 75, 65.

APPENDIX B.I.—continued.

Causes of Death.	33 (a) With respiratory complications specified.		33 (a) (1) With pneumonic complications.		33 (a) (2) With other respiratory complications.		33 (b) Without respiratory complications specified.		33 (b) (1) With non-respiratory complications.		33 (b) (2) Without stated complications.		34* 35 Measles.		36 Acute poliomyelitis and polioencephalitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2730	2851	1825	1762	905	1089	1097	1341	757	909	340	432	156	147	83	60
0—	91	42	57	33	34	9	49	38	39	31	10	7	48	39	8	3
1—	44	41	42	35	2	6	40	34	37	33	3	1	85	77	15	11
5—	16	6	16	5	—	1	14	8	13	8	1	—	21	27	21	9
10—	8	27	7	23	1	4	7	11	5	10	2	1	1	1	12	11
15—	45	40	41	37	4	3	16	13	11	11	5	2	—	—	11	6
20—	38	44	33	41	5	3	20	5	17	5	3	—	—	—	6	3
25—	51	70	41	60	10	10	21	26	18	22	3	4	—	—	1	9
30—	70	78	65	61	5	17	20	21	15	18	5	3	1	1	3	3
35—	106	89	90	76	16	13	39	32	33	23	6	9	—	—	1	3
40—	124	111	102	89	22	22	31	29	21	22	10	7	—	—	1	—
45—	185	114	145	82	40	32	52	48	37	41	15	7	—	—	1	1
50—	252	176	188	141	64	35	58	53	44	43	14	10	—	—	2	1
55—	282	161	187	111	95	50	75	86	54	65	21	21	—	1	—	—
60—	283	248	183	168	100	80	101	100	75	72	26	28	—	1	1	—
65—	301	282	188	161	113	121	111	129	85	99	26	30	—	—	—	—
70—	299	348	181	192	118	156	149	193	91	135	58	58	—	—	—	—
75—	271	402	138	188	133	214	142	195	90	125	52	70	—	—	—	—
80—	264	572	121	259	143	313	152	320	72	146	80	174	—	—	—	—

* 34, Small-pox —.

Causes of Death.	36 (1) Acute poliomyelitis.		36 (2) Acute polioencephalitis.		37 Acute infectious encephalitis (lethargic or epidemic).		37 (a) Acute lethargic (or epidemic) encephalitis.		37 (b) Sequels of encephalitis lethargica.		37 (c) Unspecified encephalitis lethargica.		38 Other diseases due to viruses.		38 (a, b, d-f)* 38 (c) Herpes zoster.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	53	42	30	18	298	272	21	16	112	110	165	146	33	67	22	57
0—	5	1	3	2	1	1	—	—	—	—	1	1	6	2	—	—
1—	6	6	9	5	6	5	3	1	—	—	3	4	4	4	—	—
5—	13	7	8	2	3	3	—	1	—	—	3	2	1	2	—	—
10—	9	8	3	3	2	5	—	—	—	—	2	5	—	1	—	—
15—	9	4	2	2	13	6	2	1	—	—	11	5	—	—	—	—
20—	5	3	1	—	16	13	1	—	8	5	7	8	—	—	—	—
25—	1	7	—	2	26	24	3	3	8	6	15	15	—	—	—	—
30—	2	3	1	—	34	27	—	3	10	11	24	13	—	—	—	—
35—	—	2	1	1	19	23	—	1	4	11	15	11	—	—	—	—
40—	1	—	—	—	18	23	1	—	8	13	9	10	—	—	—	—
45—	—	1	1	—	23	20	4	2	12	7	7	11	—	—	—	—
50—	2	—	—	1	24	22	2	1	9	9	13	12	—	—	—	—
55—	—	—	—	—	34	24	4	—	14	12	16	12	—	3	—	3
60—	—	—	1	—	34	32	—	2	16	13	18	17	1	2	1	2
65—	—	—	—	—	25	18	1	1	12	7	12	10	1	8	1	8
70—	—	—	—	—	13	16	—	—	9	8	4	8	2	5	2	5
75—	—	—	—	—	7	7	—	—	2	5	5	2	7	13	7	13
80—	—	—	—	—	—	3	—	—	—	3	—	—	11	27	11	26

* 38 (a), Yellow fever —; 38 (b), Rabies —; 38 (d), German measles 0, 1, 10 38 (e), Varicella 0, 0, 0, 0, 0, 1, 1, 1, 1, 5, 0, 0, 1, 1, 1, 5, 5, 80; 38 (f), Other diseases included under 38 —.

APPENDIX B.I.—continued.

Causes of Death.	39*		40*		41 (a) (b) 42*		44 (a)* 44 Other infective or parasitic diseases.		44 (c) (d)* 44 (b) Pernicious lympho-granulomatosis.†		II. 45-57 Cancer and Other Tumours.		Cancer and other malignant tumours.			
	40-42 Diseases due to helminths.		41 Hydatid disease.		43 Mycoses								45-55 Total.		45 Buccal cavity and pharynx.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7	21	7	18	55	37	336	202	332	196	33038	36479	32077	35056	2432	561
0—	—	—	—	—	6	4	—	1	—	—	24	30	14	18	—	1
1—	—	—	—	—	2	—	1	3	1	1	73	63	56	48	—	1
5—	—	2	—	1	1	—	16	3	14	2	56	52	36	32	2	—
10—	—	—	—	—	—	—	12	3	12	3	48	45	32	28	2	1
15—	—	—	—	—	2	4	20	8	20	7	90	89	69	56	4	4
20—	—	—	—	—	4	3	20	20	20	20	128	103	106	75	7	2
25—	1	1	1	1	6	6	23	10	23	10	222	216	180	170	9	2
30—	2	—	2	—	4	2	37	21	37	21	351	455	308	399	6	6
35—	—	3	—	3	4	3	31	21	31	20	569	899	511	795	13	11
40—	1	2	1	2	6	3	28	12	28	12	868	1604	809	1475	24	22
45—	—	1	—	1	6	2	25	14	24	14	1513	2480	1426	2287	39	28
50—	1	1	1	—	3	2	19	13	19	13	2575	3432	2492	3251	112	46
55—	1	2	1	2	3	1	29	15	29	15	3856	4296	3736	4150	214	68
60—	—	3	—	3	1	2	26	13	25	13	5331	4910	5219	4791	428	73
65—	—	3	—	3	4	1	22	13	22	13	5983	5356	5897	5249	509	108
70—	—	2	—	1	2	1	17	13	17	13	5441	5090	5362	5013	484	73
75—	—	—	—	—	1	1	8	15	8	15	3751	4095	3704	4019	353	57
80—	1	1	1	1	—	2	2	4	2	4	2159	3264	2120	3200	226	58

* 39, Typhus and typhus-like diseases (Rickettsioses) —; 40, Ankylostomiasis —; 41 (a), Hydatid disease of liver 30, 40, 55, 80, 5, 25, 35, 35, 40, 40, 55, 65, 65, 70, 80; 41 (b) Hydatid disease of other or unspecified organs 25, 30, 50, 35, 45, 55, 60, 60, 60, 65; 42, Other diseases due to helminths 5, 50, 70; 44 (a), Venereal diseases (other than syphilis and gonorrhoea) 60, 15; 44 (c), Mumps, 5, 5, 0, 1, 1, 5, 35; 44 (d), Other diseases included under 44 45.
† Hodgkin's disease.

Causes of Death.	Cancer and other malignant tumours.															
	45 (a) Lips.		45 (b) Tongue.		45 (c) Other, etc. parts of buccal cavity.†		46 Digestive organs and peritoneum.		46 (a) Oesophagus		46 (b) Stomach and duodenum.		46 (c) Intestines other than duodenum or rectum.		46 (d) Rectum.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	235	23	812	122	1385	416	18977	16927	1561	722	7190	5860	4260	5420	3469	2096
0—	—	—	—	—	—	1	1	3	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	1	9	2	—	—	—	—	1	—	—	—
5—	—	—	—	—	2	—	4	4	—	—	—	—	—	—	—	—
10—	—	—	—	—	2	1	3	1	—	—	—	—	—	—	—	—
15—	—	—	—	—	4	4	9	6	—	—	3	—	5	1	—	3
20—	—	—	—	1	7	1	29	19	2	—	6	3	5	6	8	6
25—	—	—	—	—	9	2	69	63	2	2	16	23	28	15	17	10
30—	—	—	—	1	6	5	129	135	5	2	51	45	26	50	26	23
35—	1	1	2	1	10	9	237	220	8	7	117	79	48	69	41	35
40—	3	—	5	4	16	18	402	400	12	23	188	128	82	125	53	59
45—	4	—	10	5	25	23	745	720	30	33	383	256	131	221	98	96
50—	8	—	40	15	64	31	1351	1134	72	70	636	376	230	354	196	155
55—	15	2	79	12	120	54	2154	1675	180	81	915	591	398	477	373	222
60—	21	3	146	17	261	53	3151	2311	297	122	1202	855	642	658	594	270
65—	39	2	180	24	290	82	3697	2810	340	135	1392	991	813	857	689	350
70—	46	4	163	19	275	50	3401	3020	294	93	1198	1069	843	959	646	381
75—	44	5	131	11	178	41	2324	2481	212	85	736	846	623	885	474	271
80—	54	6	56	12	116	40	1262	1923	107	69	347	598	385	743	254	215

† The full title according to the detailed list is 45 (c) Other or unspecified parts of buccal cavity and pharynx.

APPENDIX B.I.—continued.

Causes of Death.	Cancer and other malignant tumours.													
	46 (e) Liver and biliary passages.		46 (f) Pancreas.		46 (h)* 46 (g) Peritoneum.		47 Respiratory system.		47 (a) Larynx and trachea.		47 (c)* 47 (b) Lung and pleura.		48 Uterus.	48 (a) Specified as cancer of cervix.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	F.	F.
All Ages	1244	1595	1123	1037	130	197	4691	1433	940	284	3751	1149	4356	1800
0—	—	2	—	1	1	—	—	—	—	—	—	—	—	—
1—	1	1	—	—	7	1	1	—	—	—	1	—	—	—
5—	1	1	—	—	3	3	1	—	—	—	1	—	1	—
10—	—	—	1	—	2	1	1	—	—	—	1	—	—	—
15—	—	1	—	1	1	—	7	5	—	—	7	5	—	—
20—	3	2	—	—	5	2	8	8	1	1	7	7	4	1
25—	3	6	—	3	3	4	32	12	1	2	31	10	15	7
30—	10	8	5	3	6	4	71	21	6	1	65	20	56	29
35—	13	18	6	4	4	8	141	39	7	11	134	28	158	96
40—	34	33	28	22	5	10	234	83	12	8	222	75	318	177
45—	42	51	51	46	10	17	403	85	25	12	378	73	478	221
50—	98	90	109	74	10	15	610	163	54	44	556	119	583	283
55—	124	158	148	112	16	34	822	207	121	50	701	157	642	271
60—	227	217	169	161	20	28	813	227	177	48	636	179	601	217
65—	218	276	222	178	23	23	740	227	200	34	540	193	582	202
70—	223	293	188	204	9	21	469	180	178	31	291	149	438	145
75—	147	247	130	130	2	17	235	120	103	27	132	93	286	102
80—	100	191	66	98	3	9	103	56	55	15	48	41	194	49

* 46 (h), Other or unspecified digestive organs —; 47 (c), Unspecified respiratory organs —.

Causes of Death.	Cancer and other malignant tumours.									
	48 (b) Other or unspecified cancer of uterus.	49 Other female genital organs.	50 Breast.		51 Male genital organs.	51 (a) Scrotum.	51 (b) Prostate.	51 (c) Other or unspecified male genital organs.	52 Urinary organs.	
	F.	F.	M.	F.	M.	M.	M.	M.	M.	F.
All Ages	2556	2160	53	6980	2339	47	1961	331	1420	829
0—	—	—	—	—	—	—	—	—	4	3
1—	—	1	—	—	3	—	—	3	18	21
5—	1	—	—	—	1	—	1	—	1	9
10—	—	1	—	—	1	—	—	1	1	—
15—	—	9	1	—	5	—	1	4	—	3
20—	3	10	—	2	9	—	1	8	3	—
25—	8	16	—	15	20	—	—	20	6	4
30—	27	35	1	78	30	—	—	30	9	5
35—	62	83	—	214	30	1	2	27	14	5
40—	141	129	—	414	22	—	9	13	31	15
45—	257	189	5	650	28	2	16	10	74	30
50—	300	280	3	820	69	5	48	16	128	61
55—	371	310	7	968	147	1	125	21	162	83
60—	384	287	9	974	316	5	270	41	244	126
65—	380	252	5	927	460	12	410	38	255	134
70—	293	228	11	754	508	8	466	34	216	135
75—	184	196	7	627	429	9	388	32	155	105
80—	145	134	4	537	261	4	224	33	99	90

APPENDIX B.I.—continued.

Causes of Death.	Cancer and other malignant tumours.															
	53 Skin (scrotum excepted).		54 Brain and other parts of the nervous system.		54 (a) Glioma (not specified as benign).		54 (b) Sarcoma. (of brain, etc.)		54 (c) Other or unspecified forms of cancer included under 54		55 Other or unspecified organs.		55 (a) Adrenal glands.		55 (b) Bones.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	563	420	370	299	231	189	65	64	74	46	1232	1091	28	19	478	357
0—	—	—	4	5	3	4	1	—	—	1	5	6	1	2	1	4
1—	—	1	12	13	6	8	6	4	—	1	13	9	3	1	3	5
5—	—	—	12	12	7	8	1	2	4	2	15	6	1	—	4	5
10—	—	—	12	13	7	10	3	2	2	1	12	12	1	1	8	6
15—	2	—	10	8	3	6	2	1	—	1	31	21	—	—	25	13
20—	2	2	12	12	6	6	2	5	4	1	36	16	—	1	22	6
25—	1	8	12	14	9	7	3	3	—	4	31	21	2	1	14	8
30—	5	3	26	24	19	11	5	10	2	3	31	36	1	1	16	12
35—	7	7	31	22	19	19	4	3	8	—	38	36	1	—	19	16
40—	9	12	32	34	22	20	5	7	5	7	55	48	1	2	27	18
45—	15	14	47	30	33	17	6	8	8	5	70	63	4	2	31	18
50—	25	28	62	31	37	19	12	6	13	6	132	105	4	1	55	40
55—	41	21	44	41	24	26	8	9	12	6	145	135	4	—	56	44
60—	62	36	33	20	23	15	4	1	6	4	163	136	3	4	60	48
65—	70	43	9	12	2	8	2	1	5	3	152	154	1	1	52	41
70—	113	63	6	4	4	4	1	—	1	—	154	118	1	2	46	32
75—	97	60	4	3	1	—	—	2	3	1	100	84	—	—	32	22
80—	114	122	2	1	1	1	—	—	1	—	49	85	—	—	7	19

Causes of Death.	Cancer, etc.						Non-malignant tumours.						
	55 (c) Thyroid gland.		55 (d) Others included under 55.		55 (d) (1)* 55 (d) (2) Others included under 55 (d).		56 Total.	56 (a) Ovaries.	56 (b) Uterus.	56 (c) Other female genital organs.	56 (d) Brain and other parts of the nervous system.		
	M.	F.	M.	F.	M.	F.	M.	F.	F.	F.	M.	F.	
All Ages	70	205	656	510	652	501	323	819	219	320	16	87	97
0—	—	—	3	—	3	—	4	8	1	—	—	2	1
1—	—	—	7	3	7	3	4	4	—	—	—	1	1
5—	—	—	10	1	10	1	6	5	—	—	—	6	3
10—	—	—	3	5	3	5	3	5	1	—	—	1	1
15—	—	—	6	8	6	8	2	15	3	1	—	2	7
20—	1	1	13	8	13	8	6	15	2	1	1	2	7
25—	—	1	15	11	15	11	15	25	5	6	3	5	8
30—	1	2	13	21	13	21	7	34	10	12	—	4	7
35—	3	5	15	15	15	15	22	68	10	33	1	13	10
40—	2	7	25	21	25	20	16	79	12	54	3	11	6
45—	5	12	30	31	30	31	29	138	20	91	2	12	8
50—	7	17	66	47	66	46	24	106	17	55	2	13	16
55—	11	34	74	57	72	57	31	61	20	17	2	5	7
60—	10	26	90	58	89	58	26	58	22	16	—	6	7
65—	10	39	89	73	89	73	38	56	26	8	1	2	4
70—	11	23	96	61	95	59	36	49	21	10	1	1	2
75—	7	23	61	39	61	36	27	50	27	9	—	—	1
80—	2	15	40	51	40	49	27	43	22	7	—	1	1

* 55 (d) (1), Cancer of nose or nasal cavity 55, 55, 60, 70, 40, 50, 70, 70, 75, 75, 80, 80.

APPENDIX B.I.—continued.

Causes of Death.	Non-malignant tumours. 56 (e) Other and unspecified organs.		Tumours of undetermined nature.								III 58-71 Rheumatism and Other General Diseases.†		58 Rheumatic fever.		58 (a) Acute rheumatic pericarditis.		58 (b) Acute rheumatic endocarditis.	
			57 (a, b, c)*		57 (d) Brain and other parts of the nervous system.		57 (e) Other and unspecified organs.											
			57 Total.															
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Ages	236	167	638	604	488	476	150	118	3404	6939	427	527	33	47	205	269		
0—	2	6	6	4	3	2	3	2	103	86	—	—	—	—	—	—		
1—	3	3	13	11	12	8	1	3	68	63	15	14	2	4	7	5		
5—	—	2	14	15	11	15	3	—	81	90	59	65	5	12	37	36		
10—	2	3	13	12	11	12	2	—	90	128	55	93	5	15	36	52		
15—	—	4	19	18	17	15	2	3	101	123	66	60	8	3	33	36		
20—	4	4	16	13	14	12	2	1	76	88	28	37	1	1	17	20		
25—	10	3	27	21	24	19	3	2	85	96	32	26	2	1	18	18		
30—	3	5	36	22	35	20	1	2	81	137	29	29	4	2	14	15		
35—	9	14	36	36	33	36	3	—	90	178	25	33	—	—	14	18		
40—	5	4	43	50	38	42	5	8	87	216	13	33	—	5	3	18		
45—	17	17	58	55	53	45	5	9	129	335	19	33	3	1	7	15		
50—	11	16	59	75	48	69	11	5	179	501	18	26	—	2	5	9		
55—	26	15	89	85	71	69	18	16	245	603	15	19	1	—	5	6		
60—	20	13	86	61	61	43	25	16	391	925	20	20	—	—	7	8		
65—	36	17	48	51	26	34	22	17	486	1073	15	17	1	—	1	8		
70—	35	15	43	28	24	20	19	8	505	1019	9	10	—	—	—	3		
75—	27	13	20	26	7	9	13	13	369	754	8	3	1	—	1	1		
80—	26	13	12	21	—	6	12	13	238	524	1	9	—	1	—	1		

* 57 (a), Ovaries 60, 75, 75, 75, 75, 80; 57 (b), Uterus 45, 50; 57 (c), Other female genital organs 60, 80.

† The full title according to the detailed List is III. 58-71. Rheumatism, Diseases of Nutrition and of the Endocrine Glands, Other General Diseases and Vitamin Deficiency Diseases.

Causes of Death.	58 (c) Acute rheumatic myo-carditis.		58 (d) Other diseases included under 58.		59 Chronic rheumatism and other rheumatic diseases.		59 (a) Rheumatoid arthritis.		59 (b) Other chronic articular rheumatism.		59 (c) Other forms of chronic rheumatism.		60 Gout.		61 Diabetes mellitus.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	62	62	127	149	498	1245	315	981	144	172	39	92	62	10	1887	3273
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	2	1	4	4	1	1	—	1	1	—	—	—	—	—	4	8
5—	5	3	12	14	—	1	—	—	—	1	—	—	—	—	9	15
10—	4	9	10	17	—	—	—	—	—	—	—	—	—	—	25	27
15—	8	2	17	19	—	1	—	—	—	1	—	—	—	—	24	37
20—	3	3	7	13	1	—	—	—	1	—	—	—	—	—	35	22
25—	1	3	11	4	3	3	3	3	—	—	—	—	—	—	34	34
30—	5	4	6	8	6	8	4	6	2	2	—	—	—	—	30	40
35—	4	6	7	9	6	15	4	15	2	—	—	—	—	—	46	51
40—	6	3	4	7	6	13	3	10	3	3	—	—	—	—	39	47
45—	4	7	5	10	18	31	14	22	3	5	1	4	1	—	55	98
50—	2	3	11	12	28	63	17	53	8	7	3	3	1	1	90	175
55—	4	3	5	10	40	91	25	75	12	11	3	5	3	1	133	287
60—	5	4	8	8	63	147	47	123	15	18	1	6	11	—	252	521
65—	5	4	8	5	82	182	55	158	23	14	4	10	11	1	338	615
70—	—	3	9	4	98	245	62	195	24	32	12	18	8	1	362	611
75—	4	—	2	2	80	234	49	180	22	36	9	18	11	3	260	429
80—	—	4	1	3	66	210	32	140	28	42	6	28	16	3	151	256

APPENDIX B.I.—continued.

Causes of Death.	62 Diseases of the pituitary gland.		62 (2) (3)* 62 (1) Hyper-pituitarism.		63 Diseases of the thyroid and para-thyroid glands.		63 (a) Simple goitre.		63 (b) Exophthalmic goitre.		63 (d, e)* 63 (c) Myxoedema and cretinism.		64 Diseases of the thymus (including status lymphaticus.)		65 Diseases of the adrenal glands (not specified as tuberculous).	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	13	29	6	15	224	1530	19	105	173	1206	29	210	84	61	85	124
0—	—	—	—	—	2	4	—	—	—	—	2	2	58	43	—	1
1—	—	—	—	—	—	1	—	—	—	—	—	1	13	6	1	—
5—	1	1	—	—	3	1	1	—	1	—	1	1	2	1	1	—
10—	—	1	—	—	1	2	—	—	—	—	2	1	6	4	—	—
15—	1	—	—	—	2	17	—	—	2	17	—	—	3	2	2	2
20—	1	2	—	2	2	23	1	—	1	23	—	—	1	—	6	3
25—	1	—	1	—	4	24	—	1	4	23	—	—	1	1	6	7
30—	—	2	—	1	12	46	2	3	9	41	—	2	—	—	3	11
35—	2	3	1	1	7	68	—	7	7	59	—	2	—	—	4	6
40—	2	2	1	1	16	98	—	1	16	85	—	11	—	1	9	15
45—	2	4	2	2	22	143	—	9	20	123	1	10	—	1	10	16
50—	1	4	—	2	29	203	1	10	24	184	4	9	—	—	6	22
55—	—	2	—	1	36	188	2	8	33	151	1	29	—	1	10	7
60—	1	2	—	1	30	215	3	13	21	171	5	30	—	—	10	10
65—	1	5	1	3	31	233	2	17	22	184	7	31	—	1	5	14
70—	—	1	—	1	16	143	5	19	8	85	3	37	—	—	10	3
75—	—	—	—	—	7	78	1	8	3	40	3	29	—	—	2	5
80—	—	—	—	—	4	43	1	9	2	18	1	16	—	—	—	2

* 62 (2), Hypopituitarism 5, 15, 20, 35, 40, 60, 5, 30, 35, 40, 45, 50, 55, 60. 62 (3), Other diseases included under 62 50, 10, 35, 45, 50, 65, 65; 63 (d), Other diseases of the thyroid gland 30, 60, 45, 60, 65, 70, 70, 75; 63 (e), Diseases of the parathyroid glands 45, 0, 0, 40.

Causes of Death.	65 (a) Addison's disease, not specified as tuberculous.		65 (b)* 66 Other general diseases.		66 (a)* 66 (b) Other diseases included under 66.		66 (b) (1) "Pink" disease.		66 (b) (2) Idiopathic steatorrhœa.		66 (b) (3) Other diseases included under 66 (b)		67, 68, 69* 67-71 Vitamin deficiency diseases.		71* 70 Rickets.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	77	117	67	98	65	89	21	33	16	18	28	38	57	42	49	30
0—	—	—	16	23	16	23	14	21	1	2	1	—	27	15	26	15
1—	—	—	14	24	14	24	7	12	6	8	1	4	20	9	19	7
5—	—	—	4	4	4	4	—	—	1	2	3	2	2	2	2	2
10—	—	—	2	1	2	1	—	—	—	—	2	1	1	—	—	—
15—	2	2	3	2	2	2	—	—	1	1	1	1	—	2	—	1
20—	6	3	1	—	1	—	—	—	—	—	1	—	1	1	1	—
25—	6	6	3	1	3	1	—	—	1	—	2	1	1	—	—	—
30—	3	10	1	1	1	1	—	—	—	—	1	1	—	—	—	—
35—	3	6	—	1	—	1	—	—	—	1	—	—	—	1	—	1
40—	7	15	1	4	1	3	—	—	—	1	1	2	1	3	1	2
45—	7	15	2	6	2	5	—	—	1	—	1	5	—	3	—	—
50—	6	21	6	4	6	3	—	—	2	—	4	3	—	3	—	—
55—	10	6	5	6	5	4	—	—	1	—	4	4	3	1	—	—
60—	10	10	3	8	3	6	—	—	—	1	3	5	1	2	—	2
65—	5	13	3	5	3	4	—	—	—	—	3	4	—	—	—	—
70—	10	3	2	5	2	5	—	—	2	2	—	3	—	—	—	—
75—	2	5	1	2	—	2	—	—	—	—	—	2	—	—	—	—
80—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—

* 65 (b), Other diseases included under 65, 1, 5, 35, 40, 40, 45, 45, 0, 25, 30, 45, 50, 55, 65; 66 (a), Osteomalacia 15, 75, 40, 45, 50, 55, 55, 60, 60, 65, 80; 67 (a), Infantile scurvy (Barlow's dis.) 0, 1, 1, 1; 67 (b), Other forms of scurvy 10, 55, 55; 68, Beri-beri 25, 60; 69, Pellagra 55, 15, 20, 40, 45, 45, 45, 50, 50; 71, Other vitamin deficiency diseases 55, 50.

APPENDIX B.I.—*continued.*

Causes of Death.	IV. 72-76 Diseases of the Blood and Blood-forming Organs.		72 Hæmorrhagic conditions.		72 (a) Primary purpura.		72 (b) Hæmophilia.		72 (c)* 73 Anæmias.		73 (a) Pernicious anæmia.		73 (b) Other hyperchromic anæmias.		73 (c) Hypo-chromic anæmias.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1678	2300	115	122	78	116	37	6	880	1494	708	1214	13	20	22	46
0—	60	36	29	20	20	16	9	4	20	9	1	—	1	2	2	—
1—	75	43	13	7	12	7	1	—	8	6	—	—	—	—	1	1
5—	48	47	11	7	6	7	5	—	4	8	1	—	1	1	—	—
10—	32	33	3	8	3	8	—	—	4	7	1	1	—	—	—	—
15—	46	42	8	8	3	8	5	—	5	13	1	2	—	—	—	—
20—	46	51	3	5	2	4	1	1	9	17	2	7	—	1	—	—
25—	51	64	5	4	2	4	3	—	13	31	4	13	—	1	—	—
30—	55	75	4	5	1	5	3	—	13	34	8	16	—	—	—	5
35—	51	76	5	4	4	4	1	—	13	43	6	24	1	1	—	3
40—	64	87	3	5	1	5	2	—	23	41	12	29	2	—	1	2
45—	76	139	3	9	—	9	3	—	27	83	25	66	—	—	—	7
50—	87	160	8	11	7	10	1	1	40	88	37	70	—	2	—	2
55—	162	206	4	9	2	9	2	—	88	125	74	105	—	3	3	2
60—	199	285	9	6	8	6	1	—	126	201	111	178	1	2	5	4
65—	249	304	3	5	3	5	—	—	171	232	148	200	3	2	4	9
70—	207	311	2	4	2	4	—	—	168	263	147	241	2	2	4	6
75—	113	232	1	3	1	3	—	—	99	196	88	176	2	3	1	3
80—	57	109	1	2	1	2	—	—	49	97	42	86	—	—	1	2

* 72 (c), Other diseases included under 72 —.

Causes of Death.	73 (d) Other anæmias included under 73.		74 Leukæmias and aleukæmias.		74 (b)* 74 (a) Leukæmia.		75 Diseases of the spleen.		75 (a) Splenic anæmia.		75 (b) Banti's disease.		75 (c) Other diseases included under 75.		76 Other diseases of the blood and blood-forming organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	137	214	545	489	533	485	110	157	67	107	28	39	15	11	28	33
0—	16	7	7	6	7	6	3	1	2	1	—	—	1	—	1	—
1—	7	5	49	29	48	29	5	1	5	1	—	—	—	—	—	—
5—	2	7	31	26	30	26	—	6	—	4	—	1	—	1	2	—
10—	3	6	23	14	23	14	2	4	2	1	—	3	—	—	—	—
15—	4	11	28	18	27	18	5	2	4	1	1	1	—	—	—	1
20—	7	9	23	22	22	22	9	5	4	4	4	—	1	1	2	2
25—	9	17	24	20	23	20	9	7	5	6	3	1	1	—	—	2
30—	5	13	30	26	30	26	7	7	5	3	1	2	1	2	1	3
35—	6	15	22	20	22	18	8	8	5	5	3	3	—	—	3	1
40—	8	10	25	27	23	27	12	12	5	5	4	6	3	1	1	2
45—	2	10	36	32	36	32	8	12	4	8	3	4	1	—	2	3
50—	3	14	30	38	30	38	8	16	6	11	2	2	—	3	1	7
55—	11	15	56	45	55	45	9	21	6	16	2	5	1	—	5	6
60—	9	17	55	50	54	50	6	21	4	15	1	6	1	—	3	7
65—	16	21	64	63	48	63	10	18	4	15	3	2	3	1	1	1
70—	15	14	27	34	25	33	7	9	5	5	1	3	1	1	3	1
75—	8	14	10	26	10	25	2	6	1	6	—	—	1	—	1	1
80—	6	9	5	8	5	8	—	1	—	—	—	—	—	1	2	1

* 74 (b), Aleukæmia 1, 5, 15, 20, 25, 40, 40, 55, 60, 65, 70, 70, 35, 35, 70, 75.

APPENDIX B.I.—continued.

Causes of Death.	76 (a) Agranulocytosis.		76 (c) (d)* 76 (b) Erythrocytosis.		V. 77-79 Chronic poisoning and intoxication.		78, 79* 77 Alcoholism (ethylishm).		VI. 90-89 Diseases of the Nervous System and Sense Organs		80 Encephalitis (non-epidemic).		80 (a) Intra-cranial abscess.		80 (b) Other diseases included under 80.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	18	24	9	14	88	61	72	53	26409	31270	159	113	99	49	60	64
0—	—	—	—	—	—	—	—	—	799	553	9	14	2	4	7	10
1—	—	—	—	—	—	—	—	—	289	225	17	10	5	—	12	10
5—	2	—	—	—	—	—	—	—	149	108	10	6	3	3	7	3
10—	—	—	—	—	—	—	—	—	122	135	5	8	3	5	2	3
15—	—	1	—	—	—	—	—	—	209	160	13	8	11	5	2	3
20—	2	2	—	—	—	—	—	—	204	159	10	7	8	3	2	4
25—	—	1	—	1	—	1	—	—	224	166	11	6	9	4	2	2
30—	1	2	—	1	5	2	4	1	217	257	5	10	5	5	—	5
35—	3	1	—	—	7	3	6	2	330	296	14	4	11	2	3	2
40—	1	1	—	1	10	9	8	7	431	429	10	7	9	5	1	2
45—	2	1	—	2	10	5	10	4	614	788	15	9	10	2	5	7
50—	1	3	—	4	7	10	6	9	1129	1356	12	7	7	4	5	3
55—	2	3	3	3	17	12	11	12	1958	2156	15	7	8	2	7	5
60—	1	6	2	1	12	3	11	3	3058	3245	7	5	5	1	2	4
65—	1	1	—	—	13	7	11	6	4281	4469	—	1	—	1	—	—
70—	—	1	3	—	2	4	2	4	4869	5539	5	2	3	1	2	1
75—	1	—	—	1	4	5	3	5	4230	5272	1	—	—	—	1	—
80—	1	1	1	—	1	—	—	—	3296	5957	—	2	—	2	—	—

* 76 (c), Hæmoglobinæmia 0; 76 (d), Other diseases included under 76 —; 78, Lead poisoning; (a) Specified as occupational 35, 40, 50, 55, 55, 55, 55, 55, 60, 65; (b) Not specified as occupational 55, 80, 25, 30, 50; 79, Chronic poisoning by other mineral and organic substances; (a) occupational poisoning (not lead) —; (ba), Narcotics 30, 65, 75, 35, 40, 40, 65; (bb), Soporifics 40, 45; (c) Other non-occupational chronic poisoning —; (d) Unspecified (chronic) poisoning —.

Causes of Death.	81 Meningitis (non-meningococcal).		82 Diseases of the medulla and spinal cord.		82 (1) Motor neurone disease.		82 (2) Sub-acute combined degeneration.		82 (3) Myelitis of unstated origin.		82 (4) Other diseases included under 82.		83 Intra-cranial lesions of vascular origin.		83 (a) Cerebral hæmorrhage.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	473	343	486	426	289	221	37	63	74	67	86	75	21726	26940	13615	17124
0—	121	91	1	—	—	—	—	—	—	—	1	—	1	—	1	—
1—	102	62	1	2	—	—	—	—	—	—	1	2	1	5	—	2
5—	42	28	4	—	2	—	—	—	—	—	2	—	2	3	2	3
10—	21	30	6	1	4	1	—	—	—	—	2	—	3	6	2	5
15—	23	15	15	6	9	1	—	—	2	2	4	3	4	6	3	5
20—	19	10	4	9	—	4	—	—	1	2	3	3	14	9	11	5
25—	20	11	7	15	2	7	—	—	2	4	3	4	36	19	33	18
30—	13	12	11	7	5	4	—	—	5	1	1	2	40	53	33	42
35—	20	18	17	16	8	3	—	2	5	4	4	7	103	94	80	73
40—	19	8	25	15	14	6	—	2	3	4	8	3	180	232	147	175
45—	17	14	29	28	18	11	1	4	2	7	8	6	391	553	325	445
50—	17	13	37	41	17	26	1	5	12	4	7	6	902	1077	681	826
55—	17	12	61	57	39	26	6	13	8	11	8	7	1655	1842	1183	1406
60—	10	7	75	65	47	37	9	8	8	6	11	14	2697	2903	1798	2027
65—	5	4	80	68	50	42	10	12	12	8	8	6	3935	4113	2494	2740
70—	5	3	58	56	37	31	6	7	7	11	8	7	4562	5195	2743	3263
75—	—	4	34	29	23	17	3	9	4	1	4	2	4022	5027	2328	2952
80—	2	1	21	11	14	5	1	1	3	2	3	3	3178	5803	1751	3137

APPENDIX B.I.—continued.

Causes of Death.	83 (b) (c) Cerebral embolism, thrombosis and softening.		83 (d) Hemiplegia and other paralyses of unstated origin.		83 (e) Other intra-cranial effusions.		84 Mental disorders and deficiency.		84 (a) Mental deficiency.		84 (c)* 84 (b) Schizophrenia (dementia præcox).		84 (d) Other mental disorders included under 84.		85 Epilepsy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7271	8840	831	958	9	18	348	516	81	82	39	28	225	400	835	732
0—	—	—	—	—	—	—	13	18	13	17	—	—	—	1	16	11
1—	—	3	1	—	—	—	18	18	17	18	—	—	1	—	30	27
5—	—	—	—	—	—	—	6	6	6	6	—	—	—	—	20	15
10—	1	1	—	—	—	—	9	7	9	6	—	—	—	1	29	26
15—	—	1	1	—	—	—	9	15	7	10	2	2	—	3	85	50
20—	2	3	1	1	—	—	23	16	11	5	6	3	6	8	81	67
25—	3	—	—	1	—	—	13	14	4	4	2	2	7	8	74	53
30—	6	10	1	—	—	1	18	27	2	3	6	4	10	20	66	69
35—	21	19	2	2	—	—	24	32	1	4	10	1	13	26	77	56
40—	28	51	4	5	1	1	24	36	—	1	9	3	15	32	83	53
45—	62	98	4	9	—	1	31	42	5	1	1	2	24	36	39	59
50—	190	223	30	28	1	—	29	47	1	2	2	3	26	42	40	40
55—	429	393	43	40	—	3	38	68	1	2	1	2	36	64	50	47
60—	802	789	95	83	2	4	40	59	1	1	—	2	39	55	43	40
65—	1294	1233	145	139	2	1	23	46	3	—	—	1	19	44	42	41
70—	1638	1741	180	190	1	1	9	31	—	1	—	3	9	27	30	33
75—	1517	1859	175	212	2	4	16	17	—	—	—	—	15	17	16	24
80—	1278	2416	149	248	—	2	5	17	—	1	—	—	5	16	14	21

* 84 (c), Manic-depressive psychosis 45, 65, 75, 35, 45, 45, 45, 60, 65.

Causes of Death.	86 Convulsions in children under 5 years of age.		87 Other diseases of the nervous system.		87 (a) Chorea.		87 (b) Neuritis (non-rheumatic).		87 (c) Paralysis agitans.		87 (d) Disseminated sclerosis.		87 (e) Other diseases included under 87.		87 (e) (1)* 87 (e) (2) Other diseases included under 87(e).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	480	325	1178	1348	15	53	41	56	622	636	382	503	118	100	114	97
0—	432	281	6	5	—	—	—	—	—	—	—	—	6	5	6	5
1—	48	44	13	6	—	—	—	—	—	—	—	—	13	6	13	6
5—	—	—	15	11	2	2	—	—	—	—	—	—	13	9	10	7
10—	—	—	7	17	1	12	—	1	—	—	—	—	6	4	6	4
15—	—	—	14	25	2	11	—	2	—	—	3	6	9	6	9	6
20—	—	—	16	18	2	7	—	1	—	—	7	8	7	2	7	2
25—	—	—	25	27	2	2	2	1	1	1	15	21	5	2	5	2
30—	—	—	34	58	2	3	1	3	2	2	27	47	2	3	2	3
35—	—	—	40	52	1	3	2	1	1	4	34	41	2	3	2	3
40—	—	—	52	62	1	1	2	3	6	4	36	51	7	3	6	3
45—	—	—	64	70	1	1	10	3	9	6	39	54	5	6	5	6
50—	—	—	57	110	—	4	3	7	12	19	36	70	6	10	6	10
55—	—	—	104	105	—	1	6	5	35	34	51	58	12	7	12	6
60—	—	—	163	152	—	2	5	11	96	75	48	56	14	8	14	8
65—	—	—	178	176	—	—	5	3	125	117	44	43	4	13	4	13
70—	—	—	188	202	1	1	2	6	158	160	26	30	1	5	1	5
75—	—	—	133	161	—	2	3	3	114	137	12	13	4	6	4	6
80—	—	—	69	91	—	1	—	6	63	77	4	5	2	2	2	2

* 87 (e) (1), Convulsions of undetermined origin (ages 5 and over) 5, 5, 5, 40, 5, 5, 55.

APPENDIX B.I.—continued.

Causes of Death.	88 Diseases of the organs of vision.		89 Diseases of the ear and of the mastoid antrum.		89 (a) Otitis and other diseases of the ear (without mention of mastoid disease).		89 (b) Diseases of the mastoid antrum.		VII 90-103 Diseases of the Circulatory System.		90-95 Heart diseases.		90 Pericarditis.		90 (a) Chronic pericarditis specified as rheumatic.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	26	38	698	489	393	263	305	226	68804	71636	61208	64686	181	103	10	7
0—	5	5	195	128	112	70	83	58	11	10	4	2	4	2	—	—
1—	1	4	58	47	28	24	30	23	28	21	23	15	4	1	—	—
5—	—	—	50	39	20	12	30	27	91	67	84	64	5	3	—	—
10—	2	—	40	40	22	17	18	23	147	158	145	156	4	2	1	—
15—	—	—	46	35	25	23	21	12	228	289	221	282	4	4	1	1
20—	2	—	35	23	17	17	18	6	200	307	191	302	3	3	—	1
25—	—	1	34	20	28	10	10	10	316	447	288	431	7	—	—	—
30—	1	—	29	21	13	9	16	12	414	548	388	519	4	9	—	1
35—	—	1	35	23	26	15	9	8	590	714	554	668	6	6	—	1
40—	1	1	37	15	24	7	13	8	987	1090	922	1022	7	4	—	—
45—	—	—	28	13	16	8	12	5	1731	1468	1593	1356	11	2	—	—
50—	1	1	34	20	19	10	15	10	3159	2214	2945	2020	23	9	2	—
55—	1	2	17	16	9	8	8	8	5053	3434	4656	3166	17	8	4	1
60—	2	2	21	12	14	9	7	3	7798	5816	7060	5317	23	9	—	1
65—	1	2	17	18	9	11	8	7	10388	8829	9343	8013	29	14	1	1
70—	1	6	11	11	7	6	4	5	12688	12144	11216	10962	14	12	—	—
75—	5	6	3	4	2	4	1	—	11934	13692	10401	12306	11	12	—	—
80—	3	7	4	4	2	3	2	1	13041	20388	11174	18085	5	3	1	—

Causes of Death.	90 (b) Other pericarditis included under 90.		91 Acute endocarditis.		91 (a) (b) Acute or sub-acute bacterial endocarditis.		91 (c) Other acute and sub-acute endocarditis.		92 Chronic affections of the valves and endocardium.		92 (a) Aortic valvular disease (without mitral disease).		92 (b) Other specified valvular diseases (including sequelæ of rheumatic fever.)		92 (b) (1) Mitral valve disease.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	171	96	499	530	462	490	37	40	7872	10020	1556	811	3709	5885	3231	5176
0—	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	4	1	5	7	4	3	1	4	11	4	—	—	7	4	3	3
5—	5	3	19	13	16	11	3	2	46	39	1	2	37	30	18	19
10—	3	2	21	26	18	22	3	4	98	106	2	6	81	83	46	55
15—	3	3	35	69	33	66	2	3	136	165	5	3	120	138	75	97
20—	3	2	32	66	29	63	3	3	111	179	7	3	87	153	49	120
25—	7	—	57	77	52	74	5	3	151	273	19	6	116	234	86	173
30—	4	8	55	58	54	54	1	4	207	300	25	7	159	258	110	201
35—	6	5	54	45	46	43	8	2	228	373	25	15	168	318	135	251
40—	7	4	43	31	42	29	1	2	302	563	65	37	184	452	144	372
45—	11	2	47	32	44	30	3	2	428	569	74	34	229	368	197	315
50—	21	9	33	25	31	24	2	1	650	659	156	49	276	393	246	349
55—	13	7	35	25	34	23	1	2	854	817	195	69	365	467	341	423
60—	23	8	27	18	27	13	—	5	1017	1052	248	98	423	550	397	491
65—	28	13	24	17	22	17	2	—	1139	1331	239	139	473	683	444	640
70—	14	12	9	16	9	13	—	3	1107	1361	234	131	441	662	415	625
75—	11	12	2	3	—	3	2	—	823	1187	174	122	318	606	309	577
80—	4	3	1	2	1	2	—	—	564	1042	87	92	225	486	216	465

APPENDIX B.I.—continued.

Causes of Death.	92 (b) (2) Other diseases included under 92 (b).		92 (c) Unspecified valvular lesions or endocarditis.		93 Diseases of the myocardium.		93 (a) Acute myocarditis.		93 (b) Chronic myocarditis specified as rheumatic.		93 (c) Myocardial degeneration, infarction, sclerosis and other chronic myocarditis.		93 (c) (1) Cardio-vascular degeneration.		93 (c) (2) Myocardial degeneration described as fatty.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	478	709	2607	3324	38098	44534	103	92	324	592	33049	38802	11192	11170	752	1104
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	4	1	4	—	3	—	3	—	—	—	—	—	—	—	—	—
5—	19	11	8	7	12	7	3	—	7	4	1	2	—	—	—	—
10—	35	28	15	17	16	15	1	—	8	10	6	4	—	—	—	—
15—	45	41	11	24	33	30	1	—	15	18	11	7	—	—	1	1
20—	38	33	17	23	33	38	1	4	13	12	16	10	—	—	5	2
25—	30	61	16	33	49	57	1	3	13	19	23	23	1	—	2	4
30—	49	57	23	35	64	110	2	4	14	28	35	48	4	6	5	8
35—	33	67	35	40	131	161	2	7	17	26	77	86	7	4	15	20
40—	40	80	53	74	269	296	5	2	18	38	183	194	30	15	33	28
45—	32	53	125	167	516	542	10	6	18	45	382	390	78	50	34	73
50—	30	44	218	217	1093	960	9	6	26	55	832	686	225	147	79	94
55—	24	44	294	281	1960	1624	21	7	33	67	1510	1254	441	310	110	138
60—	26	59	346	406	3578	3076	11	13	40	61	2889	2458	1009	744	124	197
65—	29	43	427	509	5528	4977	15	11	32	78	4662	4119	1716	1258	150	202
70—	26	37	432	568	7560	7773	12	8	32	63	6596	6709	2440	2151	102	163
75—	9	29	331	459	7803	9439	4	11	22	33	7029	8440	2541	2527	62	114
80—	9	21	252	464	9450	15429	2	10	16	35	8797	14372	2700	3958	30	60

Causes of Death.	93 (c) (3) Other myocardial degeneration.		93 (d) Myocarditis not distinguished as acute or chronic.		94 Diseases of the coronary arteries, angina pectoris.		94 (a) Diseases of the coronary arteries.		94 (b) Angina pectoris without mention of coronary disease.		95 Other diseases of the heart.		95 (a) Functional heart disease (without mention of organic lesion).		95 (b) Heart disease specified as rheumatic but otherwise ill-defined.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	21105	26528	4622	5048	11919	5925	10242	5241	1677	684	2639	3574	1052	1933	37	59
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	1
5—	1	2	1	1	—	—	—	—	—	—	2	2	—	—	—	1
10—	6	4	1	1	—	—	—	—	—	—	6	7	—	—	2	—
15—	10	6	6	5	—	2	—	—	2	—	13	12	1	4	2	2
20—	11	8	3	12	3	3	3	3	—	—	9	13	2	3	3	2
25—	20	19	12	12	12	7	12	7	—	—	12	17	2	6	1	3
30—	26	34	13	30	32	5	27	3	5	2	26	37	7	13	3	4
35—	55	62	35	42	97	38	90	34	7	4	38	45	17	23	—	7
40—	120	151	63	62	257	53	219	46	38	7	44	75	13	39	3	6
45—	270	267	106	101	509	109	454	100	55	9	82	102	26	57	6	2
50—	528	445	226	213	1002	205	862	186	140	19	144	162	59	99	3	8
55—	959	806	396	296	1590	446	1375	391	215	55	200	246	76	144	5	7
60—	1756	1517	638	544	2054	800	1737	688	317	112	361	362	156	208	1	5
65—	2796	2659	819	769	2205	1145	1895	1015	310	130	418	529	180	308	4	5
70—	4054	4395	920	993	2060	1193	1757	1048	303	145	466	607	199	353	3	—
75—	4426	5799	748	955	1311	1046	1128	920	183	126	451	619	178	337	1	5
80—	6067	10354	635	1012	787	873	683	798	104	75	367	736	136	339	—	1

APPENDIX B.I.—*continued.*

Causes of Death.	95 (c) Other diseases included under 95.		96 Aneurysm (except of heart and aorta).		97 Arterio-sclerosis.†		98 Gangrene.		99 Other diseases of the arteries.		100 Diseases of the veins.		100 (a) Varices.		100 (b) Other diseases of the veins.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1550	1582	137	112	565	491	384	390	198	135	306	521	133	237	173	284
0—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
1—	—	2	—	2	—	—	2	1	—	—	—	—	—	—	—	—
5—	2	1	4	—	—	—	—	—	—	—	1	—	—	—	1	—
10—	4	7	2	1	—	—	—	—	—	—	—	—	—	—	—	—
15—	10	6	5	2	—	—	1	—	—	4	1	1	—	—	1	1
20—	4	8	—	3	—	—	—	—	1	—	1	—	—	—	1	—
25—	9	8	8	4	1	1	1	—	9	—	4	7	2	3	2	4
30—	16	20	12	10	2	1	—	—	4	4	2	4	2	2	—	2
35—	21	15	7	10	8	4	—	1	8	5	5	15	3	6	2	9
40—	28	30	9	3	11	9	1	—	7	5	10	23	2	8	8	15
45—	50	43	14	8	39	22	—	3	15	6	14	39	4	14	10	25
50—	82	55	19	15	82	61	2	1	16	9	30	54	8	22	22	32
55—	119	95	14	16	211	115	8	11	19	8	40	44	16	19	24	25
60—	204	149	12	14	464	240	19	27	36	12	47	80	20	36	27	44
65—	234	216	14	11	749	518	41	32	15	21	62	85	22	42	40	43
70—	264	254	11	9	1169	851	84	54	29	20	44	84	26	41	18	43
75—	272	277	5	2	1277	1103	90	93	24	23	28	51	18	24	10	27
80—	231	396	1	2	1645	1987	133	165	15	18	17	34	10	20	7	14

† Excluding coronary or renal sclerosis or cerebral hæmorrhage.

Causes of Death.	101 Diseases of the lymphatic system.		103* 102 High blood pressure (idiopathic).		VIII 104-114 Diseases of the Respiratory System.		104 Diseases of the nasal fossæ and annexa.		105 Diseases of the larynx.		106 Bronchitis.		106 (a) Acute bronchitis.		106 (b) Chronic bronchitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	29	28	879	850	340	72	274	37	140	68	109	71	172	13	142	10
0—	5	6	—	—	319	240	7	5	26	10	613	500	353	300	17	9
1—	3	3	—	—	1113	971	4	1	34	26	159	154	93	79	15	9
5—	2	3	—	—	189	174	2	3	13	9	23	24	11	11	9	9
10—	—	1	—	—	120	121	4	5	6	1	26	20	9	5	12	12
15—	—	—	—	—	241	190	16	7	2	1	50	43	12	4	34	32
20—	1	1	6	1	246	202	14	2	—	—	76	42	14	10	51	28
25—	—	3	5	1	287	288	13	6	2	1	71	57	10	12	46	35
30—	—	—	6	10	444	331	7	8	—	2	96	53	13	11	63	30
35—	—	—	8	11	630	402	15	6	2	1	145	98	23	18	94	61
40—	3	2	23	26	880	501	10	4	5	—	298	126	42	26	206	77
45—	1	1	55	33	1385	651	13	2	2	2	549	204	58	53	386	115
50—	1	—	63	54	2373	937	7	1	5	3	1047	336	129	78	726	189
55—	1	—	104	74	3085	1452	9	3	2	2	1590	626	164	127	1103	369
60—	2	2	157	124	3769	2094	7	5	2	2	2003	1071	239	204	1366	620
65—	2	2	161	147	3993	2894	5	3	2	3	2347	1645	308	378	1552	863
70—	5	3	130	159	4141	3677	3	4	2	5	2605	2278	432	531	1616	1148
75—	3	—	105	114	3829	4129	2	2	2	—	2555	2753	485	646	1462	1269
80—	—	1	56	96	4153	6020	2	1	2	3	2960	4180	614	1158	1415	1482

* 103, Other diseases of the circulatory system 40, 50 60, 65, 75, 70, 70.

APPENDIX B.I.—continued.

Causes of Death.	106 (c) Bronchitis not distinguished as acute or chronic.		Bronchitis with the following as a contributory or secondary cause												107-109 Pneumonia (all forms).	
			106 (1) Influenza.		106 (2) Chronic endocarditis, etc.		106 (3) Myocardial disease.		106 (4) Arterio-sclerosis.		106 (5) Chronic nephritis.		106 (6) Without any of the complications here specified in (1)-(5).			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4031	4202	63	59	306	289	6206	5023	388	245	73	39	10177	8555	12926	10444
0—	243	191	—	—	—	—	—	—	—	—	—	—	613	500	2527	1869
1—	51	66	—	—	—	—	—	—	—	—	—	—	159	154	881	760
5—	3	4	—	—	2	—	—	—	—	—	—	—	21	24	142	127
10—	5	3	—	—	—	—	—	1	—	—	—	—	26	19	72	85
15—	4	7	1	—	2	1	3	4	—	—	1	2	43	36	152	121
20—	11	4	—	—	3	1	5	3	—	—	1	—	67	38	119	126
25—	15	10	—	1	1	3	8	7	—	—	—	—	62	46	153	170
30—	20	12	—	—	2	3	21	7	—	—	—	—	73	43	262	202
35—	28	19	—	2	5	5	32	14	—	—	—	1	108	76	353	225
40—	50	23	4	2	5	3	79	38	—	—	1	2	209	81	422	277
45—	105	36	6	—	8	9	182	54	1	—	2	2	350	139	566	325
50—	192	69	6	1	30	13	348	134	8	1	2	1	653	186	943	411
55—	323	130	9	4	35	17	621	272	21	6	6	1	898	326	1029	609
60—	398	247	12	6	36	35	808	436	44	13	9	3	1094	578	1208	731
65—	487	404	12	9	49	32	1012	740	56	26	18	4	1200	834	1188	910
70—	557	599	3	11	46	48	1082	958	74	36	15	8	1385	1217	1108	1060
75—	608	838	5	11	42	52	1039	1059	82	72	11	8	1376	1551	936	1075
80—	931	1540	5	12	40	67	966	1296	102	91	7	7	1840	2707	865	1361

Causes of Death.	107-109 (1) With mention of influenza as a contributory or secondary cause.		107-109 (2) Without mention of influenza.		107 Broncho-pneumonia.		107 (1) With mention of influenza as a contributory or secondary cause.		107 (2) Without mention of influenza.		108 Lobar pneumonia.		108 (1) With mention of influenza as a contributory or secondary cause.		108 (2) Without mention of influenza.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	51	46	12875	10398	7424	6796	34	28	7390	6768	4253	2707	9	12	4244	2695
0—	4	1	2523	1868	2143	1589	3	1	2140	1588	200	157	—	—	200	157
1—	3	—	878	760	669	588	2	—	667	588	152	114	1	—	151	114
5—	—	—	142	127	80	77	—	—	80	77	38	39	—	—	38	39
10—	—	—	72	85	29	38	—	—	29	38	39	40	—	—	39	40
15—	1	2	151	119	47	50	1	1	46	49	76	61	—	1	76	60
20—	—	1	119	125	29	46	—	1	29	45	71	69	—	—	71	69
25—	—	2	153	168	61	70	—	1	61	69	74	80	—	1	74	79
30—	—	2	262	200	77	83	—	2	77	81	162	97	—	—	162	97
35—	2	1	351	224	112	92	2	1	110	91	202	109	—	—	202	109
40—	4	3	418	274	145	133	2	1	143	132	220	116	2	2	218	114
45—	5	—	561	325	207	152	4	—	203	152	299	149	—	—	299	149
50—	8	2	935	409	376	203	6	2	370	201	471	174	1	—	470	174
55—	3	2	1026	607	436	299	2	1	434	298	480	237	1	—	479	237
60—	9	6	1199	725	556	413	4	4	552	409	528	258	3	1	525	257
65—	4	9	1184	901	594	560	3	4	591	556	460	259	1	3	459	256
70—	6	6	1102	1054	644	668	4	3	640	665	350	290	—	2	350	288
75—	2	4	934	1071	604	736	1	3	603	733	246	234	—	—	246	234
80—	—	5	865	1356	615	999	—	3	615	996	185	224	—	2	185	222

Causes of Death.	109 Pneumonia (Un- specified).		109 (1) With mention of Influenza as a contri- butory or secondary cause.		109 (2) Without mention of influenza.		110 Pleurisy.		110 (a) Empyema.		110 (b) Other or unspecified forms of pleurisy.		111 Congestion, etc., of the lungs.†		111 (a) Hæmorrhagic infarction of lung.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1249	941	8	6	1241	935	518	297	230	85	288	212	649	840	129	125
0—	184	123	1	—	183	123	6	6	6	4	—	2	11	9	—	—
1—	60	58	—	—	60	58	19	11	17	10	2	1	5	1	—	—
5—	24	11	—	—	24	11	1	4	1	3	—	1	1	2	1	—
10—	4	7	—	—	4	7	3	4	2	1	1	3	2	1	—	1
15—	29	10	—	—	29	10	13	7	8	4	5	3	2	1	1	—
20—	19	11	—	—	19	11	19	7	13	4	6	3	3	—	1	—
25—	18	20	—	—	18	20	18	11	12	7	6	4	3	6	2	4
30—	23	22	—	—	23	22	18	18	12	5	6	13	3	6	—	4
35—	39	24	—	—	39	24	23	8	15	5	8	3	11	8	3	3
40—	57	28	—	—	57	28	28	17	16	3	12	14	12	9	4	5
45—	60	24	1	—	59	24	49	15	25	11	24	4	16	17	11	7
50—	96	34	1	—	95	34	45	27	19	9	26	18	26	25	13	17
55—	113	73	—	1	113	72	62	22	24	8	38	14	27	25	12	11
60—	124	60	2	1	122	59	55	27	22	6	33	21	53	53	19	21
65—	134	91	—	2	134	89	51	27	15	3	36	24	67	76	15	26
70—	114	102	2	1	112	101	45	30	17	2	28	28	93	103	22	11
75—	86	105	1	1	85	104	25	26	—	—	25	26	131	154	17	4
80—	65	138	—	—	65	138	38	30	6	—	32	30	183	344	8	11

† The full title according to the detailed list is 111, Congestion, œdema, hæmorrhagic infarction and thrombosis of the lungs.

Causes of Death.	111 (b)		111 (c)		112 Asthma										113		114	
	Acute œdema of lung.		Chronic or unspecified congestion of lung.		Total.		With contributory or secondary causes:—						Pulmonary em- physema.		Other diseases of the respira- tory system.			
			(1) (4) (5)*	(2) Chronic endocarditis, etc.			(3) Myocardial disease.	(6) Without the complications specified†.										
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Ages	29	39	491	676	1580	1276	27	23	578	439	953	793	375	82	562	149		
0—	—	—	11	9	3	3	—	—	—	—	3	3	—	—	1	1		
1—	—	—	5	1	10	14	—	—	—	—	10	14	—	1	1	3		
5—	—	—	—	2	5	2	—	—	—	—	5	2	1	—	1	3		
10—	—	—	2	—	6	4	—	—	1	—	5	4	1	—	—	1		
15—	—	—	1	1	3	7	—	—	1	—	2	7	1	—	2	3		
20—	—	—	2	—	10	21	1	2	1	1	8	18	—	—	5	4		
25—	—	2	1	—	16	32	1	—	4	3	10	28	—	—	11	5		
30—	—	1	3	1	37	31	—	—	11	5	25	26	1	—	20	11		
35—	2	1	6	4	51	51	1	—	7	13	42	37	6	—	24	5		
40—	—	—	8	4	59	53	—	2	19	18	39	32	10	2	36	13		
45—	2	4	3	6	108	72	1	2	30	26	76	43	14	3	68	11		
50—	1	2	12	6	186	116	2	—	63	38	119	75	40	2	74	16		
55—	4	1	11	13	215	142	3	4	75	50	136	88	54	5	97	18		
60—	3	8	31	24	260	167	7	4	101	69	146	91	75	19	106	19		
65—	3	7	49	43	211	204	4	3	97	81	108	119	60	12	62	14		
70—	3	4	68	88	198	170	5	2	79	72	110	96	55	16	32	11		
75—	8	5	106	145	128	98	1	2	60	36	66	55	35	13	15	8		
80—	3	4	172	329	74	89	1	2	29	27	43	55	22	9	7	3		

* 112, Asthma with contributory or secondary causes as follows:—(1) Influenza 25, 30, 35, 40, 45, 50, 55, 60, 60, 65, 70, 70, 40, 50, 50, 60, 65, 80; (4) Arteriosclerosis 60, 60, 65, 70, 75, 80, 50, 60, 60, 75, 75, 75, 80, 80, 80, 80; (5) Chronic nephritis 50, 60, 70, 25, 35, 45, 75, 75.

† The full title according to the detailed list is 112-6. Without any of the complications here specified in 1-5.

APPENDIX B.I.—continued.

Causes of Death.	114 (a) Silicosis and other occupational pneumoconioses.		114 (b) (c)* 114 (d) Abscess of lung.		114 (c) Other diseases included under 114, not specified as occupational.		114 (c) (1) Chronic interstitial pneumonia not indicated as occupational.		114 (c) (2) Other diseases included under 114 (c).		IX 115-129 Diseases of the Digestive System.		115 Diseases of the buccal cavity, etc.†		115 (a) Diseases of the teeth and gums.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	255	15	119	49	178	81	162	72	16	9	13010	9986	619	583	155	101
0—	—	—	1	1	—	—	—	—	—	—	1894	1259	33	33	5	5
1—	—	—	1	3	—	—	—	—	—	—	416	306	67	41	11	4
5—	—	—	—	2	1	1	1	—	—	1	197	182	47	56	5	2
10—	—	—	—	1	—	—	—	—	—	—	156	123	24	26	1	3
15—	—	—	2	2	—	1	—	1	—	—	235	148	26	24	1	2
20—	—	—	5	2	—	1	—	—	—	1	194	133	17	17	4	4
25—	—	—	6	3	5	2	3	2	2	—	263	182	20	20	5	5
30—	7	5	10	5	3	1	3	1	—	—	334	225	32	28	10	8
35—	11	1	6	4	7	—	5	—	2	—	527	298	48	40	14	8
40—	11	2	16	2	7	8	6	8	1	—	598	342	20	31	9	8
45—	34	2	15	2	17	7	16	7	1	—	799	477	32	32	6	10
50—	39	—	14	4	20	12	19	9	1	3	1055	634	35	21	7	6
55—	50	1	17	4	29	11	27	10	2	1	1336	795	44	34	16	6
60—	55	3	10	4	38	12	34	11	4	1	1398	1029	45	37	18	5
65—	31	1	9	5	22	8	21	8	1	—	1245	1074	39	30	16	8
70—	13	—	3	2	15	9	14	9	1	—	1036	1070	33	37	14	2
75—	3	—	2	2	10	6	9	6	1	—	781	852	33	34	7	8
80—	1	—	2	1	4	2	4	—	—	2	546	857	24	42	6	7

*114 (b), Other occupational respiratory disease 60, 60; 114 (c), Gangrene of lung 40, 40, 45, 45, 50, 55, 60, 70, 20, 40, 55, 55.

† The full title according to the detailed List is 115. Diseases of the buccal cavity and annexe and of the pharynx and tonsils.

Causes of Death.	115 (b) Septic sore throat.		115 (b) (1)*		115 (b) (2) Other diseases included under 115 (b).		115 (c) Other diseases of the pharynx and tonsils.		115 (c) (1) With mention of tonsillectomy.		115 (c) (2) Others with mention of tonsils.		115 (c) (3) Other diseases included under 115 (c).		115 (d) Other diseases included under 115.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	137	145	63	79	69	61	282	267	40	39	134	146	108	82	45	70
0—	7	6	3	2	4	3	17	14	—	—	3	4	14	10	4	8
1—	18	16	8	10	9	4	38	21	10	7	22	11	6	3	—	—
5—	9	16	5	9	4	7	32	38	17	14	13	22	2	2	1	—
10—	11	10	5	6	5	4	12	13	4	1	4	10	4	2	—	—
15—	13	6	6	1	6	4	12	16	—	2	7	10	5	4	—	—
20—	4	5	3	5	1	—	9	8	—	2	7	4	2	2	—	—
25—	6	7	3	4	2	3	8	8	—	1	4	4	4	3	1	—
30—	8	10	4	5	4	5	14	10	4	2	8	6	2	2	—	—
35—	11	8	6	4	5	4	21	24	1	2	13	13	7	9	2	—
40—	4	8	3	8	1	—	7	15	—	1	4	8	3	6	—	—
45—	6	5	4	2	1	3	20	16	2	3	6	8	12	5	—	1
50—	8	6	3	4	5	2	17	8	—	—	10	3	7	5	3	1
55—	11	7	—	3	11	4	13	15	1	1	5	10	7	4	4	6
60—	5	10	3	5	2	5	15	14	1	2	12	7	2	5	7	8
65—	7	9	3	4	4	5	11	8	—	—	5	5	6	3	5	5
70—	6	7	3	3	3	4	11	18	—	—	3	13	8	5	2	10
75—	2	5	1	2	1	3	19	12	—	—	7	4	12	8	5	9
80—	1	4	—	2	1	1	6	9	—	1	1	4	5	4	11	22

* 115 (b) (1), With mention of tonsillectomy 1, 10, 15, 25, 45, 0, 1, 1, 15, 30.

APPENDIX B.I.—continued.

Causes of Death.	116 Diseases of the oesophagus.		117 Ulcer of the stomach or duodenum.		117 (a) Ulcer of the stomach.		117 (b) Ulcer of the duodenum.		118 Other diseases of the stomach.		118 (1) Inflammation of the stomach.		118 (2) Other diseases included under 118.		119* & 120 Enteritis and diarrhoea.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	42	30	3916	1116	2606	877	1310	239	338	339	243	279	95	60	2358	1983
0—	5	—	1	—	—	—	1	—	71	44	64	41	7	3	1577	1083
1—	—	—	—	—	—	—	—	—	17	11	15	9	2	2	175	150
5—	—	—	—	—	—	—	—	—	2	2	2	2	—	—	28	14
10—	1	1	—	1	—	1	—	—	1	1	1	—	—	—	10	15
15—	—	—	17	5	10	2	7	3	2	—	2	—	—	—	13	23
20—	—	—	41	5	20	4	21	1	1	—	—	—	1	—	16	27
25—	—	1	74	9	54	8	20	1	2	1	1	1	3	1	30	46
30—	2	—	112	19	75	14	37	5	4	1	1	—	3	1	33	44
35—	—	2	255	46	150	33	105	13	9	5	4	4	5	1	28	47
40—	—	2	316	37	216	34	100	13	11	7	4	4	7	3	36	40
45—	2	2	401	76	278	58	123	18	19	12	9	10	10	2	31	36
50—	2	1	520	115	352	93	168	22	23	8	17	5	6	3	37	58
55—	4	3	619	133	431	101	188	32	20	20	10	11	10	9	70	48
60—	4	2	549	170	366	131	183	39	28	19	17	17	11	2	64	63
65—	3	5	445	160	283	128	162	32	34	45	20	37	14	8	54	66
70—	10	4	294	142	189	109	105	33	27	43	19	39	8	4	61	70
75—	4	2	168	107	114	91	54	16	30	51	26	38	4	13	43	68
80—	5	5	104	81	68	70	36	11	37	69	31	61	6	8	52	85

* 119, Enteritis and diarrhoea under 2 years :— Males 1,696 ; Females 1,195.

Causes of Death.	119 (a) & 120 (a) Enteritis and diarrhoea without mention of ulceration.		119 (b) & 120 (b) Ulceration of the intestines (except duodenum).		121 Appendicitis.		121 (1) Without mention of intestinal obstruction.		121 (2) With mention of intestinal obstruction.		122 Hernia, intestinal obstruction.		122 (a) Hernia.		122 (b) Intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2093	1672	265	311	1565	1157	1341	1051	224	106	1860	1793	957	1042	903	751
0—	1571	1080	6	3	3	4	3	3	—	1	169	75	39	4	130	71
1—	173	148	2	2	77	51	70	46	7	5	56	21	17	2	39	19
5—	27	14	1	—	93	81	81	73	12	8	16	9	—	3	16	6
10—	7	6	3	9	98	58	91	56	7	2	7	10	—	4	7	6
15—	1	7	12	16	142	74	114	72	28	2	18	7	2	—	16	7
20—	4	6	12	21	89	52	79	50	10	2	17	9	4	1	13	8
25—	6	12	24	34	81	54	68	46	13	8	27	18	13	2	14	16
30—	8	8	25	36	82	57	64	53	18	4	30	24	7	6	23	18
35—	5	18	23	29	88	58	71	52	17	6	38	31	12	6	26	25
40—	16	13	20	27	90	50	77	39	13	11	38	61	16	30	22	31
45—	17	13	14	23	105	74	86	63	19	11	75	82	34	47	41	35
50—	19	27	18	31	114	93	95	85	19	8	116	98	59	67	57	31
55—	27	26	43	22	120	89	101	82	19	7	158	130	80	88	78	42
60—	47	43	17	20	125	107	111	101	14	6	217	209	122	142	95	67
65—	34	50	20	16	98	86	88	81	10	5	235	272	138	185	97	87
70—	49	60	12	10	86	82	74	71	12	11	231	270	140	181	91	89
75—	36	57	7	11	45	47	42	40	3	7	228	224	148	139	80	85
80—	46	84	6	1	29	40	26	38	3	2	184	243	126	135	58	108

APPENDIX B.I.—continued.

Causes of Death.	122 (b) (1) Intussusception.		122 (b) (2) Paralytic ileus without stated cause.		122 (b) (3) Other or unspecified forms of intestinal obstruction.		123 Other diseases of the intestines.		123 (a) Diverticulitis.		123 (b) Other diseases included under 123.		124 Cirrhosis of the liver.		124 (a) With mention of alcoholism.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	175	97	23	27	705	627	432	449	290	300	142	149	774	437	107	49
0—	115	58	—	1	15	12	11	5	1	—	10	5	2	—	—	—
1—	28	16	—	1	11	2	2	4	—	—	2	4	1	—	—	—
5—	8	4	—	—	8	2	—	1	—	—	—	1	3	1	—	—
10—	3	2	—	—	4	4	2	1	1	—	1	1	2	4	—	—
15—	1	2	1	—	14	5	4	1	2	—	2	1	2	4	—	—
20—	4	—	—	—	9	8	2	3	2	—	—	3	—	2	—	—
25—	—	1	1	2	13	13	4	6	1	—	3	6	5	3	—	—
30—	1	1	1	2	21	15	8	5	4	1	4	4	9	12	2	—
35—	1	—	1	2	24	23	8	6	6	4	2	2	18	8	3	1
40—	1	—	—	2	21	29	19	8	15	4	4	4	32	12	6	1
45—	2	4	2	2	37	29	28	25	21	16	7	9	51	40	10	10
50—	2	1	3	2	52	28	45	40	30	31	15	9	80	42	13	6
55—	3	—	2	4	73	38	61	43	46	32	15	11	129	66	20	5
60—	2	2	6	—	87	65	65	63	51	49	14	14	152	80	26	13
65—	1	1	3	3	93	83	52	59	35	44	17	15	121	66	13	8
70—	2	1	1	2	88	86	49	80	32	59	17	21	94	53	11	4
75—	—	3	1	2	79	80	50	53	35	40	15	13	58	28	3	—
80—	1	1	1	2	56	105	22	46	8	20	14	26	15	16	—	1

Causes of Death.	124 (b) Without mention of alcoholism.		125 Other diseases of the liver.		125 (a) Acute yellow atrophy (not associated with pregnancy).		125 (b) Other diseases included under 125.		126 Biliary calculi.		127 Other diseases of the gall-bladder and bile ducts.		127 (a) Cholecystitis without record of biliary calculi.		127 (b) Other diseases included under 127.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	667	388	119	95	29	34	90	61	325	821	374	848	320	791	54	57
0—	2	—	5	1	2	—	3	1	—	—	1	1	—	—	1	1
1—	1	—	4	2	1	2	3	—	—	—	5	2	—	—	5	2
5—	3	1	2	2	—	1	2	1	—	—	3	—	—	—	3	—
10—	2	4	3	—	3	—	—	—	—	—	1	1	—	—	1	1
15—	2	4	4	4	—	2	4	2	—	—	—	1	—	—	—	1
20—	—	2	2	4	1	3	1	1	—	4	2	1	1	1	1	—
25—	5	3	9	3	5	1	4	2	1	4	2	6	1	3	1	3
30—	7	12	8	5	1	1	7	4	6	9	1	9	1	6	—	3
35—	15	7	8	5	—	4	8	1	6	22	8	15	8	13	—	2
40—	26	11	8	12	3	4	5	8	5	24	10	22	8	20	2	2
45—	41	30	9	3	2	—	7	3	9	40	19	31	14	31	5	—
50—	67	36	15	10	3	3	12	7	21	67	20	53	18	47	2	6
55—	109	61	10	6	3	3	7	3	39	103	29	88	29	84	—	4
60—	126	67	5	9	—	5	5	4	52	110	63	126	53	121	10	5
65—	108	58	11	11	4	3	7	8	59	115	58	126	50	122	8	4
70—	83	49	9	7	1	1	8	6	56	130	57	126	49	121	8	5
75—	55	28	5	7	—	1	5	6	46	105	56	116	51	109	5	7
80—	15	15	2	4	—	—	2	4	25	88	39	124	37	113	2	11

APPENDIX B.I.—continued.

Causes of Death.	128 Diseases of the pancreas (other than diabetes).		129 Peritonitis without stated cause.		X. 130-139 Diseases of the Urinary and Genital Systems.†		130-132 Nephritis (all forms).		130 Acute nephritis.		131 Chronic nephritis.		131 (a) Secondary to acute nephritis.		131 (b) Arterio-sclerotic kidney.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	188	201	100	134	14165	8932	7394	7368	513	469	6359	6373	139	164	3016	2851
0—	—	—	16	13	83	53	23	15	23	15	—	—	—	—	—	—
1—	3	1	9	23	47	39	36	30	28	21	8	9	—	2	2	1
5—	1	—	2	16	45	42	39	34	18	23	21	11	3	1	3	2
10—	—	—	7	5	46	46	41	40	22	12	17	22	—	2	2	4
15—	1	—	6	5	101	80	86	75	26	14	51	55	10	7	4	7
20—	3	2	4	7	129	138	114	103	26	21	76	75	7	1	7	16
25—	5	7	3	4	183	183	158	128	28	26	117	90	9	7	24	19
30—	7	4	—	8	199	240	164	169	34	30	113	128	4	4	26	28
35—	8	6	5	7	249	305	207	221	33	21	157	180	9	7	44	55
40—	9	10	4	16	267	380	219	280	28	29	172	230	4	15	56	66
45—	13	17	5	7	417	506	338	383	33	37	283	323	10	9	107	104
50—	22	26	5	2	695	646	554	535	45	44	476	457	17	7	201	172
55—	21	28	12	4	1014	745	666	618	43	42	576	526	16	16	271	226
60—	26	30	3	4	1593	989	909	845	40	42	801	743	12	23	376	326
65—	28	27	8	6	2169	1189	1068	1016	32	30	977	910	13	27	492	414
70—	24	25	5	1	2508	1198	1112	1028	27	25	1006	930	14	18	523	480
75—	11	6	4	4	2263	1042	892	919	17	16	812	839	7	10	449	443
80—	6	12	2	2	2157	1111	768	929	10	21	696	845	4	8	429	488

† Not Venereal or connected with Pregnancy or the Puerperium.

Causes of Death.	131 (c) Chronic nephritis not otherwise specified.		132 Nephritis not stated to be acute or chronic (over 10 years of age).		133 Other diseases of the kidney and ureters.		133 (a) Pyelitis, pyelo-nephritis, pyelo-cystitis.		133 (b) Other diseases included under 133.		134 Calculi of the urinary passages.		134 (a) Calculi of kidneys and ureters.		134 (c)* 134 (b) Calculi of the bladder.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3204	3358	522	526	528	652	443	575	85	77	280	161	186	139	87	20
0—	—	—	—	—	46	34	43	31	3	3	—	—	—	—	—	—
1—	6	6	—	—	9	9	8	7	1	2	1	—	—	—	1	—
5—	15	8	—	—	4	6	3	5	1	1	1	1	1	1	—	—
10—	15	10	2	6	4	5	1	3	3	2	1	—	1	—	—	—
15—	37	41	9	6	13	2	10	2	3	—	1	2	1	2	—	—
20—	62	58	12	7	5	11	3	9	2	2	7	4	7	2	—	2
25—	84	64	13	12	12	15	11	13	1	2	7	7	6	6	1	1
30—	83	96	17	11	12	17	8	14	4	3	12	9	10	9	1	—
35—	104	118	17	20	14	27	12	26	2	1	16	11	12	11	4	—
40—	112	149	19	21	15	36	14	28	1	8	14	16	13	14	1	2
45—	166	210	22	23	20	36	15	32	5	4	23	17	19	16	4	1
50—	258	278	33	34	32	48	24	41	8	7	34	14	23	12	11	1
55—	289	284	47	50	41	58	34	56	7	2	27	14	18	13	6	1
60—	413	394	68	60	76	64	61	55	15	9	32	21	26	20	6	1
65—	472	469	59	76	69	85	55	75	14	10	50	14	28	12	22	2
70—	469	432	79	73	61	81	56	73	5	8	24	13	10	8	13	5
75—	356	386	63	64	62	58	57	53	5	5	15	6	6	5	7	—
80—	263	349	62	63	33	60	28	52	5	8	15	12	5	8	10	4

* 134 (c), Calculi of unstated site 30, 55, 55, 55, 70, 75, 75, 50, 75.

APPENDIX B.I.—continued.

Causes of Death.	135 Diseases of the bladder.		135 (a) Cystitis.		135 (b) Other diseases of the bladder.		138 Diseases of the urethra, urinary abscess, etc.		136 (a) Stricture of the urethra.		136 (b) Other diseases of the urethra, etc.		137 Diseases of the prostate.	137 (a) Hypertrophy of prostate
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	M.
All Ages	489	354	426	328	63	26	326	4	304	—	22	4	5083	4914
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
20—	2	1	2	1	—	—	—	—	—	—	—	—	—	—
25—	2	4	2	3	—	1	1	—	1	—	—	—	2	—
30—	4	9	4	6	—	3	6	—	5	—	1	—	1	—
35—	4	4	3	4	1	—	5	—	3	—	2	—	1	—
40—	3	4	3	3	—	1	6	—	6	—	—	—	7	3
45—	9	12	6	8	3	4	16	—	16	—	—	—	7	7
50—	19	13	16	11	3	2	18	—	17	—	1	—	35	34
55—	34	22	28	18	6	4	40	—	35	—	5	—	201	194
60—	50	26	44	26	6	—	71	1	68	—	3	1	450	432
65—	68	52	55	51	13	1	63	2	60	—	3	2	840	815
70—	88	61	76	58	12	3	49	1	45	—	4	1	1169	1139
75—	90	47	79	44	11	3	35	—	33	—	2	—	1165	1134
80—	116	99	108	95	8	4	15	—	15	—	—	—	1205	1156

Causes of Death.	137 (b) Other diseases included under 137.	138 Diseases of other male genital organs.	139 Diseases of the female genital organs.	139 (a) Diseases of the ovaries, Fallopian tubes and parametria.	139 (a) (1)* 139 (a) (2) Diseases of the Fallopian tubes.	139 (a) (3) Diseases of the parametria.	139 (b) Diseases of the uterus.	139 (c)* 139 (d) Other diseases included under 139.
Ages at Death.	M.	M.	F.	F.	F.	F.	F.	F.
All Ages	169	65	393	157	121	29	198	24
0—	—	14	4	—	—	—	—	1
1—	—	1	—	—	—	—	—	—
5—	—	1	1	—	—	—	—	1
10—	—	—	1	1	—	1	—	—
15—	—	—	1	—	—	—	1	—
20—	—	1	19	16	7	8	2	1
25—	2	1	29	20	20	—	8	—
30—	1	—	36	22	20	2	14	—
35—	1	2	42	26	21	4	15	1
40—	4	3	44	19	15	3	23	2
45—	—	4	58	24	16	4	29	3
50—	1	3	36	12	9	3	22	1
55—	7	5	33	3	2	1	26	2
60—	18	5	32	5	4	1	19	6
65—	25	11	20	6	4	2	13	—
70—	30	5	14	3	3	—	7	2
75—	31	4	12	—	—	—	9	3
80—	49	5	11	—	—	—	10	1

* 139 (a) (1), Diseases of the ovaries 20, 35, 40, 45, 45, 45, 45; 139 (c), Diseases of the breast 0, 0, 0, 25, 45, 45, 50, 55, 55, 60, 60, 65, 70, 70.

APPENDIX B.I.—continued.

Causes of Death.	XI. 140-150 Diseases of Pregnancy, Childbirth and the Puerperal State.	140 Post-abortive infection.	140 (a) Spontaneous, therapeutic, or of unspecified origin.	140 (aa)* 140 (ab) Without mention of pyelitis.	140 (b) Abortion induced for reasons other than therapeutic.	140 (ba) By the woman herself.	140 (bb)* 140 (bc) By persons unstated.	141 Abortion without mention of septic conditions.
	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	1997	247	167	161	80	43	27	107
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	70	10	7	7	3	2	1	2
20—	269	26	17	16	9	3	3	17
25—	555	69	47	45	22	12	8	17
30—	522	65	50	48	15	9	6	35
35—	397	57	34	33	23	13	6	24
40—	165	18	11	11	7	4	3	11
45—	17	1	—	—	1	—	—	1
50—	2	1	1	1	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—

* 140 (aa), With mention of pyelitis 20, 25, 25, 30, 30, 35; 140 (bb), By other persons 20, 20, 20, 25, 25, 35, 35, 35, 45.

Causes of Death.	141 (a) Spontaneous, therapeutic or of unspecified origin.	141 (aa) With record of hæmorrhage, trauma or shock.	141 (aa) (1)* 141 (aa) (2) Other conditions included under 141 (aa).	141 (ab) Without record of hæmorrhage, trauma or shock.	141 (ab) (1) With toxæmia of pregnancy preceding abortion.	141 (ab) (2) Other conditions included under 141 (ab).	141 (b) Abortion (non-septic) induced for reasons other than therapeutic.	141 (ba) (bb) (bc)* 142 Ectopic gestation.
	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	79	44	40	35	19	16	28	62
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	2	1	—	1	1	—	—	1
20—	11	6	6	5	3	2	6	6
25—	13	7	6	6	3	3	4	14
30—	28	15	15	13	8	5	7	15
35—	18	12	10	6	4	2	6	20
40—	6	3	3	3	—	3	5	4
45—	1	—	—	1	—	1	—	2
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—

* 141 (aa) (1), With toxæmia of pregnancy preceding abortion 15, 25, 35, 35; 141 (ba), By the woman herself 20, 20, 25, 30, 30, 30, 30, 35, 35, 35, 35, 40, 40, 40; 141 (bb), By other persons 20, 25, 25; 141 (bc), By persons unstated 20, 20, 25, 30, 30, 30, 35, 40, 40.

APPENDIX B.I.—continued.

Causes of Death.	143 Hæmorrhage of pregnancy.	143 (a) (b) (c)*	144 (a) Eclampsia of pregnancy.	144 (b) Albuminuria and nephritis of pregnancy.	144 (c)*	145 Other diseases and accidents of pregnancy.	146 Hæmorrhage of childbirth and the puerperium.	146 (a) Placenta prævia (with childbirth).
		144 (d) Toxæmias of pregnancy.			144 (d) Other diseases included under 144.			
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	29	174	70	23	72	23	267	71
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	1	9	4	1	3	2	4	1
20—	2	33	11	3	17	3	26	4
25—	5	46	21	6	16	8	80	18
30—	5	41	18	8	14	5	69	17
35—	8	31	10	4	15	4	58	18
40—	7	12	6	1	5	—	28	11
45—	1	2	—	—	2	—	2	2
50—	—	—	—	—	—	1	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—

* 143 (a), Placenta prævia 20, 25, 30, 30, 30, 35, 35, 35, 40, 40, 40, 40, 40, 45; 143 (b), Premature separation of placenta and other accidental hæmorrhage 15, 25, 30, 35, 35, 35; 143 (c), Other and unspecified hæmorrhages of pregnancy 20, 25, 25, 25, 30, 35, 35, 40; 144 (c), Acute yellow atrophy of liver associated with pregnancy 15, 20, 20, 25, 25, 25, 30, 35, 35.

Causes of Death.	146 (b) Premature separation of placenta (with childbirth).	146 (c)*	147 Infection during childbirth and the puerperium.	147 (a) General or local puerperal infections with mention of pyelitis.	147 (b) General or local puerperal infections without mention of pyelitis.	147 (c) Puerperal thrombophlebitis.	147 (d) Puerperal embolism and sudden death.	148 Puerperal toxæmias.
		146 (d) Other hæmorrhages after childbirth.						
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	17	166	402	21	227	67	87	304
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	3	11	1	8	—	2	17
20—	1	20	58	4	38	4	12	48
25—	4	54	108	6	62	14	26	85
30—	3	47	111	4	61	22	24	76
35—	4	32	81	5	44	16	16	46
40—	5	10	30	1	13	10	6	30
45—	—	—	3	—	1	1	1	2
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—

* 146 (e), Other hæmorrhages of childbirth 20, 25, 25, 25, 25, 30, 30, 35, 35, 35, 35, 40, 40.

APPENDIX B.I.—continued.

Causes of Death.	148 (a) Puerperal eclampsia.	148 (b) Puerperal albuminuria and nephritis.	148 (c) Acute yellow atrophy of liver (post partum).	148 (d) Other puerperal toxæmias.	149 Other accidents of childbirth.	149 (a) Laceration etc. of pelvic organs without hæmorrhage.†	149 (b) Other conditions included under 149.	150 Other or unspecified conditions of childbirth and the puerperal state.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	149	53	34	68	349	195	154	33
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	11	4	1	1	12	3	9	1
20—	31	3	6	8	47	29	18	3
25—	41	20	8	16	112	59	53	11
30—	34	14	10	18	92	50	42	8
35—	22	6	5	13	62	38	24	6
40—	10	6	2	12	21	14	7	4
45—	—	—	2	—	3	2	1	—
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—

† The full title according to the detailed List is 149 (a). Laceration, rupture or other trauma of pelvic organs (without mention of hæmorrhage).

Causes of Death.	150 (a) (b)* 150 (c) Other conditions included under 150.	XII 151-153 Diseases of the Skin and Cellular Tissue.		151 Carbuncle, boils.		152 Cellulitis, acute abscess.		153 Other diseases of the skin and cellular tissue.		XIII 154-156 Diseases of the Bones and Organs of Movement.		154 Osteomyelitis and periostitis.		155 Other diseases of the bones.	
Ages at Death.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	20	766	577	275	183	221	167	270	227	506	293	310	124	66	61
0—	—	118	83	4	4	26	24	88	55	17	14	13	12	1	—
1—	—	11	15	—	1	3	6	8	8	26	17	21	14	1	1
5—	—	7	3	2	—	4	2	1	1	37	27	34	22	—	1
10—	—	12	17	8	9	3	5	1	3	72	22	58	16	—	—
15—	1	20	15	11	9	7	6	2	—	50	11	35	7	4	—
20—	—	25	7	16	6	5	1	4	—	29	9	16	5	—	—
25—	7	22	12	16	7	4	2	2	3	17	10	12	3	—	—
30—	5	30	21	18	11	9	4	3	6	19	13	16	9	1	—
35—	4	35	14	20	5	11	6	4	3	9	11	5	4	—	1
40—	3	29	19	17	13	10	2	2	4	14	9	11	3	1	1
45—	—	35	34	10	16	16	11	9	7	15	10	7	2	2	—
50—	—	40	32	18	13	14	10	8	9	19	14	9	3	1	3
55—	—	47	44	19	24	19	10	9	10	33	15	14	4	7	4
60—	—	69	43	29	15	14	9	26	19	39	22	18	2	10	10
65—	—	86	55	38	11	26	18	22	26	40	24	12	4	14	12
70—	—	67	57	23	16	17	20	27	21	33	28	14	5	8	13
75—	—	63	47	16	11	19	15	28	21	24	18	9	5	12	7
80—	—	50	59	10	12	14	16	26	31	13	19	6	4	4	8

* 150 (a), Mastitis during the puerperium and lactation 20, 20, 20, 25, 30, 40; 150 (b), Puerperal psychoses 25, 25, 25, 30, 30, 35, 35.

APPENDIX B.I.—continued.

Causes of Death.	156 Diseases of the joints and other organs of movement.		156 (a) Diseases of the joints.		156 (b) Diseases of other organs of movement.		156 (b) (1) Diseases of muscles.		156 (b) (2) Other diseases included under 156 (b).		XIV 157 Congenital Malformations.		157 (a) Congenital hydrocephalus.		157 (b) Spina bifida and meningocele.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	130	108	64	45	66	63	46	44	20	19	2489	2140	164	145	481	698
0—	3	2	2	2	1	—	1	—	—	—	2056	1695	118	105	463	688
1—	4	2	3	2	1	—	—	—	1	—	120	134	25	21	14	7
5—	3	4	3	3	—	1	—	—	—	1	29	34	3	6	—	1
10—	14	6	3	3	11	3	8	1	3	2	30	34	5	4	2	—
15—	11	4	4	3	7	1	5	—	2	1	38	24	2	1	—	1
20—	13	4	6	—	7	4	3	4	4	—	25	27	3	3	—	—
25—	5	7	3	4	2	3	2	2	—	1	29	27	2	1	—	—
30—	2	4	1	1	1	3	—	2	1	1	30	16	1	—	—	—
35—	4	6	2	3	2	3	1	1	1	2	26	14	—	—	—	—
40—	2	5	1	1	1	4	1	2	—	2	22	21	3	—	—	—
45—	6	8	4	2	2	6	2	5	—	1	25	26	1	1	—	—
50—	9	8	4	1	5	7	2	6	3	1	17	33	1	2	—	—
55—	12	7	4	3	8	4	5	4	3	—	20	18	—	1	1	—
60—	11	10	8	3	3	7	3	6	—	1	10	15	—	—	1	1
65—	14	8	7	3	7	5	6	3	1	2	4	10	—	—	—	—
70—	11	10	7	4	4	6	4	3	—	3	3	4	—	—	—	—
75—	3	6	—	2	3	4	2	3	1	1	2	6	—	—	—	—
80—	3	7	2	5	1	2	1	2	—	—	3	2	—	—	—	—

Causes of Death.	157 (c) Congenital malformation of heart.		157 (d) Monstrosities.		157 (e) Congenital pyloric stenosis.		157 (f) Cleft palate, harelip.		157 (g) Imperforate anus.		157 (h) Cystic disease of kidney.		157 (i) Other stated congenital malformations.		157 (ia) Central nervous system.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	892	634	35	64	272	63	61	62	51	15	84	90	425	348	36	34
0—	742	461	35	63	272	62	54	57	51	15	11	5	286	218	28	20
1—	48	74	—	1	—	1	7	4	—	—	2	2	24	24	6	7
5—	15	20	—	—	—	—	—	—	—	—	—	—	11	7	—	2
10—	15	22	—	—	—	—	—	—	—	—	—	—	8	8	—	2
15—	22	11	—	—	—	—	—	—	—	—	3	1	11	10	—	—
20—	10	11	—	—	—	—	—	1	—	—	1	2	11	10	1	—
25—	10	16	—	—	—	—	—	—	—	—	2	4	15	6	—	—
30—	12	4	—	—	—	—	—	—	—	—	4	5	13	7	—	—
35—	4	1	—	—	—	—	—	—	—	—	8	6	14	7	1	1
40—	4	2	—	—	—	—	—	—	—	—	7	9	8	10	—	—
45—	3	4	—	—	—	—	—	—	—	—	15	7	6	14	—	1
50—	3	5	—	—	—	—	—	—	—	—	11	14	2	12	—	1
55—	2	1	—	—	—	—	—	—	—	—	7	11	10	5	—	—
60—	2	—	—	—	—	—	—	—	—	—	4	8	3	6	—	—
65—	—	2	—	—	—	—	—	—	—	—	3	6	1	2	—	—
70—	—	—	—	—	—	—	—	—	—	—	2	4	1	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	1	5	1	1	—	—
80—	—	—	—	—	—	—	—	—	—	—	3	1	—	1	—	—

[illegible][illegible]

APPENDIX B.I.—continued.

Causes of Death.	161 (c) (1) Infections of the umbilicus.		161 (c) (2) Pemp- phigus neona- torum.		161 (c) (3) Other or unspecified infections included under 161 (c)		161 (d) Melæna neona- torum.		161 (e) Other specified diseases included under 161.		XVI 162 Senility, Old Age.		162 (a) Old age.		162 (b) Senility with mention of senile dementia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	22	18	21	20	12	8	204	194	229	149	6860	10407	174	300	301	433
0—	22	18	21	20	12	8	204	194	229	149	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	3	2	—	—	2	1
55—	—	—	—	—	—	—	—	—	—	—	4	10	—	—	1	4
60—	—	—	—	—	—	—	—	—	—	—	48	45	1	—	13	16
65—	—	—	—	—	—	—	—	—	—	—	184	193	2	3	29	38
70—	—	—	—	—	—	—	—	—	—	—	825	1004	12	16	74	77
75—	—	—	—	—	—	—	—	—	—	—	1781	2220	32	39	88	115
80—	—	—	—	—	—	—	—	—	—	—	4015	6933	127	242	94	182

Causes of Death.	162 (c) Senility without mention of senile dementia.		XVII 163-198 Deaths from Violence.		Suicide.											
Ages at Death.	M.	F.	M.	F.	163-164 Total.		163 By poison- ing.		163 (a) By solid or liquid toxic or corrosive substances.		163 (aa) By corrosive substances.		163 (ab) By anal- gesic and narcotic drugs.		163 (ab) (1) By analgesic drugs.	
All Ages	6385	9674	16188	8122	3312	1689	1442	1060	278	243	155	129	21	31	18	28
0—	—	—	414	328	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	594	363	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	556	245	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	371	107	2	1	—	1	—	—	—	—	—	—	—	—
15—	—	—	795	205	62	19	25	12	8	3	1	2	—	1	—	1
20—	—	—	1047	202	122	53	58	38	9	11	6	6	—	—	—	—
25—	—	—	1077	247	149	96	74	60	13	14	5	7	3	—	2	—
30—	—	—	963	239	215	132	114	83	17	25	10	13	1	2	1	2
35—	—	—	972	266	259	140	112	88	20	23	12	14	3	5	3	3
40—	—	—	849	295	211	159	110	108	17	21	13	11	1	4	—	4
45—	—	—	977	397	296	207	143	138	25	32	18	15	2	5	2	5
50—	1	1	1132	434	343	222	144	131	34	35	19	21	2	4	2	3
55—	3	6	1299	494	454	204	186	123	40	19	18	13	6	1	5	1
60—	34	29	1424	590	458	173	184	101	38	24	22	9	2	3	2	3
65—	153	152	1136	659	338	133	133	83	26	14	14	6	—	4	—	4
70—	739	911	978	764	222	80	92	45	15	10	7	5	1	1	1	1
75—	1661	2066	831	868	126	48	46	36	12	10	9	6	—	1	—	1
80—	3794	6509	773	1419	55	22	21	13	4	2	1	1	—	—	—	—

† In addition to these numbers, 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934. For ages see Table 25, page 256.

APPENDIX B.I.—continued.

Causes of Death.	Suicide.															
	163 (ab) (2)*		163 (ad) By other solid or liquid poisons.		163 (b) By poisonous gas.		163 (ba) By coal gas.		163 (bb) By motor exhaust gases.		163 (bc)*		164 (a) By hanging or strangulation.		164 (b) By drowning.	
	163 (ac) By soporific drugs.										164 Other forms of suicide.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	16	31	86	52	1164	817	1111	811	53	6	1870	629	564	144	475	312
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	1	—	1	—	—	2	—	2	—	—	—
15—	1	—	6	—	17	9	16	7	1	2	37	7	15	1	1	3
20—	—	1	3	4	49	27	42	26	7	1	64	15	17	1	15	9
25—	1	2	4	5	61	46	57	45	4	1	75	36	25	4	18	14
30—	1	2	5	8	97	58	93	57	4	1	101	49	34	9	26	25
35—	—	—	5	4	92	65	88	65	4	—	147	52	42	7	29	25
40—	1	2	2	4	93	87	89	87	4	—	101	51	31	13	16	22
45—	1	6	4	6	118	106	110	106	8	—	153	69	35	24	34	30
50—	1	6	12	4	110	96	103	95	7	1	199	91	62	24	56	48
55—	—	1	16	4	146	104	140	104	6	—	268	81	72	18	74	47
60—	3	5	11	7	146	77	142	77	4	—	274	72	100	16	80	37
65—	3	2	9	2	107	69	105	69	2	—	205	50	62	12	58	26
70—	4	2	3	2	77	35	76	35	1	—	130	35	36	8	42	16
75—	—	2	3	1	34	26	34	26	—	—	80	12	17	6	21	4
80—	—	—	3	1	17	11	16	11	1	—	34	9	14	1	5	6

* 163 (ab) (2), By narcotic drugs 25, 40, 55, 35, 35, 50; 163 (bc), By other poisonous gas —.

Causes of Death.	Suicide.												Homicide.			
	164 (c) By firearms and explosives.		164 (d) By cutting or piercing instruments.		164 (e) By jumping from high places.		164 (f) By crushing.		164 (fa) On railways.		164 (fb)* 164 (g) By other or unspecified means.		165-168 Total.		165* By firearms.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	237	11	364	59	84	61	137	33	126	33	9	9	90	104	5	16
0—	—	—	—	—	—	—	—	—	—	—	—	—	25	18	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	9	16	1	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	8	8	—	1
10—	—	—	—	—	—	—	—	—	—	—	—	—	5	5	1	1
15—	10	2	1	—	1	1	9	—	9	—	—	—	8	5	—	2
20—	17	1	1	2	4	2	8	—	8	—	2	—	3	7	1	—
25—	18	3	5	1	3	6	6	5	5	5	—	3	4	9	—	2
30—	16	1	13	7	4	2	7	5	7	5	1	—	2	2	—	—
35—	35	—	21	5	8	10	11	5	10	5	1	—	1	7	—	4
40—	14	3	25	4	4	4	11	4	9	4	—	1	2	4	—	1
45—	24	—	34	6	10	5	13	2	11	2	3	2	4	5	—	2
50—	25	1	31	11	14	5	10	2	8	2	1	—	4	4	—	2
55—	26	—	69	10	7	4	20	1	19	1	—	1	5	3	1	—
60—	19	—	47	6	7	7	20	6	19	6	1	—	3	5	—	1
65—	18	—	47	3	12	6	8	2	8	2	—	1	5	2	1	—
70—	8	—	31	4	5	5	8	1	8	1	—	1	—	—	—	—
75—	5	—	31	—	1	2	5	—	4	—	—	—	1	1	—	—
80—	2	—	8	—	4	2	1	—	1	—	—	—	1	3	—	—

* 164 (fb), Other suicide by crushing 25, 35, 40, 40, 45, 45, 50, 50, 55, 60, 75; 165, Infanticide. Deaths from this cause are shown at age 0— under Nos. 166-168.

APPENDIX B.I.—continued.

Causes of Death.	Homicide.				169-195†		169		170		170 (a) (b)*		171		171 (a)	
	167 By cutting or piercing instruments.		168 By other or unspecified means.								170 (c) Other accidents included under 170.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	13	76	75	12707	6328	416	36	5080	1558	5074	1558	529	122	88	19
0—	2	1	23	17	389	310	—	—	4	5	4	5	—	—	—	—
1—	2	—	6	16	585	347	9	1	163	90	163	90	10	1	—	—
5—	1	—	7	7	548	237	12	1	281	124	281	124	15	3	—	—
10—	—	2	4	2	364	101	6	2	165	54	165	54	24	4	—	—
15—	—	—	8	3	723	181	17	2	346	105	346	105	39	13	1	—
20—	1	1	1	6	920	142	20	3	505	83	505	83	28	9	1	—
25—	2	2	2	5	919	142	32	2	466	73	464	73	27	5	1	—
30—	—	—	2	2	741	105	29	—	328	47	328	47	18	4	1	1
35—	—	1	1	2	707	119	36	—	281	47	279	47	25	3	3	1
40—	—	—	2	3	619	131	33	7	226	55	225	55	32	2	4	1
45—	—	—	4	3	662	185	45	3	253	58	253	58	34	6	7	1
50—	—	1	4	1	772	208	37	5	283	74	283	74	30	6	6	—
55—	—	1	4	2	830	287	52	1	314	103	314	103	49	3	9	—
60—	1	3	2	1	959	412	53	1	384	122	384	122	49	14	8	3
65—	—	1	4	1	792	524	12	4	342	138	342	138	51	11	12	3
70—	—	—	—	—	756	684	10	3	320	165	320	165	44	16	16	6
75—	—	—	1	1	704	819	8	1	230	106	230	106	39	8	13	1
80—	—	—	1	3	717	1394	5	—	189	109	188	109	15	14	6	2

* 170 (a), Collisions with trains 25, 35, 35, 40, 80; 170 (b), Collisions with trams 25.

† The full title according to the detailed List is 169-195, Accidental deaths (or deaths not known to be due to suicide or homicide).

‡ (Any cause of death except war.)

§ In addition to these numbers, 98 deaths were registered which occurred in the Gresford Colliery disaster in 1934. For ages see Table 25, page 256.

Causes of Death.	171 (b) Other accidents included under 171.		172 Water transport accidents.‡		173 Air transport accidents.‡		174 Accidents in mines and quarries.‡		175 Agricultural and forestry accidents (any cause of death).		175 (a) Accidents from farm, etc. machinery and vehicles.		175 (b) Injury by animals in farming, etc.		175 (ba) (bb)* 175 (c) Other accidents included under 175.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	441	103	168	5	190	7	725	—	70	2	35	—	18	2	17	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	10	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—
5—	15	3	2	1	—	—	—	—	2	—	2	—	—	—	—	—
10—	24	4	1	—	—	—	3	—	1	—	1	—	—	—	—	—
15—	38	13	22	1	22	1	57	—	4	—	2	—	2	—	—	—
20—	27	9	17	1	80	—	51	—	2	—	2	—	—	—	—	—
25—	26	5	18	1	55	1	71	—	2	—	2	—	—	—	—	—
30—	17	3	18	—	14	—	82	—	8	—	1	—	2	—	5	—
35—	22	2	25	—	11	2	97	—	3	—	1	—	1	—	1	—
40—	28	1	17	—	7	—	80	—	2	—	2	—	—	—	—	—
45—	27	5	9	—	—	—	70	—	4	—	1	—	2	—	1	—
50—	24	6	8	—	—	—	94	—	10	—	8	—	2	—	—	—
55—	40	3	9	—	—	1	50	—	5	—	2	—	2	—	1	—
60—	41	11	12	—	1	—	44	—	8	—	5	—	1	—	2	—
65—	39	8	7	1	—	—	20	—	8	—	3	—	2	—	3	—
70—	28	10	2	—	—	—	5	—	7	1	2	—	1	1	4	—
75—	26	7	—	—	—	—	1	—	3	1	1	—	2	1	—	—
80—	9	12	—	—	—	—	—	—	1	—	—	—	1	—	—	—

* 175 (ba), By venomous animals —; 175 (bb), By other animals (see 175 (b)).

† (Any cause of death except war.)

APPENDIX B.I.—continued.

Causes of Death.	176 Accidents caused by machinery (any cause of death).		177 Food poisoning.		178 Accidental absorption of poisonous gas.†		179 Other acute accidental poisoning (not by gas).†		180 Conflagration.†		181 Accidental burns (conflagration excepted).†		182 Accidental mechanical suffocation.†		183 Accidental drowning.†	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	167	9	15	15	132	100	57	76	48	56	500	721	315	195	1110	242
0—	—	—	1	1	2	—	1	—	1	4	34	34	236	165	9	8
1—	1	2	1	1	2	5	8	6	6	9	220	158	11	11	91	25
5—	1	1	1	—	3	3	—	—	2	2	21	54	6	—	136	17
10—	5	1	—	1	1	2	1	—	1	—	4	20	12	1	73	2
15—	14	1	1	—	8	1	2	2	1	2	15	26	2	—	66	8
20—	11	1	—	—	6	3	1	2	2	3	12	12	3	—	50	5
25—	16	2	2	1	7	4	3	3	6	1	18	19	1	1	58	12
30—	16	1	—	1	9	1	4	3	1	1	8	16	2	—	55	13
35—	16	—	1	1	5	8	5	7	1	—	10	12	4	1	55	13
40—	8	—	1	—	10	4	2	7	1	—	10	19	6	1	64	6
45—	26	—	1	—	11	4	2	12	5	4	15	26	2	2	59	19
50—	16	—	2	2	11	7	5	9	2	2	10	22	5	2	77	22
55—	14	—	1	2	8	6	10	7	3	4	10	26	5	3	83	23
60—	11	—	2	3	10	8	3	6	3	3	23	29	7	4	95	23
65—	10	—	—	2	7	10	3	4	1	3	16	46	4	—	63	17
70—	2	—	—	—	9	12	3	3	4	7	24	52	2	4	32	12
75—	—	—	1	—	11	9	2	5	4	7	28	66	4	—	30	12
80—	—	—	—	—	12	13	2	—	4	4	22	84	3	—	14	5

† Except deaths classed under headings Nos. 169-176, 196, 197.

Causes of Death.	184 Accidental injury by firearms.†		185 Accidental injury by cutting or piercing instruments.†		186 Accidental injury by fall, crushing, landslide, etc.†		187* Injury by animals.†		189, 190* Excessive heat.†		191 Lightning.		193 Other accidents due to electric currents.†		194* Other accidents.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	99	10	17	3	2549	2956	15	2	12	5	20	4	63	11	395	183
0—	—	—	1	1	12	8	—	—	1	—	—	—	—	—	87	84
1—	1	—	2	—	41	24	—	—	3	1	—	—	1	1	14	10
5—	2	—	1	—	42	17	1	—	—	—	2	—	—	—	17	14
10—	8	1	1	1	35	8	1	—	—	—	—	—	—	1	22	3
15—	17	2	2	—	54	14	—	—	—	—	1	—	9	1	24	2
20—	13	1	1	—	77	12	—	—	—	—	1	—	12	3	28	4
25—	12	3	1	—	92	9	—	—	1	—	4	1	12	1	15	3
30—	8	—	—	1	111	9	—	—	—	—	1	1	9	2	20	4
35—	8	—	—	—	96	17	—	—	1	—	2	1	5	2	19	5
40—	2	—	1	—	88	24	—	—	—	—	1	—	6	—	21	6
45—	8	3	1	—	96	39	1	—	—	—	—	—	2	—	18	7
50—	2	—	1	—	142	52	3	—	4	—	2	1	1	—	26	2
55—	5	—	—	—	173	98	2	—	2	1	2	—	1	—	31	9
60—	3	—	3	—	220	189	2	—	—	1	—	—	3	—	18	8
65—	5	—	—	—	221	275	1	1	—	1	2	—	—	—	15	8
70—	—	—	1	—	281	404	1	—	—	—	1	—	1	—	7	4
75—	3	—	1	—	326	598	3	1	—	—	—	—	1	—	9	5
80—	2	—	—	—	442	1159	—	—	—	1	1	—	—	—	4	5

* 187, Cataclysm (any cause of death) —; 189, Hunger or thirst † 60, 60, 80, 50, 60, 70; 190, Excessive cold † 55 60, 60, 65, 65, 65, 50, 65; 194, Attack by venomous animals 5, 35, 40, 50, 60, 30, 45, 45, 65, 65.

† Except deaths classed under headings Nos. 169-176, 196, 197.

APPENDIX B.I.—continued.

Causes of Death.	195 (a) (b)*		195 (d)		196*		197		197 (a)*		197 (c)		198*		199	
	195 (c) Lack of care of the newborn.		Other and unspecified accidents included under 195.†		197-198 Other violent deaths.		Deaths of civilians due to operations of war.†		197 (b) From wounds.		From other or unspecified causes.		XVIII 199-200 Ill-defined Causes of Death.		Sudden death.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	68	79	321	104	79	1	74	1	43	—	30	1	546	384	103	78
0—	68	79	16	5	—	—	—	—	—	—	—	—	16	11	2	—
1—	—	—	14	10	—	—	—	—	—	—	—	—	5	5	—	—
5—	—	—	17	14	—	—	—	—	—	—	—	—	3	—	1	—
10—	—	—	22	3	—	—	—	—	—	—	—	—	—	1	—	—
15—	—	—	24	2	2	—	1	—	—	—	1	—	1	1	1	1
20—	—	—	27	4	2	—	2	—	1	—	1	—	2	3	—	1
25—	—	—	15	3	5	—	4	—	—	—	4	—	2	4	—	—
30—	—	—	19	4	5	—	4	—	—	—	4	—	7	6	3	—
35—	—	—	19	5	5	—	4	—	1	—	3	—	21	2	4	—
40—	—	—	20	6	17	1	16	1	11	—	5	1	11	10	2	5
45—	—	—	18	7	15	—	15	—	11	—	3	—	19	17	6	5
50—	—	—	26	2	13	—	13	—	9	—	4	—	26	14	5	4
55—	—	—	31	9	10	—	10	—	7	—	3	—	55	35	6	9
60—	—	—	18	8	4	—	4	—	2	—	2	—	72	35	17	7
65—	—	—	15	8	1	—	1	—	1	—	—	—	82	54	14	10
70—	—	—	7	4	—	—	—	—	—	—	—	—	92	46	20	10
75—	—	—	9	5	—	—	—	—	—	—	—	—	83	68	16	11
80—	—	—	4	5	—	—	—	—	—	—	—	—	49	72	6	15

* 195 (a) (1), Vaccinia 20; 195 (a) (2), Other sequelæ of vaccination against small-pox 0, 30; 195 (ba), Anæsthetic accidents —; 195 (bb), Other accidents due to medical or surgical intervention 0, 0, 40; 196, see page 334; 197 (a), From poison gas 45; 198, Legal executions 15, 25, 30, 35, 40.

† Including wounds, etc. received in previous wars whether then in military service or not. Deaths due to present war as follows:—15, 20, 25, 25, 25, 25, 30, 30, 30, 30, 35, 35, 35, 40, 40, 40, 40, 45, 45, 50, 55, 40.

‡ Except deaths classed under headings Nos. 169-176, 196, 197.

Causes of Death.	200 Causes of death unstated or ill-defined.		200 (a) Ill-defined causes.		200 (a) (1) Heart failure.		200 (a) (2) Other ill-defined causes.		200 (b) Found dead, cause unknown.		200 (c) Other deaths from unknown or unspecified cause.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	443	306	392	274	361	254	31	20	30	17	21	15
0—	14	11	2	3	—	—	2	3	8	6	4	2
1—	5	5	5	5	—	—	5	5	—	—	—	—
5—	2	—	2	—	—	—	2	—	—	—	—	—
10—	—	1	—	—	—	—	—	—	—	1	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—
20—	2	2	1	2	—	2	1	—	1	—	—	—
25—	2	4	1	3	1	3	—	—	1	1	—	—
30—	4	6	2	3	1	1	1	2	2	2	—	1
35—	17	2	9	2	9	1	—	1	6	—	2	—
40—	9	5	4	4	4	4	—	—	4	1	1	—
45—	13	12	8	11	6	10	2	1	3	1	2	—
50—	21	10	21	9	19	9	2	—	—	—	—	1
55—	49	26	47	24	46	23	1	1	—	1	2	1
60—	55	28	52	26	48	23	4	3	2	1	1	1
65—	68	44	66	40	61	39	5	1	1	1	1	3
70—	72	36	68	32	62	32	6	—	1	1	3	3
75—	67	57	62	55	62	54	—	1	1	1	4	1
80—	43	57	42	55	42	53	—	2	—	—	1	2

APPENDIX B.II.—CAUSES OF DEATH OF NON-CIVILIANS
3rd September—31st December, 1939.

England and Wales

Classified in accordance with the International List, 5th Revision 1938.,

(a) Full detailed List.

International List No.	Cause of Death.	All ages	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65 and over
	All causes	836	120†	256	161	61	68	54	50	41	16	3	6
6	Cerebro-spinal (meningococcal) meningitis	14	3	10	1	—	—	—	—	—	—	—	—
10	Diphtheria	3	1	1	—	—	1	—	—	—	—	—	—
13	Tuberculosis of the respiratory system	19	1	3	8	1	1	1	3	1	—	—	—
14	" " " meninges and central nervous system	5	2	3	—	—	—	—	—	—	—	—	—
15	" " " intestines and peritoneum	1	—	—	1	—	—	—	—	—	—	—	—
22a	" " " acute generalised military	1	1	—	—	—	—	—	—	—	—	—	—
24a	Septicæmia	2	1	—	—	—	—	1	—	—	—	—	—
25	Gonococcal infections	1	—	—	—	—	1	—	—	—	—	—	—
27b	Amoebic dysentery	1	—	—	—	—	—	—	—	—	—	—	—
30b	General paralysis of the insane	2	—	—	—	—	1	—	1	—	—	—	—
30c	Aneurysm of the aorta	1	—	—	—	—	—	—	1	—	—	—	—
30db, dc, dd	Other or unspecified syphilis	3	—	—	—	—	—	1	—	2	—	—	—
33a1	Influenza with pneumonic complications	1	—	1	—	—	—	—	—	—	—	—	—
37b	Sequelæ of encephalitis lethargica	1	—	—	—	—	—	—	—	1	—	—	—
37c	Unspecified encephalitis lethargica	1	—	—	—	1	—	—	—	—	—	—	—
44b	Pernicious lymphogranulomatosis (Hodgkin's disease)	1	—	—	—	—	—	—	1	—	—	—	—
	Cancer:—												
45c	Other, etc. parts of buccal cavity and pharynx	2	—	—	—	—	—	1	—	—	—	—	—
46b	Stomach and duodenum	1	—	—	—	—	—	—	2	—	—	—	—
46c	Intestines other than duodenum or rectum	2	—	1	—	—	—	1	—	—	—	—	—
46e	Liver and biliary passages	3	—	—	—	1	—	—	—	1	1	—	—
46g	Peritoneum	2	1	—	—	—	—	—	—	—	—	—	—
47b	Lung and pleura	4	—	—	—	—	—	2	—	1	—	—	1
51c	Other or unspecified male genital organs	4	1	—	—	1	—	1	1	—	—	—	—
52	Urinary organs	1	—	1	—	—	—	—	—	—	—	—	—
54a	Glioma (not specified as benign)	1	—	—	—	—	1	—	—	—	—	—	—
55d2	Others included under 55d	1	—	—	—	—	—	—	—	—	—	1	—
	Tumours of undetermined nature:—												
57d	Brain and other parts of nervous system	4	1	—	—	1	1	—	—	—	1	—	—
57e	Other and unspecified organs	2	—	—	—	—	—	—	—	1	1	—	—
58a	Acute rheumatic pericarditis	1	—	—	—	—	1	—	—	—	—	—	—
61	Diabetes mellitus	1	—	1	—	—	—	—	—	—	—	—	—
63b	Exophthalmic goitre	1	—	—	—	—	—	—	—	1	—	—	—
64	Diseases of thymus (inc. status lymphaticus)	2	1	—	—	—	1	—	—	—	—	—	—
74a	Leukæmia	1	—	1	—	—	—	—	—	—	—	—	—
75c	Other diseases of the spleen	1	—	1	—	—	—	—	—	—	—	—	—
81	Meningitis (non-meningococcal)	2	—	2	—	—	—	—	—	—	—	—	—
82-3	Myelitis of unstated origin	1	1	—	—	—	—	—	—	—	—	—	—
83a	Cerebral hæmorrhage	5	—	—	—	1	1	—	2	—	—	—	1
83 b, c	Cerebral embolism, thrombosis and softening	1	—	—	—	—	—	—	—	1	—	—	—
84b	Schizophrenia (dementia præcox)	1	—	1	—	—	—	—	—	—	—	—	—
84d	Other mental disorders included under 84	2	1	—	—	—	—	—	1	—	—	—	—
85	Epilepsy	1	—	—	—	1	—	—	—	—	—	—	—
87d	Disseminated sclerosis	1	—	—	—	1	—	—	—	—	—	—	—
89a	Otitis & other dis. of ear (without mention of mastoid	1	—	1	—	—	—	—	—	—	—	—	—
89b	Diseases of the mastoid antrum (dis.)	1	1	—	—	—	—	—	—	—	—	—	—
91a, b	Acute or sub-acute bacterial endocarditis	7	1	3	—	2	—	1	—	—	—	—	—
92a	Aortic valvular disease (without mitral disease)	1	—	—	—	—	—	—	—	1	—	—	—
92b1	Mitral valve disease	5	—	1	—	—	1	—	1	1	—	—	1
92b2	Other diseases included under 92b	1	—	—	—	—	—	—	1	—	—	—	—
92c	Unspecified valvular lesions or endocarditis	1	—	—	1	—	—	—	—	—	—	—	—
93b	Chronic myocarditis specified as rheumatic	1	—	—	—	—	—	—	—	—	1	—	—
93c1	Cardio-vascular degeneration	3	—	—	—	—	—	1	—	—	2	—	—
93c2	Myocardial degeneration described as fatty	5	—	—	—	1	—	—	—	—	—	—	—
93c3	Other myocardial degeneration	3	—	—	—	—	—	1	—	—	—	—	—
93d	Myocarditis not distinguished as acute or chronic	3	—	—	—	—	—	—	1	2	—	—	—
94a	Diseases of the coronary arteries	10	—	—	—	—	2	3	1	3	1	—	—
94b	Angina pectoris without mention of coronary disease	2	—	—	—	—	—	—	2	—	—	—	—
95a	Functional heart dis. (without mention of organic lesion)	3	—	—	—	—	—	1	1	—	—	—	—
95c	Other diseases included under 95	1	—	—	—	—	—	—	—	1	—	—	—
96	Aneurysm (except of heart and aorta)	1	—	1	—	—	—	—	—	—	—	—	—
97	Arteriosclerosis (exg. coronary or renal sclerosis or cerebral	2	—	—	—	—	1	—	—	—	1	—	—
99	Other diseases of the arteries (hæm.)	2	—	1	—	—	—	1	—	—	—	—	—
102	High blood pressure (idiopathic)	2	—	—	—	—	1	—	1	—	—	—	—
106a	Acute bronchitis	8	1	—	—	1	1	1	2	1	1	—	—
106b	Chronic bronchitis	5	—	—	—	—	—	2	—	1	1	—	—
106-3	Bronchitis with myocardial disease (93), etc.	2	—	—	—	—	—	—	—	—	—	—	—
106-6	" " without any complications specified in (1)-(5)	11	1	—	—	1	1	3	2	1	2	—	—
107-2	Broncho-pneumonia without mention of influenza	14	1	1	3	2	1	1	4	1	—	—	—
108-2	Lobar pneumonia	17	—	8	1	—	2	—	2	2	1	—	1
109-2	Pneumonia (unspecified), " " "	2	—	—	—	—	—	—	—	—	—	—	—
110a	Empyema	1	—	—	—	1	—	—	—	—	—	—	—
110b	Other or unspecified forms of pleurisy	1	—	—	—	—	—	—	—	—	1	—	—
111b	Acute oedema of lung	1	—	1	—	—	—	—	—	—	—	—	—
112-6	Asthma without any complication specified in (1)-(5)	1	—	—	—	—	1	—	—	—	—	—	—
115a	Diseases of the teeth and gums	1	—	1	—	—	—	—	—	—	—	—	—
115c2	Other diseases of pharynx and tonsils (with mention of tonsils)	1	—	1	—	—	—	—	—	—	—	—	—
117a	Ulcer of the stomach	13	1	—	—	1	3	5	2	—	1	—	—
117b	Ulcer of the duodenum	5	—	—	—	—	—	3	—	—	—	—	—
118-1	Inflammation of the stomach	1	—	—	—	—	—	—	—	1	—	—	—
120a	Enteritis & diarrhoea without mention of ulceration	3	—	—	—	1	—	—	1	—	—	—	—
120b	Ulceration of the intestines (except duodenum)	1	—	1	—	—	—	—	—	—	—	—	—

† Includes 1 at age 14 years.

(b) *Abridged List*

* Any cause of death except War.
† Aged 14 years.
‡ 175 deaths in flying accidents have been assigned to 196c.

APPENDIX C.—CIVILIAN DEATHS BY MONTH OF OCCURRENCE AND
 CAUSE in October, November and December, 1939. { England and Wales
 NOTE.—The titles of the International List numbers and the deaths in January—Septem-
 ber inclusive will be found in Table 23.

Inter- national List No. of cause	1939			Inter- national List No. of cause	1939			Inter- national List No. of cause	1939			Inter- national List No. of cause	1939		
	Oct.	Nov.	Dec.		Oct.	Nov.	Dec.		Oct.	Nov.	Dec.		Oct.	Nov.	Dec.
All M causes F	20375 19189	20111 19204	23570 21940	14 M F	—	—	—	32 M F	32 24	32 27	46 40	44 (2) M F	1	—	—
				(a) M F	—	—	—	(a) M F	12 11	13 12	27 22	(3) M F	—	—	—
1-44 M F	1641 1259	1644 1236	1915 1411	(b) M F	—	—	—	(b) M F	—	—	—	(4) M F	—	2	2
1-2 M F	7 9	6 5	3 5	(c) M F	—	—	—	(c) M F	20 13	19 15	19 18	(5) M F	—	—	—
1 M F	5 5	4 3	2 3	(d) M F	—	—	—	33 M F	—	—	—	(6-1) M F	—	3	—
2 M F	2 4	2 2	1 2	15 M F	10 11	10 10	9 7	34 M F	68 36	66 36	84 45	(6-2) M F	—	—	—
3 M F	—	—	—	16 M F	5 6	7 10	8 4	(a) M F	2 7	5 6	6 6	45-55 M F	2875 3227	2841 3145	2862 3277
4 M F	—	—	—	(1) M F	5 4	6 9	5 3	(b & c) M F	66 29	61 24	78 39	45-53 M F	2787 3088	2750 3010	2769 3148
5 M F	—	—	—	(2) M F	—	1 1	3 1	35 M F	2	—	1	45 M F	217 49	224 46	210 48
6 M F	—	—	—	17 M F	31 28	40 34	35 24	(1) M F	—	—	—	46 M F	1630 1497	1589 1441	1644 1473
7 M F	5 8	9 6	10 19	18 M F	16 9	27 12	22 22	(2) M F	2	—	1	47 M F	400 128	410 129	390 128
8 M F	8 7	7 10	13 6	19 M F	—	—	—	36 M F	29 16	28 14	27 18	48 F F	348 199	398 190	416 194
9 M F	25 35	16 27	20 19	20 M F	2	—	—	(a) M F	25 14	24 11	22 18	50 M F	2 638	5 593	5 679
10 M F	102 104	100 78	108 99	21 M F	—	—	—	(b) M F	4 2	4 3	4	51 M	350	322	365
11 M F	106 118	145 161	178 145	22 M F	7 2	5 —	9 4	(c) M F	—	—	1	52 M F	56 39	67 35	47 40
(a) M F	70 55	87 85	102 73	23-32 M F	1210 851	1148 819	1366 979	37 M F	—	—	—	53 M F	132 190	133 178	108 170
(1) M F	53 37	57 47	68 43	23 M F	1063 702	996 693	1198 819	38 M F	1	3	3	54 M F	37 88	37 81	34 67
(2) M F	17 18	30 38	34 30	24 M F	52 62	53 54	63 60	39 M F	—	3	3	(a) F	65	45	40
(b) M F	36 63	58 76	76 72	25 M F	20 22	23 23	22 24	40 M F	—	—	—	(b) M F	37 23	37 36	34 27
(1) M F	29 55	40 59	59 56	26 M F	19 16	14 9	12 15	41 M F	—	1	—	55 M F	51 51	54 54	59 62
(2) M F	7 8	18 17	17 16	27 M F	7 9	12 3	13 5	(a) M F	—	1 1	1	(a) F	1	3	2
12 M F	—	—	—	28 M F	1 2	3 1	1 2	(b) M F	—	—	—	(b) M F	51 50	54 51	59 60
13 M F	5 8	14 3	8 8	29 M F	—	—	1 5	42 M F	—	—	—	56-69 M F	403 794	428 823	473 832
(a) M F	1	—	—	30 M F	16 10	14 5	10 8	43 M F	—	4 2	6	56 M F	36 53	31 31	35 35
(b) M F	2 7	12 2	8 6	31 M F	—	1 1	—	(1) M F	—	2 2	5 2	57 M F	77 200	80 202	97 220
(c) M F	2 1	2	—	(1) M F	—	—	—	(2) M F	—	2	—	(1) M F	—	2	4
				(2) M F	—	1	—	44 M F	2 6	5 7	2 3	(2) M F	77 191	78 196	93 215
								(1) M F	—	—	—	58 M F	—	9 5	13 2

International List No. of cause	1939			International List No. of cause	1939			International List No. of cause	1939			International List No. of cause	1939		
	Oct.	Nov.	Dec.		Oct.	Nov.	Dec.		Oct.	Nov.	Dec.		Oct.	Nov.	Dec.
59 M F	236 368	260 407	277 421	71(b) M F	13 16	13 14	8 14	82 M F	1025 1348	1043 1433	1238 1529	90- 103 M F	7014 6814	6858 6812	8386 8175
60 M F	— —	1 —	— —	(1) M F	9 8	6 11	4 6	(a) M F	666 912	672 943	819 1032	90-95 M F	5690 5537	5532 5500	6765 6695
61 M F	1 —	— —	— —	(2) M F	4 8	7 3	4 8	(1) M F	642 877	645 910	798 1002	90 M F	13 11	15 7	16 7
62 M F	— 2	— 1	— —	72 M F	77 51	74 57	73 64	(2) M F	24 35	27 33	21 30	91 M F	54 47	45 47	44 50
63 M F	4 4	3 7	8 2	(a) M F	49 32	48 40	41 50	(b) M F	310 383	327 443	364 444	(1) M F	51 43	40 44	40 45
(1) M F	1 2	2 6	8 2	(b) M F	28 19	26 17	32 14	(1) M F	12 14	16 19	20 11	(2) M F	3 4	5 3	4 5
(2) M F	3 2	1 1	— —	(1) M F	28 16	26 13	30 12	(2) M F	292 362	306 412	337 425	92 M F	744 918	753 902	852 1030
64 M F	— 1	— —	— —	(2) M F	— 3	— 4	2 2	(3) M F	6 7	5 12	7 8	(1) M F	152 83	162 61	178 98
65 M F	1 —	3 3	1 1	73 M F	2 7	— 2	4 2	(c) M F	49 53	44 47	55 53	(2) M F	280 406	268 453	317 493
(1) M F	— —	— —	— —	(1) M F	2 5	— 2	2 2	(1) M F	45 53	41 46	53 52	(3) M F	38 46	49 32	42 43
(2) M F	1 —	3 2	1 1	(2) M F	— 2	— —	2 —	(2) M F	4 —	3 1	6 1	(4) M F	31 48	31 38	33 49
66 M F	18 150	22 143	19 134	74 M F	3 1	3 —	2 2	83 M F	54 15	46 12	59 30	(5) M F	243 335	243 318	282 347
(a) M F	1 11	2 6	5 5	75-77 M F	— —	5 4	6 2	84 M F	34 56	31 51	49 68	93 M F	3506 3685	3402 3699	4277 4582
(b) M F	12 120	13 124	14 110	75 M F	— —	5 3	5 1	(a) M F	4 2	3 3	8 2	(a) M F	21 9	16 10	7 14
(c) M F	4 18	6 12	2 19	76 M F	— —	1 1	1 1	(b) M F	30 54	28 48	41 66	(b) M F	2980 3182	2865 3220	3574 3949
(d) M F	1 1	1 1	— —	77 M F	— —	1 —	2 —	85 M F	91 66	96 102	114 92	(1) M F	70 87	55 73	89 105
(e) M F	— —	— —	2 —	(1) M F	— —	1 —	2 —	86 M F	32 22	49 26	40 32	(2) M F	873 801	833 806	993 991
67 M F	6 4	9 8	11 4	(2) M F	— —	— —	— —	87 M F	140 129	141 153	136 149	(3) M F	2037 2294	1977 2341	2492 2853
68 M F	16 8	9 13	8 10	78-89 M F	1543 1763	1549 1894	1822 2032	(a) M F	1 4	— —	— 2	(c) M F	505 494	521 469	696 619
69 M F	2 4	1 3	4 3	78 M F	7 12	13 6	18 10	(b) M F	3 3	4 5	6 7	94 M F	1109 546	1064 544	1303 704
(1) M F	1 —	— —	1 —	(a) M F	2 4	6 2	12 5	(c) M F	83 66	76 85	76 65	95 M F	264 330	253 301	273 322
(2) M F	1 4	1 3	3 3	(b) M F	5 8	7 4	6 5	(d) M F	36 36	43 45	35 61	(a) M F	118 181	113 163	122 185
70-74 M F	195 242	186 244	196 242	79 M F	28 21	22 24	27 20	(e) M F	17 17	17 18	19 14	(b) M F	146 149	140 138	151 137
70 M F	12 15	13 21	14 23	80 M F	34 11	36 6	46 7	88 M F	4 7	2 1	2 4	(1) M F	15 8	11 10	13 11
(a) M F	4 8	2 15	7 20	81 M F	44 42	48 46	56 51	89 M F	50 34	42 34	37 40	(2) M F	131 141	129 128	138 126
(b) M F	8 7	11 6	7 3	(1) M F	28 23	27 20	35 27	(a) M F	31 16	24 23	25 18	96 M F	86 28	78 42	106 58
71 M F	101 168	96 164	103 151	(2) M F	3 3	3 6	8 9	(b) M F	19 18	18 11	22	97 M F	1123 1118	1136 1135	1361 1291
(a) M F	88 152	83 150	95 137	(3) M F	5 5	4 7	2 7								
				(4) M F	8 11	14 13	11 8								

APPENDIX C.—continued.

International List No. of cause	1939			International List No. of cause	1939			International List No. of cause	1939			International List No. of cause	1939		
	Oct.	Nov.	Dec.		Oct.	Nov.	Dec.		Oct.	Nov.	Dec.		Oct.	Nov.	Dec.
97(1) M F	405 449	372 422	465 523	109 M F	85 62	95 61	95 69	119 & M 120 F	188 181	158 147	168 137	130- M 139 F	1078 692	1085 632	1152 716
(2) M F	241 271	273 313	306 306	110 M F	44 15	27 9	35 15	(a.1) M F	8 15	13 17	11 19	130- M 132 F	539 562	511 516	608 590
(3) M F	477 398	491 400	590 462	(1) M F	23 2	17 4	12 8	(a.2) M F	166 134	129 105	131 100	130 M F	48 35	35 38	46 34
98 M F	29 30	25 14	32 20	(2) M F	21 13	10 5	23 7	(b) M F	14 32	16 25	26 18	131 M F	442 470	426 426	508 505
(a) M F	24 28	24 14	29 19	111 M F	40 55	38 43	44 47	121 M F	115 106	114 90	112 93	132 M F	49 57	50 52	54 51
(b) M F	5 2	1 —	3 1	(1) M F	35 50	34 40	37 43	122 M F	207 182	203 170	183 199	133 M F	35 52	42 49	49 61
99 M F	11 14	17 11	20 9	(2) M F	5 5	4 3	7 4	(a) M F	79 81	85 81	90 103	(a) M F	23 42	34 42	35 46
100 M F	21 35	22 52	20 47	112 M F	90 50	69 50	120 70	(1) M F	59 65	63 62	63 84	(b) M F	12 10	8 7	14 15
(1) M F	10 19	12 28	10 28	113 M F	8 1	7 —	6 —	(2) M F	20 16	22 19	27 19	134 M F	26 19	19 12	15 13
(2) M F	11 16	10 24	10 19	114 M F	35 9	40 6	34 13	(b) M F	128 101	118 89	93 96	(a) M F	19 16	12 11	9 12
101 M F	5 2	1 1	1 1	(a) M F	27 6	31 2	23 6	123 M F	23 24	28 28	37 3	(b) M F	7 3	7 1	5 1
102 M F	49 53	47 56	79 53	(b) M F	8 3	9 4	11 7	(1) M F	4 6	4 7	3 7	(c) M F	— —	— —	1 —
103 M F	— —	— —	2 1	(1) M F	1 —	— 1	1 1	(2) M F	15 16	22 18	28 26	135 M F	34 26	38 28	43 23
104- M 114 F	1600 1110	1609 1218	2159 1569	(2) M F	7 3	9 4	10 6	(3) M F	4 2	2 3	10 4	(a) M F	29 26	30 27	38 20
104 M F	10 4	9 6	6 6	115- M 129 F	1078 864	1004 782	1078 873	124 M F	62 34	51 46	61 34	(b) M F	5 —	8 1	5 3
(1) M F	2 1	1 1	— 1	115 M F	41 38	52 33	52 45	(a) M F	9 4	5 3	7 6	136 M F	22 —	28 —	17 1
(2) M F	8 3	8 8	6 5	(1) M F	8 8	15 6	10 7	(b) M F	53 30	46 43	54 28	(a) M F	21 —	26 —	16 —
105 M F	9 10	6 8	11 8	(2) M F	3 1	3 1	4 1	125 M F	7 14	4 7	11 16	(b) M F	1 —	2 —	1 1
(1) M F	2 1	2 1	— 2	(3) M F	21 19	24 15	29 28	(1) M F	— 4	2 2	4 7	137 M	421	444	414
(2) M F	7 9	4 6	11 6	(4) M F	9 10	10 11	9 9	(2) M F	7 10	2 5	7 9	138 M	1	3	6
(3) M F	— —	1 —	— —	116 M F	2 1	3 1	1 5	126 M F	25 67	25 63	23 60	139 F	33	27	28
106 M F	576 391	574 487	889 701	117 M F	314 90	292 85	349 98	(1) M F	5 20	5 19	4 17	(a) F	16	13	11
(a) M F	109 113	125 126	180 225	(a) M F	213 72	201 63	223 74	(2) M F	20 47	20 44	19 43	(1) F	—	—	—
(b) M F	334 141	318 216	516 258	(b) M F	101 18	91 22	126 24	127 M F	33 59	22 21	14 81	(2) F	11	11	8
(c) M F	133 137	131 145	193 218	118 M F	35 32	27 23	39 35	(1) M F	29 58	17 57	10 75	(3) F	5	2	3
107- M 109 F	788 575	839 606	1014 709	(1) M F	29 25	20 21	30 28	(2) M F	4 1	5 4	4 6	(b) F	16	13	13
107 M F	413 354	446 384	601 453	(2) M F	6 7	7 2	9 7	128 M F	16 24	16 19	14 22	(c) F	—	1	1
108 M F	290 159	298 161	318 187					129 M F	10 12	9 9	10 11	(d) F	1	—	3

APPENDIX C.—continued.

Inter- national List No. of cause	1939			Inter- national List No. of cause	1939			Inter- national List No. of cause	1939			Inter- national List No. of cause	1939		
	Oct.	Nov.	Dec.		Oct.	Nov.	Dec.		Oct.	Nov.	Dec.		Oct.	Nov.	Dec.
140- 150 F	162	135	154	155 M	10	6	12	161(2)M	3	2	1	180 M	2	3	6
140 & 145 F	41	37	36	M	7	6	5	F	2	—	—	F	5	5	3
140 F	18	14	15	156 M	14	3	7	(3) M	20	10	13	181 M	41	45	68
141 F	4	3	7	F	7	3	7	F	12	19	9	F	74	64	101
(1) F	3	2	6	(a) M	10	2	2	162 M	539	548	680	182 M	21	26	47
(2) F	1	1	1	F	4	1	4	F	845	826	954	F	14	14	23
142 F	5	4	8	(b) M	4	1	5	(a) M	27	24	26	183 M	36	78	81
143 F	—	1	4	F	3	2	3	F	32	33	38	F	10	12	13
144 F	26	26	22	157 M	175	150	212	(b) M	512	524	654	184 M	9	7	4
(a) F	5	7	6	F	167	147	172	F	813	793	916	F	2	—	1
(b) F	21	19	16	(a) M	17	9	18	163- M	1449	1459	1731	185 M	2	—	1
145 F	23	23	21	F	14	8	15	198 F	705	742	869	F	—	—	—
(a) F	23	23	21	(b) M	35	24	46	163- M	219	211	216	186 M	981	952	1137
(b) F	—	—	—	F	66	58	51	171 F	126	138	136	F	422	435	528
146 F	29	24	29	(c) M	65	61	81	163 M	19	16	16	187 M	—	—	—
147 F	14	8	13	F	51	51	56	F	21	19	14	F	—	—	—
148 F	13	6	18	(d) M	7	3	—	164 M	76	78	80	188 M	1	4	3
(a) F	5	3	6	F	3	6	7	F	50	69	63	F	2	—	1
(b) F	8	3	12	(e) M	55	53	67	165 M	49	32	38	189 M	—	1	2
149 F	28	21	15	F	29	24	43	F	10	11	6	F	—	1	1
150 F	2	5	2	(1) M	14	23	24	166 M	29	27	28	190 M	2	—	3
(1) F	—	—	—	F	2	4	6	F	25	24	31	F	1	—	5
(2) F	1	2	1	(2) M	5	4	7	167 M	10	23	16	191 M	—	—	—
(3) F	1	3	1	F	1	2	8	F	1	—	2	F	—	—	—
151- M	65	62	78	(3) M	1	4	3	168 M	22	24	20	192 M	—	—	—
153 F	49	54	61	F	1	—	1	F	4	3	3	F	—	—	—
151 M	23	27	30	(4) M	33	21	33	169 M	6	3	6	193 M	14	8	4
F	12	15	17	F	23	17	27	F	7	3	8	F	—	—	2
152 M	26	16	24	(5) M	2	1	—	170 M	8	7	11	194 M	26	23	30
F	16	15	20	F	2	1	—	F	3	5	3	F	10	14	12
(1) M	19	12	20	158- M	618	598	725	171 M	—	1	1	(1) M	6	2	7
F	10	10	14	161 F	434	455	535	F	5	4	6	F	4	6	8
(2) M	7	4	4	158 M	54	51	50	172- M	6	5	6	(2) M	20	21	23
F	6	5	6	F	24	32	39	175 F	6	10	5	F	6	8	4
153 M	16	19	24	159 M	397	385	481	173 M	—	—	1	195 M	62	63	85
F	23	15	17	F	294	315	377	F	2	1	1	F	19	33	12
152 M	26	16	24	160 M	86	66	80	174 M	—	1	—	196 M	7	16	11
F	16	15	20	F	47	46	54	F	2	2	—	F	—	—	—
(1) M	19	12	20	(a) M	—	—	—	175 M	6	4	4	197 M	—	—	—
F	10	10	14	F	—	—	—	F	2	7	4	F	—	—	—
(2) M	7	4	4	(b) M	86	66	80	176- M	1154	1164	1413	198 M	1	—	—
F	6	5	6	F	47	46	54	194 F	554	561	716	F	—	—	—
153 M	16	19	24	161 M	81	96	114	176 M	—	1	—	199- M	51	39	55
F	21	24	24	F	69	62	65	F	1	—	—	200 F	37	37	41
154- M	43	26	40	(a) M	50	63	75	177 M	1	—	—	199 M	5	7	21
156 F	25	18	25	F	44	37	44	F	2	—	—	F	11	5	9
154 M	21	17	21	(b) M	7	18	23	178 M	15	13	24	200 M	46	32	34
F	11	9	13	F	9	5	7	F	6	11	21	F	26	32	32
				(c) M	24	15	16	179 M	3	3	3	(1) M	38	26	27
				F	16	20	14	F	5	5	4	F	23	29	23
				(1) M	1	3	2					(2) M	3	1	3
				F	2	1	5					F	2	1	2
												(3) M	5	5	4
												F	1	2	7